

Student Portfolio & Academic Planner

A personal portfolio and academic-management project by a cybersecurity student at MIVA Open University.

COS 106 · INTRODUCTION TO WEB TECHNOLOGIES

KOKORIMAM ZAKKA CYBERSECURITY

Curious by nature.

Building for people.

A student of cybersecurity at MIVA Open University, building knowledge in system protection, networks, data security, and the technologies behind the web.

Explore my work →

A little about me ↘

COS 106 · 2026



KOKORIMAM
CYBERSECURITY

FULL NAME KOKORIMAM ZAKKA	DEPARTMENT CYBERSECURITY
MATRICULATION NUMBER 2024/C/CYB/0926	EMAIL kokorimam.zakka@miva.edu.ng
INSTITUTION MIVA Open University	COURSE COS 106 · 2026

Submission report · October 2026

Portfolio & academic-management assignment

Purposeful work, built for the web.

This project brings together a responsive student portfolio, an interactive study planner, and a validated contact form in one multi-page experience.

Student profile

Kokorimam Zakka is studying cybersecurity at MIVA Open University. His career goal is to protect computer systems, networks, and data from cyber threats, with a focus on developing skills in ethical hacking, network security, digital forensics, and security analysis.

Interests include cybersecurity and technology, exploring software and computer systems, technology-related content, programming, music, and travel.

Academic focus

The portfolio highlights current COS 106 coursework and learning in web technologies, while connecting that work to cybersecurity studies and professional goals.

Current learning areas include semantic HTML, CSS layout, JavaScript fundamentals, responsive design, accessibility basics, Git, digital safety, and cybersecurity foundations.

PROJECT WORK

01 • Responsive Student Portfolio Website

A responsive multi-page site presenting academic background, technical skills, career aspirations, interests, and project work.

HTML • CSS • JAVASCRIPT • RESPONSIVE DESIGN

02 • Academic Task Planner

A study list for adding tasks, tracking completion, and organizing academic work. Tasks persist in the browser between visits.

TASKS • COMPLETION TRACKING • LOCAL STORAGE

03 • Student Contact & Validation Form

A contact form that checks required fields, email format, and digits-only phone input in the browser. It clearly indicates that messages are not sent to a server.

HTML FORMS • JAVASCRIPT VALIDATION • ACCESSIBILITY

One portfolio, five useful routes.

Home

Introduces the student, course, and portfolio focus, with links to profile and project work.

About

Shows the student profile, career goal, interests, current learning areas, academic snapshot, and a short study chime.

Projects

Describes the responsive portfolio, academic planner, and validated contact form with links to relevant pages.

Study planner

Adds, completes, and deletes tasks; tracks progress; and saves task data in browser local storage.

Contact

Validates name, email, phone, and message. It does not transmit submitted details to a server.

Responsive design

Includes mobile navigation and page layouts that adapt to narrow screens, with reduced-motion support.

SUBMISSION LINKS

Hosted portfolio

<https://student-portfolio-website--migozspack.replit.app/student-portfolio/>

Public GitHub repository


<https://github.com/kokorimamzakka-rgb/cos106-student-portfolio>

Source archive

<https://github.com/kokorimamzakka-rgb/cos106-student-portfolio/blob/main/cos106-student-portfolio-source.zip>

The repository source archive contains the portfolio artifact, public assets, and project configuration. The code appendix below includes the active application source and build configuration.

Desktop and mobile views.





COS 106 · INTRODUCTION TO WEB TECHNOLOGIES

KOKORIMAM ZAKKA CYBERSECURITY

Curious by nature. *Building for people.*

A student of cybersecurity at MIVA Open University, building knowledge in system protection, networks, data security, and the technologies behind the web.

Explore my work →

A little about me ↘

· 2026



ABOUT THE STUDENT BEHIND THE SCREEN

A work in progress. *In the best way.*

A little context on what I'm studying, what I'm curious about, and where I hope this path might lead.

STUDENT PROFILE

KOKORIMAM ZAKKA

Institution: MIVA Open University

Department: CYBERSECURITY

Matriculation number: 2024/C/CYB/0926

Email: kokorimam.zakka@miva.edu.ng

Get in touch →

CURRENT · 2026

Undergraduate study

Studying in the Department of CYBERSECURITY at MIVA Open University. Current coursework includes COS 106: Introduction to Web Technologies.

CAREER GOAL

Cybersecurity professional

Build a successful career protecting computer systems, networks, and data from cyber threats. Develop strong skills in ethical hacking, network security, digital forensics, and security analysis, and help create safer digital environments.

HOBBIES & INTERESTS

Technology, learning, and new places

Learning about cybersecurity and technology; exploring software and computer systems; watching technology-related content; learning programming; music; and traveling.

CURRENT LEARNING AREAS

HTML5 semantics

CSS Grid & Flexbox

JavaScript fundamentals

Responsive design

Student profile and academic snapshot

COS 106 PROJECTS · 2026

Learning by *making*.

The work behind my COS 106 portfolio: a responsive personal site, an interactive academic planner, and a JavaScript-validated contact form.



01 / MULTI-PAGE RESPONSIVE WEBSITE

Responsive Student Portfolio Website

A responsive website showcasing academic background, technical skills, career aspirations, interests, and project work. Built with HTML, CSS, and JavaScript.

HTML CSS JavaScript

COS 106 PROJECT

View profile details ↗



02 / INTERACTIVE STUDY TOOL

Academic Task Planner

An interactive planner that lets students add, complete, and delete academic tasks. The task list is saved in the browser between visits.

JavaScript Local storage Responsive UI

COS 106 PROJECT

Open the planner ↗

Project portfolio

YOUR LITTLE CORNER OF FOCUS

Make room for *the next thing*.

A simple, private study list saved in this browser. Add the work, mark the progress, then get back to it.

Add a study task

Task

Course or project

Due date (optional)

[+ Add to my list](#)

YOUR TASKS

1 OF 3 COMPLETE



Review semantic HTML notes

COS 106 · No due date



Sketch portfolio wireframe

Personal project · No due date



Read about CSS Grid

COS 106 · No due date



Designed as a COS 106 term project · KOKORIMAM ZAKKA

CYBERSECURITY · 2026

Interactive study planner

A NOTE IS ALWAYS WELCOME

Let's start a *conversation*.

Have a question about a project, a resource to share, or an idea worth exploring?
Send a note below.

SAY HELLO

Good things start with a question.

This is a front-end demonstration. Messages are validated in your browser and are not transmitted to a server.

Student
KOKORIMAM ZAKKA

University email
kokorimam.zakka@miva.edu.ng

[Browse project work →](#)

Your name

Email address

Phone number · digits only

Your message

[Review my message →](#)

Designed as a COS 106 term project · KOKORIMAM ZAKKA

CYBERSECURITY · 2026

Contact form and validation interface

Application source

This appendix contains the active application entry point, page and interaction code, visual styles, supporting components, and project configuration. The public GitHub repository includes the full source archive.

index.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Kokorimam Zakka | Student Portfolio</title>
    <meta name="description" content="The COS 106 student portfolio of Kokorimam Zakka, a cybersecurity student at MIVA
Open University, featuring project work and an academic task planner." />
    <meta name="robots" content="index, follow" />
    <meta property="og:title" content="Kokorimam Zakka | Student Portfolio" />
    <meta property="og:description" content="Cybersecurity student at MIVA Open University. Explore project work,
profile, and academic planner." />
    <meta property="og:type" content="website" />
    <meta name="twitter:card" content="summary_large_image" />
    <meta name="twitter:title" content="Kokorimam Zakka | Student Portfolio" />
    <meta name="twitter:description" content="Cybersecurity student at MIVA Open University. Explore project work,
profile, and academic planner." />
    <link rel="icon" type="image/svg+xml" href="favicon.svg" />
    <link rel="preconnect" href="https://fonts.googleapis.com">
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
    <link href="https://fonts.googleapis.com/css2?family=Inter:wght@400;500;600;700&display=swap" rel="stylesheet">
  </head>
  <body>
    <div id="root"></div>
    <script type="module" src="/src/main.tsx"></script>
  </body>
</html>
```

src/main.tsx

```
import { createRoot } from 'react-dom/client';

import App from './App';
import { ErrorBoundary } from '@components/error-boundary';

import './index.css';

createRoot(document.getElementById('root')!).{
  // Keeps caught errors off reportError(), which would raise the dev overlay.
  onCaughtError: (error, errorInfo) => {
    console.error(error, errorInfo.componentStack);
  },
}.render(
  <ErrorBoundary>
    <App />
  </ErrorBoundary>,
);
```

src/App.tsx

```
import { useEffect, useMemo, useState, type FormEvent, type ReactNode } from 'react';
import { QueryClient, QueryClientProvider } from '@tanstack/react-query';
import { ErrorBoundary } from '@components/error-boundary';
import { Toaster } from '@components/ui/toaster';
import { TooltipProvider } from '@components/ui/tooltip';
import NotFound from '@pages/not-found';
import { ArrowDownRight, ArrowRight, ArrowUpRight, BookOpen, Check, Menu, Plus, Trash2, X } from 'lucide-react';
import { Link, Route, Switch, useLocation, Router as WouterRouter } from 'wouter';

const queryClient = new QueryClient();
const navItems = [
  { href: '/', label: 'Home' },
```

```

    { href: '/about', label: 'About' },
    { href: '/projects', label: 'Projects' },
    { href: '/planner', label: 'Study planner' },
    { href: '/contact', label: 'Contact' },
  ];
const studentProfile = {
  fullName: 'KOKORIMAM ZAKKA',
  email: 'kokorimam.zakka@miva.edu.ng',
  department: 'CYBERSECURITY',
  matriculationNumber: '2024/C/CYB/0926',
  institution: 'MIVA Open University',
};

function Header() {
  const [location] = useLocation();
  const [open, setOpen] = useState(false);
  return <header className="page-wrap topbar">
    <Link href="/" className="brand" data-testid="link-brand"><span className="brand-mark">KZ</span><span
className="brand-name">{studentProfile.fullName}</span></Link>
    <button className="menu-toggle" aria-label={open ? 'Close navigation' : 'Open navigation'} aria-expanded={open} data-
testid="button-mobile-menu" onClick={() => setOpen(!open)}>{open ? <X size={22} /> : <Menu size={22} />}</button>
    <nav className={`nav-links ${open ? 'open' : ''}`} aria-label="Main navigation">
      {navItems.map(item => <Link key={item.href} href={item.href} className={`nav-link ${location === item.href ?
'active' : ''}`} onClick={() => setOpen(false)} data-testid={`link-nav-${item.label.toLowerCase().replaceAll(' ', '-')}
`}>{item.label}</Link>)}
    </nav>
  </header>;
}

function Footer() {
  return <footer className="page-wrap footer"><span>Designed as a COS 106 term project · {studentProfile.fullName}</span>
<span>{studentProfile.department} · 2026</span></footer>;
}

function Layout({ children }: { children: ReactNode }) {
  return <div className="site-shell"><Header /><main className="page-content">{children}</main><Footer /></div>;
}

function Home() {
  return <Layout>
    <div className="page-wrap">
      <section className="hero">
        <div>
          <span className="eyebrow">COS 106 · Introduction to Web Technologies</span>
          <p className="student-name" data-testid="text-student-name">{studentProfile.fullName}<span>
{studentProfile.department}</span></p>
          <h1 className="serif">Curious by nature.<br /><em>Building for people.</em></h1>
          <p className="hero-copy">A student of cybersecurity at MIVA Open University, building knowledge in system
protection, networks, data security, and the technologies behind the web.</p>
          <div className="hero-actions">
            <Link href="/projects" className="button button-primary" data-testid="button-explore-projects">Explore my
work <ArrowRight size={16} /></Link>
            <Link href="/about" className="button button-outline" data-testid="button-about-me">A little about me
<ArrowDownRight size={16} /></Link>
          </div>
        </div>
        <div className="hero-art">
          <div className="orbit" /><span className="orbit-label">COS 106 · 2026</span>
          <div className="portrait-card"><div className="portrait-note">KOKORIMAM<br />CYBERSECURITY</div></div>
        </div>
      </section>
      <section className="section">
        <div className="section-heading"><div><span className="eyebrow">A small introduction</span><h2
className="serif">The work is the point.</h2></div><p>A student portfolio with an academic snapshot, responsive web work,
and practical tools for planning study and communicating clearly.</p></div>
        <div className="highlight-grid">
          <article className="feature-card dark-card"><span className="eyebrow">01 / What I'm studying</span><h3>Web
technologies, from the ground up.</h3><p>Learning how structure, style, and interaction come together to make useful and
thoughtful experiences on the web.</p><div className="pill-row"><span className="pill">HTML & CSS</span><span
className="pill">JavaScript</span><span className="pill">Design systems</span></div></article>
          <article className="feature-card"><span className="eyebrow">02 / What's next</span><h3>Make a little. Learn a
lot.</h3><p>Use the academic planner to keep coursework moving, then explore the projects that bring this portfolio
together.</p><Link href="/planner" className="project-link" data-testid="link-planner-callout">Open study planner
<ArrowUpRight size={15} /></Link></article>
        </div>
      </section>
      <section className="section">
        <div className="section-heading"><div><span className="eyebrow">Featured work</span><h2 className="serif">Small
ideas, made tangible.</h2></div><Link href="/projects" className="project-link" data-testid="link-all-projects">All
projects <ArrowRight size={15} /></Link></div>
        <div className="highlight-grid">
          <article className="feature-card"><span className="eyebrow">01 · Responsive web design</span><h3>Student

```

```

portfolio</h3><p>A responsive, multi-page portfolio presenting academic background, skills, career goals, interests, and
project work.</p><div className="pill-row"><span className="pill">HTML</span><span className="pill">CSS</span><span
className="pill">JavaScript</span></div></article>
  <article className="feature-card"><span className="eyebrow">02 · Study productivity</span><h3>Academic task
planner</h3><p>An interactive study list for adding tasks, tracking completion, and keeping academic work organized.</p>
<Link href="/projects" className="project-link" data-testid="link-project-detail">View all projects <ArrowRight size={15}
/></Link></article>
</div>
</section>
<div className="quote-block"><span className="quote-mark">"</span><blockquote>Clear structure. Useful interactions.
Safer digital choices.<cite>PORTFOLIO FOCUS · CYBERSECURITY & WEB TECHNOLOGIES</cite></blockquote></div>
</div>
</Layout>;
}

function About() {
  const skills = ['HTML5 semantics', 'CSS Grid & Flexbox', 'JavaScript fundamentals', 'Responsive design', 'Accessibility
basics', 'Git & version control', 'Cybersecurity fundamentals · learning', 'Digital safety awareness'];
  return <Layout><div className="page-wrap">
    <section className="page-hero"><span className="eyebrow">About the student behind the screen</span><h1
className="serif">A work in progress.<br /><em style={{ color: 'hsl(var(--accent))' }}>In the best way.</em></h1><p>A
little context on what I'm studying, what I'm curious about, and where I hope this path might lead.</p></section>
    <div className="about-grid">
      <aside className="profile-note"><span className="eyebrow">Student profile</span><h2>{studentProfile.fullName}</h2>
<p><strong>Institution:</strong> {studentProfile.institution}<br /><strong>Department:</strong>
{studentProfile.department}<br /><strong>Matriculation number:</strong> {studentProfile.matriculationNumber}<br />
<strong>Email:</strong> {studentProfile.email}</p><Link href="/contact" className="project-link" data-testid="link-
contact-about">Get in touch <ArrowRight size={15} /></Link></aside>
      <div>
        <div className="timeline">
          <article className="timeline-item"><span className="timeline-date">CURRENT · 2026</span><h3>Undergraduate
study</h3><p>Studying in the Department of <strong>{studentProfile.department}</strong> at <strong>
{studentProfile.institution}</strong>. Current coursework includes COS 106: Introduction to Web Technologies.</p>
</article>
          <article className="timeline-item"><span className="timeline-date">CAREER GOAL</span><h3>Cybersecurity
professional</h3><p>Build a successful career protecting computer systems, networks, and data from cyber threats. Develop
strong skills in ethical hacking, network security, digital forensics, and security analysis, and help create safer
digital environments.</p></article>
          <article className="timeline-item"><span className="timeline-date">HOBBIES & INTERESTS</span>
<h3>Technology, learning, and new places</h3><p>Learning about cybersecurity and technology; exploring software and
computer systems; watching technology-related content; learning programming; music; and traveling.</p></article>
        </div>
        <section style={{ marginTop: 14 }}><span className="eyebrow">Current learning areas</span><div className="skill-
list" style={{ marginTop: 17 }}>{skills.map((skill, index) => <span className="skill-chip" key={skill} data-testid=
{'skill-${index}'}>{skill}</span>)}</div></section>
        <div className="table-wrap"><table className="course-table"><caption>Academic snapshot</caption><thead><tr>
<th>Course or area</th><th>Focus</th><th>Status</th></tr></thead><tbody><tr><td>COS 106</td><td>Web technologies</td>
<td>In progress</td></tr><tr><td>Cybersecurity studies</td><td>Digital security foundations</td><td>Current
department</td></tr><tr><td>Student portfolio</td><td>HTML, CSS, JavaScript</td><td>Course project</td></tr></tbody>
</table></div>
        <div className="audio-card"><span className="eyebrow">A quiet study break</span><small>A short synthesized chime
for the multimedia element.</small><audio controls aria-label="Short study break chime"><source src="/student-
portfolio/study-chime.wav" type="audio/wav" />Your browser does not support audio playback.</audio></div>
      </div>
    </div></Layout>;
}

const projects = [
  { id: 'portfolio', number: '01', title: 'Responsive Student Portfolio Website', type: 'MULTI-PAGE RESPONSIVE WEBSITE',
desc: 'A responsive website showcasing academic background, technical skills, career aspirations, interests, and project
work. Built with HTML, CSS, and JavaScript.', image: '/student-portfolio/fieldnotes.svg', tone: 'sage', tech: ['HTML',
'CSS', 'JavaScript'], href: '/about', linkLabel: 'View profile details' },
  { id: 'academic-planner', number: '02', title: 'Academic Task Planner', type: 'INTERACTIVE STUDY TOOL', desc: 'An
interactive planner that lets students add, complete, and delete academic tasks. The task list is saved in the browser
between visits.', image: '/student-portfolio/compass.svg', tone: 'clay', tech: ['JavaScript', 'Local storage',
'Responsive UI'], href: '/planner', linkLabel: 'Open the planner' },
  { id: 'contact-form', number: '03', title: 'Student Contact & Validation Form', type: 'FORM VALIDATION', desc: 'A
student contact form that collects user information and validates required fields, email format, and digits-only phone
input with JavaScript.', image: '/student-portfolio/focus.svg', tone: 'blue', tech: ['HTML forms', 'JavaScript',
'Validation'], href: '/contact', linkLabel: 'Try the contact form' },
];

function Projects() {
  return <Layout><div className="page-wrap">
    <section className="page-hero"><span className="eyebrow">COS 106 projects · 2026</span><h1 className="serif">Learning
by <em style={{ color: 'hsl(var(--accent))' }}>making.</em></h1><p>The work behind my COS 106 portfolio: a responsive
personal site, an interactive academic planner, and a JavaScript-validated contact form.</p></section>
    <div className="projects-grid">{projects.map(project => <article className="project-card" key={project.id} data-
testid={`card-project-${project.id}`}>
      <div className={`project-image project-image--${project.tone}`}><img src={project.image} alt={` ${project.title}
project interface preview`} data-testid={`img-project-${project.id}`} /></div>
      <div className="project-info"><span className="eyebrow">{project.number} / {project.type}</span><h2>{project.title}

```

```

</h2><p>{project.desc}</p><div className="pill-row">{project.tech.map(tech => <span className="pill" key={tech}>{tech}</span>)}</div><div className="project-meta"><span className="eyebrow">COS 106 PROJECT</span><Link className="project-link" href={project.href} data-testid={`link-project-${project.id}`}>{project.linkLabel} <ArrowUpRight size={14} /></Link></div></div>
</article>)}</div>
</div></Layout>;
}

type Task = { id: string; title: string; due: string; course: string; done: boolean };
const starterTasks: Task[] = [
  { id: 'welcome-1', title: 'Review semantic HTML notes', due: '', course: 'COS 106', done: false },
  { id: 'welcome-2', title: 'Sketch portfolio wireframe', due: '', course: 'Personal project', done: false },
  { id: 'welcome-3', title: 'Read about CSS Grid', due: '', course: 'COS 106', done: true },
];
function Planner() {
  const [tasks, setTasks] = useState<Task[]>([]);
  const [title, setTitle] = useState('');
  const [course, setCourse] = useState('COS 106');
  const [due, setDue] = useState('');
  const [ready, setReady] = useState(false);
  useEffect(() => {
    try { const stored = localStorage.getItem('cos106-planner-tasks'); setTasks(stored ? JSON.parse(stored) as Task[] : starterTasks); }
    catch { setTasks(starterTasks); }
    setReady(true);
  }, []);
  useEffect(() => { if (ready) localStorage.setItem('cos106-planner-tasks', JSON.stringify(tasks)); }, [tasks, ready]);
  const completed = useMemo(() => tasks.filter(task => task.done).length, [tasks]);
  function addTask(event: FormEvent<HTMLFormElement>) {
    event.preventDefault();
    if (!title.trim()) return;
    setTasks(current => [{ id: `${Date.now()}`, title: title.trim(), course: course.trim() || 'Personal', due, done: false }, ...current]);
    setTitle('');
  }
  function toggleTask(id: string) { setTasks(current => current.map(task => task.id === id ? { ...task, done: !task.done } : task)); }
  function removeTask(id: string) { setTasks(current => current.filter(task => task.id !== id)); }
  const dateLabel = (date: string) => date ? new Intl.DateTimeFormat('en', { month: 'short', day: 'numeric' }).format(new Date(`${date}T12:00:00`)) : 'No due date';
  return <Layout><div className="page-wrap">
    <section className="page-hero"><span className="eyebrow">Your little corner of focus</span><h1 className="serif">Make room for <em style={{ color: 'hsl(var(--accent))' }}>the next thing.</em></h1><p>A simple, private study list saved in this browser. Add the work, mark the progress, then get back to it.</p></section>
    <div className="planner-layout">
      <section className="planner-panel"><h2>Add a study task</h2><form className="task-form" onSubmit={addTask}>
        <div><label className="field-label" htmlFor="task-title">Task</label><input id="task-title" className="field" placeholder="What needs your attention?" value={title} onChange={event => setTitle(event.target.value)} required data-testid="input-task-title" /></div>
        <div><label className="field-label" htmlFor="task-course">Course or project</label><input id="task-course" className="field" placeholder="COS 106" value={course} onChange={event => setCourse(event.target.value)} data-testid="input-task-course" /></div>
        <div><label className="field-label" htmlFor="task-due">Due date <span style={{ color: 'hsl(var(--muted-foreground))', fontWeight: 400 }}>(optional)</span></label><input id="task-due" className="field" type="date" value={due} onChange={event => setDue(event.target.value)} data-testid="input-task-due" /></div>
        <button type="submit" className="button button-primary" data-testid="button-add-task">Plus size={16} /> Add to my list</button>
      </form></section>
      <section className="planner-panel"><div className="planner-summary"><span>YOUR TASKS</span><span data-testid="text-task-count">{completed} OF {tasks.length} COMPLETE</span></div><div className="progress-track" aria-label={` ${tasks.length ? Math.round(completed / tasks.length * 100) : 0}% complete`} ><div className="progress-fill" style={{ width: `${tasks.length ? Math.round(completed / tasks.length * 100) : 0}%`} /></div>
        {!ready ? <div className="empty-state" aria-label="Loading tasks"><strong>Gathering your list...</strong><span>Your saved tasks will be here in a moment.</span></div> : tasks.length === 0 ? <div className="empty-state"><BookOpen size={25} /><strong>A little breathing room.</strong><span>Add a task when you're ready to plan your next study session.</span></div> :
        <div className="task-list">{tasks.map(task => <div className={`task-row ${task.done ? 'done' : ''}`} key={task.id} data-testid={`task-row-${task.id}`}>
          <input type="checkbox" className="task-check" checked={task.done} onChange={() => toggleTask(task.id)} aria-label={` ${task.done ? 'Mark incomplete' : 'Mark complete'}: ${task.title}`} data-testid={`checkbox-task-${task.id}`} />
          <div className="task-copy"><strong>{task.title}</strong><small>{task.course} · {dateLabel(task.due)}</small>
        </div>
          {task.done && <Check size={16} color="hsl(var(--accent))" aria-label="Complete" />}
          <button className="icon-button" aria-label={`Delete ${task.title}`} onClick={() => removeTask(task.id)} data-testid={`button-delete-task-${task.id}`} >Trash2 size={16} /></button>
        </div>)}</div>
      </section>
    </div></Layout>;
}

function Contact() {
  const [feedback, setFeedback] = useState<{ type: 'success' | 'error'; text: string } | null>(null);

```

```

function submitContact(event: FormEvent<HTMLFormElement>) {
  event.preventDefault();
  const form = event.currentTarget;
  const data = new FormData(form);
  const name = String(data.get('name') ?? '').trim();
  const email = String(data.get('email') ?? '').trim();
  const phone = String(data.get('phone') ?? '').trim();
  const message = String(data.get('message') ?? '').trim();
  if (!name || !email || !phone || !message) { setFeedback({ type: 'error', text: 'Please complete every field before sending.' }); return; }
  if (!/^[^\s@]+@[^\s@]+\.[^\s@]+$/ .test(email)) { setFeedback({ type: 'error', text: 'That email address doesn't look quite right. Check it and try again.' }); return; }
  if (!/^\d+$/ .test(phone)) { setFeedback({ type: 'error', text: 'Enter your phone number using digits only, with no spaces or symbols.' }); return; }
  setFeedback({ type: 'success', text: `Thanks, ${name}. Your message is ready – this demo form does not send data to a server.` });
  form.reset();
}

return <Layout><div className="page-wrap">
  <section className="page-hero"><span className="eyebrow">A note is always welcome</span><h1 className="serif">Let's start a <em style={{ color: 'hsl(var(--accent))' }}>conversation.</em></h1><p>Have a question about a project, a resource to share, or an idea worth exploring? Send a note below.</p></section>
  <div className="contact-grid">
    <aside className="contact-aside"><span className="eyebrow" style={{ color: '#e8b19b' }}>Say hello</span><h2>Good things start with a question.</h2><p>This is a front-end demonstration. Messages are validated in your browser and are not transmitted to a server.</p><div className="contact-detail"><strong>Student</strong><br />{studentProfile.fullName}</div><div className="contact-detail"><strong>University email</strong><br />{studentProfile.email}</div><Link href="/projects" className="project-link" style={{ color: '#f6f0e5', marginTop: 17 }} data-testid="link-contact-projects">Browse project work <ArrowRight size={15} /></Link></aside>
    <form className="contact-form" onSubmit={submitContact} noValidate>
      <div><label className="field-label" htmlFor="contact-name">Your name</label><input id="contact-name" className="field" name="name" autoComplete="name" placeholder="Name" required data-testid="input-contact-name" /></div>
      <div><label className="field-label" htmlFor="contact-email">Email address</label><input id="contact-email" className="field" name="email" type="email" autoComplete="email" placeholder="you@example.edu" required data-testid="input-contact-email" /></div>
      <div><label className="field-label" htmlFor="contact-phone">Phone number · digits only</label><input id="contact-phone" className="field" name="phone" type="tel" inputMode="numeric" placeholder="0123456789" required data-testid="input-contact-phone" /></div>
      <div className="wide"><label className="field-label" htmlFor="contact-message">Your message</label><textarea id="contact-message" className="field" name="message" placeholder="What would you like to talk about?" required data-testid="input-contact-message" /></div>
      {feedback && <div className={`feedback ${feedback.type} wide`} role="status" data-testid={`status-contact-${feedback.type}`}>{feedback.text}</div>}
      <div className="wide"><button className="button button-primary" type="submit" data-testid="button-send-message">Review my message <ArrowRight size={16} /></button></div>
    </form>
  </div></Layout>;
}

function Router() {
  return <RoutedErrorBoundary><Switch>
    <Route path="/" component={Home} />
    <Route path="/about" component={About} />
    <Route path="/projects" component={Projects} />
    <Route path="/planner" component={Planner} />
    <Route path="/contact" component={Contact} />
    <Route component={NotFound} />
  </Switch></RoutedErrorBoundary>;
}

function RoutedErrorBoundary({ children }: { children: ReactNode }) {
  const [location] = useLocation();
  return <ErrorBoundary resetKey={location}>{children}</ErrorBoundary>;
}

function App() {
  return <QueryClientProvider client={queryClient}><TooltipProvider><WouterRouter base={import.meta.env.BASE_URL.replace(/\/$/, '')}><Router /></WouterRouter><Toaster /></TooltipProvider></QueryClientProvider>;
}

export default App;

```

src/index.css

```

@import url('https://fonts.googleapis.com/css2?family=DM+Mono:wght@400;500&family=DM+Sans:wght@400;500;600;700&family=Playfair+Display:wght@500;600;700&display=swap');
@import 'tailwindcss';
@import 'tw-animate-css';
@plugin '@tailwindcss/typography';

```

```

@custom-variant dark (&:is(.dark *));

@theme inline {
  --color-background: hsl(var(--background));
  --color-foreground: hsl(var(--foreground));
  --color-border: hsl(var(--border));
  --color-input: hsl(var(--input));
  --color-ring: hsl(var(--ring));
  --color-card: hsl(var(--card));
  --color-card-foreground: hsl(var(--card-foreground));
  --color-popover: hsl(var(--popover));
  --color-popover-foreground: hsl(var(--popover-foreground));
  --color-primary: hsl(var(--primary));
  --color-primary-foreground: hsl(var(--primary-foreground));
  --color-secondary: hsl(var(--secondary));
  --color-secondary-foreground: hsl(var(--secondary-foreground));
  --color-muted: hsl(var(--muted));
  --color-muted-foreground: hsl(var(--muted-foreground));
  --color-accent: hsl(var(--accent));
  --color-accent-foreground: hsl(var(--accent-foreground));
  --color-destructive: hsl(var(--destructive));
  --color-destructive-foreground: hsl(var(--destructive-foreground));
  --font-sans: var(--app-font-sans);
  --font-serif: var(--app-font-serif);
  --font-mono: var(--app-font-mono);
}

:root {
  --background: 42 38% 95%;
  --foreground: 164 24% 15%;
  --card: 42 42% 98%;
  --card-foreground: 164 24% 15%;
  --popover: 42 42% 98%;
  --popover-foreground: 164 24% 15%;
  --primary: 164 29% 24%;
  --primary-foreground: 42 45% 96%;
  --secondary: 36 31% 88%;
  --secondary-foreground: 164 24% 15%;
  --muted: 40 26% 90%;
  --muted-foreground: 163 10% 43%;
  --accent: 15 67% 57%;
  --accent-foreground: 42 45% 96%;
  --destructive: 2 65% 48%;
  --destructive-foreground: 0 0% 100%;
  --border: 36 19% 81%;
  --input: 36 19% 81%;
  --ring: 164 29% 24%;
  --app-font-sans: 'DM Sans', sans-serif;
  --app-font-serif: 'Playfair Display', Georgia, serif;
  --app-font-mono: 'DM Mono', monospace;
  --radius: 1rem;
  color-scheme: light;
}

.dark {
  --background: 165 22% 12%;
  --foreground: 42 35% 92%;
  --card: 165 19% 16%;
  --card-foreground: 42 35% 92%;
  --popover: 165 19% 16%;
  --popover-foreground: 42 35% 92%;
  --primary: 42 45% 82%;
  --primary-foreground: 164 24% 15%;
  --secondary: 165 16% 23%;
  --secondary-foreground: 42 35% 92%;
  --muted: 165 16% 23%;
  --muted-foreground: 42 16% 67%;
  --accent: 15 67% 57%;
  --accent-foreground: 42 45% 96%;
  --destructive: 2 65% 48%;
  --destructive-foreground: 0 0% 100%;
  --border: 165 13% 30%;
  --input: 165 13% 30%;
  --ring: 42 45% 82%;
}

@layer base {
  * { box-sizing: border-box; }
  html { scroll-behavior: smooth; }
  body {
    margin: 0;
    min-width: 320px;
  }
}

```

```

background: hsl(var(--background));
color: hsl(var(--foreground));
font-family: var(--app-font-sans);
-webkit-font-smoothing: antialiased;
}
button, input, textarea, select { font: inherit; }
button, a { -webkit-tap-highlight-color: transparent; }
::selection { color: #f8f4e9; background: #bd6249; }
}

.site-shell { min-height: 100dvh; overflow: hidden; }
.page-wrap { width: min(1160px, calc(100% - 64px)); margin: 0 auto; }
.topbar { height: 82px; display: flex; align-items: center; justify-content: space-between; border-bottom: 1px solid hsl(var(--border)); }
.brand { display: inline-flex; align-items: center; gap: 11px; color: inherit; text-decoration: none; }
.brand-mark { width: 34px; height: 34px; border-radius: 50%; background: hsl(var(--primary)); color: hsl(var(--primary-foreground)); display: grid; place-items: center; font: 500 13px var(--app-font-mono); letter-spacing: -1px; }
.brand-name { font-family: var(--app-font-serif); font-size: 19px; letter-spacing: -.4px; }
.nav-links { display: flex; gap: 7px; align-items: center; }
.nav-link { text-decoration: none; color: hsl(var(--muted-foreground)); font-size: 13px; font-weight: 600; padding: 10px 14px; border-radius: 999px; transition: background .2s ease, color .2s ease, transform .2s ease; }
.nav-link:hover { color: hsl(var(--foreground)); background: hsl(var(--secondary)); transform: translateY(-1px); }
.nav-link.active { color: hsl(var(--primary-foreground)); background: hsl(var(--primary)); }
.menu-toggle { display: none; border: 0; background: transparent; color: inherit; padding: 8px; }
.page-content { animation: page-in .48s cubic-bezier(.2,.7,.2,1) both; }
@keyframes page-in { from { opacity: 0; transform: translateY(10px); } to { opacity: 1; transform: translateY(0); } }
.eyebrow { font: 500 11px var(--app-font-mono); letter-spacing: .13em; text-transform: uppercase; color: hsl(var(--accent)); }
.serif { font-family: var(--app-font-serif); font-weight: 500; letter-spacing: -.045em; }
.student-name { display: flex; flex-wrap: wrap; gap: 10px; margin: 16px 0 8px; color: hsl(var(--foreground)); font: 500 11px var(--app-font-mono); letter-spacing: .1em; text-transform: uppercase; }
.student-name span { color: hsl(var(--muted-foreground)); }
.hero { display: grid; grid-template-columns: 1.1fr .9fr; gap: 60px; align-items: center; padding: 82px 0 76px; }
.hero h1 { font-size: clamp(48px, 6.3vw, 82px); line-height: .99; margin: 21px 0 25px; max-width: 680px; }
.hero h1 em { color: hsl(var(--accent)); font-style: italic; }
.hero-copy { max-width: 480px; font-size: 16px; line-height: 1.75; color: hsl(var(--muted-foreground)); }
.hero-actions { display: flex; gap: 12px; margin-top: 31px; flex-wrap: wrap; }
.button { border: 0; text-decoration: none; display: inline-flex; align-items: center; justify-content: center; gap: 9px; cursor: pointer; border-radius: 999px; padding: 13px 19px; font-weight: 600; font-size: 13px; transition: transform .2s ease, background .2s ease, box-shadow .2s ease; }
.button:hover { transform: translateY(-2px); }
.button-primary { color: hsl(var(--primary-foreground)); background: hsl(var(--primary)); }
.button-primary:hover { box-shadow: 0 9px 22px #244c4030; }
.button-outline { color: hsl(var(--foreground)); background: transparent; border: 1px solid hsl(var(--border)); }
.button-outline:hover { background: hsl(var(--secondary)); }
.hero-art { min-height: 430px; position: relative; display: grid; place-items: center; }
.orbit { width: min(100%, 420px); aspect-ratio: 1; border-radius: 50%; border: 1px solid #bd624952; position: absolute; transform: rotate(-17deg) scaleY(.82); }
.orbit::before { content: ''; position: absolute; width: 9px; height: 9px; background: hsl(var(--accent)); border-radius: 50%; left: 11%; top: 16%; }
.portrait-card { width: min(76%, 310px); aspect-ratio: .82; background: #d7a88b; border-radius: 47% 47% 23px 23px; position: relative; overflow: hidden; box-shadow: 0 28px 55px #4c443326; transform: rotate(3deg); }
.portrait-image { display: block; width: 100%; height: 100%; object-fit: cover; object-position: center 32%; }
.portrait-note { position: absolute; right: -1px; bottom: 12%; z-index: 3; background: #f6eddf; padding: 13px 17px; box-shadow: 0 8px 24px #53412b25; font: 11px var(--app-font-mono); transform: rotate(-4deg); }
.orbit-label { position: absolute; left: 0; bottom: 45px; font: 11px var(--app-font-mono); color: hsl(var(--muted-foreground)); letter-spacing: .07em; transform: rotate(-90deg); transform-origin: left; }
.section { padding: 77px 0; border-top: 1px solid hsl(var(--border)); }
.section-heading { display: flex; justify-content: space-between; align-items: end; gap: 24px; margin-bottom: 34px; }
.section-heading h2 { font-size: clamp(34px, 4vw, 48px); margin: 8px 0 0; line-height: 1.05; }
.section-heading p { color: hsl(var(--muted-foreground)); max-width: 390px; line-height: 1.6; font-size: 14px; margin: 0; }
}

.highlight-grid { display: grid; grid-template-columns: 1.2fr .8fr; gap: 20px; }
.feature-card { border-radius: 22px; padding: 30px; background: hsl(var(--card)); border: 1px solid hsl(var(--border)); }
.feature-card.dark-card { background: hsl(var(--primary)); color: hsl(var(--primary-foreground)); }
.feature-card h3 { font: 500 27px var(--app-font-serif); margin: 15px 0 10px; }
.feature-card p { color: hsl(var(--muted-foreground)); line-height: 1.7; font-size: 14px; margin: 0; }
.dark-card p { color: #e4e9e3b8; }
.pill-row { display: flex; gap: 8px; flex-wrap: wrap; margin-top: 21px; }
.pill { font: 10px var(--app-font-mono); border: 1px solid hsl(var(--border)); padding: 7px 10px; border-radius: 99px; color: hsl(var(--muted-foreground)); }
.dark-card .pill { border-color: #d8e3d340; color: #edf0e3; }
.quote-block { padding: 32px 0 16px; display: flex; gap: 24px; align-items: start; }
.quote-mark { color: hsl(var(--accent)); font: 68px var(--app-font-serif); line-height: .75; }
.quote-block blockquote { font: italic 25px/1.45 var(--app-font-serif); margin: 0; max-width: 670px; }
.quote-block cite { display: block; font: 10px var(--app-font-mono); font-style: normal; margin-top: 16px; color: hsl(var(--muted-foreground)); letter-spacing: .1em; }
.footer { border-top: 1px solid hsl(var(--border)); padding: 24px 0 32px; display: flex; justify-content: space-between; color: hsl(var(--muted-foreground)); font-size: 12px; }
.page-hero { padding: 73px 0 45px; }
.page-hero h1 { font-size: clamp(43px, 6vw, 68px); line-height: 1; margin: 17px 0 17px; }
.page-hero p { max-width: 600px; color: hsl(var(--muted-foreground)); line-height: 1.7; }
.about-grid { display: grid; grid-template-columns: .82fr 1.18fr; gap: 64px; }

```

```

.profile-note { background: #e5d8c4; padding: 29px; border-radius: 20px; align-self: start; position: sticky; top: 30px; }
.profile-note h2 { font: 500 27px var(--app-font-serif); margin: 12px 0; }
.profile-note p { font-size: 14px; line-height: 1.7; color: #56615a; }
.timeline { border-left: 1px solid hsl(var(--border)); padding-left: 26px; }
.timeline-item { position: relative; padding: 0 0 30px; }
.timeline-item:before { content: ''; width: 9px; height: 9px; position: absolute; left: -31px; top: 5px; border-radius: 50%; background: hsl(var(--accent)); border: 3px solid hsl(var(--background)); box-sizing: content-box; }
.timeline-item h3 { margin: 0 0 7px; font: 500 24px var(--app-font-serif); }
.timeline-item p { margin: 0; font-size: 14px; line-height: 1.7; color: hsl(var(--muted-foreground)); }
.timeline-date { font: 10px var(--app-font-mono); letter-spacing: .08em; color: hsl(var(--accent)); margin-bottom: 8px; display: block; }
.skill-list { display: flex; flex-wrap: wrap; gap: 9px; }
.skill-chip { background: hsl(var(--card)); border: 1px solid hsl(var(--border)); padding: 11px 15px; border-radius: 999px; font-size: 13px; }
.projects-grid { display: grid; grid-template-columns: repeat(2, 1fr); gap: 25px; padding: 14px 0 80px; }
.project-card { background: hsl(var(--card)); border: 1px solid hsl(var(--border)); border-radius: 19px; overflow: hidden; transition: transform .25s ease, box-shadow .25s ease; }
.project-card:hover { transform: translateY(-5px); box-shadow: 0 18px 40px #273d3214; }
.project-image { height: 250px; padding: 22px; display: grid; place-items: center; position: relative; overflow: hidden; }
.project-image img { width: 100%; height: 100%; object-fit: cover; border-radius: 10px; }
.project-image--sage { background: #bdc9b5; }
.project-image--clay { background: #e6c4b0; }
.project-image--blue { background: #c1d1d1; }
.project-info { padding: 24px; }
.project-info h2 { font: 500 27px var(--app-font-serif); margin: 11px 0 9px; }
.project-info p { color: hsl(var(--muted-foreground)); line-height: 1.7; font-size: 14px; margin: 0; }
.project-meta { display: flex; justify-content: space-between; align-items: center; margin-top: 21px; }
.project-link { text-decoration: none; color: hsl(var(--primary)); font-size: 13px; font-weight: 700; display: inline-flex; align-items: center; gap: 7px; }
.planner-layout { display: grid; grid-template-columns: .85fr 1.15fr; gap: 25px; padding: 10px 0 80px; }
.planner-panel { background: hsl(var(--card)); border: 1px solid hsl(var(--border)); border-radius: 20px; padding: 27px; }
.planner-panel h2 { font: 500 25px var(--app-font-serif); margin: 0 0 20px; }
.task-form { display: grid; gap: 13px; }
.field-label { font-size: 12px; font-weight: 700; display: block; margin-bottom: 7px; }
.field { width: 100%; background: hsl(var(--background)); color: hsl(var(--foreground)); border: 1px solid hsl(var(--border)); border-radius: 10px; padding: 12px 13px; outline: none; font-size: 14px; transition: border .2s, box-shadow .2s; }
.field:focus { border-color: hsl(var(--primary)); box-shadow: 0 0 3px #315e4e1b; }
.field::placeholder { color: hsl(var(--muted-foreground)); }
.task-list { display: grid; gap: 10px; }
.task-row { display: flex; align-items: center; gap: 13px; padding: 15px 13px; border: 1px solid hsl(var(--border)); border-radius: 13px; }
.task-check { appearance: none; width: 20px; height: 20px; flex: none; border: 1.5px solid hsl(var(--muted-foreground)); border-radius: 50%; cursor: pointer; position: relative; }
.task-check:checked { background: hsl(var(--primary)); border-color: hsl(var(--primary)); }
.task-check:checked:after { content: '✓'; color: hsl(var(--primary-foreground)); font-size: 13px; position: absolute; left: 3px; top: 0; }
.task-copy { flex: 1; }
.task-copy strong { display: block; font-size: 14px; font-weight: 600; }
.task-copy small { color: hsl(var(--muted-foreground)); font: 10px var(--app-font-mono); display: block; margin-top: 5px; }
.task-row.done .task-copy strong { text-decoration: line-through; color: hsl(var(--muted-foreground)); }
.icon-button { background: transparent; border: 0; color: hsl(var(--muted-foreground)); cursor: pointer; padding: 8px; border-radius: 8px; display: grid; place-items: center; transition: color .15s, background .15s; }
.icon-button:hover { color: hsl(var(--destructive)); background: #a5323210; }
.empty-state { border: 1px dashed hsl(var(--border)); border-radius: 14px; padding: 35px 18px; text-align: center; color: hsl(var(--muted-foreground)); }
.empty-state svg { margin: 0 auto 12px; color: hsl(var(--accent)); }
.empty-state strong { display: block; color: hsl(var(--foreground)); font: 500 21px var(--app-font-serif); margin-bottom: 6px; }
.progress-track { height: 6px; background: hsl(var(--secondary)); border-radius: 9px; overflow: hidden; margin: 13px 0 22px; }
.progress-fill { height: 100%; background: hsl(var(--accent)); border-radius: inherit; transition: width .35s ease; }
.planner-summary { display: flex; justify-content: space-between; align-items: end; color: hsl(var(--muted-foreground)); font: 11px var(--app-font-mono); }
.contact-grid { display: grid; grid-template-columns: .75fr 1.25fr; gap: 62px; padding: 13px 0 80px; }
.contact-aside { background: hsl(var(--primary)); color: hsl(var(--primary-foreground)); border-radius: 22px; padding: 30px; align-self: start; }
.contact-aside h2 { font: 500 30px var(--app-font-serif); margin: 0 0 12px; }
.contact-aside p { color: #e4e9e3b8; font-size: 14px; line-height: 1.7; }
.contact-detail { padding: 16px 0; border-top: 1px solid #ffffff22; font-size: 13px; }
.contact-form { display: grid; grid-template-columns: 1fr 1fr; gap: 18px; }
.contact-form .wide { grid-column: 1/-1; }
.contact-form textarea { min-height: 150px; resize: vertical; }
.feedback { border-radius: 12px; padding: 13px 15px; font-size: 13px; line-height: 1.5; }
.feedback.success { color: #204838; background: #dcebdd; }
.feedback.error { color: #8b3427; background: #f7e2d8; }
.audio-card { background: hsl(var(--secondary)); border-radius: 15px; padding: 18px; margin-top: 21px; }
.audio-card audio { width: 100%; height: 36px; margin-top: 10px; }
.audio-card small { display: block; font: 10px var(--app-font-mono); color: hsl(var(--muted-foreground)); }

```

```

.table-wrap { overflow-x: auto; margin-top: 23px; }
.course-table { width: 100%; border-collapse: collapse; font-size: 13px; }
.course-table caption { text-align: left; font: 500 22px var(--app-font-serif); margin-bottom: 13px; }
.course-table th, .course-table td { padding: 13px 10px; border-bottom: 1px solid hsl(var(--border)); text-align: left;
white-space: nowrap; }
.course-table th { color: hsl(var(--muted-foreground)); font: 10px var(--app-font-mono); letter-spacing: .06em; text-
transform: uppercase; }
.sr-only { position: absolute; width: 1px; height: 1px; padding: 0; margin: -1px; overflow: hidden; clip: rect(0,0,0,0);
white-space: nowrap; border: 0; }

@media (max-width: 760px) {
  .page-wrap { width: min(100% - 38px, 560px); }
  .topbar { height: 70px; }
  .menu-toggle { display: grid; }
  .nav-links { display: none; position: absolute; top: 69px; left: 0; right: 0; padding: 13px 19px 17px; background:
hsl(var(--background)); border-bottom: 1px solid hsl(var(--border)); z-index: 10; flex-wrap: wrap; }
  .nav-links.open { display: flex; }
  .nav-link { padding: 9px 12px; }
  .hero { grid-template-columns: 1fr; gap: 20px; padding: 53px 0 54px; }
  .hero h1 { font-size: clamp(49px, 13vw, 72px); }
  .hero-art { min-height: 345px; }
  .orbit { width: min(88%, 330px); }
  .portrait-card { width: min(70%, 265px); }
  .section { padding: 52px 0; }
  .section-heading { align-items: start; flex-direction: column; gap: 14px; }
  .highlight-grid, .about-grid, .planner-layout, .contact-grid { grid-template-columns: 1fr; gap: 17px; }
  .profile-note { position: static; }
  .projects-grid { grid-template-columns: 1fr; gap: 17px; padding-bottom: 50px; }
  .project-image { height: 220px; }
  .page-hero { padding: 53px 0 30px; }
  .planner-layout, .contact-grid { padding-bottom: 50px; }
  .contact-form { grid-template-columns: 1fr; }
  .contact-form .wide { grid-column: auto; }
  .footer { gap: 14px; flex-direction: column; }
  .quote-block blockquote { font-size: 21px; }
}
@media (prefers-reduced-motion: reduce) {
  *, *::before, *::after { scroll-behavior: auto !important; animation-duration: .01ms !important; transition-duration:
.01ms !important; }
}

```

src/components/error-boundary.tsx

```

import {
  Component,
  type ComponentType,
  type ErrorInfo,
  type ReactNode,
} from 'react';

export interface ErrorFallbackProps {
  error: Error;
  resetError: () => void;
}

interface ErrorBoundaryProps {
  children: ReactNode;
  fallbackComponent?: ComponentType<ErrorFallbackProps>;
  /** Changing this clears a caught error. Pass the route to recover on navigation. */
  resetKey?: unknown;
}

interface ErrorBoundaryState {
  error: Error | null;
}

function toError(value: unknown): Error {
  if (value instanceof Error) {
    return value;
  }
  if (typeof value === 'string') {
    return new Error(value);
  }
  try {
    return new Error(JSON.stringify(value));
  } catch {
    return new Error(String(value));
  }
}

function DefaultFallback({ error, resetError }: ErrorFallbackProps) {

```

```

return (
  <div className="min-h-screen w-full flex items-center justify-center bg-gray-50 p-6">
    <div className="max-w-lg w-full text-center">
      <h1 className="text-xl font-semibold text-gray-900">
        Something went wrong
      </h1>
      <p className="mt-2 text-sm text-gray-600">
        This part of the app hit an error. The rest of the app is still
        running.
      </p>
      { /* Dev only: messages can carry API responses and other internals. */ }
      {import.meta.env.DEV ? (
        <pre className="mt-4 overflow-x-auto rounded bg-gray-100 p-3 text-left text-xs text-gray-800">
          {error.message || String(error)}
        </pre>
      ) : null}
      <button
        type="button"
        onClick={resetError}
        className="mt-4 rounded bg-gray-900 px-4 py-2 text-sm text-white hover:bg-gray-700"
      >
        Try again
      </button>
    </div>
  </div>
);
}

export class ErrorBoundary extends Component<
  ErrorBoundaryProps,
  ErrorBoundaryState
> {
  state: ErrorBoundaryState = { error: null };

  static getDerivedStateFromError(error: unknown): ErrorBoundaryState {
    return { error: toError(error) };
  }

  componentDidCatch(error: unknown, info: ErrorInfo): void {
    console.error(
      'ErrorBoundary caught an error:',
      toError(error),
      info.componentStack,
    );
  }

  componentDidUpdate(prevProps: ErrorBoundaryProps): void {
    if (
      this.state.error !== null &&
      prevProps.resetKey !== this.props.resetKey
    ) {
      this.resetError();
    }
  }

  resetError = (): void => {
    this.setState({ error: null });
  };

  render(): ReactNode {
    const { error } = this.state;
    if (error === null) {
      return this.props.children;
    }
    const Fallback = this.props.FallbackComponent ?? DefaultFallback;
    return <Fallback error={error} resetError={this.resetError} />;
  }
}

```

src/components/ui/toaster.tsx

```

import {
  Toast,
  ToastClose,
  ToastDescription,
  ToastProvider,
  ToastTitle,
  ToastViewport,
} from '@components/ui/toast';
import { useToast } from '@hooks/use-toast';

```

```

export function Toaster() {
  const { toasts } = useToast();

  return (
    <ToastProvider>
      {toasts.map(function ({ id, title, description, action, ...props }) {
        return (
          <Toast key={id} {...props}>
            <div className="grid gap-1">
              {title && <ToastTitle>{title}</ToastTitle>}
              {description && (
                <ToastDescription>{description}</ToastDescription>
              )}
            </div>
            {action}
            <ToastClose />
          </Toast>
        );
      })}
    </ToastProvider>
  );
}

```

src/components/ui/toast.tsx

```

import * as React from 'react';
import * as ToastPrimitives from '@radix-ui/react-toast';
import { cn } from '@lib/Utils';
import { cva, type VariantProps } from 'class-variance-authority';
import { X } from 'lucide-react';

const ToastProvider = ToastPrimitives.Provider;

const ToastViewport = React.forwardRef<
  React.ElementRef<typeof ToastPrimitives.Viewport>,
  React.ComponentPropsWithoutRef<typeof ToastPrimitives.Viewport>
>(({ className, ...props }, ref) => (
  <ToastPrimitives.Viewport
    ref={ref}
    className={cn(
      'fixed top-0 z-[100] flex max-h-screen w-full flex-col-reverse p-4 sm:bottom-0 sm:right-0 sm:top-auto sm:flex-col
md:max-w-[420px]',
      className,
    )}
    {...props}
  />
));
ToastViewport.displayName = ToastPrimitives.Viewport.displayName;

const toastVariants = cva(
  'group pointer-events-auto relative flex w-full items-center justify-between space-x-4 overflow-hidden rounded-md
border p-6 pr-8 shadow-lg transition-all data-[swipe=cancel]:translate-x-0 data-[swipe=end]:translate-x-[var(--radix-
toast-swipe-end-x)] data-[swipe=move]:translate-x-[var(--radix-toast-swipe-move-x)] data-[swipe=move]:transition-none
data-[state=open]:animate-in data-[state=closed]:animate-out data-[swipe=end]:animate-out data-[state=closed]:fade-out-80
data-[state=closed]:slide-out-to-right-full data-[state=open]:slide-in-from-top-full data-[state=open]:sm:slide-in-from-
bottom-full',
  {
    variants: {
      variant: {
        default: 'border bg-background text-foreground',
        destructive:
          'destructive group border-destructive bg-destructive text-destructive-foreground',
      },
    },
    defaultVariants: {
      variant: 'default',
    },
  },
);

const Toast = React.forwardRef<
  React.ElementRef<typeof ToastPrimitives.Root>,
  React.ComponentPropsWithoutRef<typeof ToastPrimitives.Root> &
  VariantProps<typeof toastVariants>
>(({ className, variant, ...props }, ref) => {
  return (
    <ToastPrimitives.Root
      ref={ref}
      className={cn(toastVariants({ variant }), className)}
      {...props}
    >

```

```

    />
  );
});
Toast.displayName = ToastPrimitives.Root.displayName;

const ToastAction = React.forwardRef<
  React.ElementRef<typeof ToastPrimitives.Action>,
  React.ComponentPropsWithoutRef<typeof ToastPrimitives.Action>
>(({ className, ...props }, ref) => (
  <ToastPrimitives.Action
    ref={ref}
    className={cn(
      'inline-flex h-8 shrink-0 items-center justify-center rounded-md border bg-transparent px-3 text-sm font-medium
ring-offset-background transition-colors hover:bg-secondary focus:outline-none focus:ring-2 focus:ring-ring focus:ring-
offset-2 disabled:pointer-events-none disabled:opacity-50 group-[.destructive]:border-muted/40 group-
[.destructive]:hover:border-destructive/30 group-[.destructive]:hover:bg-destructive group-[.destructive]:hover:text-
destructive-foreground group-[.destructive]:focus:ring-destructive',
      className,
    )}
    {...props}
  />
));
ToastAction.displayName = ToastPrimitives.Action.displayName;

const ToastClose = React.forwardRef<
  React.ElementRef<typeof ToastPrimitives.Close>,
  React.ComponentPropsWithoutRef<typeof ToastPrimitives.Close>
>(({ className, ...props }, ref) => (
  <ToastPrimitives.Close
    ref={ref}
    className={cn(
      'absolute right-2 top-2 rounded-md p-1 text-foreground/50 opacity-0 transition-opacity hover:text-foreground
focus:opacity-100 focus:outline-none focus:ring-2 group-hover:opacity-100 group-[.destructive]:text-red-300 group-
[.destructive]:hover:text-red-50 group-[.destructive]:focus:ring-red-400 group-[.destructive]:focus:ring-offset-red-600',
      className,
    )}
    toast-close=""
    {...props}
  >
    <X className="h-4 w-4" />
  </ToastPrimitives.Close>
));
ToastClose.displayName = ToastPrimitives.Close.displayName;

const ToastTitle = React.forwardRef<
  React.ElementRef<typeof ToastPrimitives.Title>,
  React.ComponentPropsWithoutRef<typeof ToastPrimitives.Title>
>(({ className, ...props }, ref) => (
  <ToastPrimitives.Title
    ref={ref}
    className={cn('text-sm font-semibold', className)}
    {...props}
  />
));
ToastTitle.displayName = ToastPrimitives.Title.displayName;

const ToastDescription = React.forwardRef<
  React.ElementRef<typeof ToastPrimitives.Description>,
  React.ComponentPropsWithoutRef<typeof ToastPrimitives.Description>
>(({ className, ...props }, ref) => (
  <ToastPrimitives.Description
    ref={ref}
    className={cn('text-sm opacity-90', className)}
    {...props}
  />
));
ToastDescription.displayName = ToastPrimitives.Description.displayName;

type ToastProps = React.ComponentPropsWithoutRef<typeof Toast>;

type ToastActionElement = React.ReactElement<typeof ToastAction>;

export {
  type ToastProps,
  type ToastActionElement,
  ToastProvider,
  ToastViewport,
  Toast,
  ToastTitle,
  ToastDescription,
  ToastClose,
  ToastAction,
};

```

src/components/ui/tooltip.tsx

```
'use client';

import * as React from 'react';
import * as TooltipPrimitive from '@radix-ui/react-tooltip';
import { cn } from '@lib/utils';

const TooltipProvider = TooltipPrimitive.Provider;

const Tooltip = TooltipPrimitive.Root;

const TooltipTrigger = TooltipPrimitive.Trigger;

const TooltipContent = React.forwardRef<
  React.ElementRef<typeof TooltipPrimitive.Content>,
  React.ComponentPropsWithoutRef<typeof TooltipPrimitive.Content>
>(({ className, sideOffset = 4, ...props }, ref) => (
  <TooltipPrimitive.Portal>
    <TooltipPrimitive.Content
      ref={ref}
      sideOffset={sideOffset}
      className={cn(
        'z-50 overflow-hidden rounded-md bg-primary px-3 py-1.5 text-xs text-primary-foreground animate-in fade-in-0
        zoom-in-95 data-[state=closed]:animate-out data-[state=closed]:fade-out-0 data-[state=closed]:zoom-out-95 data-
        [side=bottom]:slide-in-from-top-2 data-[side=left]:slide-in-from-right-2 data-[side=right]:slide-in-from-left-2 data-
        [side=top]:slide-in-from-bottom-2 origin-[--radix-tooltip-content-transform-origin]',
        className,
      )}
      {...props}
    />
  </TooltipPrimitive.Portal>
));
TooltipContent.displayName = TooltipPrimitive.Content.displayName;

export { Tooltip, TooltipTrigger, TooltipContent, TooltipProvider };
```

src/components/ui/card.tsx

```
import * as React from 'react';
import { cn } from '@lib/utils';

const Card = React.forwardRef<
  HTMLDivElement,
  React.HTMLAttributes<HTMLDivElement>
>(({ className, ...props }, ref) => (
  <div
    ref={ref}
    className={cn(
      'rounded-xl border bg-card text-card-foreground shadow',
      className,
    )}
    {...props}
  />
));
Card.displayName = 'Card';

const CardHeader = React.forwardRef<
  HTMLDivElement,
  React.HTMLAttributes<HTMLDivElement>
>(({ className, ...props }, ref) => (
  <div
    ref={ref}
    className={cn('flex flex-col space-y-1.5 p-6', className)}
    {...props}
  />
));
CardHeader.displayName = 'CardHeader';

const CardTitle = React.forwardRef<
  HTMLDivElement,
  React.HTMLAttributes<HTMLDivElement>
>(({ className, ...props }, ref) => (
  <div
    ref={ref}
    className={cn('font-semibold leading-none tracking-tight', className)}
    {...props}
  />
));
```

```

CardTitle.displayName = 'CardTitle';

const CardDescription = React.forwardRef<
  HTMLDivElement,
  React.HTMLAttributes<HTMLDivElement>
>(({ className, ...props }, ref) => (
  <div
    ref={ref}
    className={cn('text-sm text-muted-foreground', className)}
    {...props}
  />
));
CardDescription.displayName = 'CardDescription';

const CardContent = React.forwardRef<
  HTMLDivElement,
  React.HTMLAttributes<HTMLDivElement>
>(({ className, ...props }, ref) => (
  <div ref={ref} className={cn('p-6 pt-0', className)} {...props} />
));
CardContent.displayName = 'CardContent';

const CardFooter = React.forwardRef<
  HTMLDivElement,
  React.HTMLAttributes<HTMLDivElement>
>(({ className, ...props }, ref) => (
  <div
    ref={ref}
    className={cn('flex items-center p-6 pt-0', className)}
    {...props}
  />
));
CardFooter.displayName = 'CardFooter';

export {
  Card,
  CardHeader,
  CardFooter,
  CardTitle,
  CardDescription,
  CardContent,
};

```

src/hooks/use-toast.ts

```

import * as React from 'react';
import type { ToastActionElement, ToastProps } from '@components/ui/toast';

const TOAST_LIMIT = 1;
const TOAST_REMOVE_DELAY = 1000000;

type ToasterToast = ToastProps & {
  id: string;
  title?: React.ReactNode;
  description?: React.ReactNode;
  action?: ToastActionElement;
};

const actionTypes = {
  ADD_TOAST: 'ADD_TOAST',
  UPDATE_TOAST: 'UPDATE_TOAST',
  DISMISS_TOAST: 'DISMISS_TOAST',
  REMOVE_TOAST: 'REMOVE_TOAST',
} as const;

let count = 0;

function genId() {
  count = (count + 1) % Number.MAX_SAFE_INTEGER;
  return count.toString();
}

type ActionType = typeof actionTypes;

type Action =
  | {
    type: ActionType['ADD_TOAST'];
    toast: ToasterToast;
  }
  | {
    type: ActionType['UPDATE_TOAST'];

```

```

    toast: Partial<ToasterToast>;
  }
| {
  type: ActionType['DISMISS_TOAST'];
  toastId?: ToasterToast['id'];
}
| {
  type: ActionType['REMOVE_TOAST'];
  toastId?: ToasterToast['id'];
};

interface State {
  toasts: ToasterToast[];
}

const toastTimeouts = new Map<string, ReturnType<typeof setTimeout>>();

const addToRemoveQueue = (toastId: string) => {
  if (toastTimeouts.has(toastId)) {
    return;
  }

  const timeout = setTimeout(() => {
    toastTimeouts.delete(toastId);
    dispatch({
      type: 'REMOVE_TOAST',
      toastId: toastId,
    });
  }, TOAST_REMOVE_DELAY);

  toastTimeouts.set(toastId, timeout);
};

export const reducer = (state: State, action: Action): State => {
  switch (action.type) {
    case 'ADD_TOAST':
      return {
        ...state,
        toasts: [action.toast, ...state.toasts].slice(0, TOAST_LIMIT),
      };

    case 'UPDATE_TOAST':
      return {
        ...state,
        toasts: state.toasts.map((t) =>
          t.id === action.toast.id ? { ...t, ...action.toast } : t,
        ),
      };

    case 'DISMISS_TOAST': {
      const { toastId } = action;

      // ! Side effects ! - This could be extracted into a dismissToast() action,
      // but I'll keep it here for simplicity
      if (toastId) {
        addToRemoveQueue(toastId);
      } else {
        state.toasts.forEach((toast) => {
          addToRemoveQueue(toast.id);
        });
      }

      return {
        ...state,
        toasts: state.toasts.map((t) =>
          t.id === toastId || toastId === undefined
            ? {
                ...t,
                open: false,
              }
            : t,
        ),
      };
    }

    case 'REMOVE_TOAST':
      if (action.toastId === undefined) {
        return {
          ...state,
          toasts: [],
        };
      }
      return {
        ...state,

```

```

        toasts: state.toasts.filter((t) => t.id !== action.toastId),
    };
}
};

const listeners: Array<(state: State) => void> = [];

let memoryState: State = { toasts: [] };

function dispatch(action: Action) {
    memoryState = reducer(memoryState, action);
    listeners.forEach((listener) => {
        listener(memoryState);
    });
}

type Toast = Omit<ToasterToast, 'id'>;

function toast({ ...props }: Toast) {
    const id = genId();

    const update = (props: ToasterToast) =>
        dispatch({
            type: 'UPDATE_TOAST',
            toast: { ...props, id },
        });

    const dismiss = () => dispatch({ type: 'DISMISS_TOAST', toastId: id });

    dispatch({
        type: 'ADD_TOAST',
        toast: {
            ...props,
            id,
            open: true,
            onOpenChange: (open) => {
                if (!open) dismiss();
            },
        },
    });

    return {
        id: id,
        dismiss,
        update,
    };
}

function useToast() {
    const [state, setState] = React.useState<State>(memoryState);

    React.useEffect(() => {
        listeners.push(setState);
        return () => {
            const index = listeners.indexOf(setState);
            if (index > -1) {
                listeners.splice(index, 1);
            }
        };
    }, [state]);

    return {
        ...state,
        toast,
        dismiss: (toastId?: string) => dispatch({ type: 'DISMISS_TOAST', toastId }),
    };
}

export { useToast, toast };

```

src/lib/utils.ts

```

import { twMerge } from 'tailwind-merge';

import { clsx, type ClassValue } from 'clsx';

export function cn(...inputs: ClassValue[]) {
    return twMerge(clsx(inputs));
}

```

src/pages/not-found.tsx

```
import { Card, CardContent } from '@components/ui/card';
import { AlertCircle } from 'lucide-react';

export default function NotFound() {
  return (
    <div className="min-h-screen w-full flex items-center justify-center bg-gray-50">
      <Card className="w-full max-w-md mx-4">
        <CardContent className="pt-6">
          <div className="flex mb-4 gap-2">
            <AlertCircle className="h-8 w-8 text-red-500" />
            <h1 className="text-2xl font-bold text-gray-900">
              404 Page Not Found
            </h1>
          </div>

          <p className="mt-4 text-sm text-gray-600">
            Did you forget to add the page to the router?
          </p>
        </CardContent>
      </Card>
    </div>
  );
}
```

vite.config.ts

```
import path from 'path';
import react from '@vitejs/plugin-react';
import tailwindcss from '@tailwindcss/vite';
import { defineConfig } from 'vite';

import runtimeErrorOverlay from '@replit/vite-plugin-runtime-error-modal';

const rawPort = process.env.PORT;

if (!rawPort) {
  throw new Error(
    'PORT environment variable is required but was not provided.',
  );
}

const port = Number(rawPort);

if (Number.isNaN(port) || port <= 0) {
  throw new Error(`Invalid PORT value: "${rawPort}"`);
}

const basePath = process.env.BASE_PATH;

if (!basePath) {
  throw new Error(
    'BASE_PATH environment variable is required but was not provided.',
  );
}

export default defineConfig({
  base: basePath,
  plugins: [
    react(),
    tailwindcss(),
    runtimeErrorOverlay(),
    ...(process.env.NODE_ENV !== 'production' &&
      process.env.REPL_ID !== undefined
      ? [
          await import('@replit/vite-plugin-cartographer').then((m) =>
            m.cartographer({
              root: path.resolve(import.meta.dirname, '..'),
            }),
        ],
        await import('@replit/vite-plugin-dev-banner').then((m) =>
          m.devBanner(),
        ),
      ]
      : []),
  ],
  resolve: {
    alias: {
```

```

    '@': path.resolve(import.meta.dirname, 'src'),
    '@assets': path.resolve(
      import.meta.dirname,
      '..',
      '..',
      'attached_assets',
    ),
  },
  dedupe: ['react', 'react-dom'],
},
root: path.resolve(import.meta.dirname),
build: {
  outDir: path.resolve(import.meta.dirname, 'dist/public'),
  emptyOutDir: true,
},
server: {
  port,
  strictPort: true,
  host: '0.0.0.0',
  allowedHosts: true,
  fs: {
    strict: true,
  },
},
preview: {
  port,
  host: '0.0.0.0',
  allowedHosts: true,
},
});

```

tsconfig.json

```

{
  "extends": "../../tsconfig.base.json",
  "include": ["src/**/*"],
  "exclude": ["node_modules", "build", "dist", "**/*.test.ts"],
  "compilerOptions": {
    "noEmit": true,
    "jsx": "preserve",
    "lib": ["esnext", "dom", "dom.iterable"],
    "resolveJsonModule": true,
    "allowImportingTsExtensions": true,
    "moduleResolution": "bundler",
    "types": ["node", "vite/client"],
    "paths": {
      "@/*": ["./src/*"]
    }
  },
  "references": [
    {
      "path": "../../lib/api-client-react"
    }
  ]
}

```

package.json

```

{
  "name": "@workspace/student-portfolio",
  "version": "0.0.0",
  "private": true,
  "type": "module",
  "scripts": {
    "dev": "vite --config vite.config.ts --host 0.0.0.0",
    "build": "vite build --config vite.config.ts",
    "serve": "vite preview --config vite.config.ts --host 0.0.0.0",
    "typecheck": "tsc -p tsconfig.json --noEmit"
  },
  "devDependencies": {
    "@hookform/resolvers": "^3.10.0",
    "@radix-ui/react-accordion": "^1.2.4",
    "@radix-ui/react-alert-dialog": "^1.1.7",
    "@radix-ui/react-aspect-ratio": "^1.1.3",
    "@radix-ui/react-avatar": "^1.1.4",
    "@radix-ui/react-checkbox": "^1.1.5",
    "@radix-ui/react-collapsible": "^1.1.4",
    "@radix-ui/react-context-menu": "^2.2.7",

```

```

"@radix-ui/react-dialog": "^1.1.7",
"@radix-ui/react-dropdown-menu": "^2.1.7",
"@radix-ui/react-hover-card": "^1.1.7",
"@radix-ui/react-label": "^2.1.3",
"@radix-ui/react-menubar": "^1.1.7",
"@radix-ui/react-navigation-menu": "^1.2.6",
"@radix-ui/react-popover": "^1.1.7",
"@radix-ui/react-progress": "^1.1.3",
"@radix-ui/react-radio-group": "^1.2.4",
"@radix-ui/react-scroll-area": "^1.2.4",
"@radix-ui/react-select": "^2.1.7",
"@radix-ui/react-separator": "^1.1.3",
"@radix-ui/react-slider": "^1.2.4",
"@radix-ui/react-slot": "^1.2.0",
"@radix-ui/react-switch": "^1.1.4",
"@radix-ui/react-tabs": "^1.1.4",
"@radix-ui/react-toast": "^1.2.7",
"@radix-ui/react-toggle": "^1.1.3",
"@radix-ui/react-toggle-group": "^1.1.3",
"@radix-ui/react-tooltip": "^1.2.0",
"@replit/vite-plugin-cartographer": "catalog:",
"@replit/vite-plugin-dev-banner": "catalog:",
"@replit/vite-plugin-runtime-error-modal": "catalog:",
"@tailwindcss/typography": "^0.5.15",
"@tailwindcss/vite": "catalog:",
"@tanstack/react-query": "catalog:",
"@types/node": "catalog:",
"@types/react": "catalog:",
"@types/react-dom": "catalog:",
"@vitejs/plugin-react": "catalog:",
"@workspace/api-client-react": "workspace:*",
"class-variance-authority": "catalog:",
"clsx": "catalog:",
"cmdk": "^1.1.1",
"date-fns": "^3.6.0",
"embla-carousel-react": "^8.6.0",
"framer-motion": "catalog:",
"input-otp": "^1.4.2",
"lucide-react": "catalog:",
"next-themes": "^0.4.6",
"react": "catalog:",
"react-day-picker": "^9.11.1",
"react-dom": "catalog:",
"react-hook-form": "^7.55.0",
"react-icons": "^5.4.0",
"react-resizable-panels": "^2.1.7",
"recharts": "^2.15.2",
"sonner": "^2.0.7",
"tailwind-merge": "catalog:",
"tailwindcss": "catalog:",
"tw-animate-css": "^1.4.0",
"vaul": "^1.1.2",
"vite": "catalog:",
"wouter": "^3.3.5",
"zod": "catalog:"
}
}

```