

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help Ecommerce_System - Apache NetBeans IDE 19 Search (Ctrl+F) - X

...ge Ecommerce_System.java X Product.java X Electronic_product.java X Clothing_product.java X Book_product.java X Customer.java X Cart.java X order.java X Gui1.java... < > v

Source History

```
1 package ecommerce_system;
2 import java.util.Scanner;
3 public class Ecommerce_System {
4
5     public static void main(String[] args) {
6         Scanner input=new Scanner(source: System.in);
7         //if we use console to react with user
8
9         /*      System.out.println("Welcome to the E-commerce System! ");
10
11        Electronic_product q1=new Electronic_product();
12        q1.setname("SmartPhone");q1.setproduct_id(1);
13        q1.setprice((float) 599.99);q1.setBrand("Smasung");q1.setWarranty_pericd(1);
14
15        Book_product q2=new Book_product();
16        q2.setname("OOP");q2.setproduct_id(3);q2.setprice((float) 39.99);
17        q2.setAuthor("O'Reilly");q2.setPublisher("X publications");
18
19        Clothing_product q3=new Clothing_product();
20        q3.setname("T-shirt");q3.setproduct_id(2);
21        q3.setprice((float) 19.99);q3.setSize("Medium");q3.setFabric("Cotton");
22
23        Customer cc=new Customer();
```

Ecommerce_System (run)

running...

1:7

INS Windows (CRL)




22°C ملشم، غال 2:18 PM ENG

```
    car.setCustomer_id(iD);
for(int i=0;i<number;i++) {
    System.out.println("Which product would you like to add ? 1-SmartPhone 2-T-shirt 3-OOB");
    int pro=input.nextInt();
    if (pro==1) {
        car.addproduct(q1);
    }
    else if(pro==2) {car.addproduct(q3);}
    else if(pro==3) {car.addproduct(q2);}
    else{System.out.println("invalid value");}
}
car.placeorder();*/
```

//react with user by using gui

```
Guil h=new Gui1();
```

```
}
```



```
this.product_id=Math.abs(a: product_id);

}

public int getproduct_id(){return product_id;}
public Product(){}

public Product(int product_id,String name,float price){
setproduct_id(product_id);
setname(name);
setprice(price);

}

}
```

```
1
2 package ecommerce_system;
3 public class Elctronic_product extends Product{
4     String brand;
5     private int warranty_period;
6
7     public String getBrand() {
8         return brand;
9     }
10
11    public void setBrand(String brand) {
12        this.brand = brand;
13    }
14
15    public int getWarranty_period() {
16        return warranty_period;
17    }
18
19    public void setWarranty_period(int warranty_period) {
20        this.warranty_period = Math.abs(warranty_period);
21    }
22    public Elctronic_product(){}
23    public Elctronic_product(int product_id, String name, float price, String brand, int warranty_period){
```

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help Ecommerce_System - Apache NetBeans IDE 19 Search (Ctrl+I) 317.7/398.0MB


...ge Ecommerce_System.java X Product.java X Electronic_product.java X Clothing_product.java X Book_product.java X Customer.java X Cart.java X order.java X Gui1.java... < > ▾

Source History

```
16     return warranty_period;
17 }
18
19 public void setWarranty_period(int warranty_period) {
20     this.warranty_period = Math.abs(warranty_period);
21 }
22 public Electronic_product(){}
23 public Electronic_product(int product_id, String name, float price, String brand, int warranty_period) {
24     super(product_id, name, price);
25     setBrand(brand);
26     setWarranty_period(warranty_period);
27 }
28
29 }
30 }
```

Ecommerce_System (run) running... 22:34 INS Windows (CRL)

Type here to search



File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help Ecommerce_System - Apache NetBeans IDE 19 Search (Ctrl+I) 183.7/398.0MB


...ge Ecommerce_System.java X Product.java X Electronic_product.java X Clothing_product.java X Book_product.java X Customer.java X Cart.java X order.java X Gui1.java... < > v

Source History

```
16     public String getFabric() {
17         return fabric;
18     }
19
20     public void setFabric(String fabric) {
21         this.fabric = fabric;
22     }
23     public Clothing_product() {}
24     public Clothing_product( int product_id, String name, float price, String size, String fabric) {
25         super ( product_id, name, price);
26         this.size=size;
27         this.fabric=fabric;
28     }
29 }
30 }
```

Ecommerce_System (run) running... 23:32 INS Windows (CRL)

Type here to search 22°C ٤٠٢٣ مشمس، غال ENG 2:22 PM



```
}

public void setPublisher(String publisher) {
    this.publisher = publisher;
}

public Book_product() {}

public Book_product(int product_id, String name, float price, String author, String publisher) {
    super(product_id, name, price);
    this.author=author;
    this.publisher=publisher;
}

}
```

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help Ecommerce_System - Apache NetBeans IDE 19 Search (Ctrl+F) - X


Ecommerce_System.java Product.java Electronic_product.java Clothing_product.java Book_product.java Customer.java Cart.java order.java Gui1.java

Source History

```
1 package ecommerce_system;
2 public class Customer {
3     private int customer_id;
4     String name;
5     String address;
6
7     public int getCustomer_id() {
8         return customer_id;
9     }
10
11    public void setCustomer_id(int customer_id) {
12        this.customer_id = Math.abs(customer_id);
13    }
14
15    public String getName() {
16        return name;
17    }
18
19    public void setName(String name) {
20        this.name = name;
21    }
22
23 }
```

Ecommerce_System (run) running 22:6 INS Windows (CRL)

Type here to search



File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help Ecommerce_System - Apache NetBeans IDE 19 Search (Ctrl+I) 328.4/412.0MB

Ecommerce_System.java X Product.java X Electronic_product.java X Clothing_product.java X Book_product.java X Customer.java X Cart.java X order.java X Gui1.java... < > ▾

Source History

```
1 package ecommerce_system;
2
3
4 import java.util.Scanner;
5 public class Cart {
6     private int customer_id;
7     private int nproduct;
8     Product[] productss;
9
10    order order1 ;
11    int round=0;
12
13
14    Scanner input=new Scanner(source: System.in);
15    public int getCustomer_id() {
16        return customer_id;
17    }
18
19
20    public void setCustomer_id(int customer_id) {
21        this.customer_id = Math.abs(a: customer_id);
22        order1.setCustomer_id(customer_id);
23    }
}
```

Ecommerce_System (run) running 23:6 INS Windows (CRL)

Type here to search 22°C مشمس غالبا ENG 2:23 PM 4/22/2024


File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help Ecommerce_System - Apache NetBeans IDE 19 Search (Ctrl+I) - X


...ge Ecommerce_System.java X Product.java X Electronic_product.java X Clothing_product.java X Book_product.java X Customer.java X Cart.java X order.java X Gui1.java... < > v

Source History [] < default config > [] 2410/4120MB []

```
22
23     }
24
25     public int getNproduct() {
26         return nproduct;
27     }
28
29     public void setNproduct(int nproduct) {
30         this.nproduct = Math.abs(a: nproduct);
31     }
32
33     public Product[] getProducts() {
34         return products;
35     }
36
37     public void setProducts(Product[] products) {
38         this.products = products;
39     }
40
41     public Cart() {
42         |
43
44     }
45
```

Ecommerce_System (run) running - 42:9 INS Windows (CR) 22°C ٢٤٣٠ مللي متر ENG 2:24 PM





File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help Ecommerce_System - Apache NetBeans IDE 19 Search (Ctrl+F) 309.6/412.0MB

Ecommerce_System.java X Product.java X Electronic_product.java X Clothing_product.java X Book_product.java X Customer.java X Cart.java X order.java X Gui1.java... < > ▾

Source History ▾

```
84     return total;
85
86 }
87
88 public void placeorder(){
89     order1.setTotalprice(totalprice:calculate());
90     System.out.println("Your total is :" +order1.getTotalprice());
91     System.out.println(" Would you like to place the order? 1-yes 2-No");
92     int flag=input.nextInt();
93     if (flag==1){
94         order1.setOrderid(orderid:flag);
95         order1.printorderinfo();
96         System.out.println("Products : ");
97         for(int i=0;i<round;i++){
98             if(productss[i].getprice()!=0){
99
100                 System.out.println(productss[i].getname()+" --> "+productss[i].getprice());
101
102             }
103         }
104         System.out.println("Total price : " +order1.getTotalprice());
105     }
106 }
```

Ecommerce_System (run) running 107:8 INS Windows (CRL) 22°C ٢٥٠ مئونس ENG 2:26 PM 4/22/2024

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help Ecommerce_System - Apache NetBeans IDE 19 Search (Ctrl+I) 372.4/412.0MB


Ecommerce_System.java X Product.java X Electronic_product.java X Clothing_product.java X Book_product.java X Customer.java X Cart.java X order.java X Gui.java... < > ▾

Source History

```
105
106
107     if(flag==2){
108         System.out.println("we hope to help you in another time");
109     for(int i=0;i<round;i++){
110         productarr[i].setprice(price: 0);
111     }
112     }
113     if(round>=nproduct)
114     {System.out.println("Do you want to empty your cart ");
115     Boolean flag2=input.nextBoolean();
116     if(flag2==true) {round=0;}
117     else{ System.out.println("you reached to limit orders you must empty your cart");} }
118
119 }
```

Ecommerce_System (run) running... 119:7 INS Windows (CRL)

Type here to search 22°C ٢٢°C ملمس، عـ ENG 2:27 PM



File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help Ecommerce_System - Apache NetBeans IDE 19 Search (Ctrl+F) 294.8/432.0MB

Ecommerce_System.java X Product.java X Electronic_product.java X Clothing_product.java X Book_product.java X Customer.java X Cart.java X order.java X Gui.java... < > ▾

Source History

```
24  
25     public void setOrderid(int orderid) {  
26         this.orderid = Math.abs(a: orderid);  
27     }  
28  
29     public Product[] getProducts() {  
30         return products;  
31     }  
32  
33     public void setProducts(Product[] products) {  
34         this.products = products;  
35     }  
36  
37     public float getTotalprice() {  
38         return totalprice;  
39     }  
40  
41     public void setTotalprice(float totalprice) {  
42         this.totalprice =Math.abs( a: totalprice);  
43     }  
44     public order() {}  
45  
46
```

Ecommerce_System (run) running... 45:5 INS Windows (CRL)

Type here to search 22°C مشمس، غال 2:28 PM 4/22/2024 ENG

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help Ecommerce_System - Apache NetBeans IDE 19 Search (Ctrl+F) 389.3/448.0MB

...ge Ecommerce_System.java X Product.java X Electronic_product.java X Clothing_product.java X Book_product.java X Customer.java X Cart.java X order.java X Gui1.java... < > ^

Source History

```
40
41     public void setTotalprice(float totalprice) {
42         this.totalprice = Math.abs( a: totalprice);
43     }
44     public order() {}
45
46
47     public void printorderinfo()
48     {System.out.println(x: "Here's your order's summary: ");
49      System.out.println("Order ID : " +orderid);
50      System.out.println("Customer ID : " +customer id);
51    }
52  }
53 }
54 }
```

48:58 INS Windows 8:24 PM 4/22/2024

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help Ecommerce_System - Apache NetBeans IDE 19 Search (Ctrl+F) - X

...va Product.java x Electronic_product.java x Clothing_product.java x Book_product.java x Customer.java x Cart.java x order.java x Gui1.java x Gui2.java x gui3.java x < > v

Source History

```
1 package ecommerce_system;
2
3
4 import java.awt.Color;
5 import java.awt.Font;
6 import java.awt.event.ActionEvent;
7 import java.awt.event.ActionListener;
8 import java.awt.event.MouseEvent;
9 import java.awt.event.MouseListener;
10 import javax.swing.JButton;
11 import javax.swing.JFrame;
12 import javax.swing.JLabel;
13 import javax.swing.JMenu;
14 import javax.swing.JMenuBar;
15 import javax.swing.JPanel;
16 import javax.swing.JTextField;
17 public class Gui1 extends JFrame implements ActionListener{
18     String x,y;
19     int z;
20     JButton s1;
21     JTextField t1=new JTextField();
22     JTextField t2=new JTextField();
23 }
```

Ecommerce_System (run) running... 1:1 INS Windows (CRLF)

Type here to search

22°C مشمس غالباً ENG 2:29 PM 4/22/2024

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help Ecommerce_System - Apache NetBeans IDE 19 Search (Ctrl+F) - X

...va Product.java X Electronic_product.java X Clothing_product.java X Book_product.java X Customer.java X Cart.java X order.java X Gui1.java X Gui2.java X gui3.ja... < > v

Source History

```
24 JTextField t1=new JTextField();  
25 public Gui1(){ Gui2 p=new Gui2();  
26 JLabel l3=new JLabel(text: "Name: ");  
27 JLabel l4=new JLabel(text: " ID : ");  
28 JLabel l5=new JLabel(text: "NProducts: ");  
29 t1.addActionListener(l: this);  
30 t2.addActionListener(l: this);t3.addActionListener(l: this);  
31  
32  
33 b2=new JButton(text: " GO ");  
34 b2.addActionListener(l: this);  
35 Font newfont1=new Font(name: "h", style: Font.HANGING_BASELINE, size: 130);  
36 Font newfont2=new Font(name: "h", style: Font.ITALIC, size: 40);  
37  
38 Font newfont3=new Font(name: "h", style: Font.ITALIC, size: 18);  
39  
40  
41 b2.setBounds(x: 570, y: 490, width: 140, height: 50);  
42 b2.setFont(font: newfont2);  
43 b2.setBackground(bg: Color.PINK.darker());  
44 b2.setForeground(fg: Color.WHITE);  
45 p.add(p1; b2);  
46
```

Ecommerce_System (run) running 23:5 INS Windows (CRL)

Type here to search

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help Ecommerce_System - Apache NetBeans IDE 19 Search (Ctrl+F) - X

...va Product.java X Electronic_product.java X Clothing_product.java X Book_product.java X Customer.java X Cart.java X order.java X Gui1.java X Gui2.java X gui3.ja... < > v

Source History

```
46
47     13.setFont(font: newFont3);
48     13.setForeground(fg: Color.PINK);
49     13.setBounds(x: 520, y: 295, width: 80, height: 40);
50     p.add(comp: 13);

51
52     t1.setForeground(fg: Color.BLACK);
53     t1.setBackground(bg: Color.PINK);
54     t1.setBounds(x: 590, y: 300, width: 180, height: 30);
55     p.add(comp: t1);

56
57     14.setFont(font: newFont3);
58     14.setForeground(fg: Color.PINK);
59     14.setBounds(x: 520, y: 355, width: 80, height: 40);
60     p.add(comp: 14);

61
62     t2.setForeground(fg: Color.BLACK);
63     t2.setBackground(bg: Color.PINK);
64     t2.setBounds(x: 590, y: 355, width: 180, height: 30);
65     p.add(comp: t2);
66
67
68
```

Ecommerce_System (run) running... X 66:11 INS Windows (CRLF)

Type here to search

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help Ecommerce_System - Apache NetBeans IDE 19 Search (Ctrl+F) - X

Product.java X Electronic_product.java X Clothing_product.java X Book_product.java X Customer.java X Cart.java X order.java X Gui1.java X Gui2.java X gui3.java... < > v

Source History

```
66
67     15.setFont(font: newfont3);
68     15.setForeground(fg: Color.PINK);
69     15.setBounds(x: 500, y: 410, width: 100, height: 40);
70     p.add(comp: 15);

71
72     t3.setForeground(fg: Color.BLACK);
73     t3.setBackground(bg: Color.PINK);
74     t3.setBounds(x: 590, y: 410, width: 180, height: 30);
75     p.add(comp: t3);

76
77     JLabel l1=new JLabel(text: " SAND ");
78     JLabel l2=new JLabel(text: " shop ");
79     l1.setFont(font: newfont1);
80     l1.setForeground(fg: Color.BLACK.darker());
81     l1.setBounds(x: 450, y: 60, width: 450, height: 100);
82     p.add(comp: l1);

83
84     l2.setFont(font: newfont2);
85     l2.setForeground(fg: Color.BLACK.darker());
86     l2.setBounds(x: 850, y: 150, width: 250, height: 60);
87     p.add(comp: l2);
```

Ecommerce_System (run)

running...

87:19

INS Windows (CR)



Type here to search



22°C تülük, موسنہ ENG 2:31 PM

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help Ecommerce_System - Apache NetBeans IDE 19 Search (Ctrl+I) - X

...va Product.java X Electronic_product.java X Clothing_product.java X Book_product.java X Customer.java X Cart.java X order.java X Gui1.java X Gui2.java X gui3.ja... < > v

Source History

```
88  
89  
90     this.setSize(width: 1620, height: 720);  
91     this.setLocation(x: 0, y: 0);  
92     this.setResizable(resizable: false);  
93     this.setVisible(b: true);  
94     this.setDefaultCloseOperation(operation: EXIT_ON_CLOSE);  
95     p.setBackground(bg: Color.orange.darker());  
96     p.setForeground(fg: Color.black);  
97  
98     this.add(comp: p);  
99     p.setLayout(mgr: null);  
100  
101    }  
102  
103    @Override  
104    public void actionPerformed(ActionEvent e) {  
105        if(e.getSource() == o2){  
106            a=t1.getText().toString();  
107            b=t2.getText().toString();  
108            c=Math.abs(a: Integer.parseInt(a: t3.getText().toString()));  
109  
110    }
```

Ecommerce_System (run)

running

87:19

INS Windows (CRL)



22°C ٢٣٠١٩ مئوية ٢٣٠١٩ ENG 4/22/2024 2:31 PM

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help Ecommerce_System - Apache NetBeans IDE 19 Search (Ctrl+I) 272.0/432.0MB

...va Product.java x Electronic_product.java x Clothing_product.java x Book_product.java x Customer.java x Cart.java x order.java x Gui1.java x Gui2.java x gui3.java...

Source History

```
public void actionPerformed(ActionEvent e) {  
    if(e.getSource() == o2) {  
        x=t1.getText().toString();  
        y=t2.getText().toString();  
        z=Math.abs(Integer.parseInt(t3.getText().toString()));  
  
        gui4 g=new gui4(x,y,z);  
    }  
}  
}  
}
```

Ecommerce_System (run) running... 109:11 INS Windows (CRL)

Type here to search 22°C مشمس غالى ENG 2:31 PM

```
package ecommerce_system;
import javax.swing.*;
import java.awt.*;
import java.awt.Graphics ;
public class Gui2 extends JPanel{
    @Override
    protected void paintComponent(Graphics g){
        super.paintComponent(g);
        g.setColor(c: Color.MAGENTA.darker());
        g.fillRect(x: 0,y: 0, width: 1620, height: 200, raised: true);

        g.fillOval(x: 0, y: 0, width: 1300, height: 260);

        g.setColor(c: Color.YELLOW);
        g.fillOval(x: 40, y: 50, width: 90, height: 50);

        g.setColor(c: Color.BLACK.brighter());
        g.fillRect(x: 490, y: 253, width: 300, height: 350, raised: true);|
    }
}
```

```
1 package ecommerce_system;
2 import javax.swing.*;
3 import java.awt.*;
4 import java.awt.Graphics ;
5 public class gui3 extends JPanel{
6     @Override
7     protected void paintComponent(Graphics g) {
8         super.paintComponent(g);
9         g.setColor(c: Color.magenta.darker());
10        g.fill3DRect(x: 70, y: 30, width: 550, height: 250, raised: true);
11
12        g.setColor(c: Color.magenta.darker());
13        g.fill3DRect(x: 670, y: 30, width: 550, height: 250, raised: true);
14
15        g.setColor(c: Color.CYAN.magenta.darker());
16        g.fill3DRect(x: 70, y: 350, width: 550, height: 250, raised: true);
17
18        g.setColor(c: Color.magenta.darker());
19        g.fill3DRect(x: 670, y: 350, width: 550, height: 250, raised: true);
20
21
22        g.setColor(c: Color.pink.brighter());
23    }
```

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help Ecommerce_System - Apache NetBeans IDE 19 Search (Ctrl+F) 255.5/432.0MB

Source History < > ▾

```
22
23     g.setColor(c: Color.black.brighter());
24     g.fillOval(x: 470, y: 170, width: 100, height: 100);
25
26     g.setColor(c: Color.black.brighter());
27     g.fillOval(x: 1070, y: 170, width: 100, height: 100);
28
29     g.setColor(c: Color.black.brighter());
30     g.fillOval(x: 470, y: 490, width: 100, height: 100);
31
32     g.setColor(c: Color.black.brighter());
33     g.fillOval(x: 1070, y: 490, width: 100, height: 100);
34
35     g.setColor(c: Color.GREEN);
36     g.fillOval(x: 617, y: 305, width: 15, height: 15);
37     g.setColor(c: Color.GREEN);
38     g.fillOval(x: 635, y: 294, width: 15, height: 15);
39     g.setColor(c: Color.GREEN);
40     g.fillOval(x: 653, y: 305, width: 15, height: 15);
41
42     g.setColor(c: Color.GREEN);
43     g.fillOval(x: 623, y: 328, width: 15, height: 15);
44     g.setColor(c: Color.GREEN);
```

Ecommerce_System (run) running 34:5 INS Windows (CRL)

Type here to search 22°C ٢٣٣٣ مئممس ENG 2:33 PM 4/22/2024

```
44     g.setColor(c: Color.GREEN);
45     g.fillOval(x: 647, y: 328, width: 15, height: 15);
46
47
48     g.setColor(c: Color.GREEN.darker());
49     g.fillOval(x: 625, y: 307, width: 35, height: 27);
50     g.setColor(c: Color.black.darker());
51     g.fillOval(x: 633, y: 312, width: 19, height: 17);
52
53 }
54
55
56 }
57
58 }
```

Ecommerce_System (run) running... 44:29 INS Windows (



```
package ecommerce_system;

import java.awt.Color;
import java.awt.Font;
import java.awt.event.ActionEvent;
import java.awt.event.ActionListener;
import javax.swing.JButton;
import javax.swing.JFrame;
import javax.swing.JLabel;
import javax.swing.JMenu;
import javax.swing.JMenuBar;
import javax.swing.JPanel;
import static javax.swing.WindowConstants.EXIT_ON_CLOSE;
public class gui4 extends JFrame implements ActionListener{
String s,y;
int z;
float t;
int a=0;
int b=0;
int c=0;
int d=0;
int e=0;
```

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help Ecommerce_System - Apache NetBeans IDE 19 Search (Ctrl+I) 247.1/448.0MB

Clothing_product.java X Book_product.java X Customer.java X Cart.java X order.java X Gui1.java X Gui2.java X gui3.java X gui4.java X gui5.java X gui6.java ...

Source History

```
25 JMenu g1=new JMenu(s: "HELP ");
26     JMenu g2=new JMenu(s: " Return   ");
27     JMenu g3=new JMenu(s: " Cart   ");
28     JMenuBar bar=new JMenuBar();
29     JButton b01=new JButton(text: " Homepage");
30     JButton b02=new JButton(text: " your cart ");
31     JLabel l2 =new JLabel(text: "OOP");
32     JLabel l1 =new JLabel(text: "SmartPhone      ");
33     JLabel l3 =new JLabel(text: " Tablet");
34     JLabel l4 =new JLabel(text: "T-shirt");
35     JLabel l6 =new JLabel(text: "$599.99");
36     JLabel l5 =new JLabel(text: "$39.99");
37     JLabel l7 =new JLabel(text: "$19.99");
38     JLabel l8 =new JLabel(text: "$299.99");
39     JButton b1=new JButton(text: " Buy  ");
40     JButton b2=new JButton(text: " Cancel");
41     JButton b3=new JButton(text: " Buy ");
42     JButton b4=new JButton(text: " Cancel ");
43     JButton b5=new JButton(text: " Buy ");
44     JButton b6=new JButton(text: " Cancel ");
45     JButton b7=new JButton(text: " Buy ");
46     JButton b8=new JButton(text: " Cancel ");
47     Font newfont=new Font(name: "h",style: Font.BOLD, size: 60);
```

Ecommerce_System (run) running... 31:34 INS Windows (CRL)

Type here to search 22°C مشمس، غال 2:34 PM ENG 2024

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help Ecommerce_System - Apache NetBeans IDE 19 Search (Ctrl+I) - X


...va Clothing_product.java x Book_product.java x Customer.java x Cart.java x order.java x Gui1.java x Gui2.java x gui3.java x gui4.java x gui5.java x gui6.j... < > v

Source History

```
48
49     Font newfont1=new Font(name: "h",style: Font.BOLD,size: 40);
50     Font newfont3=new Font(name: "h",style: Font.BOLD,size: 20);
51     gui3 t=new gui3();
52     Cart l;
53     Elctronic_product q4;
54     Clothing_product q3;
55     Book_product q2;
56     Elctronic_product q1;
57     public gui4(String x,String y,int z){
58         this.x=x;
59         this.y=y;
60         this.z=z;
61         gl=new Cart();
62
63         gl.setNproduct(nproduct: z);
64         gl.productss= new Product[z];
65
66         q1=new Elctronic_product();
67         q1.setname(name: "SmartPhone");q1.setproduct_id(product_id:1);
68         q1.setprice((float) 599.99);q1.setBrand(brand: "Smasung");q1.setWarranty_period(warranty_period: 1);
69         q2=new Book_product();
70     }
```

Ecommerce_System (run) running... 55:25 INS Windows (CRLF)

Type here to search 22°C منسمس عالي ENG 4/22/2024 2:35 PM



File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help Ecommerce_System - Apache NetBeans IDE 19 Search (Ctrl+i) - ...va Clothing_product.java x Book_product.java x Customer.java x Cart.java x order.java x Gui1.java x Gui2.java x gui3.java x gui4.java x gui5.java x gui6.java x < > v

Source History 303.1/464.0MB

```
94
95     pa1.setBackground(bg: Color.BLACK);
96     g1.setForeground(fg: Color.LIGHT_GRAY);
97     g2.setForeground(fg: Color.LIGHT_GRAY);
98     g3.setForeground(fg: Color.LIGHT_GRAY);
99     g1.setFont(font: newfont3);
100    g2.setFont(font: newfont3);
101    b00.setBackground(bg: Color.black);
102    b00.setForeground(fg: Color.darkGray);
103    b000.setBackground(bg: Color.black);
104    b000.setForeground(fg: Color.darkGray);
105    g2.add(s: b00);
106    g3.setFont(font: newfont3); g3.add(s: b000);
107    pa1.add(s: g1); bar.add(s: g1);
108    pa1.add(s: g3);
109    pa1.setBounds(x: 0, y: 650, width: 1620, height: 30);
110
111    s.add(smp: bar);
112    s1.setForeground(fg: Color.WHITE);
113
114    s1.setBackground(bg: Color.PINK);
115    s1.setFont(font: newfont3);
116
```

Ecommerce_System (run) running... 116:9 INS Windows (CRL) 22°C مშمس غالبا ENG 4/22/2024 2:36 PM

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help Ecommerce_System - Apache NetBeans IDE 19 Search (Ctrl+I) — □ X

...va Clothing_product.java x Book_product.java x Customer.java x Cart.java x order.java x Gui1.java x Gui2.java x gui3.java x gui4.java x gui5.java x gui6.java... < > v

Source History

```
117     b1.setBounds(x: 100, y: 220, width: 160, height: 50);
118     f.add(component: b1);
119
120     b2.setForeground(fg: Color.WHITE);
121
122     b2.setBackground(bg: Color.PINK);
123     b2.setFont(font: newFont3);
124
125     b2.setBounds(x: 300, y: 220, width: 160, height: 50);
126     f.add(component: b2);
127
128     b3.setForeground(fg: Color.WHITE);
129
130     b3.setBackground(bg: Color.PINK);
131     b3.setFont(font: newFont3);
132
133     b3.setBounds(x: 700, y: 220, width: 160, height: 50);
134     f.add(component: b3);
135
136     b4.setForeground(fg: Color.WHITE);
137     b4.setBackground(bg: Color.PINK);
138     b4.setFont(font: newFont3);
```

Ecommerce_System (run) running... 138:30 INS Windows (CRL)

Type here to search 22°C مშمس، غالی ENG 2:37 PM 4/22/2024

```
140    b4.setBounds(x: 900,y: 220,width: 160,height: 50);
141    p.add(comp:b4);
142    b5.setForeground(fg: Color.WHITE);
143    b5.setBackground(bg: Color.PINK);
144    b5.setFont(font: newfont3);
145    b5.setBounds(x: 100,y: 540,width: 160,height: 50);
146    p.add(comp:b5);
147    b6.setForeground(fg: Color.WHITE);
148    b6.setBackground(bg: Color.PINK);
149    b6.setFont(font: newfont3);
150    b6.setBounds(x: 300,y: 540,width: 160,height: 50);
151    p.add(comp:b6);
152    b7.setForeground(fg: Color.WHITE);
153    b7.setBackground(bg: Color.PINK);
154    b7.setFont(font: newfont3);
155    b7.setBounds(x: 700,y: 540,width: 160,height: 50);
156    p.add(comp:b7);
157    b8.setForeground(fg: Color.WHITE);
158    b8.setBackground(bg: Color.PINK);
159    b8.setFont(font: newfont3);
160    b8.setBounds(x: 900,y: 540,width: 160,height: 50);
161    p.add(comp:b8);|
```

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help Ecommerce_System - Apache NetBeans IDE 19 Search (Ctrl+F) 312.3/464.0MB


...va Clothing_product.java x Book_product.java x Customer.java x Cart.java x order.java x Gui1.java x Gui2.java x gui3.java x gui4.java x gui5.java x gui6.j... < > v

Source History

```
161    f.add(comp: 16);
162    16.setBackground(bg: Color.PINK);
163    16.setFont(font: newfont3);
164    16.setBounds(x: 470, y: 200, width: 100, height: 50);
165    f.add(comp: 15);
166    15.setBackground(bg: Color.PINK);
167    15.setFont(font: newfont3);
168    15.setBounds(x: 1075, y: 200, width: 100, height: 50);
169    f.add(comp: 18);
170    18.setBackground(bg: Color.PINK);
171    18.setFont(font: newfont3);
172
173    18.setBounds(x: 470, y: 520, width: 100, height: 50);
174    f.add(comp: 11);
175
176    11.setForeground(fg: Color.CYAN);
177
178    11.setBackground(bg: Color.PINK);
179    11.setFont(font: newfont1);
180
181    17.setBackground(bg: Color.PINK);
182    17.setFont(font: newfont3);
183
```

Ecommerce_System (run) running... 183:9 INS Windows (CRL)

Type here to search 22°C مშمس غالبا ENG 2:40 PM 4/22/2024



File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help Ecommerce_System - Apache NetBeans IDE 19 Search (Ctrl+I) 387.2/464.0MB

Source History <default config> Clothing_product.java Book_product.java Customer.java Cart.java order.java Gui1.java Gui2.java gui3.java gui4.java gui5.java gui6.j...

```
205
206     l4.setBounds(x: 720, y: 380, width: 300, height: 150);
207     p.add(cmp: l4);
208     this.setSize(width: 1620, height: 720);
209     this.setLocation(x: 0, y: 0);
210     this.setResizable(resizable: false);
211     this.setVisible(b: true);
212     this.setDefaultCloseOperation(operation: EXIT_ON_CLOSE);
213     this.setBackground(bg: Color.pink);
214     this.setForeground(fg: Color.black);
215     this.add(cmp: p);
216     this.setLayout(mgr: null);
217 }
218
219 @Override
220 public void actionPerformed(ActionEvent e) {
221     if(e.getSource() == o1){
222         Gui1 sd=new Gui1();
223     }
224     if(e.getSource() == o2){
225         i=gl1.calculate();
226
227         gui5 g2=new gui5(x,y,z,m,a,b,c,d);
```

Ecommerce_System (run)

running

227.41

INS Windows (CR)

2:41 PM

مشمس غالباً

ENG

4/22/2024

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help Ecommerce_System - Apache NetBeans IDE 19 Search (Ctrl+F) 258.7/484.0MB


Source History <default config> 258.7/484.0MB

...va Clothing_product.java Book_product.java Customer.java Cart.java order.java Gui1.java Gui2.java gui3.java gui4.java gui5.java gui6.j...

```
228     gui5 q2=new gui5(x,y,z,t,a,b,c,d);  
229 }  
230 if(e.getSource()==o1)  
{  
    if(round>=z){  
        gui6 q=new gui6();  
    }  
    else{  
        z++;round++;  
        q1.addproduct(productt: q11);  
        o1.setBackground(bg: Color.red);  
        o2.setBackground(bg: Color.PINK);  
    }  
    if(e.getSource()==o3)  
{  
        if(round>=z){  
            gui6 q=new gui6();  
        }  
        else{  
            z++;round++;  
            q1.addproduct(productt: q2);  
            b3.setBackground(bg: Color.red);  
        }  
    }  
}
```

Ecommerce_System (run) running 249:35 INS Windows (CRL) 2:43 PM 4/22/2024 22°C ملحوظة ENG

Type here to search



Ecommerce System (run)

running

271:25

INS Windows (CR)

 Type here to search



شمس، غالباً 22°C

1

10

2:43 PM
4/23/2024

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help Ecommerce_System - Apache NetBeans IDE 19 Search (Ctrl+I) 397.2/484.0MB

...va Clothing_product.java x Book_product.java x Customer.java x Cart.java x order.java x Gui1.java x Gui2.java x gui3.java x gui4.java x gui5.java x gui6.java x < > ▾

Source History ▾

```
271 q1.addproduct(productt: 1);
272 b7.setBackground(bg: Color.red);
273 b8.setBackground(bg: Color.PINK);
274 }
275 if(e.getSource()==b2)
276 {---;round--;
277 q1.removeproduct(p: q11);
278 b1.setBackground(bg: Color.red);
279 b1.setBackground(bg: Color.PINK);
280 }
281 if(e.getSource()==b4)
282 {---;round--;
283 q1.removeproduct(p: q2);
284 b4.setBackground(bg: Color.red);
285 b3.setBackground(bg: Color.PINK);
286 }
287 if(e.getSource()==b6)
288 {---;round--;
289 q1.removeproduct(p: q4);
290 b6.setBackground(bg: Color.red);
291 b5.setBackground(bg: Color.PINK);
292 }
293 if(e.getSource()==b8)
```

Ecommerce_System (run) running 293:28 INS Windows (CRLF) 22°C مშمس غال 2:43 PM ENG 4/22/2024

Type here to search

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help Ecommerce_System - Apache NetBeans IDE 19 Search (Ctrl+F) 242.6/500.0MB

...va Clothing_product.java x Book_product.java x Customer.java x Cart.java x order.java x Gui1.java x Gui2.java x gui3.java x gui4.java x gui5.java x gui6.j...

Source History

```
289     q1.removeproduct(p: q4);
290     b6.setBackground(bg: Color.red);
291     b7.setBackground(bg: Color.PINK);
292 }
293 if(e.getSource()==b8)
294 {--;found--;
295     q1.removeproduct(p: q1);
296     b5.setBackground(bg: Color.red);
297     b6.setBackground(bg: Color.PINK);
298 }
299
300 }
301 }
302 }
303 }
```


Ecommerce_System (run) running... 293:28 INS Windows (CRLF)

Type here to search 22°C مشمس غالباً ENG 2:44 PM 4/22/2024

```
1
2 package ecommerce_system;
3
4 import javax.swing.*;
5 import java.awt.*;
6 import java.awt.Color;
7 import java.awt.event.ActionEvent;
8 import java.awt.event.ActionListener;
9 public class gui5 extends JFrame implements ActionListener{
10     JPanel s=new JPanel();
11     String x,y;
12     int z;float m;
13     int a,b,c,d;
14
15
16     JLabel l1=new JLabel(text:" name : ");
17     JLabel l2=new JLabel(text:"ID : ");
18     JLabel l4=new JLabel(text:" Products :");
19     JLabel l3=new JLabel(text:"Nproducts :");
20     JLabel l5=new JLabel(text:" Total Price : ");
21     JLabel l6;
22     JLabel l7;
23     JLabel l11;
```

```
23     JLabel l11;
24     JLabel l12 ;
25     JLabel l15 ;
26     JLabel l25 ;
27     JLabel l35 ;
28     JLabel l45;
29
30
31     JButton b1=new JButton(text: " SAVE ");
32     JButton b2=new JButton(text: " EMPTY ");
33     JMenu g1=new JMenu(s: " HELP");
34     JMenu g2=new JMenu(s: " EXIT ");
35     JMenuBar bar=new JMenuBar();
36     public gui5(String x,String y,int z,float m,int a,int b,int c,int d){
37         this.x=x;this.y=y;this.z=z;this.m=m;
38         this.a=a;this.b=b;this.c=c;this.d=d;
39
40         l15 =new JLabel(+a+" SmartPhone-->$ "+(599.99 *a));
41         l25 =new JLabel(+b+" OOP-->$ +(39.9*b) );
42         l35 =new JLabel(+c+" Tablet-->$ +( 299.99*c) );
43         l45 =new JLabel(+d+" T-shirt-->$" +(19.99*d) );
```

28:16 INS Windows
8:04 PM



22°C File .momo ⌂ ⌂ ENG

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help Ecommerce_System - Apache NetBeans IDE 19 Search (Ctrl+I) 374.4/500.0MB

...va Book_product.java X Customer.java X Cart.java X order.java X Gui1.java X Gui2.java X gui3.java X gui4.java X gui5.java X gui6.java X

Source History

```
45
46     b2.addActionListener(l: this);
47     l6 =new JLabel(text: x);
48     l7 =new JLabel(text: Integer.toString(i: z));
49     l11 =new JLabel(text: y);
50     l12=new JLabel("$" +Float.toString(f: m)) ;
51     ol.addActionListener(l: this);
52     bar.setBackground(bg: Color.PINK);
53     pa1.add(z: q1);
54     pa1.add(z: q2);
55     pa1.setBounds(x: 0, y: 0,width: 400 ,height: 20 );
56     this.setTitle(title: "Your Data");
57
58     this.setSize(width: 400,height: 500);
59     this.setLocation(x: 900,y: 20);
60     this.setResizable(resizable: false);
61     this.setVisible(b: true);
62     this.setDefaultCloseOperation(operation: EXIT_ON_CLOSE);
63     this.add(wrap:p);
64     .setForeground(fg: Color.red);
65     .setBackground(bg: Color.MAGENTA.darker());
66     .setLayout(mgr:null);
67     ll.setBounds(x: 30,y: 20,width: 70,height: 50);
```

Ecommerce_System (run)

running...

67:28

INS Windows (CRL)



Type here to search



22°C مშمس، غالی ENG 2:44 PM 4/22/2024

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help Ecommerce_System - Apache NetBeans IDE 19 Search (Ctrl+)

...va Book_product.java Customer.java Cart.java order.java Gui1.java Gui2.java gui3.java gui4.java gui5.java gui6.java

Source History

```
67 l1.setBounds(x: 30, y: 20, width: 70, height: 50);
68 p.add(comp: l1);
69 l6.setBounds(x: 110, y: 20, width: 200, height: 50);
70 p.add(comp: l6);

72 l12.setBounds(x: 50, y: 40, width: 70, height: 80);
73 p.add(comp: l12);

75 l11.setBounds(x: 110, y: 40, width: 200, height: 80);
76 p.add(comp: l11);
77 l14.setBounds(x: 20, y: 130, width: 70, height: 50);
78 p.add(comp: l14);

80 l17.setBounds(x: 120, y: 50, width: 200, height: 120);
81 p.add(comp: l17);

83 l13.setBounds(x: 15, y: 60, width: 70, height: 100);
84 p.add(comp: l13);

86 l115.setBounds(x: 120, y: 150, width: 200, height: 15);
87 p.add(comp: l115);

89 l25.setBounds(x: 120, y: 170, width: 200, height: 15);
```

Ecommerce System (run)

running...

89:32

INS Windows /CB

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help Ecommerce_System - Apache NetBeans IDE 19 Search (Ctrl+I) 266.9/500.0MB

...va Book_product.java x Customer.java x Cart.java x order.java x Gui1.java x Gui2.java x gui3.java x gui4.java x gui5.java x gui6.java x

Source History

```
89 | 125.setBounds(x: 120, y: 170, width: 200, height: 15);
90 | f.add(comp: 125);
91 |
92 | 135.setBounds(x: 120, y: 190, width: 200, height: 15);
93 | g.add(comp: 135);
94 |
95 |
96 | 145.setBounds(x: 120, y: 210, width: 200, height: 15);
97 | h.add(comp: 145);
98 |
99 |
100 |
101 |
102 |
103 | 15.setBounds(x: 10, y: 240, width: 90, height: 10);
104 | i.add(comp: 15);
105 |
106 | 112.setBounds(x: 120, y: 150, width: 200, height: 190);
107 | j.add(comp: 112);
108 |
109 | b1.setBounds(x: 50, y: 350, width: 150, height: 50);
110 |
111 | b1.setBackground(bg: Color.PINK);
```

Ecommerce_System (run) running... 111:31 INS Windows (CRLF)

Type here to search 22°C مشمس غالباً ENG 2:44 PM 4/22/2024

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help Ecommerce_System - Apache NetBeans IDE 19 Search (Ctrl+F) - X

...va Book_product.java X Customer.java X Cart.java X order.java X Gui1.java X Gui2.java X gui3.java X gui4.java X gui5.java X gui6.java X

Source History


```
111     b1.setBackground(bg: Color.PINK);
112     b1.setForeground(fg: Color.BLACK);
113     p.add(comp: b1);
114     b1.setBounds(x: 30, y: 320, width: 120, height: 50);
115
116
117     b2.setBounds(x: 200, y: 320, width: 120, height: 50);
118
119     b2.setBackground(bg: Color.PINK);
120     b2.setForeground(fg: Color.BLACK);
121     p.add(comp: b2);
122     p.add(comp: bar);
123
124 }
125
126 @Override
127 public void actionPerformed(ActionEvent e) {
128     if(e.getSource()==b2){
129         a=0; b=0; c=0; d=0; m=0;
130         gui4 we=new gui4(n,y,z);
131     }
132 }
133 }
```

Ecommerce_System (run)

running...

111:31

INS Windows (CRLF)



22°C ٤٠°C مشمس ENG 4/22/2024 2:44 PM

```
122    f.add(scrollBar);
123
124    }
125
126    @Override
127    public void actionPerformed(ActionEvent e) {
128        if(e.getSource() == b1) {
129            x=0; y=0; z=0; l=0; m=0;
130            gui4 we=new gui4(x,y,z);
131        }
132    }
133
134
135}
136
```

Ecommerce_System (run)

running...

111:31

INS Windows (CRLF)

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help Ecommerce_System - Apache NetBeans IDE 19 Search (Ctrl+F) - X

...va Book_product.java X Customer.java X Cart.java X order.java X Gui1.java X Gui2.java X gui3.java X gui4.java X gui5.java X gui6.java X

Source History

```
1 package ecommerce_system;
2
3
4 import java.awt.Color;
5 import java.awt.Font;
6 import javax.swing.JFrame;
7 import javax.swing.JLabel;
8 import javax.swing.JPanel;
9
10
11 public class gui6 extends JFrame{
12
13     JLabel l1 =new JLabel(text: " ERROR ");
14     JLabel l2=new JLabel(text: " you reached to your limit!! please, empty your car to continue ");
15     JPanel r=new JPanel();
16     Font newfont2=new Font(name: "h",style: Font.BOLD, size: 15);
17     Font newfont1=new Font(name: "h",style: Font.BOLD, size: 20);
18
19     public gui6(){
20
21         r.setBackground(bg: Color.BLACK);
22         this.setSize(width: 500, height: 150);
23         this.setLocation(x: 400, y: 300);
24         this.setResizable(resizable: false);
```

Ecommerce_System (run)

running

23:30

INS Windows (CRL)

Type here to search



22°C مشمس غالباً ENG 2:45 PM 4/22/2024

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help Ecommerce_System - Apache NetBeans IDE 19 Search (Ctrl+F) - X

...va Book_product.java X Customer.java X Cart.java X order.java X Gui1.java X Gui2.java X gui3.java X gui4.java X gui5.java X gui6.java X

Source History

```
23     this.setResizable(resizable: false);
24     this.setVisible(b: true);
25     this.setDefaultCloseOperation(operation: EXIT_ON_CLOSE);
26     this.add(comp: m);
27
28     m.setLayout(mgr:null);
29
30     l1.setForeground(fg: Color.PINK);
31     l1.setBackground(bg: Color.PINK);
32     l1.setFont(font: newfont1);
33     l1.setBounds(x: 10,y: 10 ,width: 100, height: 30);
34     m.add(comp: l1);
35
36
37     l2.setForeground(fg: Color.PINK);
38     l2.setBackground(bg: Color.PINK);
39     l2.setFont(font: newfont2);
40     l2.setBounds(x: 2,y: 30 ,width: 450, height: 90);
41     m.add(comp: l2);
42
43
44
45 }
```

Ecommerce_System (run) running 42:1 INS Windows (CRL)

Type here to search 22°C مშمس، غالی ENG 2:46 PM 4/22/2024

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help Ecommerce_System - Apache NetBeans IDE 19 Search (Ctrl+I) - X

...va Book_product.java X Customer.java X Cart.java X order.java X Gui1.java X Gui2.java X gui3.java X gui4.java X gui5.java X gui6.java X

Source History

```
22     this.setLocation(x: 400, y: 300);
23     this.setResizable(resizable: false);
24     this.setVisible(visible: true);
25     this.setDefaultCloseOperation(operation: EXIT_ON_CLOSE);
26     this.add(comp: m);


27     m.setLayout(mgr: null);

28     l1.setForeground(fg: Color.PINK);
29     l1.setBackground(bg: Color.PINK);
30     l1.setFont(font: newFont1);
31     l1.setBounds(x: 10, y: 10, width: 100, height: 30);
32     t.add(comp: l1);

33     l2.setForeground(fg: Color.PINK);
34     l2.setBackground(bg: Color.PINK);
35     l2.setFont(font: newFont2);
36     l2.setBounds(x: 2, y: 30, width: 450, height: 90);
37     m.add(comp: l2); }

38 }
39
40
41
42 }
```

Ecommerce_System (run) running 41:14 INS Windows (CRL) 2:46 PM 4/22/2024 22°C ٢٤٣٦ م شمس ENG 10



Output

Ecommerce_System (run) X Ecommerce_System (run) #2 X

```
run:  
Welcome to the E-commerce System!  
Please enter your id:  
23011069  
Please enter your name:  
Hasnaa Mohamed Azab  
Please enter your address:  
Alex  
How many products you want to add to your cart ?  
4  
Which product would you like to add ? 1-SmartPhone 2-T-shirt 3-OOP  
1  
Which product would you like to add ? 1-SmartPhone 2-T-shirt 3-OOP  
2  
Which product would you like to add ? 1-SmartPhone 2-T-shirt 3-OOP  
2  
Which product would you like to add ? 1-SmartPhone 2-T-shirt 3-OOP  
3  
you reached to your limit  
Your total is :679.95996  
Would you like to place the order? 1-yes 2-No  
1  
Here's your order's summary:  
Order ID : 1  
Customer ID : 23011069  
Products :  
SmartPhone --> 599.99  
T-shirt --> 19.99  
T-shirt --> 19.99  
OOP --> 39.99  
Total price : 679.95996  
Do you want to empty your cart  
false
```

Ecommerce_System (run)

running...

47:5

INS



22°C مშمس, غالباً ENG 2:52 PM

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help Ecommerce_System - Apache NetBeans IDE 19 Search (Ctrl+F) 456.5/568.0MB

Output

Ecommerce_System (run) × Ecommerce_System (run) #2 ×

```
23011069
Please enter your name:
Hasnaa Mohamed Azab
Please enter your address:
Alex
How many products you want to add to your cart ?
4
Which product would you like to add ? 1-SmartPhone 2-T-shirt 3-OOP
1
Which product would you like to add ? 1-SmartPhone 2-T-shirt 3-OOP
2
Which product would you like to add ? 1-SmartPhone 2-T-shirt 3-OOP
2
Which product would you like to add ? 1-SmartPhone 2-T-shirt 3-OOP
3
you reached to your limit
Your total is :679.95996
Would you like to place the order? 1-yes 2-No
1
Here's your order's summary:
Order ID : 1
Customer ID : 23011069
Products :
SmartPhone --> 599.99
T-shirt --> 19.99
T-shirt --> 19.99
OOP --> 39.99
Total price : 679.95996
Do you want to empty your cart
false
you reached to limit orders you must empty your cart
BUILD SUCCESSFUL (total time: 41 seconds)
```

Ecommerce_System (run) running... 47:5 INS 2:52 PM 22°C مشرم غال ENG 4/22/2024

SAND

shop

Name:

ID :


NProducts:

GO

SAND

shop

Name:	hasnaa mohamed azab
ID :	23011069
NProducts:	4
GO	



HELP

Return

Cart

Ecommerce_system (run) - 2

rennungs-

[more...\)](#)


443 /

INS

2:48 PM

4/22/2024

Scanned by



Your Data

HELP EXIT

name :	hasnaa mohamed azab
ID :	23011069
Nproducts :	4
Products :	1 SmartPhone->\$ 599.99 1 OOP->\$ 39.99 0 Tablet->\$ 0.0 2 T-shirt->\$39.99
Total Price :	\$679.95996

SAVE EMPTY

