

APP DEVELOPMENT WITH FLUTTER

FIREBASE AUTHENTICATION:

STEP 1: CREATE PROJECT

STEP 2: CONFIGURE GOOGLE ANALYTICS AND
SELECT DEFAULT ACCOUNT


STEP 3: SELECT FLUTTER AS A PLATFORM

STEP 4: NEXT NEXT AND RUN

STEP 5: AUTHENTICATION -> SIGN IN METHOD->
GOOGLE

STEP 6: USERS-> ADD USER

CREATE PROJECT:



× Create a project

Configure Google Analytics

Choose or create a Google Analytics account ⓘ


 Default Account for Firebase ▼

Automatically create a new property in this account 

Upon project creation, a new Google Analytics property will be created in your chosen Google Analytics account and linked to your Firebase project. This link will enable data flow between the products. Data exported from your Google Analytics property into Firebase is subject to the [Firebase Terms of Service](#), while Firebase data imported into Google Analytics is subject to the [Google Analytics Terms of Service](#). [Learn more](#) .



[Previous](#)

Create project



Provisioning resources...

TYSO



TYSD - Authentication - Users

console.firebase.google.com/project/tyzd-f2899/authentication/users?fb_gclid=CjwKCAjws_DTBhB_EiwAXZknGWXGQ_NTNqWiH5ilD4_Wbfvo6Jf42Y2AhURUFtn93NB4v01v4benNhoCizEQ

Firestore

Search for products

Project Overview

Settings

Project shortcuts

Authentication

Analytics Dashboard

Product categories

Databases and storage

Security

AI services

Hosting and serverless

DevOps and engagem...

Analytics

TYSD

Authentication

Users

Sign-in method

Templates

Usage

Settings

Extensions

The following authentication features will stop working when Firebase Dynamic Links shuts down soon: email link authentication for mobile apps, as well as Cordova OAuth support for web apps.

Add user

Identifier

Providers

Created

Signed In

User UID

Add an Email/Password user

Email

husainkolad786@gmail.com

Password

Husain@123

Cancel

Add user

No users for this project yet

authentication for mobile apps, as well as Cordova OAuth support for web apps.

Search by email address, phone number or user UID

Add user

Identifier

Providers

Created

Signed In

User UID

husainkolad786@gmail...

13 Aug 2026


LYCbgJKnbHNEP8x5GuJwgs6...

Rows per page


50

1 - 1 of 1

I HAVE ENABLE EMAIL/PASSOWRD FOR FIREBASE CONNECTION:



ADD FLUTTER APP:



TYSD - Add app - Firebase con

console.firebase.google.com/project/tyisd-f2899/overview?fb_gclid=CjwKCAjws_DT8hB_EiwAXZknGWXGQ_NTNqWiH5ilD4_Wbftvo6Jf42Y2AhURUFtn93NB4v01v4ben

×

Add Firebase to your Flutter app

1

Prepare your workspace

2

Install and run the FlutterFire CLI

3

Initialise Firebase and add plug-ins

To initialise Firebase, call `Firebase.initializeApp` from the `firebase_core` package with the configuration from your new `firebase_options.dart` file:

```
import 'package:firebase_core/firebase_core.dart';
import 'firebase_options.dart';

// ...

await Firebase.initializeApp(
  options: DefaultFirebaseOptions.currentPlatform,
);
```

Then, add and begin using the [Flutter plug-ins](#) for the Firebase products that you'd like to use.

Note: If you're using Analytics or performance monitoring, you may need to follow a few additional set-up steps.

Previous

Continue to the console

TYSD - Add app - General - Fir

console.firebase.google.com/project/tyisd-f2899/settings/general?fb_gclid=CjwKCAjws_DT8hB_EiwAXZknGWXGQ_NTNqWiH5ilD4_Wbftvo6Jf42Y2AhURUFtn93NB4v01v4ben

×

Add Firebase to your Android app

⚡

You can also register an Android app with an AI coding agent

Try it

1

Register app

Android package name ⓘ

firebase_core.dart

App nickname(optional) ⓘ

firebase

Register app

2

Download and then add config file

3

Add Firebase SDK


4

Next steps

✕ Add Firebase to your Android app

You can also register an Android app with an AI coding agent [Try it](#)

- ✓ Register app
Android package name: firebase_core.dart, app nickname: firebase
- 2 Download and then add config file [Instructions for Android Studio](#)
[Download google-services.json](#)
Switch to the Project view in Android Studio to see your project root directory.

A blue arrow points from the text 'Switch to the Project view in Android Studio to see your project root directory.' to a screenshot of the Android Studio interface showing the Project view.

 **google-services.json**
668 B • Done

TYSD - Add app - Firebase console

console.firebase.google.com/project/tyisd-f2899/overview?fb_gclid=CjwKAjws_DTbh8_EiwAXZknGWXGQ_NTNqWiH5ilID4_Wbfvo6Jf42Y2AhURU

✕ Add Firebase to your web app

You can also register a web app with an AI coding agent [Try it](#)



- 1 Register app
App nickname ⓘ

☐ Also set up **Firebase Hosting** for this app. [Learn more](#) ⓘ
Hosting can also be set up later. There is no cost to get started at any time.
[Register app](#)
- 2 Add Firebase SDK


FIREBASE CONFIG:

```
1  import 'package:firebase_core/firebase_core.dart';
2
3  class DefaultFirebaseOptions {
4    static FirebaseOptions get currentPlatform {
5      return const FirebaseOptions(
6        apiKey: "AIzaSyDSxTuWS6nSszHdL_158wVBRs2jwCUt0S4",
7        authDomain: "tysd-f2899.firebaseio.com",
8        projectId: "tysd-f2899",
9        storageBucket: "tysd-f2899.firebaseioapp",
10       messagingSenderId: "201589160493",
11       appId: "1:201589160493:web:615b7088e6d7d6bd9196a4",
12       measurementId: "G-FFXEF7TDPJ",
13     );
14   }
15
36  cupertino_icons: ^1.0.8
37
38  dev_dependencies:
39    flutter_test:
40      sdk: flutter
41    firebase_core: ^4.1.0
42    firebase_auth: ^6.0.2
43
44    # The "flutter_lints" package below contains a set of recommended lints to
45    # encourage good coding practices. The lint set provided by the package is
46    # activated in the 'analysis_options.yaml' file located at the root of your
47    # package. See that file for information about deactivating specific lint
48    # rules and activating additional ones.
49    flutter_lints: ^4.0.0
```


MOHAMAD HASAN KOLAD
TY BVOC-SDPRACTICAL 1113/08/2026



MOHAMAD HASAN KOLAD
TY BVOC-SDPRACTICAL 1113/08/2026



LOGIN.DART:




```
23
24 class _AuthScreenState extends State<AuthScreen> {
25   final _emailController = TextEditingController();
26   final _passwordController = TextEditingController();
27   bool isLogin = true;
28
29   Future<void> _authAction() async {
30     try {
31       if (isLogin) {
32         final userCredential = await
33           FirebaseAuth.instance.signInWithEmailAndPassword(
34             email: _emailController.text.trim(),
35             password: _passwordController.text.trim(),
36           );
37         if (userCredential.user != null) {
38           Navigator.pushReplacement(
39             context,
40             MaterialPageRoute(builder: (context) => const WelcomePage()),
41           );
42         }
43       } else {
44         await FirebaseAuth.instance.createUserWithEmailAndPassword(
45           email: _emailController.text.trim(),
46           password: _passwordController.text.trim(),
47         );
48         showAlert('Registration Successful', 'Your account has been created firebase login.');
```

23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57

```
68 void _showAlert(String title, String message) {
69   showDialog(
70     context: context,
71     builder: (context) {
72       return AlertDialog(
73         title: Text(title),
74         content: Text(message),
75         actions: [
76           TextButton(
77             onPressed: () => Navigator.pop(context),
78             child: const Text('OK'),
79           ), TextButton
80         ],
81       ); AlertDialog
82     },
83   );
84 }
85
```

WELCOME.DART:




```
main.dart login.dart welcome.dart x firebase_options.dart pubspec.lock pubspec.yaml google-  
Gradle project sync failed. Basic functionality (e.g. editing, debugging) will not work properly. Try Again Open 'Build' View Show Log in B  
1 import 'package:flutter/material.dart';  
2 import 'package:firebase_auth/firebase_auth.dart';  
3 import 'login.dart';  
4  
5 class WelcomePage extends StatelessWidget {  
6   const WelcomePage({super.key});  
7  
8   @override  
9   Widget build(BuildContext context) {  
10    return Scaffold(  
11      body: Center(  
12        child: Column(  
13          mainAxisAlignment: MainAxisAlignment.center,  
14          children: [  
15            const Text(  
16              'welcome!',  
17              style: TextStyle(  
18                fontSize: 22,  
19                fontWeight: FontWeight.bold,  
20              ),  
21              textAlign: TextAlign.center,  
22            ),  
23  
24            const SizedBox(height: 20),  
25  
26            ElevatedButton.icon(  
27              icon: const Icon(Icons.logout),  
28              label: const Text('logout'),  
29              onPressed: () async {  
30                await FirebaseAuth.instance.signOut();  
31  
32                Navigator.pushReplacement(  
33                  context,  
34                  MaterialPageRoute(  
35                    builder: (context) => const AuthScreen(),  
36                  ),  
37                ),  
38              ),  
39            ),  
40          ],  
41        ),  
42      ),  
43    ),  
44  },  
45  );  
46  }  
47  }  
48  }  
49  }  
50  }  
51  }  
52  }  
53  }  
54  }  
55  }  
56  }  
57  }  
58  }  
59  }  
60  }  
61  }  
62  }  
63  }  
64  }  
65  }  
66  }  
67  }  
68  }  
69  }  
70  }  
71  }  
72  }  
73  }  
74  }  
75  }  
76  }  
77  }  
78  }  
79  }  
80  }  
81  }  
82  }  
83  }  
84  }  
85  }  
86  }  
87  }  
88  }  
89  }  
90  }  
91  }  
92  }  
93  }  
94  }  
95  }  
96  }  
97  }  
98  }  
99  }  
100 }
```




```
36      ),  
37    ),  
38  },  
39  ),  
40  ],  
41  ),  
42  ),  
43  );  
44  }  
45  }
```

MAIN.DART:



```
1  import 'package:flutter/material.dart';
2  import 'package:firebase_core/firebase_core.dart';
3  import 'firebase_options.dart';
4  import 'login.dart';
5
6  void main() async {
7    WidgetsFlutterBinding.ensureInitialized();
8    await Firebase.initializeApp(
9      options: DefaultFirebaseOptions.currentPlatform,
10   );
11    runApp(const MyApp());
12  }
13
```

FIREBASE_OPTION.DART:



```
1  import 'package:firebase_core/firebase_core.dart';
2
3
4  class DefaultFirebaseOptions {
5    static FirebaseOptions get currentPlatform {
6      return const FirebaseOptions(
7        apiKey: "AIzaSyDSxTuWS6nSszHdL_158wVBRs2jwCUT0S4",
8        authDomain: "tyzd-f2899.firebaseio.com",
9        projectId: "tyzd-f2899",
10       storageBucket: "tyzd-f2899.appspot.com",
11       messagingSenderId: "201589160493",
12       appId: "1:201589160493:web:615b7088e6d7d6bd9196a4",
13       measurementId: "G-FFXEF7TDPJ",
14     );
15   }
16 }
```

OUTPUT:

Firebase Demo

localhost:21787

DEBUG

Login

Email
husainkolad786@gmail.com

Password
.....

Login

Create Account

Fix Firebase Login Code | (no subject) - husainkolad786 | TYSD - Authentication - Users

console.firebase.google.com/project/tyisd-f2899/authentication/users?fb_gclid=CjwKCAjws_DT8hB_EiwAXZknGWXGQ_NTNqWiH5iID4_Wbfo6Jf42Y2AhURUFtn93NB4v01v4benNhoCizEQAvD_BwE&fb_utm_campaign=Cloud-SS-DR-Firebase

Authentication

Users | Sign-in method | Templates | Usage | Settings | Extensions

The following authentication features will stop working when Firebase Dynamic Links shuts down soon: email link authentication for mobile apps, as well as Cordova OAuth support for web apps.

Search by email address, phone number or user UID

Identifier	Providers	Created ↓	Signed In	User UID
husainkolad786@gmail...	📧	13 Aug 2026	19 Aug 2026	LYCbgJKnbHNEP8x5GuJwgs6...

Rows per page: 50 | 1 - 1 of 1

MOHAMAD HASAN KOLAD
TY BVOC-SDPRACTICAL 1113/08/2026

i The following authentication features will stop working when Firebase Dynamic Links shuts down soon: email link authentication for mobile apps, as well as Cordova OAuth support for web apps.

Search by email address, phone number or user UID

Add user

Identifier	Providers	Created ↓	Signed In	User UID
husainkolad786@gmail...		13 Aug 2026	19 Aug 2026	LYCbgJKnbHNEP8x5GuJwgs6...

Rows per page 50 1 – 1 of 1

Firestore Demo

localhost:21787

DEBUG

welcome!

logout

Firebase Demo

localhost:60957

DEBUG

Login

Email

koladmohamadhasan@gmail.com

Password

.....

Login

Create Account

Fix Firebase Login Code | Inbox (1) - husainkolad786@gmail.com | TYSD - Authentication - Users | Ask Gemini

console.firebase.google.com/project/tyisd-f2899/authentication/users?fb_gclid=CjwKCAjws_DTBh8_EwAXZnGWXGQ_NTNqWiH5iID4_Wbfvo6I#42Y2AHURFn93N84v01v4benNhoCzEQAvD_BwE&fb_utm_campaign=Cloud-SS-DR-Firebase-FY26-glo...

Firebase

Search for products

Project Overview

Settings

Project shortcuts

Authentication

Analytics Dashboard

Firestore

Product categories

Databases and storage

Security

AI services

Hosting and serverless

DevOps and engagem...

Analytics

TYSD

Authentication

Users | Sign-in method | Templates | Usage | Settings | Extensions

The following authentication features will stop working when Firebase Dynamic Links shuts down soon: email link authentication for mobile apps, as well as Cordova OAuth support for web apps.

Search by email address, phone number or user UID

Add user

Identifier	Providers	Created	Signed In	User UID
koladmohamadhasan...		19 Aug 2026	19 Aug 2026	FPdP2dGZpCKEg9T0z6JOG2...
husainkolad786@gmail...		13 Aug 2026	19 Aug 2026	LYCbgJKnbHNEPBx5GuJwgs6...

Rows per page: 50 | 1 - 2 of 2

MOHAMAD HASAN KOLAD
TY BVOC-SDPRACTICAL 1113/08/2026

 The following authentication features will stop working when Firebase Dynamic Links shuts down soon: email link authentication for mobile apps, as well as Cordova OAuth support for web apps. 

 Search by email address, phone number or user UID

[Add user](#)



Identifier	Providers	Created 	Signed In	User UID
koladmohamadhasan...		19 Aug 2026	19 Aug 2026	FPdF2dGZpCXEGgTOz6JOG2...
husainkolad786@gmail...		13 Aug 2026	19 Aug 2026	LYCbgJKnbHNEP8x5GuJwgs6...

Rows per page

50 

1 – 2 of 2

