

AIM: IMPLEMENT SIMPLE ARITHMETIC CALCULATOR IN FLUTTER

CODE:

```
import 'package:flutter/material.dart';

void main() => runApp(MaterialApp(home: Calculator()));

class Calculator extends StatefulWidget {
  @override
  State<Calculator> createState() => _CalculatorState();
}

class _CalculatorState extends State<Calculator> {
  TextEditingController n1 = TextEditingController();
  TextEditingController n2 = TextEditingController();

  double result = 0;

  void calculate(String op) {
    double a = double.parse(n1.text);
    double b = double.parse(n2.text);

    setState(() {
      if (op == "+")
        result = a + b;
      else if (op == "-")
        result = a - b;
      else if (op == "*")
        result = a * b;
      else if (op == "/")
        result = a / b;
    });
  }

  @override
  Widget build(BuildContext context) {
    return Scaffold(
      appBar: AppBar(title: Text("Calculator")),
      body: Padding(
        padding: EdgeInsets.all(20),
        child: Column(
          children: [
            TextField(
              controller: n1,
              decoration: InputDecoration(labelText: "First Number"),
            ),
            TextField(
              controller: n2,
              decoration: InputDecoration(labelText: "Second Number"),
            ),
            ElevatedButton(
              onPressed: () => calculate("+"),
              child: Text("Add"),
            ),
            ElevatedButton(
              onPressed: () => calculate("-"),
            ),
          ],
        ),
      ),
    );
  }
}
```

```

        child: Text("Subtract"),
      ),
      ElevatedButton(
        onPressed: () => calculate("*"),
        child: Text("Multiply"),
      ),
      ElevatedButton(
        onPressed: () => calculate("/"),
        child: Text("Divide"),
      ),
      SizedBox(height: 20),
      Text("Result: $result", style: TextStyle(fontSize: 20)),
    ],
  ),
),
);
}

```

output:

