

[ADDRESS]

Our Ref: ANDES/MP/[MED-ID]

[DATE]

Clinic Letter : [DATE]

[PROVIDER-NAME]

[ADDRESS]

[ADDRESS]

Totton, Southampton

Hampshire

[POSTCODE]

Directorate of Medicine and Elderly Care

[ADDRESS]

RSH, Nurse

[NAME]

[ADDRESS]

[ADDRESS]

[ADDRESS]

[ADDRESS]

[POSTCODE]

Telephone: [PHONE] Fax: [PHONE]

Dear [PROVIDER-NAME] [NAME], [ADDRESS], Totton, Southampton, [POSTCODE]

DOB: [DATE], Hospital Number: [MED-ID], NHS Number: [NHS-NO]

Diagnosis:

Ulcerative colitis

Sub-total colectomy with ileo-anal pouch and defunctioning ileostomy

High stoma output

Bilateral DVTs - on longterm Warfarin

Partial hypo-adrenalism

Epilepsy

Medication:

Di-hydrocodeine - two tablets qds

Loperamide - five tablets tds

Calcichew D3 Forte - two tablets od

Citalopram - 20 mg daily

Epilim

Warfarin

Plan:

Patient to contact stoma nurses for advice regarding stomal bags overnight
Full blood screen including thyroid function, trace elements and vitamin screen
Repeat urinary sodium

I reviewed Mrs [NAME] today. Her weight was 102 kgs which is essentially unchanged from 104 this year. She is feeling very well with no particular problems apart from feeling tired more time which she attributes to having to wake up three or four times overnight to empty her stoma.

As you know, she is already on Loperamide and Codeine and has previously been taking St Mark's order to try and reduce stomal output.

MISS [NAME] Cavill - Our Ref: ANDES/MP/[MED-ID]

-2-

Her last urinary sodium was 75 which indicates that she is not sodium deplete and I understand St Mark's [NAME] was stopped shortly after this result. She also understands that when her stomal output increases and has been trying to reduce her oral intake. We did have a long chat about short bowel syndrome and other measures she could take to reduce her stomal output.

I have advised her to contact the stoma nurses for some advice about overnight bags in an effort to reduce the bag changes.

We will see her in six months time with full blood screen and a repeat urinary sodium whilst off St Mark's [NAME]. It may also be worth trying a PPI to try and reduce her stomal output if the above measures fail.

With kind regards
Yours sincerely
[PROVIDER-NAME]
Specialist Registrar in Nutritional Gastroenterology

[NAME]
Gastroenterology Dietitian
Nurse
[NAME] 32
[ADDRESS]

[NAME]
Chief Dietitian
Nurse
[NAME] 32
[ADDRESS]

[NAME]
Nutrition Specialist Nurse
[NAME] 32
SGH