

Music Links, Gamer Tag and Social Links

HTML + CSS + JavaScript | Files: music-links.html, gamer-tag.html, social-links.html

Name: _____ Roll No.: _____ Date: _____

Note: The three pages are also saved as separate HTML files you can open in any browser. All icons are drawn with inline SVG, so the pages work without an internet connection. The screenshots are real captures of this code, and the sample names and links are made up.

Question 1: musicLinksForm with preview cards

Create an `HTML` form called `musicLinksForm` that accepts Spotify, YouTube Music and Apple Music profile URLs as input fields, and display the submitted links as styled preview cards below the form.

Code (music-links.html)

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Music Links</title>
  <style>
    * { box-sizing: border-box; }
    body { margin: 0; padding: 24px 16px; background: #f3f4f8; color: #1f2430;
      font-family: Arial, Helvetica, sans-serif; }
    main { max-width: 560px; margin: 0 auto; }
    h1 { margin: 0 0 4px; font-size: 1.5rem; }
    .sub { margin: 0 0 20px; color: #6b7280; }

    /* Colours for each platform (used by the input icon and the preview card) */
    .spotify { --c: #1db954; --bg: #eefaf2; --ink: #1f2430; }
    .ytmusic { --c: #ff0033; --bg: #212121; --ink: #ffffff; }
    .applemusic { --c: #fa243c; --bg: #fff1f3; --ink: #1f2430; }

    form { padding: 20px; background: #fff; border-radius: 12px;
      box-shadow: 0 2px 8px rgba(0, 0, 0, 0.08); }
    label { display: block; margin: 14px 0 6px; font-size: 0.85rem; font-weight: bold; }
    .field { position: relative; }
    .field svg { position: absolute; left: 12px; top: 50%; width: 22px; height: 22px;
      margin-top: -11px; color: var(--c); }
    .field input { width: 100%; padding: 12px 12px 12px 46px; font-size: 1rem;
      border: 1.5px solid #d5d9e0; border-radius: 8px; }
    .field input:focus { outline: 2px solid var(--c); border-color: var(--c); }
    .error { min-height: 1em; margin-top: 4px; color: #c62828; font-size: 0.8rem; }
    .submit { width: 100%; margin-top: 16px; padding: 12px; border: 0; border-radius: 8px;
      background: #1f2430; color: #fff; font-size: 1rem; font-weight: bold; cursor: pointer; }

    #previews { display: grid; gap: 12px; margin-top: 24px; }
    .preview { display: flex; align-items: center; gap: 14px; padding: 14px 16px;
      background: var(--bg); color: var(--ink);
      border: 1px solid var(--c); border-left: 8px solid var(--c); border-radius: 10px; }
    .preview .logo { flex: none; width: 40px; height: 40px; color: var(--c); }
    .preview .info { flex: 1; min-width: 0; display: flex; flex-direction: column; }
    .preview .platform { font-size: 0.75rem; opacity: 0.75; text-transform: uppercase;
      letter-spacing: 0.05em; }
    .preview .handle { font-size: 1.05rem; overflow: hidden; text-overflow: ellipsis;
      white-space: nowrap; }
    .visit { padding: 8px 16px; border-radius: 20px; background: var(--c); color: #fff;
      font-size: 0.9rem; font-weight: bold; text-decoration: none; }
    .hint { color: #6b7280; }
  </style>
</head>
<body>
  <!-- Icons are defined once here and reused with <use> -->
  <svg width="0" height="0" style="position:absolute" aria-hidden="true">
    <symbol id="i-spotify" viewBox="0 0 24 24" fill="currentColor">
      <circle cx="12" cy="12" r="11"/>
      <path d="M5.8 9.3c4-1.2 9-.9 12.4 1.1M6.4 12.6c3.4-1 7.4-.7 10.4 1M7 15.8c2.7-.7 5.6-.5 8 .9"

```

```

        fill="none" stroke="#fff" stroke-width="1.8" stroke-linecap="round"/>
</symbol>
<symbol id="i-ytmusic" viewBox="0 0 24 24" fill="currentColor">
  <circle cx="12" cy="12" r="11"/>
  <circle cx="12" cy="12" r="6.6" fill="none" stroke="#fff" stroke-width="1.6"/>
  <path d="M10.4 9l4.6 3-4.6 3z" fill="#fff"/>
</symbol>
<symbol id="i-applemusic" viewBox="0 0 24 24" fill="currentColor">
  <rect x="1" y="1" width="22" height="22" rx="6"/>
  <path fill="#fff"
    d="M16.5 5.5v9.3a2.3 2.3 0 1 1-1.5-2.1v8.4l-5 1.1v6.6a2.3 2.3 0 1 1-1.5-2.1v7.4z"/>
</symbol>
</svg>

<main>
  <h1>My music links</h1>
  <p class="sub">Paste your profile links to preview them as cards.</p>

  <form id="musicLinksForm" name="musicLinksForm" novalidate>
    <label for="spotify">Spotify profile URL</label>
    <div class="field spotify">
      <svg aria-hidden="true"><use href="#i-spotify"/></svg>
      <input id="spotify" name="spotify" type="text" inputmode="url" autocomplete="off"
        placeholder="https://open.spotify.com/user/yourname">
    </div>
    <div class="error" data-error="spotify"></div>

    <label for="ytmusic">YouTube Music profile URL</label>
    <div class="field ytmusic">
      <svg aria-hidden="true"><use href="#i-ytmusic"/></svg>
      <input id="ytmusic" name="ytmusic" type="text" inputmode="url" autocomplete="off"
        placeholder="https://music.youtube.com/channel/yourchannel">
    </div>
    <div class="error" data-error="ytmusic"></div>

    <label for="applemusic">Apple Music profile URL</label>
    <div class="field applemusic">
      <svg aria-hidden="true"><use href="#i-applemusic"/></svg>
      <input id="applemusic" name="applemusic" type="text" inputmode="url" autocomplete="off"
        placeholder="https://music.apple.com/profile/yourname">
    </div>
    <div class="error" data-error="applemusic"></div>

    <button class="submit" type="submit">Show previews</button>
  </form>

  <section id="previews" aria-live="polite"></section>
</main>

<script>
  // For each platform: allowed website(s) and how to pick the handle from the URL path
  const PLATFORMS = {
    spotify: { name: "Spotify", hosts: ["open.spotify.com", "spotify.com"],
      handle: p => p[1] || p[0] },
    ytmusic: { name: "YouTube Music", hosts: ["music.youtube.com"],
      handle: p => p[0].startsWith("@") ? p[0] : (p[1] || p[0]) },
    applemusic: { name: "Apple Music", hosts: ["music.apple.com"],
      handle: p => p[0] === "profile" ? (p[1] || p[0])
        : p.filter(x => !/^d+$/i.test(x)).pop() }
  };

  // Checks the link and returns { url, handle } or { error }
  function analyse(key, raw) {
    const cfg = PLATFORMS[key];
    try {
      const url = new URL(/^https?:\/\//i.test(raw) ? raw : "https://" + raw);
      const host = url.hostname.replace(/^www\./, "");
      if (!cfg.hosts.some(h => host === h || host.endsWith("." + h)))
        return { error: "Please enter a valid " + cfg.name + " link." };
      const parts = url.pathname.split("/").filter(Boolean).map(decodeURIComponent);
      if (!parts.length) return { error: "Add the full profile link, not just the website." };
      return { url: url.href, handle: cfg.handle(parts) };
    } catch (e) {
      return { error: "Enter a valid link." };
    }
  }
}

```

```

function makeCard(key, info) {
  const card = document.createElement("article");
  card.className = "preview " + key;
  card.innerHTML =
    '<svg class="logo" aria-hidden="true"><use href="#i-' + key + '"></svg>' +
    '<div class="info"><span class="platform">' + PLATFORMS[key].name + '</span>' +
    '<strong class="handle"></strong></div>' +
    '<a class="visit" target="_blank" rel="noopener noreferrer">Visit</a>';
  card.querySelector(".handle").textContent = info.handle; // text only, so no HTML injection
  card.querySelector(".visit").href = info.url;
  return card;
}

const form = document.getElementById("musicLinksForm");
const previews = document.getElementById("previews");

form.addEventListener("submit", function (e) {
  e.preventDefault();
  previews.innerHTML = "";
  let shown = 0, errors = 0;
  for (const key of Object.keys(PLATFORMS)) {
    const errBox = form.querySelector('[data-error="' + key + '"]');
    const raw = form.elements[key].value.trim();
    errBox.textContent = "";
    if (!raw) continue; // empty fields are skipped
    const result = analyse(key, raw);
    if (result.error) { errBox.textContent = result.error; errors++; continue; }
    previews.appendChild(makeCard(key, result));
    shown++;
  }
  if (!shown && !errors)
    previews.innerHTML = '<p class="hint">Add at least one link to see a preview.</p>';
});
</script>
</body>
</html>

```

Screenshot after submitting three links

My music links

Paste your profile links to preview them as cards.

Spotify profile URL

YouTube Music profile URL

Apple Music profile URL

Show previews



SPOTIFY
 riya.music

Visit



YOUTUBE MUSIC
 UCabc123xyz

Visit



APPLE MUSIC
 riyamus

Visit

Explanation:

- The form has `id="musicLinksForm"` and one text input each for Spotify, YouTube Music and Apple Music. It uses `novalidate` so that our own JavaScript checks the links and can accept addresses typed without `https://`.
- On submit, JavaScript stops the page from reloading, checks that each link belongs to the right website, and builds one card per filled field. Empty fields are skipped, and a wrong link shows a red message under its own field.
- Each card shows the logo, the platform name, the name taken from the link (for example `riya.music` from `open.spotify.com/user/riya.music`) and a Visit button.
- Each platform has its own colours: green for Spotify, a dark card with a red edge for YouTube Music, and pink for Apple Music.

Question 2: Responsive 'Gamer Tag' bio link page

Design a responsive UI for a personal 'Gamer Tag' bio link page that adapts to mobile and desktop, showing the avatar, gaming alias and buttons linking to Twitch, Discord and Steam.

Code (gamer-tag.html)

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>NightViper_07 | Gamer Tag</title>
  <style>
    * { box-sizing: border-box; }
    body {
      margin: 0; min-height: 100vh; padding: 20px 16px;
      display: grid; place-items: center;
      font-family: Arial, Helvetica, sans-serif; color: #f1f3ff;
      background: radial-gradient(circle at top, #2b2266 0%, #0d0f1a 60%);
    }

    /* Mobile first: one column, everything stacked */
    .profile {
      width: 100%; max-width: 420px; padding: 28px 20px;
      display: grid; gap: 28px; text-align: center;
      background: rgba(22, 27, 46, 0.92); border: 1px solid #2f3557; border-radius: 18px;
      box-shadow: 0 10px 40px rgba(0, 0, 0, 0.5);
    }

    .avatar {
      width: 120px; height: 120px; margin: 0 auto 16px; border-radius: 50%;
      display: grid; place-items: center;
      font-size: 2.6rem; font-weight: bold; letter-spacing: 2px; color: #fff;
      background: linear-gradient(135deg, #7c5cff, #00d4ff);
      box-shadow: 0 0 4px #0d0f1a, 0 0 7px #7c5cff, 0 0 28px rgba(124, 92, 255, 0.7);
    }

    .alias { margin: 0 0 6px; font-size: 1.7rem; letter-spacing: 0.5px; }
    .tag { margin: 0; color: #9aa3d6; font-size: 0.95rem; }

    .links { display: grid; gap: 12px; }
    .btn {
      display: flex; flex-direction: column; justify-content: center;
      min-height: 60px; padding: 12px 18px; border-radius: 12px;
      color: #fff; text-decoration: none; text-align: left;
      transition: transform 0.15s, box-shadow 0.15s;
    }
    .btn strong { font-size: 1.05rem; }
    .btn small { opacity: 0.85; font-size: 0.8rem; }
    .btn:hover, .btn:focus-visible { transform: translateY(-2px);
      box-shadow: 0 6px 18px rgba(0, 0, 0, 0.45); }
    .btn:focus-visible { outline: 3px solid #fff; outline-offset: 2px; }
    .twitch { background: #9146ff; }
    .discord { background: #5865f2; }
```

```

.steam { background: #171a21; border: 1px solid #66c0f4; color: #66c0f4; }

/* Desktop: two columns, identity on the left and buttons on the right */
@media (min-width: 768px) {
  .profile { max-width: 860px; padding: 48px; gap: 48px;
    grid-template-columns: 1fr 1.1fr; align-items: center; }
  .avatar { width: 170px; height: 170px; font-size: 3.4rem; }
  .alias { font-size: 2.2rem; }
  .btn { min-height: 72px; padding: 16px 22px; }
  .btn strong { font-size: 1.2rem; }
}
</style>
</head>
<body>
  <main class="profile">
    <section class="identity">
      <div class="avatar" role="img" aria-label="Avatar of NightViper_07">NV</div>
      <h1 class="alias">NightViper_07</h1>
      <p class="tag">#IN-2048 &bull; FPS &bull; Streamer</p>
    </section>

    <!-- Replace these with your own profile links -->
    <nav class="links" aria-label="Gaming profiles">
      <a class="btn twitch" href="https://www.twitch.tv/" target="_blank" rel="noopener noreferrer">
        <strong>Twitch</strong><small>Watch me live</small>
      </a>
      <a class="btn discord" href="https://discord.com/" target="_blank" rel="noopener noreferrer">
        <strong>Discord</strong><small>Join my server</small>
      </a>
      <a class="btn steam" href="https://steamcommunity.com/" target="_blank" rel="noopener noreferrer">
        <strong>Steam</strong><small>Add me as a friend</small>
      </a>
    </nav>
  </main>
</body>
</html>


```

Screenshots

Mobile (375px wide)



Desktop (1200px wide)



Explanation:

- **Mobile first:** the default CSS is for phones. The profile card is a one-column CSS Grid, so the avatar, alias and the three buttons are stacked and centred, and the buttons are at least 60px tall so they are easy to tap.
- **Desktop:** a media query `@media (min-width: 768px)` changes the grid to two columns. The avatar and alias are on the left and the buttons on the right. The avatar, name and buttons also

become larger.

- The `<meta name="viewport">` tag makes phones use their real screen width. The links open in a new tab with `target="_blank"`, and `rel="noopener noreferrer"` keeps the new tab from controlling this page.
- The avatar is a gradient circle with the initials NV. To use a real picture, replace it with an `<img>` tag with the same class. The button links go to the main websites; replace them with your own profile links.

Question 3: Platform icons inside the input boxes

Style the input form for adding social links so each input field shows a platform icon (Instagram, LinkedIn, etc.) inside the input box, like the icons in Zomato's search bar.

Key HTML and CSS (full file is in Question 4)

```
<!-- Each icon is defined once in a hidden <svg> block, then reused with <use> -->
<div class="field instagram">
  <svg aria-hidden="true"><use href="#i-instagram"/></svg>
  <input id="instagram" name="instagram" type="text" placeholder="https://instagram.com/username">
</div>

.instagram { --c: #c13584; } /* the platform colour */

.field { position: relative; } /* the icon is placed relative to this box */
.field svg {
  position: absolute; left: 12px; top: 50%; /* sits inside the input, on the left */
  width: 22px; height: 22px; margin-top: -11px;
  color: var(--c); pointer-events: none; /* clicks go through to the input */
}
.field input { width: 100%; padding: 12px 12px 12px 46px; } /* left padding makes room for the icon */
.field input:focus { outline: 2px solid var(--c); border-color: var(--c); }
```

Empty form with icons

Add your social links

Paste your profile links to preview them as cards.

Instagram

LinkedIn

X (Twitter)

YouTube

Telegram

Show previews

With validation messages

Instagram

Please enter a valid Instagram link.

LinkedIn

Please enter a valid LinkedIn link.

X (Twitter)

Add the full profile link, not just the website.

YouTube

Telegram

Show previews

Explanation: The wrapper `.field` is `position: relative` and the icon is `position: absolute`, so it is drawn on top of the left end of the input box. The input gets extra left padding (46px) so the typed text starts after the icon and never runs under it. The hint allows a background image or an `<img>`; here inline SVG icons are used instead because they stay sharp at any size and

can be coloured with CSS (color: var(--c)). The icon and the focus outline take the platform's colour.

Question 4: Preview cards with logo, extracted handle and Visit button

After submitting the form, show a preview card for each link with the platform logo, the username/handle extracted from the URL, and a 'Visit' button that opens the link in a new tab. Each platform's card must look visually distinct.

Complete code for Questions 3 and 4 (social-links.html)

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Add Your Social Links</title>
  <style>
    * { box-sizing: border-box; }
    body { margin: 0; padding: 24px 16px; background: #f3f4f8; color: #1f2430;
      font-family: Arial, Helvetica, sans-serif; }
    main { max-width: 560px; margin: 0 auto; }
    h1 { margin: 0 0 4px; font-size: 1.5rem; }
    .sub { margin: 0 0 20px; color: #6b7280; }

    /* One colour set per platform, shared by the input icon and the preview card */
    .instagram { --c: #c13584; --bg: #fdf0f7; }
    .linkedin { --c: #0a66c2; --bg: #eef5fc; }
    .x { --c: #111111; --bg: #f0f0f0; }
    .youtube { --c: #e60000; --bg: #fff0f0; }
    .telegram { --c: #229ed9; --bg: #eef9fe; }

    form { padding: 20px; background: #fff; border-radius: 12px;
      box-shadow: 0 2px 8px rgba(0, 0, 0, 0.08); }
    label { display: block; margin: 14px 0 6px; font-size: 0.85rem; font-weight: bold; }

    /* The icon sits inside the input box, on the left */
    .field { position: relative; }
    .field svg { position: absolute; left: 12px; top: 50%; width: 22px; height: 22px;
      margin-top: -11px; color: var(--c); pointer-events: none; }
    .field input { width: 100%; font-size: 1rem; background: #fff;
      padding: 12px 12px 12px 46px; /* left padding leaves room for the icon */
      border: 1.5px solid #d5d9e0; border-radius: 8px; }
    .field input:focus { outline: 2px solid var(--c); border-color: var(--c); }
    .error { min-height: 1em; margin-top: 4px; color: #c62828; font-size: 0.8rem; }
    .submit { width: 100%; margin-top: 16px; padding: 12px; border: 0; border-radius: 8px;
      background: #1f2430; color: #fff; font-size: 1rem; font-weight: bold; cursor: pointer; }

    #previews { display: grid; gap: 12px; margin-top: 24px; }
    .preview { display: flex; align-items: center; gap: 14px; padding: 14px 16px;
      background: var(--bg); border: 1px solid var(--c); border-left: 8px solid var(--c);
      border-radius: 10px; }
    .preview .logo { flex: none; width: 40px; height: 40px; color: var(--c); }
    .preview .info { flex: 1; min-width: 0; display: flex; flex-direction: column; }
    .preview .platform { font-size: 0.75rem; color: #555; text-transform: uppercase;
      letter-spacing: 0.05em; }
    .preview .handle { font-size: 1.05rem; overflow: hidden; text-overflow: ellipsis;
      white-space: nowrap; }
    .visit { padding: 8px 16px; border-radius: 20px; background: var(--c); color: #fff;
      font-size: 0.9rem; font-weight: bold; text-decoration: none; }
    .hint { color: #6b7280; }
  </style>
</head>
<body>
  <svg width="0" height="0" style="position:absolute" aria-hidden="true">
    <symbol id="i-instagram" viewBox="0 0 24 24" fill="currentColor">
      <rect x="3" y="3" width="18" height="18" rx="5" fill="none"
        stroke="currentColor" stroke-width="2"/>
      <circle cx="12" cy="12" r="4.2" fill="none" stroke="currentColor" stroke-width="2"/>
      <circle cx="17.3" cy="6.7" r="1.3"/>
    </symbol>
    <symbol id="i-linkedin" viewBox="0 0 24 24" fill="currentColor">
```

```

<rect x="2" y="2" width="20" height="20" rx="4"/>
<rect x="5.6" y="9.6" width="2.8" height="8.4" fill="#fff"/>
<circle cx="7" cy="6.8" r="1.6" fill="#fff"/>
<path fill="#fff"
      d="M10.6 9.6h2.7v1.2c.5-.9 1.5-1.4 2.7-1.4 2.4 0 3.1 1.5 3.1 3.6V18h-2.8v-4.3
        c0-1.1-.3-1.8-1.3-1.8s-1.6-.8-1.6 1.9V18h-2.8z"/>
</symbol>
<symbol id="i-x" viewBox="0 0 24 24" fill="currentColor">
  <rect x="2" y="2" width="20" height="20" rx="5"/>
  <path d="M7 7l10 10M17 7L7 17" fill="none" stroke="#fff" stroke-width="2.2"
        stroke-linecap="round"/>
</symbol>
<symbol id="i-youtube" viewBox="0 0 24 24" fill="currentColor">
  <rect x="1" y="4.5" width="22" height="15" rx="4.5"/>
  <path d="M10 8.7l5.4 3.3-5.4 3.3z" fill="#fff"/>
</symbol>
<symbol id="i-telegram" viewBox="0 0 24 24" fill="currentColor">
  <circle cx="12" cy="12" r="11"/>
  <path fill="#fff"
        d="M5.5 11.6l11.2-4.4c.5-.2 1 .1 1.8.9l-1.9 8.9c-.1.6-.5.8-1 .5l-2.9-2.1-1.4 1.4
          c-.2.2-.3.3-.6.3l.2-3 5.4-4.9c.2-.2 0-.3-.3-.3-.1l-6.7 4.2-2.9-.9c-.6-.2-.6-.6-.6-.8z"/>
</symbol>
</svg>

<main>
  <h1>Add your social links</h1>
  <p class="sub">Paste your profile links to preview them as cards.</p>

  <form id="socialForm" name="socialForm" novalidate>
    <label for="instagram">Instagram</label>
    <div class="field instagram">
      <svg aria-hidden="true"><use href="#i-instagram"/></svg>
      <input id="instagram" name="instagram" type="text" inputmode="url" autocomplete="off"
            placeholder="https://instagram.com/username">
    </div>
    <div class="error" data-error="instagram"></div>

    <label for="linkedin">LinkedIn</label>
    <div class="field linkedin">
      <svg aria-hidden="true"><use href="#i-linkedin"/></svg>
      <input id="linkedin" name="linkedin" type="text" inputmode="url" autocomplete="off"
            placeholder="https://linkedin.com/in/username">
    </div>
    <div class="error" data-error="linkedin"></div>

    <label for="x">X (Twitter)</label>
    <div class="field x">
      <svg aria-hidden="true"><use href="#i-x"/></svg>
      <input id="x" name="x" type="text" inputmode="url" autocomplete="off"
            placeholder="https://x.com/username">
    </div>
    <div class="error" data-error="x"></div>

    <label for="youtube">YouTube</label>
    <div class="field youtube">
      <svg aria-hidden="true"><use href="#i-youtube"/></svg>
      <input id="youtube" name="youtube" type="text" inputmode="url" autocomplete="off"
            placeholder="https://youtube.com/@channel">
    </div>
    <div class="error" data-error="youtube"></div>

    <label for="telegram">Telegram</label>
    <div class="field telegram">
      <svg aria-hidden="true"><use href="#i-telegram"/></svg>
      <input id="telegram" name="telegram" type="text" inputmode="url" autocomplete="off"
            placeholder="https://t.me/username">
    </div>
    <div class="error" data-error="telegram"></div>

    <button class="submit" type="submit">Show previews</button>
  </form>

  <section id="previews" aria-live="polite"></section>
</main>

<script>

```

```

// For each platform: allowed website(s) and how to pick the handle from the URL path
const PLATFORMS = {
  instagram: { name: "Instagram", hosts: ["instagram.com"], handle: p => "@" + p[0] },
  linkedin: { name: "LinkedIn", hosts: ["linkedin.com"], handle: p => p[1] || p[0] },
  x: { name: "X (Twitter)", hosts: ["x.com", "twitter.com"], handle: p => "@" + p[0] },
  youtube: { name: "YouTube", hosts: ["youtube.com", "youtu.be"],
    handle: p => p[0].startsWith("@") ? p[0] : (p[1] || p[0]) },
  telegram: { name: "Telegram", hosts: ["t.me", "telegram.me"], handle: p => "@" + p[0] }
};

function analyse(key, raw) {
  const cfg = PLATFORMS[key];
  try {
    const url = new URL(/^https?:\/\//i.test(raw) ? raw : "https://" + raw);
    const host = url.hostname.replace(/^www\./, "");
    if (!cfg.hosts.some(h => host === h || host.endsWith("." + h)))
      return { error: "Please enter a valid " + cfg.name + " link." };
    const parts = url.pathname.split("/").filter(Boolean).map(decodeURIComponent);
    if (!parts.length) return { error: "Add the full profile link, not just the website." };
    return { url: url.href, handle: cfg.handle(parts) };
  } catch (e) {
    return { error: "Enter a valid link." };
  }
}

function makeCard(key, info) {
  const card = document.createElement("article");
  card.className = "preview " + key;
  card.innerHTML =
    '<svg class="logo" aria-hidden="true"><use href="#i-' + key + '" /></svg>' +
    '<div class="info"><span class="platform">' + PLATFORMS[key].name + '</span>' +
    '<strong class="handle"></strong></div>' +
    '<a class="visit" target="_blank" rel="noopener noreferrer">Visit</a>';
  card.querySelector(".handle").textContent = info.handle;
  card.querySelector(".visit").href = info.url;
  return card;
}

const form = document.getElementById("socialForm");
const previews = document.getElementById("previews");

form.addEventListener("submit", function (e) {
  e.preventDefault();
  previews.innerHTML = "";
  let shown = 0, errors = 0;
  for (const key of Object.keys(PLATFORMS)) {
    const errBox = form.querySelector('[data-error="' + key + '"]');
    const raw = form.elements[key].value.trim();
    errBox.textContent = "";
    if (!raw) continue;
    const result = analyse(key, raw);
    if (result.error) { errBox.textContent = result.error; errors++; continue; }
    previews.appendChild(makeCard(key, result));
    shown++;
  }
  if (!shown && !errors)
    previews.innerHTML = '<p class="hint">Add at least one link to see a preview.</p>';
});
</script>
</body>
</html>

```

Screenshot after submitting five links

Add your social links

Paste your profile links to preview them as cards.

Instagram



LinkedIn



X (Twitter)



YouTube



Telegram



Show previews

 INSTAGRAM
@nightviper07 [Visit](#)

 LINKEDIN
riya-shah-123 [Visit](#)

 X (TWITTER)
@nightviper07 [Visit](#)

 YOUTUBE
@NightViperGaming [Visit](#)

 TELEGRAM
@nightviper [Visit](#)

Handles extracted from the URLs (tested)

Platform	Link entered	Handle shown on the card
Instagram	https://www.instagram.com/nightviper07/	@nightviper07
LinkedIn	linkedin.com/in/riya-shah-123	riya-shah-123
X (Twitter)	https://twitter.com/nightviper07?lang=en	@nightviper07
YouTube	https://youtube.com/@NightViperGaming	@NightViperGaming
Telegram	t.me/nightviper	@nightviper

Explanation:

- **Extracting the handle:** JavaScript's new `URL()` splits the link into parts. The path (for example `/in/riya-shah-123`) is split at each slash, and a small rule for each platform picks the right part. Anything after `?` is ignored, and links typed without `https://` are also accepted.
- **Visit button:** it is a link with `target="_blank"`, so it opens in a new tab, and `rel="noopener noreferrer"` for safety.
- **Visually distinct cards:** each platform class sets its own colours (`--c` for the border, logo and button, and `--bg` for the card background): magenta for Instagram, blue for LinkedIn, black for X, red for YouTube and sky blue for Telegram. Each card also has a different logo shape.

- **Checks:** a link from the wrong website (for example a Facebook link in the Instagram field), plain text, or a link with no profile name shows a message under that field, and no card is made for it.
- **Safety:** the handle is added to the card with `textContent`, not as HTML, and only links from the expected websites are accepted, so a pasted script or a `javascript:` link cannot run.