

Semantic HTML Assignment

Blog layout | Restaurant card | Product page | Refactoring a movie review

Name: _____ Roll No.: _____ Date: _____

Note: All names, prices and offers in the code are sample data. To try any code, save it in a file with the extension .html and open it in your browser.

Question 1: Blog post layout with semantic tags

Create an HTML file using semantic tags to build a simple blog post layout with `<header>` for the blog title, `<nav>` for navigation links (Home, Explore, About), `<article>` for the main post content and `<footer>` for copyright information.

Code (blog.html)

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>The Hungry Explorer</title>
</head>
<body>

  <header>
    <h1>The Hungry Explorer</h1>
    <p>Stories about street food and small cafes</p>
  </header>

  <nav aria-label="Main navigation">
    <ul>
      <li><a href="#">Home</a></li>
      <li><a href="#">Explore</a></li>
      <li><a href="#">About</a></li>
    </ul>
  </nav>

  <main>
    <article>
      <header>
        <h2>Five Street Foods You Must Try in Ahmedabad</h2>
        <p>By Riya Patel on <time datetime="2026-09-24">24 September 2026</time></p>
      </header>
      <p>Ahmedabad is a paradise for people who love to eat. From crispy snacks to sweet treats, every lane has something new to taste.</p>
      <h3>1. Dabeli</h3>
      <p>A soft bun filled with spicy potato masala, peanuts and pomegranate.</p>
      <h3>2. Fafda with Jalebi</h3>
      <p>A classic Gujarati breakfast that mixes salty and sweet flavours.</p>
    </article>
  </main>

  <footer>
    <p>&copy; 2026 The Hungry Explorer. All rights reserved.</p>
  </footer>

</body>
</html>
```

- `<header>` holds the blog title and a short tagline. `<nav>` holds the group of navigation links, written as a list. `<article>` holds the post, which makes sense on its own. `<footer>` holds the copyright line.

- The post is wrapped in `<main>`, which marks the main content of the page. It is not in the question, but it is good practice, and there should be only one per page.
- The `<header>` inside the `<article>` belongs to that post (its title and author line), while the header at the top of the body belongs to the whole page.
- `<time datetime="2026-09-24">` gives the date in a form that computers can read.

Question 2: Zomato-style restaurant listing card

Recreate a restaurant listing card using semantic HTML5 tags: `<article>` for each restaurant, `<header>` for the restaurant name, and `<footer>` for rating and delivery time.

Code

```
<section aria-labelledby="results-heading">
  <h2 id="results-heading">Restaurants near you</h2>

  <article>
    <header>
      <h3>Spice Route</h3>
      <p>North Indian, Mughlai</p>
    </header>
    <p>Satellite, Ahmedabad. Cost for two: ₹8377;600</p>
    <footer>
      <p>Rating: <strong>4.3</strong> / 5</p>
      <p>Delivery time: <time datetime="PT30M">30 mins</time></p>
    </footer>
  </article>

  <article>
    <header>
      <h3>Bella Napoli</h3>
      <p>Italian, Pizza</p>
    </header>
    <p>Vastrapur, Ahmedabad. Cost for two: ₹8377;800</p>
    <footer>
      <p>Rating: <strong>4.6</strong> / 5</p>
      <p>Delivery time: <time datetime="PT40M">40 mins</time></p>
    </footer>
  </article>
</section>
```

- Each restaurant is an `<article>` because every card is a self-contained item that could be listed or shared on its own.
- The restaurant name (`<h3>`) and cuisine type go in the card's `<header>`.
- The rating and delivery time are closing information about the card, so they go in its `<footer>`.
- The cards sit inside a `<section>` with a heading, because they form a group of related content. The heading levels go h2 then h3 without skipping.
- `<time datetime="PT30M">` gives the delivery time as a duration (PT30M means 30 minutes) that machines can read.

Question 3: Flipkart-style product page section

Build a product page section with semantic tags: `<header>` for the product title and image, `<nav>` for category breadcrumbs, `<article>` for product details and description, and `<footer>` for offers or warranty info. Hint: focus on the correct use of tags for structure, not just visual layout.

Code

```
<nav aria-label="Breadcrumb">
  <ol>
    <li><a href="#">Home</a></li>
    <li><a href="#">Electronics</a></li>
    <li><a href="#">Mobiles</a></li>
    <li aria-current="page">Nova X5 5G</li>
  </ol>
</nav>

<main>
  <article>
    <header>
      <h1>Nova X5 5G (Ocean Blue, 128 GB)</h1>
      
    </header>

    <p><strong>₹8377;14,999</strong> <del>₹8377;19,999</del> 25% off</p>

    <section>
      <h2>Product details</h2>
      <ul>
        <li>8 GB RAM | 128 GB ROM</li>
        <li>16.5 cm (6.5 inch) Full HD+ Display</li>
        <li>50 MP + 2 MP Dual Rear Camera</li>
        <li>5000 mAh Battery</li>
      </ul>
    </section>

    <section>
      <h2>Description</h2>
      <p>The Nova X5 5G has a bright display, a fast processor and a battery that lasts all day, making it a good choice for everyday use.</p>
    </section>

    <footer>
      <h2>Offers and warranty</h2>
      <ul>
        <li>Bank offer: 10% instant discount on selected cards</li>
        <li>1 year manufacturer warranty for the phone</li>
        <li>7 day replacement policy</li>
      </ul>
    </footer>
  </article>
</main>
```

- **Breadcrumbs:** the trail of categories is navigation, so it uses `<nav>`. An ordered list `<ol>` is used because the order matters, and `aria-current="page"` marks the current page for screen readers. The `aria-label` tells screen reader users which navigation area it is.
- **Header:** the product title (`<h1>`) and image are the introduction to the product, so they go in the article's `<header>`. The image has descriptive `alt` text.
- **Article:** the product details and description are the main content, split into two `<section>` parts with their own headings.
- **Footer:** offers and warranty are supporting information at the end of the article. `<del>` marks the old price as removed text and is preferred over styling with a plain `<span>`.

Question 4: Refactor a non-semantic movie review

Given a non-semantic HTML snippet for a movie review (using only <div> and), refactor it to use appropriate semantic tags like <header>, <nav>, <article> and <footer> for improved accessibility and SEO.

No snippet came with the question, so this is a sample non-semantic movie review. The same steps apply to any snippet your teacher gives you.

Before (non-semantic)

```
<div class="page">
  <div class="top">
    <span class="site-name">Movie Buzz</span>
  </div>
  <div class="menu">
    <span><a href="#">Home</a></span>
    <span><a href="#">Reviews</a></span>
    <span><a href="#">Top Rated</a></span>
  </div>
  <div class="review">
    <div class="review-top">
      <span class="title">The Last Monsoon Review</span>
      <span class="by">By Riya Patel on 24 September 2026</span>
    </div>
    <div class="text">
      <span>A moving story about a family that waits for the rains.</span>
      <span>The acting is honest and the music stays in your head.</span>
    </div>
    <div class="rating">Rating: 4.5 / 5</div>
  </div>
  <div class="bottom">
    <span>Copyright 2026 Movie Buzz</span>
  </div>
</div>
```

After (semantic)

```
<body>
  <header>
    <h1>Movie Buzz</h1>
  </header>

  <nav aria-label="Main navigation">
    <ul>
      <li><a href="#">Home</a></li>
      <li><a href="#">Reviews</a></li>
      <li><a href="#">Top Rated</a></li>
    </ul>
  </nav>

  <main>
    <article>
      <header>
        <h2>The Last Monsoon Review</h2>
        <p>By Riya Patel on <time datetime="2026-09-24">24 September 2026</time></p>
      </header>
      <p>A moving story about a family that waits for the rains.</p>
      <p>The acting is honest and the music stays in your head.</p>
      <footer>
        <p>Rating: <strong>4.5</strong> / 5</p>
      </footer>
    </article>
  </main>

  <footer>
    <p>&copy; 2026 Movie Buzz</p>
  </footer>
</body>
```

What was changed and why

Non-semantic	Semantic	Reason
div.top with a span for the site name	<header> with <h1>	Top of the page, and the site name is the main heading
div.menu with spans around links	<nav> with and	A group of links is navigation, and it is a list
div.review	<main> and <article>	The review is the main content and stands on its own
div.review-top with spans	<header> with <h2> and <time>	Introduces the review: title, author and date
div.text with spans	<p> tags	Each block of text is a paragraph
div.rating	<footer> inside the article	Closing information about the review
div.bottom with a span	<footer> at page level	Copyright is the page's closing information

How this improves accessibility and SEO

- **Accessibility:** screen readers use tags like <header>, <nav> and <main> as landmarks, so a user can jump straight to the navigation or the main content instead of listening to the whole page. A <div> tells the reader nothing about its purpose. The page-level header and footer act as landmarks, but the ones inside an article are treated as part of that article.
- **SEO:** search engines can tell which part is the navigation, which is the main content and which is the article, and the proper headings (h1 then h2) show what the page is about. This helps them understand the page, but it does not by itself guarantee a higher ranking.

- **Other benefits:** the code is easier to read and maintain, and the page still makes sense when CSS is turned off. Keep `<div>` and `<span>` for cases where no meaningful tag exists, such as a wrapper used only for styling.