

```
function templateMatchingModifiedImg()
  clc;
  clear all;
  close all;
  %load the image
  imgOrg = imresize(imread('vegan-modified.jpg'),0.5);
  template = imresize(imread('soy-dessert.jpg'), 0.5);
  figure;
  imhist(template);
  title('Histogram template');
  figure;
  imhist(imgOrg);
  title('histogram image');
  template = double(template);
  windowSize = size(template);
  img = imgOrg;
  img = padarray(imgOrg, floor(windowSize/2), 'replicate');
  dim = size(imgOrg);
  loc = [];
  %intialize the min value to a large value
  resMin = 10^9;
  %initialize the sum of difference matrix
  result = ones(size(imgOrg))*255;
  for i = 1:dim(1)
     for j = 1:dim(2)
           %find the midpoint of the window0
           mid = double(img(i+ floor(windowSize(1)/2),j+floor(windowSize(2)/2)));
           %define the patch of image
           I = double(img(i:i + windowSize(1) -1 , j: j + windowSize(2) - 1));
           %subtract the image patch and template
           temp = (I - template);
           %sum of absoulte difference
           result(i,j) = sum(abs(temp(:)));
           %find the min intensity value in the sum of absolute difference
           if result(i,j) < resMin</pre>
               resMin = result(i,j);
               loc = [i j];
           end
      end
```

end

```
disp(['The location of min intensity is at location ' num2str(loc(1)) ', ' num2
figure;
drawnow;
hold on;
figure;
imshow(imgOrg);
rectangle('Position', [loc(2) - windowSize(2)/2, loc(1) - windowSize(1)/2, wind
title(['Image with Bounding Box around the patch with the min sum of absolute d
figure;
imshow(mat2gray(result));
rectangle('Position', [loc(2) - windowSize(2)/2, loc(1) - windowSize(1)/2, wind
title(['Sum of absolute difference Image with bounding box at ' num2str(loc(1))
end
```

The location of min intensity is at location 382, 1








Image with Bounding Box around the patch with the min sum of absolute difference loc 382, $1\,$



Sum of absolute difference Image with bounding box at 382, $\boldsymbol{1}$



The procedure does not work as most of the image pixel instensties are very high in the image as compared to the template as seen from the histogram of the images. The intensities are not normalized in either of the images and thus the sum of absolute difference fails to return the min value at the correct point. Instead the best position returned is an arbitrary value.

Published with MATLAB® 8.0