LATEX TEMPLATE FOR GITHUB

YOUR FULL NAME

ABSTRACT. Your abstract here.

Contents

1.	Introduction	1
2.	Conclusions	1
Ref	ferences	1

1. Introduction

$$n^{2m+1} = \sum_{k=1}^{n} \sum_{r=0}^{m} \mathbf{A}_{m,r} k^{r} (n-k)^{r}$$

$$P(x,m,b) = \sum_{k=1}^{x} \sum_{r=0}^{m} \mathbf{A}_{m,r} k^{r} (x-k)^{r}$$

$$f(x,y,z) = \sum_{k=1}^{z} \sum_{r=0}^{y} \mathbf{A}_{y,r} k^{r} (x-k)^{r}$$

$$g(x,y) = x^{2y+1}$$

$$g'_{x} = f'_{x} + f'_{z}$$
(1.1)

2. Conclusions

Conclusions of your manuscript.

References

- [BHT16] Nadia Benkhettou, Salima Hassani, and Delfim FM Torres. A conformable fractional calculus on arbitrary time scales. *Journal of King Saud University-Science*, 28(1):93–98, 2016.
- [BHT17] Benaoumeur Bayour, Ahmed Hammoudi, and Delfim FM Torres. A truly conformable calculus on time scales. arXiv preprint arXiv:1705.08928, 2017. https://arxiv.org/abs/1705.08928.

Date: October 24, 2022.

2010 Mathematics Subject Classification. 26E70, 05A30.

Key words and phrases. Keyword1, Keyword2.

[Cap09] M Cristina Caputo. Time scales: from nabla calculus to delta calculus and vice versa via duality. $arXiv\ preprint\ arXiv:0910.0085,\ 2009.$

[MT09] Nat á lia Martins and Delfim FM Torres. Calculus of variations on time scales with nabla derivatives. Nonlinear Analysis: Theory, Methods & Applications, 71(12):e763–e773, 2009.

 $Email\ address:$ your@email.com URL: https://yourwebsite.com