

ODD-POWER IDENTITY VIA MULTIPLICATION OF CERTAIN MATRICES

PETRO KOLOSOV

ABSTRACT. In this manuscript, we show an odd-power identity in terms of certain matrix multiplication. More precisely, the matrix of dimension 1×1 such that $a_{1,1} = N^{2M+1}$ is result of multiplication of the three matrices $\mathbf{J}_N \times \mathbf{K}_{N,M} \times \mathbf{T}_M$

$$\begin{bmatrix} N^{2M+1} \end{bmatrix} = \mathbf{J}_N \times \mathbf{K}_{N,M} \times \mathbf{T}_M$$

where \mathbf{J}_N is unit row vector of dimension $1 \times N$; $\mathbf{K}_{N,M}$ is a matrix of dimension $N \times M$, and \mathbf{T}_M is a column vector of size $M \times 1$.

CONTENTS

Definitions	1
1. Introduction	2
2. Conclusions	2
References	2

DEFINITIONS

- \mathbf{J}_N – unit row vector of all 1's having the dimension $1 \times N$. For example,

$$\mathbf{J}_5 = \begin{bmatrix} 1 & 1 & 1 & 1 & 1 \end{bmatrix}$$

- $\mathbf{K}_{N,M}$ – matrix of dimension $N \times M$ defined by

$$\mathbf{K}_{N,M} = (k^r (N - k)^r)_{0 \leq k \leq N, 0 \leq r \leq M}$$

Date: June 15, 2024.

2010 Mathematics Subject Classification. 26E70, 05A30.

Key words and phrases. Keyword1, Keyword2 .

- \mathbf{T}_M – column vector of dimension $M \times 1$ defined by

$$\mathbf{T}_M = (\mathbf{A}_{M,r})_{M=\text{const}, 0 \leq r \leq M}$$

where $\mathbf{A}_{M,r}$ is a rational coefficient (literature). For example,

1. INTRODUCTION

2. CONCLUSIONS

Conclusions of your manuscript.

REFERENCES

- [1] Benaoumeur Bayour, Ahmed Hammoudi, and Delfim FM Torres. A truly conformable calculus on time scales. *arXiv preprint arXiv:1705.08928*, 2017. <https://arxiv.org/abs/1705.08928>.
- [2] Nadia Benkhettou, Salima Hassani, and Delfim FM Torres. A conformable fractional calculus on arbitrary time scales. *Journal of King Saud University-Science*, 28(1):93–98, 2016.
- [3] M Cristina Caputo. Time scales: from nabla calculus to delta calculus and vice versa via duality. *arXiv preprint arXiv:0910.0085*, 2009.
- [4] Nat á lia Martins and Delfim FM Torres. Calculus of variations on time scales with nabla derivatives. *Nonlinear Analysis: Theory, Methods & Applications*, 71(12):e763–e773, 2009.
- [5] Petro Kolosov. "Github Template" Source files. Available electronically at <https://github.com/kolosovpetro/github-latex-template>, 2022.
- [6] N. J. A. Sloane. The on-line encyclopedia of integer sequences. published electronically at <https://oeis.org>, 1964.

Version: Local-0.1.0

SOFTWARE DEVELOPER, DEVOPS ENGINEER

Email address: kolosovp94@gmail.com

URL: <https://kolosovpetro.github.io>