KOLT Python

Python Modules and Third-Party Packages

Halil Eralp Koçaş

Sunday 5th April, 2020



Agenda

1. Python Modules and Packages

2. Package Management

3. Virtual Environments

Modules are files that contains Python statements and definitions

- Modules are files that contains Python statements and definitions
- Modules help you to break down large programs into small manageable and organized files

- Modules are files that contains Python statements and definitions
- Modules help you to break down large programs into small manageable and organized files
- Modules provides reusability of a code

- Modules are files that contains Python statements and definitions
- Modules help you to break down large programs into small manageable and organized files
- Modules provides reusability of a code
- Most used functions can be defined in Modules and can be used in other programs without copying the definitions into every program

- Modules are files that contains Python statements and definitions
- Modules help you to break down large programs into small manageable and organized files
- Modules provides reusability of a code
- Most used functions can be defined in Modules and can be used in other programs without copying the definitions into every program
- To use definitions in modules, modules are needed to be imported

 Packages can be thought as directories in which multiple modules are present

- Packages can be thought as directories in which multiple modules are present
- Packages are organized hierarchically

- Packages can be thought as directories in which multiple modules are present
- Packages are organized hierarchically
- Packages can contain subpackages as well as regular modules

- Packages can be thought as directories in which multiple modules are present
- Packages are organized hierarchically
- Packages can contain subpackages as well as regular modules
- All packages are modules but not all modules are packages

Import a module:



Import a module:

import module_name # all definitions



Import a module:

import module_name # all definitions
import module_name as name # module can be used
with "name"

Import a module:

import module_name # all definitions

import module_name as name # module can be used
with "name"

from module_name import func1 # only specified
names, func1

Import a module:

import module_name # all definitions

import module_name as name # module can be used
with "name"

from module_name import func1 # only specified
names, func1

from module_name import func1 as function #
func1 will be used by calling "function"

Import a module:

import module_name # all definitions

import module_name as name # module can be used
with "name"

from module_name import func1 # only specified
names, func1

from module_name import func1 as function #
func1 will be used by calling "function"

from module_name import * # all names in module

Repository of software for the Python programming language.

Repository of software for the Python programming language.

• 23,000+ Python3 packages.

Repository of software for the Python programming language.

- 23,000+ Python3 packages.
- If you want a package, PyPI probably has it.

Repository of software for the Python programming language.

- 23,000+ Python3 packages.
- If you want a package, PyPI probably has it.

Visit *pypi.org* to explore packages.





• Recommended tool for installing Python packages.

- Recommended tool for installing Python packages.
- pip is already installed with modern Python distributions.

- Recommended tool for installing Python packages.
- pip is already installed with modern Python distributions.
- Try pip -V on your command line/terminal(pip3 -V for Macs).

- Recommended tool for installing Python packages.
- pip is already installed with modern Python distributions.
- Try pip -V on your command line/terminal(pip3 -V for Macs).

```
$ pip -V
pip 20.0.2 from --PATH_TO_PIP-- (python 3.5)
```

- Recommended tool for installing Python packages.
- pip is already installed with modern Python distributions.
- Try pip -V on your command line/terminal(pip3 -V for Macs).

```
$ pip -V
pip 20.0.2 from --PATH_TO_PIP-- (python 3.5)
$ python -m pip -V
pip 20.0.2 from --PATH_TO_PIP-- (python version)
```



Install a package:



Install a package:

\$ pip install package_name # latest version

Install a package:

```
$ pip install package_name # latest version
```

\$ pip install package_name==1.0.1 # specific
version

Install a package:

```
$ pip install package_name # latest version
```

```
$ pip install package_name==1.0.1 # specific
version
```

```
$ pip install package_name>=1.0.1 # minimum
version
```

Install a package:

- \$ pip install package_name # latest version
- \$ pip install package_name==1.0.1 # specific
 version
- \$ pip install package_name>=1.0.1 # minimum
 version

Uninstall a package:

Install a package:

```
$ pip install package_name # latest version
```

```
$ pip install package_name==1.0.1 # specific
version
```

\$ pip install package_name>=1.0.1 # minimum
version

Uninstall a package:

\$ pip uninstall package_name



Install a package:

```
$ pip install package_name # latest version
```

```
$ pip install package_name==1.0.1 # specific
version
```

\$ pip install package_name>=1.0.1 # minimum
version

Uninstall a package:

\$ pip uninstall package_name

Update a package:

Install a package:

- \$ pip install package_name # latest version
- \$ pip install package_name==1.0.1 # specific
 version
- \$ pip install package_name>=1.0.1 # minimum
 version

Uninstall a package:

\$ pip uninstall package_name

Update a package:

\$ pip install --upgrade package_name



Install a package:

- \$ pip install package_name # latest version
- \$ pip install package_name==1.0.1 # specific
 version
- \$ pip install package_name>=1.0.1 # minimum
 version

Uninstall a package:

\$ pip uninstall package_name

Update a package:

\$ pip install --upgrade package_name

Search PyPI for matches:

Install a package:

- \$ pip install package_name # latest version
- \$ pip install package_name==1.0.1 # specific
 version
- \$ pip install package_name>=1.0.1 # minimum
 version

Uninstall a package:

\$ pip uninstall package_name

Update a package:

\$ pip install --upgrade package_name

Search PyPI for matches:

\$ pip search query



A *virtual environment* is an isolated Python environment that contains the Python interpreter, installed libraries and scripts.

A *virtual environment* is an isolated Python environment that contains the Python interpreter, installed libraries and scripts.

Why do we need them?

A *virtual environment* is an **isolated** Python environment that contains the Python interpreter, installed **libraries** and scripts.

Why do we need them?

A *virtual environment* is an **isolated** Python environment that contains the Python interpreter, installed **libraries** and scripts.

Why do we need them?

What happens if two different programs use the same library?

A *virtual environment* is an **isolated** Python environment that contains the Python interpreter, installed **libraries** and scripts.

Why do we need them?

What happens if two different programs use the same library?

 We might want to use different versions of the same library.

A *virtual environment* is an **isolated** Python environment that contains the Python interpreter, installed **libraries** and scripts.

Why do we need them?

What happens if two different programs use the same library?

- We might want to use different versions of the same library.
- Updating a library for Program A can harm another Program B. (Breaking Changes)



A *virtual environment* is an **isolated** Python environment that contains the Python interpreter, installed **libraries** and scripts.

Why do we need them?

What happens if two different programs use the same library?

- We might want to use different versions of the same library.
- Updating a library for Program A can harm another Program B. (Breaking Changes)
- We want **isolation** between programs.



In Python 3.6+, the recommended way to create a virtual environment is using **venv** package, which is included in the standard installation (similar to **pip**).

In Python 3.6+, the recommended way to create a virtual environment is using **venv** package, which is included in the standard installation (similar to **pip**).

Creating a virtual environment:

\$ python -m venv /path/to/new/virtualenv

In Python 3.6+, the recommended way to create a virtual environment is using **venv** package, which is included in the standard installation (similar to **pip**).

Creating a virtual environment:

\$ python -m venv /path/to/new/virtualenv

Activating a virtual environment:

cd(Change directory) to virtual environment folder.

In Windows: \$ Scripts\activate

In Mac/Linux: \$ source bin/activate

In Python 3.6+, the recommended way to create a virtual environment is using **venv** package, which is included in the standard installation (similar to **pip**).

Creating a virtual environment:

\$ python -m venv /path/to/new/virtualenv

Activating a virtual environment:

cd(Change directory) to virtual environment folder.

In Windows: \$ Scripts\activate

In Mac/Linux: \$ source bin/activate

Deactivating a virtual environment:

\$ deactivate