








Sivoko Steel Structures Ltd.				
PROJECT	Proposed Warehouse	ANCHOR BOLT PLAN		
ID	C163-127	DESIGN:	DRAFT:	CHECK:
PROJECT ADDRESS	Proposed Warehouse	DATE: 29/JAN/2026 SHEET 1 OF 1		



NOTES FOR REACTIONS

1. All loading conditions are examined and only maximum/minimum H or V and the corresponding H or V are reported.
2. Positive reactions are as shown in the sketch. Foundation loads are in opposite directions.
3. Bracing reactions are in the plane of the brace with the H pointing away from the braced bay. The vertical reaction is downward.
4. Building reactions are based on the following building data:
- Width (mm)= 12200

Length (mm)= 45730

Eave Height (mm)= 9600/ 9600

Roof Slope (rise/100)= 10.00/10.00

Roof Dead Load (kN/m2)= 0.10

Wall Dead Load (kN/m2)= 0.10

Left Endwall (kN/m2)= 0.10

Right Endwall (kN/m2)= 0.10

Front Sidewall (kN/m2)= 0.10

Back Sidewall (kN/m2)= 0.10

Live Load (kN/m2)= 0.57

Collateral Load (kN/m2)= 0.05

Wind Speed (m/s)= 39.0

Wind Code = MBMA10

Exposure = B

Closure = Enclosed

Internal Wind Coeff = -0.18, +0.18

Risk Category = -

Importance - Wind = 1.00

Importance - Seismic = 1.00

Seismic Design Category = B

Seismic Coeff (Sms) = 0.16

Temperature Change = 20
5. Loading conditions are:
- 1 Dead+Collateral+Live

2 Dead+Collateral+0.75Live+0.75Wind_Left1+0.75Floor_Live

3 Dead+Collateral+0.75Live+0.75Wind_Right1+0.75Floor_Live

4 0.6Dead+Wind_Left2

5 0.6Dead+Wind_Right2

6 0.6Dead+Wind_Long1L+LWIND1_L2E

7 0.6Dead+Wind_Long1R+LWIND1_R2E

8 0.6Dead+Wind_Long1R+LWIND1_L2E

9 0.6Dead+Wind_Long1R+LWIND1_R2E

10 Dead+Collateral+F1CRANE2

11 Dead+Collateral+F1CRANE3

12 Dead+Wind_Left1/2+F1CRANE1

13 Dead+Wind_Right1/2+F1CRANE4

14 Dead+Collateral+F2CRANE2

15 Dead+Collateral+F2CRANE3

16 Dead+Collateral+F3CRANE2

17 Dead+Collateral+F3CRANE3

18 Dead+Collateral+F4CRANE2

19 Dead+Collateral+F4CRANE3

20 Dead+Wind_Left1/2+F4CRANE1

21 Dead+Wind_Right1/2+F4CRANE4

22 0.6Dead+Wind_Right2+Wind_Suction

23 0.6Dead+Wind_Pressure+Wind_Long2L

RIGID FRAME: BASIC COLUMN REACTIONS (kN,kN-m)


Frame	Column	Dead			Collateral			Live			Wind_Left1		
Line	Line	Horz	Vert	Mom	Horz	Vert	Mom	Horz	Vert	Mom	Horz	Vert	Mom
1	C	1.0	6.3	-3.14	0.3	1.3	-1.06	3.7	14.3	-12.06	-13.8	-18.5	48.49
1	A	-1.0	6.3	3.14	-0.3	1.3	1.06	-3.7	14.3	12.06	-9.2	-9.2	29.83
Frame	Column	Wind_Right1			Wind_Left2			Wind_Right2			Wind_Long1		
Line	Line	Horz	Vert	Mom	Horz	Vert	Mom	Horz	Vert	Mom	Horz	Vert	Mom
1	C	9.2	-9.2	-29.84	-17.3	-13.4	53.23	5.7	-4.2	-25.10	5.3	-21.6	-5.47
1	A	13.8	-18.5	-48.49	-5.7	-4.1	25.09	17.3	-13.4	-53.23	-5.3	-21.6	5.46
Frame	Column	Wind_Long2			Seismic_Left			Seismic_Right			Seismic_Long1		
Line	Line	Horz	Vert	Mom	Horz	Vert	Mom	Horz	Vert	Mom	Horz	Vert	Mom
1	C	1.8	-16.5	-0.73	-0.7	0.5	4.00	0.7	0.5	-4.00	0.0	-1.3	0.00
1	A	-1.8	-16.5	0.73	-0.7	0.5	4.00	0.7	-0.5	-4.00	0.0	-1.3	0.00
Frame	Column	Seismic_Long2			Temp			F1CRANE1			F1CRANE2		
Line	Line	Horz	Vert	Mom	Horz	Vert	Mom	Horz	Vert	Mom	Horz	Vert	Mom
1	C	0.0	1.3	0.00	0.1	0.0	-0.97	1.9	57.2	22.58	7.4	61.0	-25.12
1	A	0.0	1.3	0.00	-0.1	0.0	0.97	-7.4	13.1	36.91	1.9	9.2	-10.79
Frame	Column	F1CRANE3			F1CRANE4			LWIND1_L2E			LWIND1_R2E		
Line	Line	Horz	Vert	Mom	Horz	Vert	Mom	Horz	Vert	Mom	Horz	Vert	Mom
1	C	-1.9	9.2	10.79	7.4	13.1	-36.91	0.0	-1.9	-0.42	-0.2	-0.2	1.07
1	A	-7.4	61.0	25.12	1.9	57.2	-22.58	0.2	-0.2	-1.07	0.0	-1.9	0.42
Frame	Column	LWIND2_L2E			LWIND2_R2E								
Line	Line	Horz	Vert	Mom	Horz	Vert	Mom						
1	C	0.0	-1.9	-0.42	-0.2	-0.2	1.07						
1	A	0.2	-0.2	-1.07	0.0	-1.9	0.42						
Frame	Column	Dead			Collateral			Live			Wind_Left1		
Line	Line	Horz	Vert	Mom	Horz	Vert	Mom	Horz	Vert	Mom	Horz	Vert	Mom
2*	C	1.5	8.3	-4.88	0.6	2.3	-1.93	6.7	26.0	-21.88	-19.0	-24.5	70.36
2*	A	-1.5	8.3	4.88	-0.6	2.3	1.93	-6.7	26.0	21.90	-17.6	-12.0	54.79
Frame	Column	Wind_Right1			Wind_Left2			Wind_Right2			Wind_Long1		
Line	Line	Horz	Vert	Mom	Horz	Vert	Mom	Horz	Vert	Mom	Horz	Vert	Mom
2*	C	17.6	-12.0	-54.81	-27.9	-15.3	83.47	8.3	-2.9	-40.30	9.5	-31.6	-9.93
2*	A	19.0	-24.5	-70.37	-8.3	-2.8	40.29	27.9	-15.3	-83.47	-9.5	-31.6	9.92
Frame	Column	Wind_Long2			Seismic_Left			Seismic_Right			Seismic_Long1		
Line	Line	Horz	Vert	Mom	Horz	Vert	Mom	Horz	Vert	Mom	Horz	Vert	Mom
2*	C	3.2	-22.4	-1.33	-0.9	-0.6	5.01	0.9	0.6	-5.01	0.0	-1.3	0.00
2*	A	-3.2	-22.4	1.32	-0.9	0.6	5.01	0.9	-0.6	-5.01	0.0	-1.3	0.00
Frame	Column	Seismic_Long2			Temp			F2CRANE1			F2CRANE2		
Line	Line	Horz	Vert	Mom	Horz	Vert	Mom	Horz	Vert	Mom	Horz	Vert	Mom
2*	C	0.0	1.3	0.00	0.1	0.0	-0.97	1.7	60.5	21.99	7.7	64.3	-25.81
2*	A	0.0	1.3	0.00	-0.1	0.0	0.97	-7.7	16.2	37.63	1.7	12.4	-10.16
Frame	Column	F2CRANE3			F2CRANE4			LWIND1_L2E			LWIND1_R2E		
Line	Line	Horz	Vert	Mom	Horz	Vert	Mom	Horz	Vert	Mom	Horz	Vert	Mom
2*	C	-1.7	12.4	10.16	7.7	16.2	-37.64	0.0	-3.5	-0.76	-0.4	-0.4	1.93
2*	A	-7.7	64.3	25.81	1.7	60.5	-21.99	0.4	-0.4	-1.93	0.0	-3.5	0.76
Frame	Column	LWIND2_L2E			LWIND2_R2E								
Line	Line	Horz	Vert	Mom	Horz	Vert	Mom						
2*	C	0.0	-3.5	-0.76	-0.4	-0.4	1.93						
2*	A	0.4	-0.4	-1.93	0.0	-3.5	0.76						
Frame	Column	Dead			Collateral			Live			Wind_Left1		
Line	Line	Horz	Vert	Mom	Horz	Vert	Mom	Horz	Vert	Mom	Horz	Vert	Mom
3*	C	1.5	8.4	-4.91	0.6	2.3	-1.95	6.7	26.2	-22.09	-19.2	-24.7	71.02
3*	A	-1.5	8.4	4.91	-0.6	2.3	1.95	-6.7	26.2	22.10	-17.8	-12.1	55.31
Frame	Column	Wind_Right1			Wind_Left2			Wind_Right2			Wind_Long1		
Line	Line	Horz	Vert	Mom	Horz	Vert	Mom	Horz	Vert	Mom	Horz	Vert	Mom
3*	C	17.8	-12.1	-55.32	-28.2	-15.4	84.25	8.4	-2.9	-40.67	9.6	-22.4	-10.02
3*	A	19.2	-24.7	-71.03	-8.4	-2.9	40.66	28.2	-15.4	-84.25	-9.6	-22.4	10.01
Frame	Column	Wind_Long2			Seismic_Left			Seismic_Right			Temp		
Line	Line	Horz	Vert	Mom	Horz	Vert	Mom	Horz	Vert	Mom	Horz	Vert	Mom
3*	C	3.2	-13.2	-1.34	-0.9	-0.6	5.01	0.9	0.6	-5.01	0.1	0.0	-0.97
3*	A	-3.2	-13.2	1.33	-0.9	0.6	5.01	0.9	-0.6	-5.01	-0.1	0.0	0.97
Frame	Column	F3CRANE1			F3CRANE2			F3CRANE3			F3CRANE4		
Line	Line	Horz	Vert	Mom	Horz	Vert	Mom	Horz	Vert	Mom	Horz	Vert	Mom
3*	C	-1.7	60.6	21.98	7.7	64.4	-25.82	-1.7	12.4	10.15	7.7	16.3	-37.65
3*	A	-7.7	16.3	37.65	1.7	12.4	-10.15	-7.7	64.4	25.82	1.7	60.6	-21.98
Frame	Column	LWIND1_L2E			LWIND1_R2E			LWIND2_L2E			LWIND2_R2E		
Line	Line	Horz	Vert	Mom	Horz	Vert	Mom	Horz	Vert	Mom	Horz	Vert	Mom
3*	C	0.0	-3.5	-0.77	-0.4	-0.4	1.96	0.0	-3.5	-0.77	-0.4	-0.4	1.96
3*	A	0.4	-0.4	-1.96	0.0	-3.5	0.77	0.4	-0.4	-1.96	0.0	-3.5	0.77
Frame	Column	Dead			Collateral			Live			Wind_Left1		
Line	Line	Horz	Vert	Mom	Horz	Vert	Mom	Horz	Vert	Mom	Horz	Vert	Mom
7	C	1.0	6.3	-3.14	0.3	1.3	-1.06	3.7	14.3	-12.06	-13.8	-18.5	48.49
7	A	-1.0	6.3	3.14	-0.3	1.3	1.06	-3.7	14.3	12.06	-9.2	-9.2	29.83
Frame	Column	Wind_Right1			Wind_Left2			Wind_Right2			Wind_Long1		
Line	Line	Horz	Vert	Mom	Horz	Vert	Mom	Horz	Vert	Mom	Horz	Vert	Mom
7	C	9.2	-9.2	-29.84	-17.3	-13.4	53.23	5.7	-4.2	-25.10	5.3	-21.6	-5.47
7	A	13.8	-18.5	-48.49	-5.7	-4.1	25.09	17.3	-13.4	-53.23	-5.3	-21.6	5.46
Frame	Column	Wind_Long2			Seismic_Left			Seismic_Right			Seismic_Long1		
Line	Line	Horz	Vert	Mom	Horz	Vert	Mom	Horz	Vert	Mom	Horz	Vert	Mom
7	C	1.8	-16.5	-0.73	-0.7	0.5	4.00	0.7	0.5	-4.00	0.0	-1.3	0.00
7	A	-1.8	-16.5	0.73	-0.7	0.5	4.00	0.7	-0.5	-4.00	0.0	-1.3	0.00
Frame	Column	Seismic_Long2			Temp			F4CRANE1			F4CRANE2		
Line	Line	Horz	Vert	Mom	Horz	Vert	Mom	Horz	Vert	Mom	Horz	Vert	Mom
7	C	0.0	1.3	0.00	0.1	0.0	-0.97	-1.9	57.2	22.58	7.4	61.0	-25.12
7	A	0.0	1.3	0.00	-0.1	0.0	0.97	-7.4	13.1	36.91	1.9	9.2	-10.78
Frame	Column	F4CRANE3			F4CRANE4			LWIND1_L2E			LWIND1_R2E		
Line	Line	Horz	Vert	Mom	Horz	Vert	Mom	Horz	Vert	Mom	Horz	Vert	Mom
7	C	-1.9	9.2	10.78	7.4	13.1	-36.91	0.0	-1.9	-0.42	-0.2	-0.2	1.07
7	A	-7.4	61.0	25.12	1.9	57.2	-22.58	0.2	-0.2	-1.07	0.0	-1.9	0.42
Frame	Column	LWIND2_L2E			LWIND2_R2E								
Line	Line	Horz	Vert	Mom	Horz	Vert	Mom						
7	C	0.0	-1.9	-0.42	-0.2	-0.2	1.07						
7	A	0.2	-0.2	-1.07	0.0	-1.9	0.42						
2*	Frame lines:	2	6										
3*	Frame lines:	3	4	5									

BOLT TABLE				
FRAME LINE 1				
LOCATION	QUAN	TYPE	DIA	LENGTH
Columns/Raf	2	Gr8.8	16	70

MEMBER TABLE		
FRAME LINE 1		
MARK	PART	LENGTH
EC-1	W35a145	9533
DJ-1	200C25	6080
DH-1	200C20	3980
G-1	200Z15	6848
G-2	200Z15	6265
G-3	200Z15	6265
G-4	200Z15	6265
G-5	200Z15	748
JB-1	SROD12	1600
JB-2	SROD12	1700
JB-3	SROD12	1500
JB-4	SROD12	1200

FLANGE BRACE TABLE		
FRAME LINE 1		
VID	MARK	LENGTH
1	FB528	528

CONNECTION PLATES	
FRAME LINE 1	
ID	MARK/PART
1	r1
2	f1
3	j1
4	b1
5	c1



ENDWALL FRAMING: FRAME LINE 1


Sivoko Steel Structures Ltd.				
PROJECT	Proposed Warehouse	ENDWALL FRAMING		
ID	C163-127	DESIGN:	DRAFT:	CHECK:
PROJECT ADDRESS	Proposed Warehouse	DATE: 29/JAN/2026 SHEET OF		

BOLT TABLE				
FRAME LINE 7				
LOCATION	QUAN	TYPE	DIA	LENGTH
Columns/Raf	2	Gr8.8	16	70

MEMBER TABLE		
FRAME LINE 7		
MARK	PART	LENGTH
EC-1	W35a145	9533
DJ-1	200C25	6080
DH-1	200C20	3980
G-1	200Z15	6848
G-2	200Z15	6265
G-3	200Z15	6265
G-4	200Z15	6265
G-5	200Z15	748
JB-1	SROD12	1600
JB-2	SROD12	1700
JB-3	SROD12	1500
JB-4	SROD12	1200

FLANGE BRACE TABLE		
FRAME LINE 7		
VID	MARK	LENGTH
1	FB528	528

CONNECTION PLATES	
FRAME LINE 7	
ID	MARK/PART
1	r1
2	f1
3	j1
4	b1
5	c1



ENDWALL FRAMING: FRAME LINE 7



Sivoko Steel Structures Ltd.

PROJECT	Proposed Warehouse	ENDWALL FRAMING		
ID	C163-127	DESIGN:	DRAFT:	CHECK:
PROJECT ADDRESS	Proposed Warehouse	DATE: 29/JAN/2026 SHEET OF		

SPLICE PLATES & BOLTS								
Splice Mark	Quan		Bolt			Plate Size		
	Top/Bot	Int	Type	Dia	Len	Wid	Thick	Length
SP1	4	4	⊗r8.8		20	90	200	16
SP2	4	4	⊗r8.8		20	90	200	16

✓FLANGE BRACES: FBxx (1 or 2)
xx=length(mm)
(1) One Side; (2) Two Sides
A – L40X40X4

MEMBER TABLE						
Mark	Web Depth		Web Plate		Outside Flange	
	Start/End	Thick	Length	W	Thk	Length
CL1-1	400/ 400	5	9017	150	x 5	x 9017
RF1-2	401/ 300	4	5913	125	x 5	x 352
RF1-3	300/ 401	4	5913	125	x 5	x 6104
CL1-4	400/ 400	5	9017	125	x 5	x 352
				150	x 5	x 9017
				150	x 6	x 9017




Sivoko Steel Structures Ltd.				
PROJECT	Proposed Warehouse	RIGID FRAME ELEVATION		
ID	C163-127	DESIGN:	DRAFT:	CHECK:
PROJECT ADDRESS	Proposed Warehouse	DATE: 29/JAN/2026 SHEET OF		

SPLICE PLATES & BOLTS									
Splice Mark	Quan	Top/Bot/Int	Type	Bolt Dia	Len	Wid	Plate Size	Thick	Length
SP1	4	4	⊗r8.8	20		90	200	16	600
SP2	4	4	⊗r8.8	20		90	200	16	501


ALTERNATE MEMBER		
Frame Line	OID	Mark
6	A	CL2-3
	B	CL2-1

▽FLANGE BRACES: FBxx (1 or 2)
xx=length(mm)
(1) One Side; (2) Two Sides
A - L40X40X4

MEMBER TABLE						
Mark	Web Depth	Start/End	Web Thick	Plate Length	Outside Flange	Inside Flange
CL2-1	400/	400	5	9017	150 x 5 x 9017	150 x 6 x 9017
RF2-2	401/	300	4	5913	125 x 5 x 352	125 x 5 x 5383
CL2-3	400/	400	5	9017	125 x 5 x 6104	150 x 6 x 9017



RIGID FRAME ELEVATION: FRAME LINE 2 6





Sivoko Steel Structures Ltd.				
PROJECT	Proposed Warehouse	RIGID FRAME ELEVATION		
ID	C163-127	DESIGN:	DRAFT:	CHECK:
PROJECT ADDRESS	Proposed Warehouse	DATE: 29/JAN/2026 SHEET OF		

SPLICE PLATES & BOLTS								
Splice Mark	Quan		Bolt			Plate Size		
	Top/Bot	Int	Type	Dia	Len	Wid	Thick	Length
SP1	4	4	⊗r8.8		20	90	200	16
SP2	4	4	⊗r8.8		20	90	200	16

✓FLANGE BRACES: FBxx (1 or 2)
xx=length(mm)
(1) One Side; (2) Two Sides
A - L40X40X4

MEMBER TABLE						
Mark	Web Depth		Web Plate		Outside Flange	
	Start/End	Thick	Length	W x Thk x Length	W x Thk x Length	Inside Flange
CL3-1	400/ 400	5	9017	150 x 5 x 9017	150 x 5 x 9017	150 x 6 x 9017
RF3-2	401/ 300	4	5913	125 x 5 x 352	125 x 5 x 352	125 x 5 x 5383





Sivoko Steel Structures Ltd.				
PROJECT	Proposed Warehouse	RIGID FRAME ELEVATION		
ID	C163-127	DESIGN:	DRAFT:	CHECK:
PROJECT ADDRESS	Proposed Warehouse	DATE: 29/JAN/2026 SHEET OF		

SPLICE PLATES & BOLTS								
Splice Mark	Quan		Bolt			Plate Size		
	Top/Bot	Int	Type	Dia	Len	Wid	Thick	Length
SP1	4	4	⊗r8.8		20	90	200	16
SP2	4	4	⊗r8.8		20	90	200	16

✓FLANGE BRACES: FBxx (1 or 2)
xx=length(mm)
(1) One Side; (2) Two Sides
A – L40X40X4

MEMBER TABLE						
Mark	Web Depth		Web Plate		Outside Flange	
	Start/End	Thick	Length	W x Thk x Length	W x Thk x Length	Inside Flange
CL4-1	400/ 400	5	9017	150 x 5 x 9017	150 x 6 x 9017	
RF4-2	401/ 300	4	5913	125 x 5 x 352	125 x 5 x 5383	
RF4-3	300/ 401	4	5913	125 x 5 x 6104	125 x 5 x 5383	
CL4-4	400/ 400	5	9017	125 x 5 x 352	150 x 5 x 9017	




Sivoko Steel Structures Ltd.				
PROJECT	Proposed Warehouse	RIGID FRAME ELEVATION		
ID	C163-127	DESIGN:	DRAFT:	CHECK:
PROJECT ADDRESS	Proposed Warehouse	DATE: 29/JAN/2026 SHEET OF		

EXTENSION/CANOPY BOLTS				
ROOF PLAN				
MARK	QUAN	TYPE	DIA	LENGTH
EB-1	8	Gr8.8	20	90
EB-2	8	Gr8.8	20	90

MEMBER TABLE		
ROOF PLAN		
MARK	PART	LENGTH
EB-1	BEAM	3036
EB-2	BEAM	3453
P-1	200Z18	8175
P-2	200Z18	8280
P-3	200Z18	8175
P-4	200Z18	6295
E-1	200Z18	8175
E-2	200Z18	8280
E-3	200Z18	8175
E-4	200Z15	6300
CB-3	ROD20	9220
CB-4	ROD20	6220
SP-1	SROD12	697
SI-1	SROD12	1557
SI-2	SROD12	1457
SE-1	SROD12	1478
SI-	SROD12	1387

ANGLE TABLE		
ROOF PLAN		
◇ID	MARK	LENGTH
	GA	3000




COLUMNS & RAFTERS MARKING PLAN

Sivoko Steel Structures Ltd.				
PROJECT	Proposed Warehouse	ROOF FRAMING		
ID	C163-127	DESIGN:	DRAFT:	CHECK:
PROJECT ADDRESS	Proposed Warehouse	DATE: 29/JAN/2026 SHEET OF		

EXTENSION/CANOPY BOLTS				
ROOF PLAN				
MARK	QUAN	TYPE	DIA	LENGTH
EB-1	8	Gr8.8	20	90
EB-2	8	Gr8.8	20	90

ANGLE TABLE		
ROOF PLAN		
◇ID	MARK	LENGTH
	GA	3000




COLUMNS & RAFTERS MARKING PLAN

Sivoko Steel Structures Ltd.				
PROJECT	Proposed Warehouse	ROOF FRAMING		
ID	C163-127	DESIGN:	DRAFT:	CHECK:
PROJECT ADDRESS	Proposed Warehouse	DATE: 29/JAN/2026 SHEET OF		

BOLT TABLE				
FRAME LINE C				
LOCATION	QUAN	TYPE	DIA	LENGTH
Strut	2	Gr8.8	16	70
EB-3 (L)	8	Gr8.8	20	90
EB-3 (R)	4	Gr8.8	16	

SPECIAL BOLTS					
Ø ID	QUAN	TYPE	DIA	LENGTH	WASH
3	2	Gr8.8	16	70	2

MEMBER TABLE		
FRAME LINE C		
MARK	PART	LENGTH
EB-2	BEAM	3453
EB-3	W550x208	7385
G-6	200Z15	8175
G-7	200Z15	8280
G-8	200Z15	8175
ST-1	T100x40	7348
CB-1	ROD20	10540
CB-2	ROD20	7470
JB-1	SROD12	1600
JB-2	SROD12	1700
JB-3	SROD12	1500
JB-4	SROD12	1200
JB-5	SROD12	820




SIDEWALL FRAMING: FRAME LINE C

Sivoko Steel Structures Ltd.				
PROJECT	Proposed Warehouse	SIDEWALL FRAMING		
ID	C163-127	DESIGN:	DRAFT:	CHECK:
PROJECT ADDRESS	Proposed Warehouse	DATE: 29/JAN/2026 SHEET OF		

BOLT TABLE				
FRAME LINE A				
LOCATION	QUAN	TYPE	DIA	LENGTH
Strut	2	Gr8.8	16	70
EB-3 (L)	8	Gr8.8	20	90
EB-3 (R)	4	Gr8.8	16	

SPECIAL BOLTS					
Ø ID	QUAN	TYPE	DIA	LENGTH	WASH
3	2	Gr8.8	16	70	2

MEMBER TABLE		
FRAME LINE A		
MARK	PART	LENGTH
EB-2	BEAM	3453
EB-3	W55x208	7385
G-6	200Z15	8175
G-7	200Z15	8280
G-8	200Z15	8175
ST-1	T100x40	7348
CB-1	ROD20	10540
CB-2	ROD20	7470
JB-1	SROD12	1600
JB-2	SROD12	1700
JB-3	SROD12	1500
JB-4	SROD12	1200
JB-5	SROD12	820



SIDEWALL FRAMING: FRAME LINE A

Sivoko Steel Structures Ltd.				
PROJECT	Proposed Warehouse	SIDEWALL FRAMING		
ID	C163-127	DESIGN:	DRAFT:	CHECK:
PROJECT ADDRESS	Proposed Warehouse	DATE: 29/JAN/2026 SHEET OF		