





PROJECT	SHED	ANCHOR BOLT PLAN		
ID	C463-002	DESIGN: AAB	DRAFT: ASN	CHECK: AAB
PROJECT ADDRESS	VAPI	DATE: 11/DEC/2025		
		C463-002-A02		



RIGID FRAME: ANCHOR BOLTS & BASE PLATES						
Frm Line	Col Line	Anc._Bolt Qty	Base_Plate (mm) Width	Base_Plate (mm) Length	Base_Plate (mm) Thick	Grout (mm)
1	C	8	24	250	707	16
1	A	8	24	250	707	16

RIGID FRAME: ANCHOR BOLTS & BASE PLATES						
Frm Line	Col Line	Anc._Bolt Qty	Base_Plate (mm) Width	Base_Plate (mm) Length	Base_Plate (mm) Thick	Grout (mm)
2	C	8	24	250	707	20
2	A	8	24	250	707	20

RIGID FRAME: ANCHOR BOLTS & BASE PLATES						
Frm Line	Col Line	Anc._Bolt Qty	Base_Plate (mm) Width	Base_Plate (mm) Length	Base_Plate (mm) Thick	Grout (mm)
3	C	8	24	250	707	16
3	A	8	24	250	707	20

RIGID FRAME: ANCHOR BOLTS & BASE PLATES						
Frm Line	Col Line	Anc._Bolt Qty	Base_Plate (mm) Width	Base_Plate (mm) Length	Base_Plate (mm) Thick	Grout (mm)
4	C	8	24	250	707	16
4	A	8	24	250	707	16

RIGID FRAME: ANCHOR BOLTS & BASE PLATES						
Frm Line	Col Line	Anc._Bolt Qty	Base_Plate (mm) Width	Base_Plate (mm) Length	Base_Plate (mm) Thick	Grout (mm)
5	C	8	20	250	707	16
5	A	8	20	250	707	16

ENDWALL COLUMN: BASIC COLUMN REACTIONS (kN)										
Frm Line	Col Line	Dead	Collat	---Live---	Wind_Press	Wind_Suct	Seis Long	Seis Vert	Seis Horz	Seis Shear
1	B	2.8	0.3	-0.3a	3.3	-30.6	-8.4	34.9	-2.1	0.1
5	B	2.8	0.3	-0.3a	3.3	-30.4	-8.4	34.9	-2.1	0.1

ENDWALL COLUMN: ANCHOR BOLTS & BASE PLATES						
Frm Line	Col Line	Anc._Bolt Qty	Base_Plate (mm) Width	Base_Plate (mm) Length	Base_Plate (mm) Thick	Grout (mm)
1	B	4	20	200	450	16
5	B	4	20	200	450	16

BUILDING BRACING REACTIONS									
---Wall---	Col Line	Reactions in plane of wall (kN)	Reactions out of plane of wall (kN)	Reactions in plane of wall (kN)	Reactions out of plane of wall (kN)	Reactions in plane of wall (kN)	Reactions out of plane of wall (kN)	Reactions in plane of wall (kN)	Reactions out of plane of wall (kN)
L_EW	1	1.2	*	12.5	1.0	1.0	1.0	1.0	1.0
F_SW	A	4.5	*	12.5	1.0	1.0	1.0	1.0	1.0
R_EW	5	5.4	*	12.5	1.0	1.0	1.0	1.0	1.0
B_SW	C	2.1	*	12.5	1.0	1.0	1.0	1.0	1.0

*See RF reactions table for vertical and horizontal reactions in plane of the rigid frame.


Reactions for seismic represent shear force, Eh

Reaction values shown are unfactored

RIGID FRAME: BASIC COLUMN REACTIONS (kN,kN-m)																	
Frame Line	Column Line	Dead			Collateral			Live			Wind_Left1						
1	C	1.3	6.8	4.26	0.5	1.5	-1.53	5.5	16.6	-17.31	-28.2	-36.3	95.87				
1	A	-1.3	6.8	4.28	-0.5	1.5	1.53	-5.5	16.6	17.39	-14.2	-20.3	45.61				
Frame Line	Column Line	Wind_Right1			Wind_Left2			Wind_Right2			Wind_Long1						
1	C	14.2	-20.4	-45.78	-33.9	-25.9	101.68	8.5	-10.0	-39.97	7.7	-37.7	-3.03				
1	A	28.2	-36.2	-96.00	-8.5	-10.0	39.86	33.9	-25.9	-101.75	-7.7	-37.7	2.90				
Frame Line	Column Line	Wind_Long2			Seismic_Left			Seismic_Right			Seismic_Long1						
1	C	2.0	-27.3	2.77	-0.9	-0.4	5.45	0.9	0.4	-5.45	0.0	-0.8	0.00				
1	A	-2.0	27.3	-2.85	-0.9	0.4	5.44	0.9	-0.4	-5.44	0.0	0.8	0.00				
Frame Line	Column Line	Seismic_Long2			Temp			F1CRANE1			F1CRANE2						
1	C	0.0	0.8	0.00	0.2	0.0	-1.24	-1.9	72.4	35.78	12.0	76.7	-36.20				
1	A	0.0	0.8	0.00	-0.2	0.0	1.24	-12.0	19.2	60.29	1.9	15.0	-11.67				
Frame Line	Column Line	F1CRANE3			F1CRANE4			LWIND1_L2E			LWIND1_R2E						
1	C	-1.9	15.0	11.66	12.0	19.2	-60.32	0.0	-4.0	-1.05	0.0	-0.3	2.65				
1	A	-12.0	76.7	36.19	1.8	72.4	-35.77	0.5	-0.3	-2.65	0.0	-4.0	1.04				
Frame Line	Column Line	LWIND2_L2E			LWIND2_R2E												
1	C	0.0	0.8	0.00	0.2	0.0	-1.24	-1.9	72.4	35.78	12.0	76.7	-36.20				
1	A	0.0	0.8	0.00	-0.2	0.0	1.24	-12.0	19.2	60.29	1.9	15.0	-11.67				
Frame Line	Column Line	Dead			Collateral			Live			Wind_Left1						
2	C	2.1	9.1	-6.72	0.9	2.7	-2.76	9.9	30.1	-31.29	-32.0	-46.0	113.59				
2	A	-2.1	9.1	6.76	-0.9	2.7	2.77	-9.9	30.0	31.45	-39.2	-28.2	57.49				
Frame Line	Column Line	Wind_Right1			Wind_Left2			Wind_Right2			Wind_Long1						
2	C	19.2	-28.3	-53.71	-42.4	-27.3	124.08	8.8	-9.5	-47.22	14.0	-57.9	-5.48				
2	A	32.0	-46.0	-113.76	-8.8	-9.5	47.09	42.4	-27.3	-124.15	-14.0	-57.9	5.24				
Frame Line	Column Line	Wind_Long2			Seismic_Left			Seismic_Right			Seismic_Long1						
2	C	5.5	-33.5	-0.89	-1.2	0.5	6.82	1.2	0.5	-6.82	0.0	-0.8	0.00				
2	A	-5.5	-33.4	0.78	-1.2	-0.5	6.82	1.2	-0.5	-6.82	0.0	0.8	0.00				
Frame Line	Column Line	Seismic_Long2			Temp			F2CRANE1			F2CRANE2						
2	C	0.0	0.8	0.00	0.2	0.0	-1.24	-1.4	76.4	34.73	12.5	80.6	-37.25				
2	A	0.0	0.8	0.00	-0.2	0.0	1.24	-12.5	23.1	61.34	1.4	18.9	-10.61				
Frame Line	Column Line	F2CRANE3			F2CRANE4			LWIND1_L2E			LWIND1_R2E						
2	C	-4.4	18.9	10.05	12.5	12.4	-36.98	0.0	3.7	-0.96	0.0	-0.3	2.42				
2	A	-12.5	80.6	37.24	1.4	76.4	-34.72	0.4	-0.3	-2.42	0.0	-3.7	0.95				
Frame Line	Column Line	LWIND2_L2E			LWIND2_R2E												
2	C	-0.1	-5.8	-1.51	-0.7	-0.5	3.82	-0.1	-4.7	1.23	-0.6	-0.4	3.11				
2	A	0.7	-0.5	-3.81	0.1	-5.8	1.51	0.7	4.6	-1.23	0.6	-0.4	-3.11				
Frame Line	Column Line	Dead			Collateral			Live			Wind_Left1						
3	C	1.9	8.6	-5.95	0.8	2.4	-2.37	8.7	27.1	-26.88	-28.9	-41.6	102.12				
3	A	-1.9	9.2	6.36	-0.8	2.7	2.57	-8.7	30.2	29.18	-17.6	-27.5	52.10				
Frame Line	Column Line	Wind_Right1			Wind_Left2			Wind_Right2			Wind_Long1						
3	C	17.8	-25.4	-55.03	-38.2	-24.7	111.61	8.5	-8.4	-45.53	12.7	-41.0	-4.96				
3	A	27.8	-49.3	-102.71	-8.3	-10.5	42.70	37.1	-32.3	-112.11	-12.7	-40.9	4.75				
Frame Line	Column Line	Wind_Long2			Seismic_Left			Seismic_Right			Temp						
3	C	5.6	-17.0	-2.75	-1.1	-0.5	6.47	1.1	0.5	-6.47	0.2	0.0	-1.24				
3	A	-5.6	-16.9	2.66	-1.1	0.5	6.47	1.1	-0.5	-6.47	-0.2	0.0	1.24				
Frame Line	Column Line	F3CRANE1			F3CRANE2			F3CRANE3			F3CRANE4						
3	C	75.4	35.0	10.0	12.4	79.0	-36.98	-1.5	17.9	10.98	12.4	22.1	-61.11				
3	A	-12.3	22.1	61.07	1.5	17.9	-10.88	-12.4	78.6	36.97	1.5	75.4	-34.98				
Frame Line	Column Line	LWIND1_L2E			LWIND1_R2E			LWIND2_L2E			LWIND2_R2E						
3	C	0.0	-0.1	0.54	0.0	0.2	1.35	-0.1	0.4	-0.54	0.0	-0.4	1.23				
3	A	0.2	-0.2	-1.35	0.0	-0.2	0.53	0.6	-0.4	-3.11	0.1	-0.7	1.23				
Frame Line	Column Line	Dead			Collateral			Live			Wind_Left1						
4	C	1.8	8.1	-5.42	0.7	2.1	-2.11	7.8	24.3	-23.91	-25.9	-37.3	91.35				
4	A	-1.8	8.7	5.83	-0.7	2.4	2.31	-7.8	27.3	26.20	-15.8	-24.8	46.65				
Frame Line	Column Line	Wind_Right1			Wind_Left2			Wind_Right2			Wind_Long1						
4	C	16.0	-22.7	-49.56	-34.2	-22.1	99.85	7.6	-7.5	-41.05	11.3	-52.3	-4.44				
4	A	24.8	-44.9	-91.92	-7.5	-9.6	38.23	33.1	-29.8	-100.34	-11.3	-52.2	4.25				
Frame Line	Column Line	Wind_Long2			Seismic_Left			Seismic_Right			Seismic_Long1						
4	C	3.0	-37.1	4.06	-1.0	0.5	5.94	1.0	0.5	-5.94	0.0	-0.9	0.00				
4	A	-3.0	-37.1	-4.17	-1.0	-0.5	5.94	1.0	-0.5	-5.94	0.0	0.9	0.00				
Frame Line	Column Line	Seismic_Long2			Temp			F4CRANE1			F4CRANE2						
4	C	0.0	0.9	0.00	0.2	0.0	-1.24	-1.6	71.9	33.94	11.8	76.0	-35.45				
4	A	0.0	0.9	0.00	-0.2	0.0	1.24	-11.8	20.6	58.67	1.6	16.5	-10.69				
Frame Line	Column Line	F4CRANE3			F4CRANE4			LWIND1_L2E			LWIND1_R2E						
4	C	5.6	16.5	10.98	11.8	58.7	-33.94	-0.1	-0.9	-0.54	0.0	-0.7	1.23				
4	A	-11.8	76.0	35.44	1.5	71.9	-33.92	0.7	-0.5	-3.88	0.1	-5.9	1.53				
Frame Line	Column Line	LWIND2_L2E			LWIND2_R2E												
4	C	-0.1	-5.9	-1.53	-0.7	-0.5	3.88	-0.1	-4.7	1.23	-0.6	-0.4	3.11				
4	A	0.7	-0.5	-3.88	0.1	-5.9	1.53	0.7	4.6	-1.23	0.6	-0.4	-3.11				
Frame Line	Column Line	Dead			Collateral			Live			Wind_Left1						
5	C	1.2	6.3	-3.74	0.4	1.2	-1.26	4.5	13.8	-14.34	-23.3	-30.0	79.25				
5	A	-1.2	6.3	3.76	-0.4	1.2	1.27	-4.5	13.8	14.41	-11.8	-16.9	37.60				
Frame Line	Column Line	Wind_Right1			Wind_Left2			Wind_Right2			Wind_Long1						
5	C	11.8	-16.9	-37.74	-28.1	-21.4	84.06	7.0	-8.3	-32.93	6.4	-36.4	-2.51				
5	A	23.3	-30.0	-79.36	-7.0	-8.3	32.84	28.1	-21.4	-84.12	-6.4	-36.3	2.40				
Frame Line	Column Line	Wind_Long2			Seismic_Left			Seismic_Right			Seismic_Long1						
5	C	1.7	-27.8	2.30	-0.8	-0.4	4.86	0.8	0.4	-4.86	0.0	-0.9	0.00				
5	A	-1.7	-27.7	-2.36	-0.8	0.4	4.85	0.8	-0.4	-4.86	0.0	0.9	0.00				
Frame Line	Column Line	Seismic_Long2			Temp			F5CRANE1			F5CRANE2						
5	C	0.0	0.9	0.00	0.2	0.0	1.24	-11.5	69.0	33.94	11.3	73.1	-35.88				
5	A	0.0	0.9	0.00	-0.2	0.0	1.24	-11.5	77.7	57.89	1.9	13.6	-11.48				
Frame Line	Column Line	F5CRANE3			F5CRANE4			LWIND1_L2E			LWIND1_R2E						
5	C	-1.9	13.6	11.47	11.5	77.7	-57.92	0.0	-3.3	-0.86	0.0	-0.3	2.18				
5	A	-11.5	73.1	34.66	1.9	69.0	-34.71	0.4	-0.3	-2.18	0.0	-3.3	0.86				
Frame Line	Column Line	LWIND2_L2E			LWIND2_R2E												
5	C	0.0	-3.3	-0.86	-0.4	-0.3	2.18	-0.4	-3.3	2.18	0.0	-3.3	0.86				
5	A	0.0	3.3	0.86	0.4	0.3	-2.18	0.4	3.3	-2.18	0.0	3.3	-0.86				



[illegible]

PROJECT	SHED	RIGID FRAME ELEVATION		
ID	C463-002	DESIGN: AAB	DRAFT: ASN	CHECK: AAB
PROJECT ADDRESS	VAPI	DATE: 12/DEC/2025		
		C463-002-A04		



SPLICE PLATES & BOLTS								
Splice Mark	Quan		Bolt		Plate Size			
	Top/Bot	Int	Type	Dia	Len	Wid	Thick	Length
SP1	4	4	0	Gr8.8	20	90	200	16 607
SP2	4	4	0	Gr8.8	20	90	200	16 456



MEMBER TABLE						
Mark	Web Depth		Web Plate		Outside Flange	
	Start/End	Thick	Length	W x Thk x Length	Inside Flange	
CL2-1	400/ 400		8463	150 x x 8463	150 x	x 8463
RF2-2	400/ 451		502	125 x x 402	125 x	x 2131
	451/ 250		2122	125 x x 6405	125 x	x 3570
	250/ 250		3595			
CL2-3	400/ 400		8463	150 x x 8463	150 x	x 8463



PROJECT	SHED	RIGID FRAME ELEVATION		
ID	C463-002	DESIGN: AAB	DRAFT: ASN	CHECK: AAB
PROJECT ADDRESS	VAPI	DATE: 12/DEC/2025		
		C463-002-A05		

SPLICE PLATES & BOLTS							
Splice Mark	Quan			Bolt		Plate Size	
	Top	Bot	Int	Type	Dia	Len	Length
SP1	4	4	0	Gr8.8	20	90	607
SP2	4	4	0	Gr8.8	20	90	456

MEMBER TABLE					
Mark	Web Depth		Web Plate		Outside Flange W x Thk x Length
	Start	End	Thick	Length	
CL2-4	400	400		8463	150 x x 8463
RF2-2	250	250		3595	125 x x 6405
	250	451		2122	125 x x 402
	451	400		502	
CL2-5	400	400		8463	150 x x 8463
EB-4	196	346		1507	125 x x 1507




PROJECT	SHED	RIGID FRAME ELEVATION		
ID	C463-002	DESIGN: AAB	DRAFT: ASN	CHECK: AAB
PROJECT ADDRESS	VAPI	DATE: 12/DEC/2025		
		C463-002-A06		



EXTENSION/CANOPY BOLTS				
ROOF PLAN				
MARK	QUAN	TYPE	DIA	LENGTH
EB-1	8	Gr8.8	20	90
EB-3	8	Gr8.8	20	90
EB-4	8	Gr8.8	20	90
EB-5	8	Gr8.8	20	90


MEMBER TABLE		
ROOF PLAN		
MARK	PART	LENGTH
EB-1	BEAM	1899
EB-3	BEAM	1508
EB-4	BEAM	1508
EB-5	BEAM	1899
P-1	200Z	9535
P-2	200Z	9590
P-3	200Z	8095
P-4	200Z	8040
P-5	200Z	9535
P-6	200Z	9590
P-7	200Z	8095
P-8	200Z	8040
P-9	250Z	7880
P-10	250Z	7115
P-11	250Z	7880
E-1	200Z	9535
E-2	200Z	9590
E-3	200Z	8095
E-4	200Z	8040
E-5	200Z	9535
E-6	200Z	9590
E-7	200Z	8095
E-8	200Z	8040
E-9	250Z	7885
E-10	250Z	7115
E-11	250Z	7885
CB-5	ROD	10260
CB-6	ROD	9090
SP-1	SROD	697
SI-1	SROD	1633
SE-1	SROD	1563



COLUMNS & RAFTERS MARKING PLAN



PROJECT	SHED	ROOF FRAMING		
ID	C463-002	DESIGN: AAB	DRAFT: ASN	CHECK: AAB
PROJECT ADDRESS	VAPI	DATE: 12/DEC/2025		
		C463-002-A07		



ROOF SHEETING PLAN




PROJECT	SHED	ROOF SHEETING		
ID	C463-002	DESIGN: AAB	DRAFT: ASN	CHECK: AAB
PROJECT ADDRESS	VAPI	DATE: 12/DEC/2025		
		C463-002-A08		


 DENOTE : TURBO VENTILATOR = 04 Qty.

 DENOTE : SKY LIGHT 3250 X 1000mm = 04 Qty.

 DENOTE: SLOPE DIRECTION



SIDEWALL FRAMING: FRAME LINE A




SIDEWALL FRAMING: FRAME LINE C


MEMBER TABLE		
FRAME LINE A & C		
MARK	PART	LENGTH
EB-1	BEAM	1899
EB-2	W40x	8140
EB-5	BEAM	1899
EB-6	W40x	6645
DJ-2	200C	4480
DH-2	200C	3980
G-18	200Z	9235
G-19	200Z	9235
G-20	200Z	9235
G-21	200Z	9235
G-22	200Z	10181
G-23	200Z	9620
G-24	200Z	9620
G-25	200Z	9620
G-26	200Z	8125
G-27	200Z	6905
G-28	200Z	8125
G-29	200Z	8125
G-30	200Z	8300
G-31	200Z	7740
G-32	200Z	7740
G-33	200Z	7740
G-34	200Z	7740
G-35	200Z	7740
G-36	200Z	9235
G-37	200Z	9235
G-38	200Z	9235
G-39	200Z	9235
ST-1	T125x	8103
ST-2	T92x	6607
CB-1	ROD	10850
CB-2	ROD	8500
CB-3	ROD	9750
CB-4	ROD	7030
JB-6	SROD	1600
JB-7	SROD	900
JB-10	SROD	620
JB-8	SROD	670
JB-9	SROD	1030



PROJECT	SHED	SIDEWALL FRAMING		
ID	C463-002	DESIGN: AAB	DRAFT: ASN	CHECK: AAB
PROJECT ADDRESS	VAPI	DATE: 12/DEC/2025		
		C463-002-A09		



SIDEWALL SHEETING & TRIM: FRAME LINE A




SIDEWALL SHEETING & TRIM: FRAME LINE C




PROJECT	SHED	SIDEWALL FRAMING		
ID	C463-002	DESIGN: AAB	DRAFT: ASN	CHECK: AAB
PROJECT ADDRESS	VAPI	DATE: 12/DEC/2025		
		C463-002-A10		

BOLT TABLE				
FRAME LINE 1 & 5				
LOCATION	QUAN	TYPE	DIA	LENGTH
Columns/Raf	2	Gr8.8	16	70

MEMBER TABLE		
FRAME LINE 1 & 5		
MARK	PART	LENGTH
EC-1	W300	9049
EC-2	W300	9049
DJ-1	ISM0	7480
DJ-3	200Z	4480
DH-1	ISM0	5980
DH-2	200Z	3980
G-1	200Z	541
G-2	200Z	746
G-3	200Z	8180
G-4	200Z	7775
G-5	200Z	8385
G-6	200Z	5655
G-7	200Z	5860
G-8	200Z	5610
G-9	200Z	5815
G-10	200Z	6656
G-11	200Z	5610
G-12	200Z	5815
G-13	200Z	8180
G-14	200Z	7775
G-15	200Z	8180
G-16	200Z	8385
G-17	200Z	1540
G-11	200Z	5610
JB-1	SR0D	770
JB-2	SR0D	430
JB-3	SR0D	1700
JB-4	SR0D	1400
JB-5	SR0D	1100
JB-6	SR0D	1600
JB-8	SR0D	670
JB-9	SR0D	1030




ENDWALL FRAMING: FRAME LINE 1




ENDWALL FRAMING: FRAME LINE 5



PROJECT	SHED	ENDWALL FRAMING		
ID	C463-002	DESIGN: AAB	DRAFT: ASN	CHECK: AAB
PROJECT ADDRESS	VAPI	DATE: 12/DEC/2025		
		C463-002-A11		



ENDWALL SHEETING & TRIM: FRAME LINE 1




ENDWALL SHEETING & TRIM: FRAME LINE 5

PROJECT	SHED	ENDWALL FRAMING		
ID	C463-002	DESIGN: AAB	DRAFT: ASN	CHECK: AAB
PROJECT ADDRESS	VAPI	DATE: 12/DEC/2025		
		C463-002-A12		

MEMBER TABLE		
Mark	Part	Length
RB-1	W50b3010	8380
RB-2	W50b3010	8380
RB-3	W50b3010	8200
RB-4	W50b2510	6705
RB-5	W50b2510	6885
RB-6	W50b2510	6885

ANGLE TABLE	
∠ID	Mark
1	CA-1
2	CA-2
3	CA-3
4	CA-4



PROJECT	SHED	CRANE PLAN		
ID	C463-002	DESIGN: AAB	DRAFT: ASN	CHECK: AAB
PROJECT ADDRESS	VAPI	DATE: 12/DEC/2025		
		C463-002-A12		