


## OUTLINE SPECIFICATIONS

|               |                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                          |                   |              |              |                                       |     |     |     |           |      |                                   |                                                  |                                               |        |                   |                     |                 |         |               |  |  |  |  |  |  |  |  |      |  |  |                   |  |  |       |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |         |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |
|---------------|--------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|--------------|--------------|---------------------------------------|-----|-----|-----|-----------|------|-----------------------------------|--------------------------------------------------|-----------------------------------------------|--------|-------------------|---------------------|-----------------|---------|---------------|--|--|--|--|--|--|--|--|------|--|--|-------------------|--|--|-------|----|--|--|--|--|--|--|--|--|--|----|--|--|----|--|--|---------|----|--|--|--|--|--|--|--|--|--|----|--|--|----|--|--|
| Date          | 13 MAY 2025                                                                                                                                      | Client                                                                                                                                                                                                                                                                                                                                   |                   |              |              |                                       |     |     |     |           |      |                                   | Project Location                                 | Ghana                                         |        |                   |                     |                 |         |               |  |  |  |  |  |  |  |  |      |  |  |                   |  |  |       |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |         |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |
| Proposal Id   | Q-1392                                                                                                                                           | Project                                                                                                                                                                                                                                                                                                                                  | Parking Structure |              |              |                                       |     |     |     |           |      |                                   | Building No.                                     | 1                                             | Option | 1                 | Revision            | 1               |         |               |  |  |  |  |  |  |  |  |      |  |  |                   |  |  |       |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |         |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |
| Sr.No.        | Description                                                                                                                                      | PEB SPECIFICATIONS                                                                                                                                                                                                                                                                                                                       |                   |              |              |                                       |     |     |     |           |      |                                   |                                                  |                                               |        |                   |                     |                 |         |               |  |  |  |  |  |  |  |  |      |  |  |                   |  |  |       |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |         |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |
| 1.            | Building type                                                                                                                                    | Mezzanine Building                                                                                                                                                                                                                                                                                                                       |                   |              |              |                                       |     |     |     |           |      | Area in m²                        |                                                  | 4047                                          |        |                   |                     |                 |         |               |  |  |  |  |  |  |  |  |      |  |  |                   |  |  |       |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |         |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |
| 2.            | Length in m (c/c of steel)                                                                                                                       | 75.1                                                                                                                                                                                                                                                                                                                                     |                   |              |              |                                       |     |     |     |           |      | Length wise bay spacing           |                                                  | 2@6.0+10@5.11+2@6.0                           |        |                   |                     |                 |         |               |  |  |  |  |  |  |  |  |      |  |  |                   |  |  |       |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |         |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |
| 3.            | Width in m (c/c of steel)                                                                                                                        | 53.88                                                                                                                                                                                                                                                                                                                                    |                   |              |              |                                       |     |     |     |           |      | End wall column spacing           |                                                  | 1@5.89+1@6.0+2@5.89+1@6.0+2@5.89+1@6.0+1@5.89 |        |                   |                     |                 |         |               |  |  |  |  |  |  |  |  |      |  |  |                   |  |  |       |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |         |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |
| 4.            | Width modules in m                                                                                                                               | Ref.Dwg                                                                                                                                                                                                                                                                                                                                  |                   |              |              |                                       |     |     |     |           |      | No. of interior columns per frame |                                                  | 0                                             |        |                   |                     |                 |         |               |  |  |  |  |  |  |  |  |      |  |  |                   |  |  |       |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |         |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |
| 5.            | Clear height in m                                                                                                                                | Ref.Dwg                                                                                                                                                                                                                                                                                                                                  |                   |              |              |                                       |     |     |     |           |      | Frames symmetrical                |                                                  | Yes                                           |        |                   |                     |                 |         |               |  |  |  |  |  |  |  |  |      |  |  |                   |  |  |       |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |         |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |
| 6.            | Roof                                                                                                                                             | Slope: 10:100                                                                                                                                                                                                                                                                                                                            |                   |              | Cladding: NA |                                       |     |     |     |           |      |                                   | Rainwater drainage: Eave Gutters and Down spouts |                                               |        |                   |                     |                 |         |               |  |  |  |  |  |  |  |  |      |  |  |                   |  |  |       |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |         |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |
| 7.            | Future Expansion                                                                                                                                 | NA                                                                                                                                                                                                                                                                                                                                       |                   |              |              |                                       |     |     |     |           |      |                                   |                                                  |                                               |        |                   |                     |                 |         |               |  |  |  |  |  |  |  |  |      |  |  |                   |  |  |       |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |         |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |
| 8.            | Block Wall                                                                                                                                       | NA                                                                                                                                                                                                                                                                                                                                       |                   |              |              |                                       |     |     |     |           |      |                                   |                                                  |                                               |        |                   |                     |                 |         |               |  |  |  |  |  |  |  |  |      |  |  |                   |  |  |       |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |         |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |
| 9.            | Column base elevations                                                                                                                           | NA (At FFL)                                                                                                                                                                                                                                                                                                                              |                   |              |              |                                       |     |     |     |           |      |                                   |                                                  |                                               |        |                   |                     |                 |         |               |  |  |  |  |  |  |  |  |      |  |  |                   |  |  |       |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |         |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |
| 10.           | Wall Cladding                                                                                                                                    | NA                                                                                                                                                                                                                                                                                                                                       |                   |              |              |                                       |     |     |     |           |      |                                   |                                                  |                                               |        |                   |                     |                 |         |               |  |  |  |  |  |  |  |  |      |  |  |                   |  |  |       |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |         |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |
| 11.           | Insulation                                                                                                                                       | Roof: NA                                                                                                                                                                                                                                                                                                                                 |                   |              |              |                                       |     |     |     |           |      | Outer Walls: NA                   |                                                  |                                               |        |                   | Partition walls: NA |                 |         |               |  |  |  |  |  |  |  |  |      |  |  |                   |  |  |       |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |         |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |
| 12.           | Openings                                                                                                                                         | <table><tr><td>Outer side only</td><td colspan="10">Numbers</td><td colspan="3">Type</td><td colspan="3">Size in m (w x h)</td></tr><tr><td>Doors</td><td colspan="10">NA</td><td colspan="3">NA</td><td colspan="3">NA</td></tr><tr><td>Windows</td><td colspan="10">NA</td><td colspan="3">NA</td><td colspan="3">NA</td></tr></table> |                   |              |              |                                       |     |     |     |           |      |                                   |                                                  |                                               |        |                   |                     | Outer side only | Numbers |               |  |  |  |  |  |  |  |  | Type |  |  | Size in m (w x h) |  |  | Doors | NA |  |  |  |  |  |  |  |  |  | NA |  |  | NA |  |  | Windows | NA |  |  |  |  |  |  |  |  |  | NA |  |  | NA |  |  |
|               |                                                                                                                                                  | Outer side only                                                                                                                                                                                                                                                                                                                          | Numbers           |              |              |                                       |     |     |     |           |      |                                   | Type                                             |                                               |        | Size in m (w x h) |                     |                 |         |               |  |  |  |  |  |  |  |  |      |  |  |                   |  |  |       |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |         |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |
|               |                                                                                                                                                  | Doors                                                                                                                                                                                                                                                                                                                                    | NA                |              |              |                                       |     |     |     |           |      |                                   | NA                                               |                                               |        | NA                |                     |                 |         |               |  |  |  |  |  |  |  |  |      |  |  |                   |  |  |       |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |         |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |
|               |                                                                                                                                                  | Windows                                                                                                                                                                                                                                                                                                                                  | NA                |              |              |                                       |     |     |     |           |      |                                   | NA                                               |                                               |        | NA                |                     |                 |         |               |  |  |  |  |  |  |  |  |      |  |  |                   |  |  |       |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |         |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |
|               |                                                                                                                                                  | Location of doors & bracing                                                                                                                                                                                                                                                                                                              |                   |              |              |                                       |     |     |     |           |      |                                   |                                                  |                                               |        |                   |                     |                 |         |               |  |  |  |  |  |  |  |  |      |  |  |                   |  |  |       |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |         |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |
|               |                                                                                                                                                  | Side Wall Gridlines                                                                                                                                                                                                                                                                                                                      | 1-2               | 2-3          | 3-4          | 4-5                                   | 5-6 | 6-7 | 7-8 | 8-9       | 9-10 | 10-11                             | 11-12                                            | 12-13                                         | 13-14  | 14-15             | 15-16               | Right End Wall  |         |               |  |  |  |  |  |  |  |  |      |  |  |                   |  |  |       |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |         |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |
|               |                                                                                                                                                  | Front Side Wall                                                                                                                                                                                                                                                                                                                          |                   | XP           |              |                                       |     | XP  |     |           |      | XP                                |                                                  |                                               |        | XP                |                     |                 |         |               |  |  |  |  |  |  |  |  |      |  |  |                   |  |  |       |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |         |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |
|               |                                                                                                                                                  | Back Side Wall                                                                                                                                                                                                                                                                                                                           |                   | XP           |              |                                       |     | XP  |     |           |      | XP                                |                                                  |                                               |        | XP                |                     |                 |         |               |  |  |  |  |  |  |  |  |      |  |  |                   |  |  |       |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |         |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |
|               |                                                                                                                                                  | End Wall Axes                                                                                                                                                                                                                                                                                                                            |                   | A-B          | B-C          | C-D                                   | D-E | E-F | F-G | G-H       | H-I  | I-J                               | Back Side Wall                                   |                                               |        |                   |                     |                 |         |               |  |  |  |  |  |  |  |  |      |  |  |                   |  |  |       |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |         |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |
|               |                                                                                                                                                  | Right End Wall                                                                                                                                                                                                                                                                                                                           |                   |              |              |                                       |     |     |     |           |      |                                   |                                                  |                                               |        |                   |                     |                 |         |               |  |  |  |  |  |  |  |  |      |  |  |                   |  |  |       |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |         |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |
| Left End Wall |                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                          |                   |              |              |                                       |     |     |     |           |      |                                   |                                                  |                                               |        |                   |                     |                 |         |               |  |  |  |  |  |  |  |  |      |  |  |                   |  |  |       |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |         |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |
| 13.           | Extensions                                                                                                                                       | Eave: NA                                                                                                                                                                                                                                                                                                                                 | Gable: NA         | Canopies: NA |              |                                       |     |     |     |           |      |                                   |                                                  |                                               |        |                   | Parapet: NA         |                 |         |               |  |  |  |  |  |  |  |  |      |  |  |                   |  |  |       |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |         |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |
| 14.           | Accessories                                                                                                                                      | Wall Lights:                                                                                                                                                                                                                                                                                                                             |                   | NA           |              |                                       |     |     |     |           |      |                                   |                                                  |                                               |        |                   | Roof Monitor        |                 | NA      | Any other: NA |  |  |  |  |  |  |  |  |      |  |  |                   |  |  |       |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |         |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |
|               |                                                                                                                                                  | Skylights:                                                                                                                                                                                                                                                                                                                               |                   | NA           |              |                                       |     |     |     |           |      |                                   |                                                  |                                               |        |                   | Cage ladder         |                 | NA      |               |  |  |  |  |  |  |  |  |      |  |  |                   |  |  |       |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |         |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |
|               |                                                                                                                                                  | Turbo Ventilators:                                                                                                                                                                                                                                                                                                                       |                   | NA           |              |                                       |     |     |     |           |      |                                   |                                                  |                                               |        |                   | Ridge Ventilators:  |                 | NA      |               |  |  |  |  |  |  |  |  |      |  |  |                   |  |  |       |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |         |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |
| 15.           | For Frames<br>(Standard codes and manuals used in design - 2010 Metal Building Systems Manual, NAUS07, AISC05, UBC 1997)<br>Design Software: MBS | DESIGN LOADS                                                                                                                                                                                                                                                                                                                             |                   |              |              | LOCATION - CLIMATIC DATA              |     |     |     |           |      | SERVICEBILITY CRITERIA            |                                                  |                                               |        |                   |                     |                 |         |               |  |  |  |  |  |  |  |  |      |  |  |                   |  |  |       |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |         |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |
|               |                                                                                                                                                  | Dead Load in kN/m²                                                                                                                                                                                                                                                                                                                       |                   | 0.10         |              | Max wind speed in m/s                 |     |     |     | 36.11     |      | Frames                            |                                                  | H/100, L/150                                  |        |                   |                     |                 |         |               |  |  |  |  |  |  |  |  |      |  |  |                   |  |  |       |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |         |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |
|               |                                                                                                                                                  | Live Load in kN/m²                                                                                                                                                                                                                                                                                                                       |                   | 0.575        |              | Exposure category                     |     |     |     | B         |      | Purlins                           |                                                  | Span/150                                      |        |                   |                     |                 |         |               |  |  |  |  |  |  |  |  |      |  |  |                   |  |  |       |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |         |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |
|               |                                                                                                                                                  | Collateral load in kN/m²                                                                                                                                                                                                                                                                                                                 |                   | 0.05         |              | Max rainfall intensity in mm/hr.      |     |     |     | 150       |      | Girts                             |                                                  | Span/120                                      |        |                   |                     |                 |         |               |  |  |  |  |  |  |  |  |      |  |  |                   |  |  |       |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |         |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |
|               |                                                                                                                                                  | Any other                                                                                                                                                                                                                                                                                                                                |                   | NA           |              | Seismic Design category (Coefficient) |     |     |     | II (0.33) |      | Crane Beams                       |                                                  | Span/600                                      |        |                   |                     |                 |         |               |  |  |  |  |  |  |  |  |      |  |  |                   |  |  |       |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |         |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |
|               |                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                          |                   |              |              | Max Temperature variation in °C       |     |     |     | 20        |      | Mezzanine Beams                   |                                                  | Span/240                                      |        |                   |                     |                 |         |               |  |  |  |  |  |  |  |  |      |  |  |                   |  |  |       |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |         |    |  |  |  |  |  |  |  |  |  |    |  |  |    |  |  |



|     |                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                          |                                                                                                                                                                |
|-----|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 16. | Mezzanine             | <b>Location:</b> Ref.Dwg.<br><b>Loading:</b><br>Live load in kN/m <sup>2</sup> : 7.5<br>Dead load in kN/m <sup>2</sup> : 3.75<br>Collateral load in kN/m <sup>2</sup> : 0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | <b>Dimensions:</b><br>Length in m: Ref.Dwg.<br>Width in m: Ref.Dwg.<br>Top of the Mezzanine Floor in m: Ref.Dwg.<br>Depth of mezzanine slab in mm: 150<br>Deck sheeting thickness: 0.7mm | <b>Accessories:</b> <i>Staircase</i><br>Nos.: 2<br>Location: Ref.Dwg.<br>Type: <i>Double staircase with intermediate landing</i><br>Handrail: <i>All round</i> |
| 17. | Partition Walls       | NA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                          |                                                                                                                                                                |
| 18. | Jack Beam             | NA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                          |                                                                                                                                                                |
| 19. | Assumptions & Remarks | <p><i>Built-up sections are made from hot rolled plates conforming to ASTM A-572 Gr50 (345MPa) steel.</i></p> <p><i>The plates are joined together with double side welding. Sections consist of minimum 5mm for flange &amp; minimum 4mm for web thickness.</i></p> <p><i>Cold formed sections thickness 1.5 mm or more are made of hot rolled sheet of Gr50 (345 MPa) steel.</i></p> <p><i>Primary structural connections are high strength machine bolts conforming to ASTM A325 or equivalent.</i></p> <p><i>Sheeting profile considered is of 1 m standard width, formed from a coil of 1.220 m. Single colour sheeting of up to maximum 9 m lengths is considered.</i></p> <p><b>Not considered in scope:</b> <i>Foundation, Block wall (Civil work). Crane Bridge, Trolley, Rail and its installation.</i></p> |                                                                                                                                                                                          |                                                                                                                                                                |



GROUND FLOOR PLAN

**NOTE:**

1. ALL DIMENSION ARE IN MILLIMETER U.N.O

2. ROOF&WALL SHEETING:0.5mm THK. RAL-9016

FINISH: ALUZINC

ALL DIMENSION LEVEL SHOW IN THE PROPOSAL  
DRAWING IS INDICATED ONLY, FINAL DESIGN  
DIMENSION LEVEL WILL BE SHOWN IN OUR  
APPROVAL DRAWING IN THE DESIGN STAGE

THIS DOCUMENT IS PROPOSAL  
DRAWING DATA OF SIVOKO  
NOT FOR CONSTRUCTION

|     |             |                     |     |     |     |
|-----|-------------|---------------------|-----|-----|-----|
| 00  | 06.AUG.2021 | ISSUED FOR PROPOSAL | RSG | RSG | VVJ |
| NO. | DATE        | DESCRIPTION         | DSN | DRN | CHK |

PROJECT: PARKING STRUCTURE

CLIENT: -


STEEL CONTRACTOR:



P.O. Box CS 8807,  
Comm. 7, Tema - Ghana (West Africa)  
Tel: +233-0303-910099 / +233-0302-765777  
Fax: +233-0303-951408 / +233-0302-765778  
Website: www.sivoko.net

MANUFACTURER OF P.E.B, LEAF SPRING, BOLTS  
H-BEAM & AXLE

|                                      |                    |                    |                     |
|--------------------------------------|--------------------|--------------------|---------------------|
| QUOTATION NO.<br>Q-1392              | BUILDING NO.<br>01 | REVISION NO.<br>00 | DATE<br>07.MAY.2025 |
| DRAWING TITLE:<br>COLUMN LAYOUT PLAN |                    |                    | DRAWING NO.<br>04   |



FLOOR PLAN @ LVL.+2.85m, 5.7m, 8.55m, 11.4m, 14.25m, 17.1m, 19.95m, 22.8m

NOTE:

1. ALL DIMENSION ARE IN MILLIMETER U.N.O
  2. ROOF&WALL SHEETING:0.5mm THK. RAL-9016  
FINISH: ALUZINC
- ALL DIMENSION LEVEL SHOW IN THE PROPOSAL  
DRAWING IS INDICATED ONLY, FINAL DESIGN  
DIMENSION LEVEL WILL BE SHOWN IN OUR  
APPROVAL DRAWING IN THE DESIGN STAGE

RIGHT ENDWALL

THIS DOCUMENT IS PROPOSAL  
DRAWING DATA OF SIVOKO  
NOT FOR CONSTRUCTION

|     |             |                     |     |     |     |
|-----|-------------|---------------------|-----|-----|-----|
| 00  | 06.AUG.2021 | ISSUED FOR PROPOSAL | RSG | RSG | VVJ |
| NO. | DATE        | DESCRIPTION         | DSN | DRN | CHK |

PROJECT:

PARKING STRUCTURE

CLIENT:


STEEL CONTRACTOR:



P.O. Box CS 8807,  
Comm. 7, Tema - Ghana (West Africa)  
Tel: +233-0303-910099 / +233-0302-765777  
Fax: +233-0303-951408 / +233-0302-765778  
Website: www.sivoko.net

MANUFACTURER OF P.E.B, LEAF SPRING, BOLTS  
H-BEAM & AXLE

|                    |              |              |             |
|--------------------|--------------|--------------|-------------|
| QUOTATION NO.      | BUILDING NO. | REVISION NO. | DATE        |
| Q-1392             | 01           | 00           | 07.MAY.2025 |
| DRAWING TITLE:     | DRAWING NO.  |              |             |
| COLUMN LAYOUT PLAN | 04           |              |             |



NOTE:

1. ALL DIMENSION ARE IN MILLIMETER U.N.O
  2. ROOF&WALL SHEETING:0.5mm THK. RAL-9016  
FINISH: ALUZINC
- ALL DIMENSION LEVEL SHOW IN THE PROPOSAL  
DRAWING IS INDICATED ONLY, FINAL DESIGN  
DIMENSION LEVEL WILL BE SHOWN IN OUR  
APPROVAL DRAWING IN THE DESIGN STAGE

THIS DOCUMENT IS PROPOSAL  
DRAWING DATA OF SIVOKO  
NOT FOR CONSTRUCTION

|     |             |                     |     |     |     |
|-----|-------------|---------------------|-----|-----|-----|
| 00  | 06.AUG.2021 | ISSUED FOR PROPOSAL | RSG | RSG | VVJ |
| NO. | DATE        | DESCRIPTION         | DSN | DRN | CHK |

PROJECT:  
PARKING STRUCTURE

CLIENT:  
-


STEEL CONTRACTOR:



P.O. Box CS 8807,  
Corm. 7, Tema - Ghana (West Africa)  
Tel: +233-0303-910098 / +233-0302-765777  
Fax: +233-0303-951408 / +233-0302-765778  
Website: www.sivoko.net

MANUFACTURER OF P.E.B, LEAF SPRING, BOLTS  
H-BEAM & AXLE

|                                   |                    |                    |                     |
|-----------------------------------|--------------------|--------------------|---------------------|
| QUOTATION NO.<br>Q-NNN            | BUILDING NO.<br>01 | REVISION NO.<br>00 | DATE<br>07.MAY.2025 |
| DRAWING TITLE:<br>FRAME ELEVATION |                    |                    | DRAWING NO.<br>05   |



NOTE:

1. ALL DIMENSION ARE IN MILLIMETER U.N.O
  2. ROOF&WALL SHEETING:0.5mm THK. RAL-9016  
FINISH: ALUZINC
- ALL DIMENSION LEVEL SHOW IN THE PROPOSAL  
DRAWING IS INDICATED ONLY, FINAL DESIGN  
DIMENSION LEVEL WILL BE SHOWN IN OUR  
APPROVAL DRAWING IN THE DESIGN STAGE

THIS DOCUMENT IS PROPOSAL  
DRAWING DATA OF SIVOKO  
NOT FOR CONSTRUCTION

|     |             |                     |     |     |     |
|-----|-------------|---------------------|-----|-----|-----|
| 00  | 06.AUG.2021 | ISSUED FOR PROPOSAL | RSG | RSG | VVJ |
| NO. | DATE        | DESCRIPTION         | DSN | DRN | CHK |

PROJECT: PARKING STRUCTURE

CLIENT: -

STEEL CONTRACTOR:



P.O. Box CS 8807,  
Comm. 7, Tema - Ghana (West Africa)  
Tel: +233-0303-910099 / +233-0302-765777  
Fax: +233-0303-951408 / +233-0302-765778  
Website: www.sivoko.net

MANUFACTURER OF P.E.B, LEAF SPRING, BOLTS  
H-BEAM & AXLE

|                                   |                    |                    |                     |
|-----------------------------------|--------------------|--------------------|---------------------|
| QUOTATION NO.<br>Q-NNN            | BUILDING NO.<br>01 | REVISION NO.<br>00 | DATE<br>07.MAY.2026 |
| DRAWING TITLE:<br>FRAME ELEVATION |                    |                    | DRAWING NO.<br>05   |