EXPERIMENT NO. 7

NAME: KOMAL MAHESH CHITNIS MOODLE ID: 20102068 ROLL NO: 26

DIV: A

```
PROGRAM:
WRITER:-
#include <iostream>
#include <sys/ipc.h>
#include <sys/shm.h>
#include <stdio.h>
using namespace std;
int main()
// ftok to generate unique key
key_t key = ftok("shmfile",65);
// shmget returns an identifier in shmid
int shmid = shmget(key,1024,0666|IPC_CREAT);
// shmat to attach to shared memory
char *str = (char*) shmat(shmid,(void*)0,0);
cout<<"Write Data : ";</pre>
gets(str);
printf("Data written in memory: %s\n",str);
//detach from shared memory
shmdt(str);
return 0;
}
READER:-
#include <iostream>
#include <sys/ipc.h>
#include <sys/shm.h>
#include <stdio.h>
using namespace std;
int main()
// ftok to generate unique key
key_t key = ftok("shmfile",65);
// shmget returns an identifier in shmid
int shmid = shmget(key,1024,0666|IPC_CREAT);
// shmat to attach to shared memory
char *str = (char*) shmat(shmid,(void*)0,0);
printf("Data read from memory: %s\n",str);
//detach from shared memory
shmdt(str);
```

```
// destroy the shared memory
shmctl(shmid,IPC_RMID,NULL);
return 0;
}
```

OUTPUT:

```
komalchitnis02@komal-virtual-machine: ~
 komalchitnis02@komal-virtual-machine:~$ gcc writer.c
writer.c: In function 'main':
writer.c:15:1: warning: implicit declaration of function 'gets'; did you mean 'fgets'? [-Wimplicit-function-declaration]
   15 | gets(str);
/usr/bin/ld: /tmp/ccjIVDNc.o: in function `main':
writer.c:(.text+0x6d): warning: the `gets' function is dangerous and should not be used.
 komalchitnis02@komal-virtual-machine:~$ ./a.out
komal chitnis
Data written in memory: komal chitnis
 komalchitnis02@komal-virtual-machine:~$
    Æ
                                 komalchitnis02@komal-virtual-machine: ~
                                                                                        komalchitnis02@komal-virtual-machine:~$ gcc reader.c
   komalchitnis02@komal-virtual-machine:~$ ./a.out
   Data read from memory: komal chitnis
   komalchitnis02@komal-virtual-machine:~$
```