NEET Zoology Golden Set v1.0

90 curated mixed-style questions for RAG problem-solving evaluation

Instructions: This is a question-only version. Each question has four options. Answers, solutions, chapter headings, difficulty labels, and original source numbering are intentionally not included.

Q1.

Match List-I with List-II.
List-I
List-II
(A)
CCK
(I)
Kidney
(B)
GIP
(II)
Heart
(C)
ANF
(III)
Gastric gland
(D)
ADH
(IV)
Pancreas

Choose the correct answer from the options given below:
a. A-IV, B-II, C-III, D-I
b. A-IV, B-III, C-II, D-I
c. A-III, B-II, C-IV, D-I
d. A-II, B-IV, C-I, D-III

Q2.

Which one is the correct product of DNA dependent
RNA polymerase to the given template?

3' TACATGGCAAATATCCATTCA5'

(1) 5' AUGUACCGUUUAUAGGGAAGU3'

(2) 5' ATGTACCGTTTATAGGTAAGT3'

(3) 5' AUGUACCGUUUAUAGGUAAGU3'

(4) 5' AUGUAAAGUUUAUAGGUAAGU3'

Q3.

Match List I with List II:

List-I

List-II
A. Common cold
I.
Plasmodium
B. Haemozoin
II.
Typhoid
C. Widal test
III. Rhinoviruses
D. Allergy

IV. Dust mites

Choose the correct answer form the options given below:

(1) A-III, B-I, C-II, D-IV

(2) A-IV, B-II, C-III, D-I

(3) A-II, B-IV, C-III, D-I

(4) A-I, B-III, C-II, D-IV

Q4.

Match List I with List II:

List-I

List-II
A. Pterophyllum
I.
Hag fish
B. Myxine
II.
Saw fish
C. Pristis
III. Angel fish
D. Exocoetus
IV. Flying fish

Choose the correct answer form the options given below:

(1) A-IV, B-I, C-II, D-III

(2) A-III, B-II, C-I, D-IV

(3) A-II, B-I, C-III, D-IV

(4) A-III, B-I, C-II, D-IV

Q5.

Given below are two statements: one is labelled as Assertion A and the other is labelled as Reason R.

Assertion A: Amniocentesis for sex determination is one of the strategies of Reproductive and Child Health Care Programme.

Reason R: Ban on amniocentesis checks increasing menace of female foeticide.

In the light of the above statements. Choose the correct answer from the options given below:
a. A is false but R is true.
b. Both A and R are true and R is the correct explanation of

A.
c. Both A and R are true and R is NOT the correct explanation of A.
d. A is true but R is false.

Q6.

Match List I with List II:

List-I

List-II
A. Axoneme
I. Centriole
B. Cartwheel pattern
II. Cilia and flagella
C. Crista
III. Chromosome
D. Satellite
IV. Mitochondria

Choose the correct answer form the options given below:

(1) A-II, B-IV, C-I, D-III

(2) A-II, B-I, C-IV, D-III

(3) A-IV, B-III, C-II, D-I

(4) A-IV, B-II, C-III, D-II

Q7.

Which of the following hormones released from the pituitary is actually synthesized in the hypothalamus?

(1) Luteinizing hormone (LH)

(2) Anti-diuretic hormone (ADH)

(3) Follicle-stimulating hormone (FSH)

(4) Adenocorticotrophic hormone (ACTH)

Q8.

Given below are two statements:

Statement I: In prokaryotes, the positively charged DNA is held with some negatively charged proteins in a region called nucleoid.

Statement II: In eukaryotes, the negatively charged DNA is wrapped around the positively charged histone octamer to form nucleosome.

In the light of the above statements, choose the correct answer from the options given below:
a. Statement I is incorrect but Statement II is true.
b. Both Statement I and Statement II are true.
c. Both Statement I and Statement II are false.
d. Statement I is correct but Statement II is false.

Q9.

Which one of the following techniques does not serve the purpose of early diagnosis of a disease for its early treatment?
a. Enzyme Linked Immuno-Sorbent Assay (ELISA) technique
b. Recombinant DNA Technology
c. Serum and Urine analysis
d. Polymerase Chain Reaction (PCR) technique

Q10.

Consider the following statements:

A. Annelids are true coelomates

B. Poriferans are pseudocoelomates

C. Aschelminithes are acoelomates

D. Platyhelminthes are pseudocoelomates

Choose the correct answer from the options given below:

(1) C only
(2) D only

(3) B only
(4) A only

Q11.

Which of the following statements are correct regarding female reproductive cycle?
A. In non-primate mammals cyclical changes during reproduction are called oestrus cycle.
B. First menstrual cycle begins at puberty and is called menopause.
C. Lack of menstruation may be indicative of pregnancy.
D. Cyclic menstruation extends between menarche and menopause.

Choose the most appropriate answer from the options given below:
a. A, C and D only
b. A and D only
c. A and B only
d. A, B and C only

Q12.

Given below are two statements:
Statement I: Low temperature preserves the enzyme in a temporarily inactive state whereas high temperature destroys enzymatic activity because proteins are denatured by heat.
Statement II: When the inhibitor closely resembles the substrate in its molecular structure and inhibits the activity of the enzyme, it is known as competitive inhibitor.
In the light of the above statements, choose the correct answer from the options given below:
a. Statement I is false but statement II is true.
b. Both Statement I and Statement II are true.
c. Both Statement I and Statement II are false.
d. Statement I is true but Statement II is false.

Q13.

Following are the stages of pathway for conduction of an action potential through the heart:

A. AV bundle

B. Purkinje fibres

C. AV node

D. Bundle branches

E.
SA node

Choose the correct sequence of pathway from the options given below:

(1) B-D-E-C-A

(2) E-A-D-B-C

(3) E-C-A-D-B

(4) A-E-C-B-D

Q14.

Identify the statement that is NOT correct.

(1) Each antibody has two light and two heavy chains.

(2) The heavy and light chains are held together by disulfide bonds.

(3) Antigen binding site is located at C-terminal region of antibody molecules.

(4) Constant region of heavy and light chains are located at C-terminus of antibody molecules.

Q15.

Given below are two statements:

Statement I: The DNA fragments extracted from gel electrophoresis can be used in construction of recombinant DNA.

Statement II: Smaller size DNA fragments are observed near anode while larger fragments are found near the wells in an agarose gel.

In the light of the above statements, choose the most appropriate answer from the options given below:

(1) Both statement I and statement II are correct

(2) Both statement I and statement II are incorrect

(3) Statement I is correct but statement II is incorrect

(4) Statement I is incorrect but statement II is correct

Q16.

Select the correct statements with reference to chordates.
A. Presence of a mid-dorsal, solid and double nerve cord.
B. Presence of closed circulatory system.
C. Presence of paired pharyngeal gills
D. Presence of dorsal heart
E. Triploblastic pseudocoelomate animals.

Choose the correct answer from the options given below:
a. C, D and E only
b. A, C and D only
c. B and C only
d. B, D and E only

Q17.

Match List I with List II:

List I

List II
A.
Typhoid
I.
Fungus
B.

Leishmaniasis
II.
Nematode
C.
Ringworm
III.
Protozoa
D.
Filariasis
IV.
Bacteria

Choose the correct answer from the options given below:

(1) A-III, B-I, C-IV, D-II

(2) A-II, B-IV, C-III, D-I

(3) A-I, B-III, C-II, D-IV

(4) A-IV, B-III, C-I, D-II

Q18.

Select the correct statements.
A. Tetrad formation is seen during leptotene
B. During Anaphase, the centromere split and chromatids separate.
C. Terminalization takes place during Pachytene.
D. Nucleolus, Golgi complex and ER are reformed during Telophase.
E. Crossing over takes place between sister chromatids of homologous

Choose the correct answer from the option given below:
a. B and E only
b. A and C only
c. B and D only
d. A, C and E only

Q19.

Why can’t insulin be given orally to diabetic patients?

(1) Human body will elicit strong immune response

(2) It will be digested in Gastro-Intestinal (GI) tract

(3) Because of structural variation

(4) Its bioavailability will be increased

Q20.

Who proposed that the genetic code for amino acids should be made up of three nucleotides?

(1) George Gamow

(2) Francis Crick

(3) Jacque Monod

(4) Franklin Stahl

Q21.

Which of the following type of immunity is present at the time of birth and is a non-specific type of defence in the human body?

(1) Acquired Immunity

(2) Innate Immunity

(3) Cell-mediated Immunity

(4) Humoral Immunity

Q22.

The unique mammalian characteristics are:
a. pinna, monocondylic skull and mammary glands
b. hairs, tympanic membrane and mammary glands
c. hairs, pinna and mammary glands
d. hairs, pinna and indirect development

Q23.

Which of the following is not a component of Fallopian tube?

(1) Infundibulum
(2) Ampulla

(3) Uterine fundus
(4) Isthmus

Q24.

Which of the following functions is carried out by cytoskeleton in a cell?
a. Transportation
b. Nuclear division
c. Protein synthesis
d. Motility

Q25.

Which of the following factors are favourable for the formation of oxyhaemoglobin in alveoli?

(1) Low pCO_2 and High H^+ concentration

(2) Low pCO_2 and High temperature

(3) High pO2 and High pCO2

(4) High pO2 and Lesser H+ concentration

Q26.

Select the correct group/set of Australian Marsupials exhibiting adaptive radiation.
a. Lemur, Anteater, Wolf
b. Tasmanian wolf, Bobcat, Marsupial mole
c. Numbat, Spotted cuscus, Flying phalanger
d. Mole, Flying squirrel, Tasmanian tiger cat

Q27.

After maturation, in primary lymphoid organs, the lymphocytes migrate for interaction with antigens to secondary lymphoid organ(s)/tissue(s) like:

A. thymus

B. bone marrow

C. spleen

D. lymph nodes

E.
Peyer's patches

Choose the correct answer from the options given below:

(1) B, C, D only

(2) A, B, C only

(3) E, A, B only

(4) C, D, E only

Q28.

In cockroach, excretion is brought about by-
A. Phallic gland
B. Uricose gland
C. Nephrocytes
D. Fat body
E. Collateral glands

Choose the correct answer from the options given below:
a. B and D only
b. A and E only
c. A, B and E only
d. B, C and D only
Cell Cycle and Cell Division

Q29.

Match List-I with List-II.
List-I
List-II
(A)
Vasectomy
(I)
Oral method
(B)
Coitus interruptus
(II)
Barrier method
(C)
Cervical caps
(III)
Surgical method
(D)
Saheli
(IV)
Natural method

Choose the correct answer from the options given below:
a. A-IV, B-II, C-I, D-III
b. A-III, B-I, C-IV, D-II
c. A-III, B-IV, C-II, D-I
d. A-II, B-III, C-I, D-IV

Q30.

Given below are two statements:

Statement I: During Go phase of cell cycle the cell is metabolically inactive

Statement II: The centrosome undergoes duplication during S phase of interphase.

In the light of the above statements, choose the most appropriate answer from the option below:
a. Statement I is incorrect but Statement II is correct
b. Both Statement I and Statement II are correct
c. Both Statement I and Statement II are incorrect.
d. Statement I is correct but Statement II is incorrect.

Q31.

Match List I with List II:

List I

List II
A.
Fibrous joints
I.
Adjacent vertebrae, limited movement
B.
Cartilaginous

joints
II.
Humerus and
pectoral girdle,
rotational
movement
C.
Hinge
III.
Skull,
don't
allow
any
movement
D.
Ball and socket
joints
IV.
Knee, help in
locomotion

Choose the correct answer from the options given
below:

(1) A-II, B-III, C-I, D-IV

(2) A-III, B-I, C-IV, D-II

(3) A-IV, B-II, C-III, D-I

(4) A-I, B-III, C-II, D-IV

Q32.

Match List-I with List-II.
List-I
List-II
(A)
Gene 'a'
(I)
β-galactosidase
(B)
Gene 'y'
(II)
Transacetylase
(C)
Gene 'i'
(III)
Permease
(D)
Gene 'z'
(IV)
Repressor protein

Choose the correct answer from the option given below:
a. A-III, B-I, C-IV, D-II

b. A-III, B-I, C-IV, D-III
c. A-II, B-III, C-IV, D-I
d. A-III, B-IV, C-I, D-II

9

Q33.

Match List I with List II:

List I

List II
A.
Cocaine
I.
Effective
sedative
in
surgery
B.
Heroin
II.
Cannabis
sativa
C.
Morphine
III.
Erythroxylum
D.
Marijuana
IV.
Papaver
somniferum

Choose the correct answer from the options given
below:

(1) A-II, B-I, C-III, D-IV

(2) A-III, B-IV, C-I, D-II

(3) A-IV, B-III, C-I, D-II

(4) A-I, B-III, C-II, D-IV

Q34.

Match List I with List II:

List-I

List-II
A. Pleurobrachia
I.
Mollusca
B. Radula
II.

Ctenophora
C. Stomochord
III. Osteichthyes
D. Air bladder
IV. Hemichordata

Choose the correct answer form the options given below:

(1) A-II, B-IV, C-I, D-III

(2) A-IV, B-III, C-II, D-I

(3) A-IV, B-II, C-III, D-I

(4) A-II, B-I, C-IV, D-III

Q35.

Given below are two statements: one is labelled as Assertion A and the other is labelled as Reason R.

Assertion A: Endometrium is necessary for implantation of blastocyst.

Reason R: In the absence of fertilization, the corpus luteum degenerates that causes disintegration of endometrium.

In the light of the above statements, choose the correct answer from the options given below:
a. A is false but R is true.
b. Both A and R are true and R is the correct explanation of A.
c. Both A and R are true but R is NOT the correct explanation of A.
d. A is true but R is false.

Q36.

Match List I with List II:

List I

List II
A.
Lipase
I.
Peptide bond
B.
Nuclease
II.
Ester bond
C.
Protease
III.
Glycosidic bond
D.
Amylase
IV.

Phosphodiester
bond

Choose the correct answer from the options given below:

(1) A-II, B-IV, C-I, D-III

(2) A-IV, B-I, C-III, D-II

(3) A-IV, B-II, C-III, D-I

(4) A-III, B-II, C-I, D-IV

Q37.

Choose the correct statement given below regarding juxta medullary nephron.

(1) Loop of Henle of juxtamedullary nephron runs deep into medulla.

(2) Juxtamedullary
nephrons
outnumber
the
cortical nephrons.

(3) Juxtamedullary nephrons are located in the columns of Bertini.

(4) Renal corpuscle of juxtamedullary nephron lies in the outer portion of the renal medulla.

Q38.

The flippers of the Penguins and Dolphins are the example of the

(1) Convergent evolution

(2) Divergent evolution

(3) Adaptive radiation

(4) Natural selection

Q39.

Which of the following is not a cloning vector?
a. Probe
b. BAC
c. YAC
d. pBR322

Q40.

Radial symmetry is NOT found in adults of phylum
a. Echinodermata
b. Ctenophora

c. Hemichordata
d. Coelenterata

Q41.

Which of the following is not a natural/traditional contraceptive method?

(1) Lactational amenorrhea

(2) Vaults

(3) Coitus interruptus

(4) Periodic abstinence

Q42.

Following are the stages of cell division:

A. Gap 2 phase

B. Cytokinesis

C. Synthesis phase

D. Karyokinesis

E.
Gap 1 phase

Choose the correct sequence of stages from the options given below:

(1) B-D-E-A-C

(2) E-C-A-D-B

(3) C-E-D-A-B

(4) E-B-D-A-C

Q43.

Consider the following statements regarding function of adrenal medullary hormones:

A. It causes pupilary constriction

B. It is a hyperglycemic hormone

C. It causes piloerection

D. It increases/strength of heart contraction

Choose the correct answer from the options given below:

(1) C and D Only

(2) B, C and D Only

(3) A, C and D Only

(4) D Only

Q44.

Given below are some stages of human evolution.
Arrange them in correct sequence. (Past to Recent)

A. Homo habilis

B. Homo sapiens

C. Homo neanderthalensis

D. Homo erectus

Choose the correct sequence of human evolution
from the options given below:

(1) C-B-D-A

(2) A-D-C-B

(3) D-A-C-B

(4) B-A-D-C

Q45.

Which of the following statements is incorrect?

(1) Bio-reactors are used to produce small scale
bacterial cultures.

(2) Bio-reactors have an agitator system, an oxygen
delivery system and foam control system.

(3) A
bio-reactor
provides
optimal
growth
conditions for achieving the desired product.

(4) Most commonly used bio-reactors are of
stirring type.

Q46.

Given below are two statements:

Statement I: Ligaments are dense irregular tissue

Statement II: Cartilage is dense regular tissue.

In the light of above statements choose the correct answer from the option given below:
a. Statement I is false but Statement III is true.
b. Both Statement I and II are true
c. Both Statement I and II are false
d. Statement I is true but Statement II is false

Q47.

Given below are two statements:

Statement I: The presence or absence of hymen is not a reliable indicator of virginity.

Statement II: The hymen is torn during the first coitus only.

In the light of the above statements, choose the correct answer from the options given below:

(1) Statement I is true but Statement II is false.

(2) Statement I is false but Statement II is true.

(3) Both Statement I and Statement II are true.

(4) Both Statement I and Statement II are false.

Q48.

Given below are two statements:

Statement I: A protein is imagined as a line, the left end represented by first amino acid (C-terminal) and the right end represented by last amino acid (N-terminal)

Statement II: Adult human haemoglobin, consists of 4 subunits (two subunits of a type and two subunits of b type.)
In the light of the above statements, choose the correct answer from the options given below:
a. Statement I is false but Statement II is true.
b. Both Statement I and Statement II are true.
c. Both Statement I and Statement II are false.
d. Statement I is true but Statement II is false.

Q49.

As per ABO blood grouping system, the blood group of fathers is B+, mother is A+ and child is O+. Their respective genotype can be

A. IBi/IAi/ii

B. IBIB/IAIA/ii

C. IAIB/iIA/IBi

D. IAi/IBi/IAi

E.
iIB/iIA/IAIB

Choose the most appropriate answer from the options given below:

(1) C & B only
(2) D & E only

(3) A only
(4) B only

Q50.

Given below are two statements:

Statement I: RNA mutates at a faster rate.

Statement II: Viruses having RNA genome and shorter life span mutate and evolve faster.

In the light of the above statements, choose the correct answer from the options given below.
a. Statement I false but Statement II is true.
b. Both Statement I and Statement II are true.
c. Both Statement I and Statement II are false.
d. Statement I is true but Statement II is false.

Q51.

Match List-I with List-II.
List-I
List-II
(A)
Heroin
(I)
Effect on cardiovascular system
(B)
Marijuana
(II)
Slow down body function
(C)
Cocaine
(III)
Painkiller
(D)
Morphine
(IV)
Interfere with transport dopamine

Choose the correct answer from the options given below:
a. A-III, B-IV, C-I, D-II
b. A-II, B-I, C-IV, D-III
c. A-I. B-II, C-III, D-IV
d. A-IV, B-III, C-II, D-I

Q52.

The following are the statements about non-chordates:

A. Pharynx is perforated by gill slits.

B. Notochord is absent.

C. Central nervous system is dorsal.

D. Heart is dorsal if present.

E.
Post anal tail is absent.

Choose the most appropriate answer from the options given below:

(1) B, D and E only (2) B, C and D only

(3) A and C only
(4) A, B and D only

Q53.

Identify the correct option (A), (B), (C), (D) with respect to spermatogenesis.
GnRH

LH

(A)

□

□

(B)

(C)

□

□

Androgens

Factors

□

□

Formation of spermatids

(D)

(1) FSH,

Sertoli
cells,
Leydig
cells,
spermatogenesis.

(2) ICSH,
Leydig
cells,
Sertoli
cells
spermatogenesis.

(3) FSH, Leydig cells, Sertoli cells, spermiogenesis

(4) ICSH,
Interstitial
cells,
Leydig
cells,
spermiogenesis.

Q54.

Which of the following are NOT considered as the part of endomembrane system?
A. Mitochondria
B. Endoplasmic Reticulum
C. Chloroplasts
E. Peroxisomes
D. Golgi complex

Choose the most appropriate answer from the options given below:
a. A, D and E only
b. B and D only
c. A, C and E only
d. A and D only

Q55.

Match List-I with List-II.
List-I (Type of Joint)
List-II (Found between)
(A)
Cartilaginous
Joint
(I)
Between flat skull bones
(B)
Ball and Socket
Joint
(II)
Between adjacent
vertebrae in vertebral
column
(C)
Fibrous Joint

(III)
Between
carpal
and
metacarpal of thumb
(D)
Saddle Joint
(IV)
Between Humerus and
Pectoral girdle

Choose the correct answer from the option given below:
a. A-II, B-IV, C-III, D-I
b. A-III, B-I, C-II, D-IV
c. A-II, B-IV, C-I, D-III
d. A-I, B-IV, C-III, D-II

Q56.

Which one of the following factors will not affect the Hardy-Weinberg equilibrium?

(1) Gene migration

(2) Constant gene pool

(3) Genetic recombination

(4) Genetic drift

Q57.

The blue and white selectable markers have been developed which differentiate recombinant colonies from non-recombinant colonies on the basis of their ability to produce colour in the presence of a chromogenic substrate.

Given below are two statements about this method:

Statement I: The blue coloured colonies have DNA insert in the plasmid and they are identified as recombinant colonies.

Statement II: The colonies without blue colour have DNA insert in the plasmid and are identified as recombinant colonies.

In the light of the above statements, choose the most appropriate answer from the options given below:

(1) Both Statement I and Statement II are correct

(2) Both Statement I and Statement II are incorrect

(3) Statement I is correct but Statement II is incorrect

(4) Statement I is incorrect but Statement II is correct

Q58.

Match List-I with List-II.

List-I	List-II
(A) Mast cells	(I) Ciliated epithelium
(B) Inner surface of bronchiole	(II) Areolar connective tissue
(C) Blood	(III) Cuboidal epithelium
(D) Tubular parts of nephron	(IV) specialised connective tissue

Choose the correct answer from the options
a. A-III, B-IV, C-II, D-I
b. A-I, B-II, C-IV, D-III
c. A-II, B-III, C-I, D-IV
d. A-II, B-I, C-IV, D-III

Q59.

Given below are two statements: one is labelled as Assertion A and the other is labelled as Reason R:

Assertion A : Breast-feeding during initial period of infant growth is recommended by doctors for bringing a healthy baby

Reason R: Colostrum contains several antibodies absolutely essential to develop resistance for the new born baby.

In the light of the above statements, choose the most appropriate answer from the options given below:

(1) A is correct but R is not correct.

(2) A is not correct but R is correct.

(3) Both A and R are correct and R is the correct explanation of A.

(4) Both A and R are correct but R is NOT the correct explanation of A.

Q60.

Regarding catalytic cycle of an enzyme action, select the correct sequential steps:

A. Substrate enzyme complex formation.

B. Free enzyme ready to bind with another substrate.

C. Release fo products.

D. Chemical bonds of the substrate broken.

E.
Substrate bindig to active site.

Choose the correct answer from the options given below:

(1) B, A, C, D, E

(2) E, D, C, B, A

(3) E, A, D, C, B

(4) A, E, B, D, C

Q61.

Given below are two statements:

Statements I: In the nephron the descending limb of loop of Henle is impermeable to water and permeable to electrolytes.

Statement II: The proximal convoluted tubule is lined by simple columnar brush border epithelium and increases the surface area for reabsorption.

In the light of the above statements, choose the correct answer from the options given below:

(1) Statement I is true but Statement II is false.

(2) Statement I is false but Statement II is true.

(3) Both Statement I and Statement II are true.

(4) Both Statement I and Statement II are false.

Q62.

Match List I with List II:

List-I

List-II
A. Mesozoic Era
I.
Lower
invertebrates
B. Proterozoic Era
II.
Fish & Amphibia
C. Cenozoic Era
III. Birds & Reptiles
D. Paleozoic Era
IV. Mammals

Choose the correct answer form the options given below:

(1) A-I, B-II, C-IV, D-III

(2) A-III, B-I, C-IV, D-II

(3) A-II, B-I, C-III, D-IV

(4) A-III, B-I, C-II, D-IV

Q63.

In which blood corpuscles, the HIV undergoes replication and produces progeny viruses?
a. Eosinophils
b. TH cells
c. B-lymphocytes
d. Basophils

Q64.

Match List-I with List-II.
List-I
List-II
(A)
Taenia
(I)
Nephridia
(B)
Paramoecium
(II)
Contractile vacuole
(C)
Periplaneta
(III)
Flame cells
(D)
Pheretima
(IV)
Uricose gland

Choose the correct answer from the options given below:

a. A-II, B-I, C-IV, D-III
b. A-I, B-II, C-III, D-IV
c. A-I, B-II, C-IV, D-III
d. A-III, B-II, C-IV, D-I

Q65.

Given below are two statements:

Statement I: Vas deferens receives a duct from seminal vesicle and opens into urethra as the ejaculatory duct.

Statement II: The cavity of the cervix is called cervical canal which along with vagina forms birth canal.

In the light of the above statements, choose the correct answer from the options given below:
a. Statement I incorrect but Statement II is true.
b. Both Statement I and Statement II are true.
c. Both Statement I and Statement II are false.
d. Statement I is correct but Statement II is false.

8

Q66.

Once the undigested and unabsorbed substances enter the caecum, their backflow is prevented by-
a. Pyloric sphincter
b. Sphincter of Oddi
c. Ileo-caecal valve
d. Gastro-oesophageal sphincter

Q67.

Histones are enriched with -

(1) Lysine & Arginine

(2) Leucine & Lysine

(3) Phenylalanine & Leucine

(4) Phenylalanine & Arginine

Q68.

Which of the following are Autoimmune disorders?

A. Myasthenia gravis

B. Rheumatoid arthritis

C. Gout

D. Muscular dystrophy

E.
Systemic Lupus Erythematosus (SLE)

Choose the most appropriate answer from the options given below:

(1) B, C & E only

(2) C, D & E only

(3) A, B & D only

(4) A, B & E only

Q69.

Which of the following is characteristic feature of cockroach regarding sexual dimorphism?
a. Presence of anal cerci
b. Dark brown body colour and anal cerci
c. Presence of anal styles
d. Presence of sclerites

Q70.

Match List I with List II:

List I

List II
A.
Non-medicated
IUD
I.
Multiload 375
B.
Copper releasing
IUD
II.
Progestonges
C.
Hormone
releasing IUD
III.
Lippes loop
D.
Implants
IV.
LNG-20

Choose the correct answer from the options given below:

(1) A-IV, B-I, C-II, D-III

(2) A-III, B-I, C-IV, D-II

(3) A-III, B-I, C-II, D-IV

(4) A-I, B-III, C-IV, D-II

Q71.

Match List-I with List-II.
List-I
List-II
(A)
P-wave
(I)
Beginning of systole
(B)
Q-wave
(II)
Repolarisation of ventricles
(C)
QRS complex
(III)
Depolarisation of atria
(D)
T-wave
(IV)
Depolarisation of ventricles
a. A-I, B-II, C-III, D-IV
b. A-III, B-I, C-IV, D-II
c. A-IV, B-III, C-II, D-I
d. A-II, B-IV, C-I, D-III

Q72.

Silencing of specific mRNA is possible via RNAi because of -

(1) Complementary dsRNA

(2) Inhibitory ssRNA

(3) Complementary tRNA

(4) Non-complementary ssRNA

Q73.

The "Ti plasmid" of Agrobacterium tumefaciens stands for

(1) Tumor inducing plasmid

(2) Temperature independent plasmid

(3) Tumour inhibiting plasmid

(4) Tumor independent plasmid

Q74.

Given below are statements: one is labelled as Assertion A and the other is labelled as Reason R.

Assertion A: Nephrons are of two types: Cortical & Juxta medullary, based on their relative position in cortex and medulla.

Reason R: Juxta medullary nephrons have short loop of Henle whereas, cortical nephrons have longer loop of Henle.

In the light of the above statements, choose the correct answer from the options given below:
a. A is false but R is true.
b. Both A and R are true and R is the correct explanation of A.
c. Both A and R are true but R is NOT the correct explanation of A.
d. A is true but R is false.

Q75.

Match List I with List II:

List-I

List-II
A. Down's syndrome
I. 11th chromosome
B. □ - Thalassemia
II. 'X' chromosome
C. □-Thalassemia
III. 21st chromosome
D. Klinefelter's
IV. 16th chromosome

Choose the correct answer form the options given below:

(1) A-III, B-IV, C-I, D-II

(2) A-IV, B-I, C-II, D-III

(3) A-I, B-II, C-III, D-IV

(4) A-II, B-III, C-IV, D-I

Q76.

Given below are two statements:

Statement I: Bone marrow is the main lymphoid organ where all blood cells including lymphocytes are produced.

Statement II: Both bone marrow and thymus provide micro environments for the development and maturation of T-lymphocytes.

In the light of the above statements, choose the most appropriate answer from the options given below:

(1) Statement I is correct but statement II is

incorrect.

(2) Statement I is incorrect but statement II is correct.

(3) Both statement I and Statement II are correct.

(4) Both statement I and Statement II are incorrect.

Q77.

Vital capacity of lung is _____.
a. IRV + ERV + TV
b. IRV + ERV
c. IRV + ERV + TV + RV d. IRV + ERV + TV – RV

Q78.

Genes R and Y follow independent assortment. If RRYY produce round yellow seeds and rryy produce wrinkled green seeds, what will be the phenotypic ratio of the F2 generation?

(1) Phenotypic ratio - 1 : 2 : 1

(2) Phenotypic ratio - 3 : 1

(3) Phenotypic ratio - 9 : 3 : 3 : 1

(4) Phenotypic ratio - 9 : 7

Q79.

Match List I with List II:

List I

List II
A.
□-1
antitrypsin
I.
Cotton bollworm
B.
Cry IAb
II.
ADA deficiency
C.
Cry IAc
III.
Emphysema
D.
Enzyme
replacement
therapy
IV.
Corn borer

Choose the correct answer from the options given

below:

(1) A-III, B-IV, C-I, D-II

(2) A-II, B-IV, C-I, D-III

(3) A-II, B-I, C-IV, D-III

(4) A-III, B-I, C-II, D-IV

Q80.

Match List-I with List-II with respect to human eye.
List-I
List-II
(A)
Fovea
(I)
Visible coloured portion of eye
that regulates diameter of pupil.
(B)
Iris
(II)
External layer of eye formed of
dense connective tissue.
(C)
Blind spot
(III)
Point of greatest visual acuity or
resolution.
(D)
Sclera
(IV)
Point where optic nerve leaves
the eyeball and photoreceptor
cells are absent.

Choose the correct answer from the options given below:
a. A-II, B-I, C-III, D-IV
b. A-III, B-I, C-IV, D-II
c. A-IV, B-III, C-II, D-I
d. A-I, B-IV, C-III, D-II

Q81.

Match List I with List II:

List-I

List-II
A. RNA polymerase
III
I.
snRNPs
B. Termination
of
transcription
II.

Promoter
C. Splicing of Exons III. Rho factor
D. TATA box
IV. snRNAs, tRNA

Choose the correct answer form the options given below:

(1) A-III, B-IV, C-I, D-II

(2) A-IV, B-III, C-I, D-II

(3) A-II, B-IV, C-I, D-III

(4) A-III, B-II, C-IV, D-I

Q82.

Match List-I with List-II
List-I
List-II
(A)
Ringworm
(I)
Haemophilus influenzae
(B)
Filariasis
(II)
Trichophyton.
(C)
Malaria
(III)
Wuchereria bancrofti
(D)
Pneumonia
(IV)
Plasmodium vivax

Choose the correct answer from the options given below:
a. A-III, B-II, C-IV, D-I
b. A-II, B-III, C-IV, D-I
c. A-II, B-III, C-I, D-IV
d. A-III, B-II, C-I, D-IV

Q83.

Match List I with List II:

List I

List II
A.
Expiratory
capacity
I.
Expiratory
reserve volume
+ Tidal volume

+
Inspiratory
reserve volume
B.
Functional
residual
capacity
II.
Tidal volume +
Expiratory
reserve volume
C.
Vital capacity
III.
Tidal volume +
Inspiratory
reserve volume
D.
Inspiratory
capacity
IV.
Expiratory
reserve volume
+ Residual
volume

Choose the correct answer from the options given
below:

(1) A-II, B-I, C-IV, D-III

(2) A-I, B-III, C-II, D-IV

(3) A-II, B-IV, C-I, D-III

(4) A-III, B-II, C-IV, D-I

Q84.

Match List I with List II:

List-I

List-II
A. P wave
I.
Heart
muscles
are
electrically silent.
B. QRS
complex
II.
Depolarisation
of
ventricles.

C. T wave
III.
Depolarisation of atria.
D. T-P gap
IV.
Repolarisation
of
ventricles.

Choose the correct answer form the options given below:

(1) A-II, B-III, C-I, D-IV

(2) A-IV, B-II, C-I, D-III

(3) A-I, B-III, C-IV, D-II

(4) A-III, B-II, C-IV, D-I

Q85.

Match List-I with List-II.
List-I (Cells)
List-II (Secretion)
(A)
Peptic cells
(I)
Mucus
(B)
Goblet Cells
(II)
Bile Juice
(C)
Oxyntic Cell
(III)
Proenzyme Pepsinogen
(D)
Hepatic cells
(IV)
HCl and intrinsic factor for
absorption of vitamin B12

Choose the correct answer from the options given below
a. A-II, B-IV, C-I, D-III
b. A-IV, B-III, C-II, D-I
c. A-II, B-I, C-III, D-IV
d. A-III, B-I, C-IV, D-II

7

Q86.

In frog, the Renal portal system is a special venous connection that acts to link :

(1) Liver and intestine

(2) Liver and kidney

(3) Kidney and intestine

(4) Kidney and lower part of body

Q87.

Match List I with List II:

List-I

List-II

A. Exophthalmic goiter

I. Excess secretion of cortisol, moon face & hyperglycemia

B. Acromegaly

II. Hypo-secretion of thyroid hormone and stunted growth.

C. Cushing's syndrome

III. Hyper secretion of thyroid hormone & protruding eye balls.

D. Cretinism

IV. Excessive secretion of growth hormone.

Choose the correct answer form the options given below:

(1) A-III, B-IV, C-II, D-I

(2) A-III, B-IV, C-I, D-II

(3) A-I, B-III, C-II, D-IV

(4) A-IV, B-II, C-I, D-III

Q88.

Which of the following is not a steroid hormone?

(1) Progesterone
(2) Glucagon

(3) Cortisol
(4) Testosterone

Q89.

Match List - I with List - II.

List - I

List - II

A. Heart
I.
Erythropoietin

B. Kidney
II.
Aldosterone

C. Gastro-intestinal
III. Atrial natriuretic

tracts

factor

D. Adrenal Cortex
IV. Secretin

Choose the correct answer from the options given below:

(1) A-II, B-I, C-III, D-IV

(2) A-IV, B-III, C-II, D-I

(3) A-I, B-III, C-IV, D-II

(4) A-III, B-I, C-IV, D-II

Q90.

Match List I with List II:

List I

List II
A.
Pons
I.
Provides
additional space
for
Neurons,
regulates posture
and balance.
B.
Hypothalamus
II.
Controls
respiration and
gastric

secretions.
C.
Medulla
III.
Connects
different regions
of the brain.
D.
Cerebellum
IV.
Neuro secretory
cells

Choose the correct answer from the options given below:

(1) A-I, B-III, C-II, D-IV

(2) A-II, B-I, C-III, D-IV

(3) A-II, B-III, C-I, D-IV

(4) A-III, B-IV, C-II, D-I