PRN – 260245920034

1. *List names of employees whose job is MANAGER.*
   mysql> select ename from emp where job = 'Manager';

```
mysql> select ename from emp where job = 'Manager';
+---------+
| ename   |
+---------+
| JONES   |
| BLAKE   |
| CLARK   |
| HOFFMAN |
| ALEX    |
+---------+
5 rows in set (0.00 sec)
```

2. *List names of employee having salary greater than equal to 3000.*
   mysql> select ename from emp where sal>=3000;

```
mysql> select ename from emp where sal>=3000;
+---------+
| ename   |
+---------+
| AARAV   |
| SCOTT   |
| KING    |
| FRED    |
| FORD    |
| HOFFMAN |
+---------+
6 rows in set (0.00 sec)
```

3. *List all employees having 'A' as second letter in their names.*
   mysql> select ename from emp where ename like '_A%';

```
mysql> select ename from emp where ename like '_A%';
+---------+
| ename   |
+---------+
| BANDISH |
| AARAV   |
| WARD    |
| MARTIN  |
| JAMES   |
| AARUSH  |
| NATASHA |
| SANGITA |
+---------+
8 rows in set (0.00 sec)
```

4. *List the Employee Number, Name, Hiredate and Job Title of the Employees in the Department 10.*
   mysql> select empno, ename, hiredate, job from emp where deptNo = 10;

```
mysql> select empno, ename, hiredate, job from emp where deptNo = 10;
+-------+--------+------------+-----------+
| empno | ename  | hiredate   | job       |
+-------+--------+------------+-----------+
|  7415 | AARAV  | 1981-12-31 | CLERK     |
|  7421 | THOMAS | 1981-07-19 | CLERK     |
|  7782 | CLARK  | 1981-06-09 | MANAGER   |
|  7839 | KING   | 1981-11-17 | PRESIDENT |
|  7934 | MILLER | 1982-01-23 | CLERK     |
+-------+--------+------------+-----------+
5 rows in set (0.00 sec)
```

5. *Display the details of those Employees who earn a monthly Salary of more than 2000.*
   mysql> select * from emp where sal>2000;

```
mysql>
mysql>
mysql>
mysql>
mysql> select * from emp where sal>2000;
+-------+---------+--------+----------------+------+------------+------+------+--------+---------+------------+------------+------------+----------+
| EMPNO | ENAME   | GENDER | JOB            | MGR  | HIREDATE   | SAL  | COMM | DEPTNO | BONUSID | USER NAME  | PWD        | PHONE      | isActive |
+-------+---------+--------+----------------+------+------------+------+------+--------+---------+------------+------------+------------+----------+
|  7415 | AARAV   | M      | CLERK          | 7902 | 1981-12-31 | 3350 | NULL |     10 |    NULL | AARAV      | NULL       | 7032300084 |        0 |
|  7566 | JONES   | M      | MANAGER        | 7839 | 1981-04-02 | 2975 | NULL |     20 |       4 | HONEYCOMB  | a12recmpm  | 7132300039 |        1 |
|  7698 | BLAKE   | M      | MANAGER        | 7839 | 1981-05-01 | 2850 | NULL |     30 |       1 | BIG BEN    | sales@2017 | 7132300027 |        1 |
|  7782 | CLARK   | M      | MANAGER        | 7839 | 1981-06-09 | 2450 | NULL |     10 |       3 | CLARK      | r50mpm     | 7032300001 |        1 |
|  7788 | SCOTT   | M      | ANALYST        | 7566 | 1982-12-09 | 3000 | NULL |     20 |       3 | WHITE SAND | a12recmpm  | NULL       |        1 |
|  7839 | KING    | M      | PRESIDENT      | NULL | 1981-11-17 | 5000 | NULL |     10 |       1 | KING       | r50mpm     | 7132300081 |        1 |
|  7840 | FRED    | M      | vice PRESIDENT | 7839 | 1983-08-09 | 5000 | NULL |     20 |       1 | SAND STONE | a12recmpm  | NULL       |        1 |
|  7902 | FORD    | M      | ANALYST        | 7566 | 1981-12-03 | 3000 | NULL |     20 |       4 | CONBRIO    | a12recmpm  | NULL       |        0 |
|  7919 | HOFFMAN | M      | MANAGER        | 7566 | 1982-03-24 | 4150 | NULL |     30 |       3 | INTERVAL   | sales@2017 | NULL       |        1 |
|  7920 | GRASS   | M      | SALESMAN       | 7919 | 1980-02-14 | 2575 | 2700 |     30 |       5 | GRASS      | sales@2017 | NULL       |        1 |
+-------+---------+--------+----------------+------+------------+------+------+--------+---------+------------+------------+------------+----------+
10 rows in set (0.00 sec)

mysql>
```

6. *Display the names of all Employees from Department 10 and 20 whose name start with "A" and ends with "B".*
   mysql> select ename from emp where deptno in (10, 20) and ename like 'A%B';
   Empty set (0.00 sec)

7. *Display the details of the employees who have joined on 21-DEC-1990.*
   mysql> select * from emp where hiredate = '1990-12-21';
   Empty set (0.00 sec)

8. *Display the Employee Code, Name, Job & Annual Salary for all Employees belonging to Department Number 10.*
   mysql> select empno as EmployeeCode, ename as Name, job as JobTitle, sal * 12 as AnnualSalary from emp where deptno = 10;

9. *Display the details of the Employees who earn an Annual salary of more than 25000. Sort the records in the descending order of Salary.*
   mysql> select * from emp where sal * 12 > 25000 order by sal desc;

```
mysql> select * from emp where sal * 12 > 25000 order by sal desc;
+-------+---------+--------+----------------+------+------------+------+------+--------+---------+------------+------------+------------+----------+
| EMPNO | ENAME   | GENDER | JOB            | MGR  | HIREDATE   | SAL  | COMM | DEPTNO | BONUSID | USER NAME  | PWD        | PHONE      | isActive |
+-------+---------+--------+----------------+------+------------+------+------+--------+---------+------------+------------+------------+----------+
|  7839 | KING    | M      | PRESIDENT      | NULL | 1981-11-17 | 5000 | NULL |     10 |       1 | KING       | r50mpm     | 7132300081 |        1 |
|  7840 | FRED    | M      | vice PRESIDENT | 7839 | 1983-08-09 | 5000 | NULL |     20 |       1 | SAND STONE | a12recmpm  | NULL       |        1 |
|  7919 | HOFFMAN | M      | MANAGER        | 7566 | 1982-03-24 | 4150 | NULL |     30 |       3 | INTERVAL   | sales@2017 | NULL       |        1 |
|  7415 | AARAV   | M      | CLERK          | 7902 | 1981-12-31 | 3350 | NULL |     10 |    NULL | AARAV      | NULL       | 7032300084 |        0 |
|  7788 | SCOTT   | M      | ANALYST        | 7566 | 1982-12-09 | 3000 | NULL |     20 |       3 | WHITE SAND | a12recmpm  | NULL       |        1 |
|  7902 | FORD    | M      | ANALYST        | 7566 | 1981-12-03 | 3000 | NULL |     20 |       4 | CONBRIO    | a12recmpm  | NULL       |        0 |
|  7566 | JONES   | M      | MANAGER        | 7839 | 1981-04-02 | 2975 | NULL |     20 |       4 | HONEYCOMB  | a12recmpm  | 7132300039 |        1 |
|  7698 | BLAKE   | M      | MANAGER        | 7839 | 1981-05-01 | 2850 | NULL |     30 |       1 | BIG BEN    | sales@2017 | 7132300027 |        1 |
|  7920 | GRASS   | M      | SALESMAN       | 7919 | 1980-02-14 | 2575 | 2700 |     30 |       5 | GRASS      | sales@2017 | NULL       |        1 |
|  7782 | CLARK   | M      | MANAGER        | 7839 | 1981-06-09 | 2450 | NULL |     10 |       3 | CLARK      | r50mpm     | 7032300001 |        1 |
+-------+---------+--------+----------------+------+------------+------+------+--------+---------+------------+------------+------------+----------+
10 rows in set (0.00 sec)

mysql>
```

10. *Display the names of Employees whose names contain the character "F".*
    mysql> select ename from emp where ename like '%F%';

```
mysql> select ename from emp where ename like '%F%';
+---------+
| ename   |
+---------+
| FRED    |
| FORD    |
| HOFFMAN |
+---------+
3 rows in set (0.00 sec)
```

11. *Display the Employee Code, Name, Job & Annual Salary for all Employees belonging to Department Number 10.*
    mysql> select empno as EmployeeCode, ename as Name, job as JobTitle, sal * 12 as AnnualSalary from emp where deptno = 10;

```
mysql> select empno as EmployeeCode,  ename as Name,  job as JobTitle,  sal * 12 as AnnualSalary from emp where deptno = 10;
+--------------+--------+-----------+--------------+
| EmployeeCode | Name   | JobTitle  | AnnualSalary |
+--------------+--------+-----------+--------------+
|         7415 | AARAV  | CLERK     |        40200 |
|         7421 | THOMAS | CLERK     |        21000 |
|         7782 | CLARK  | MANAGER   |        29400 |
|         7839 | KING   | PRESIDENT |        60000 |
|         7934 | MILLER | CLERK     |        15600 |
+--------------+--------+-----------+--------------+
5 rows in set (0.00 sec)
```

12. *Display the details of the Employees who earn an Annual salary of more than 25000. Sort the records in the descending order of Salary.*
    mysql> select * from emp where sal * 12 > 25000 order by sal desc;


```
mysql> select empno as EmployeeCode,  ename as Name,  job as JobTitle,  sal * 12 as AnnualSalary from emp where deptno = 10;
+--------------+--------+-----------+--------------+
| EmployeeCode | Name   | JobTitle  | AnnualSalary |
+--------------+--------+-----------+--------------+
|         7415 | AARAV  | CLERK     |        40200 |
|         7421 | THOMAS | CLERK     |        21000 |
|         7782 | CLARK  | MANAGER   |        29400 |
|         7839 | KING   | PRESIDENT |        60000 |
|         7934 | MILLER | CLERK     |        15600 |
+--------------+--------+-----------+--------------+
5 rows in set (0.00 sec)
```

13. *Display the names of Employees whose names contain the character "F".*

mysql> select ename from emp where ename like '%F%';

```
+---------+
| ename   |
+---------+
| FRED    |
| FORD    |
| HOFFMAN |
+---------+
3    rows in set (0.00 sec)
```

14. *Display the Names and Numbers of all Departments in the descending order of the Department Names.*
mysql> select dname, deptno from dept order by dname desc;

```
mysql> select dname, deptno from dept order by dname desc;
+------------+--------+
| dname      | deptno |
+------------+--------+
| SALES      |     30 |
| RESEARCH   |     20 |
| OPERATIONS |     40 |
| IT         |     60 |
| HR         |     50 |
| ACCOUNTING |     10 |
+------------+--------+
6 rows in set (0.00 sec)
```

15. *Display the Name, Employee Number, Designation and Salary of those Employees who earn a monthly salary of not less than 1000 and not more than 2000.*

mysql> select ename as Name, empno as EmployeeNumber, job as Designation, sal as Salary from emp where sal between 1000 and 2000;

```
mysql> select ename as Name, empno as EmployeeNumber,  job as Designation, sal as Salary from emp where sal between 1000 and 2000;
+----------+----------------+--------------------+--------+
| Name     | EmployeeNumber | Designation        | Salary |
+----------+----------------+--------------------+--------+
| GITA     |           6001 | Compliance officers |   1750 |
| VRUSHALI |           6129 | Compliance officers |   1750 |
| SHARMIN  |           6473 | Public Relation     |   1750 |
| BANDISH  |           6781 | Public Relation     |   1750 |
| THOMAS   |           7421 | CLERK               |   1750 |
| ALLEN    |           7499 | SALESMAN            |   1600 |
| WARD     |           7521 | SALESMAN            |   1250 |
| MARTIN   |           7654 | SALESMAN            |   1250 |
| TURNER   |           7844 | SALESMAN            |   1500 |
| ADAMS    |           7876 | CLERK               |   1100 |
| Ruhan    |           7888 | Network             |   2000 |
| Neel     |           7889 | vice PRESIDENT      |   1000 |
| MILLER   |           7934 | CLERK               |   1300 |
| AARUSH   |           7945 | SALESMAN            |   1350 |
| ALEX     |           7949 | MANAGER             |   1250 |
| NATASHA  |           8433 | CLERK               |   1750 |
| SANGITA  |           9400 | Compliance officers |   1750 |
| SUPRIYA  |           9473 | ANALYST             |   1750 |
+----------+----------------+--------------------+--------+
18 rows in set (0.00 sec)
```

16. Find out the Bonus (Bonus 1.1% of Annual Salary) that every person will receive at the end of the year.

```
select empno as EmployeeCode,
    ename as Name,
    job as Designation,
    sal * 12 as AnnualSalary,
    sal * 12 * 0.011 as Bonus
from emp;
```

```
+--------------+----------+---------------------+--------------+---------+
| EmployeeCode | Name     | Designation         | AnnualSalary | Bonus   |
+--------------+----------+---------------------+--------------+---------+
|         6001 | GITA     | Compliance officers |        21000 | 231.000 |
|         6129 | VRUSHALI | Compliance officers |        21000 | 231.000 |
|         6473 | SHARMIN  | Public Relation     |        21000 | 231.000 |
|         6781 | BANDISH  | Public Relation     |        21000 | 231.000 |
|         7369 | SMITH    | CLERK               |         9600 | 105.600 |
|         7415 | AARAV    | CLERK               |        40200 | 442.200 |
|         7421 | THOMAS   | CLERK               |        21000 | 231.000 |
|         7499 | ALLEN    | SALESMAN            |        19200 | 211.200 |
|         7521 | WARD     | SALESMAN            |        15000 | 165.000 |
|         7566 | JONES    | MANAGER             |        35700 | 392.700 |
|         7654 | MARTIN   | SALESMAN            |        15000 | 165.000 |
|         7698 | BLAKE    | MANAGER             |        34200 | 376.200 |
|         7782 | CLARK    | MANAGER             |        29400 | 323.400 |
|         7788 | SCOTT    | ANALYST             |        36000 | 396.000 |
|         7839 | KING     | PRESIDENT           |        60000 | 660.000 |
|         7840 | FRED     | vice PRESIDENT      |        60000 | 660.000 |
|         7844 | TURNER   | SALESMAN            |        18000 | 198.000 |
|         7876 | ADAMS    | CLERK               |        13200 | 145.200 |
|         7888 | Ruhan    | Network             |        24000 | 264.000 |
|         7889 | Neel     | vice PRESIDENT      |        12000 | 132.000 |
|         7900 | JAMES    | CLERK               |        11400 | 125.400 |
|         7902 | FORD     | ANALYST             |        36000 | 396.000 |
|         7919 | HOFFMAN  | MANAGER             |        49800 | 547.800 |
|         7920 | GRASS    | SALESMAN            |        30900 | 339.900 |
|         7934 | MILLER   | CLERK               |        15600 | 171.600 |
|         7945 | AARUSH   | SALESMAN            |        16200 | 178.200 |
|         7949 | ALEX     | MANAGER             |        15000 | 165.000 |
|         8433 | NATASHA  | CLERK               |        21000 | 231.000 |
|         9400 | SANGITA  | Compliance officers |        21000 | 231.000 |
|         9473 | SUPRIYA  | ANALYST             |        21000 | 231.000 |
+--------------+----------+---------------------+--------------+---------+
30 rows in set (0.00 sec)
```

17. Display the Name, Job and Dept No. of all the Employees who either work in Department 30 or in Department 40.

```
select ename as Name,
    job as JobTitle,
    deptno as DepartmentNumber
from emp
where deptno in (30, 40);
```

```
mysql> select ename as Name,
    ->        job as JobTitle,
    ->        deptno as DepartmentNumber
    -> from emp
    -> where deptno in (30, 40);
+---------+---------------------+------------------+
| Name    | JobTitle            | DepartmentNumber |
+---------+---------------------+------------------+
| GITA    | Compliance officers |               30 |
| ALLEN   | SALESMAN            |               30 |
| WARD    | SALESMAN            |               30 |
| MARTIN  | SALESMAN            |               30 |
| BLAKE   | MANAGER             |               30 |
| TURNER  | SALESMAN            |               30 |
| JAMES   | CLERK               |               30 |
| HOFFMAN | MANAGER             |               30 |
| GRASS   | SALESMAN            |               30 |
| AARUSH  | SALESMAN            |               30 |
| ALEX    | MANAGER             |               30 |
| NATASHA | CLERK               |               30 |
+---------+---------------------+------------------+
12 rows in set (0.00 sec)
```

18. Display the Employee Number, Name for Clerks and Managers who's Salary is more than 1500.

mysql> select empno as EmployeeNumber,

-> ename as Name

-> from emp

-> where job in ('CLERK', 'MANAGER')

-> and sal > 1500;

```
mysql> select empno as EmployeeNumber,
    ->        ename as Name
    -> from emp
    -> where job in ('CLERK', 'MANAGER')
    ->   and sal > 1500;
+----------------+---------+
| EmployeeNumber | Name    |
+----------------+---------+
|           7415 | AARAV   |
|           7421 | THOMAS  |
|           7566 | JONES   |
|           7698 | BLAKE   |
|           7782 | CLARK   |
|           7919 | HOFFMAN |
|           8433 | NATASHA |
+----------------+---------+
7 rows in set (0.00 sec)
```

19. Display the Name, Annual Salary and Commission as "Commission Earned" of all employees whose monthly salary is greater than their Commission. The output should be in decreasing order of salary. If two or more employees have same salary, then sort them by name within the highest order of salary.

select ename as Name,

*sal * 12 as AnnualSalary,*

comm as "Commission Earned"

from emp

where sal > comm

order by sal desc, ename asc;

```
mysql> select ename as Name,
    ->        sal * 12 as AnnualSalary,
    ->        comm as "Commission Earned"
    -> from emp
    -> where sal > comm
    -> order by sal desc, ename asc;
+--------+--------------+-------------------+
| Name   | AnnualSalary | Commission Earned |
+--------+--------------+-------------------+
| ALLEN  |        19200 |               300 |
| TURNER |        18000 |                 0 |
| ALEX   |        15000 |               500 |
| WARD   |        15000 |               500 |
+--------+--------------+-------------------+
4 rows in set (0.00 sec)
```

20. Display the Name and Job of sales executives or managers whose names end with the letter 'S'.

select ename as Name,

job as JobTitle

from emp

where job in ('SALESMAN', 'MANAGER')

and ename like '%S';

```
mysql> select ename as Name,
    ->        job as JobTitle
    -> from emp
    -> where job in ('SALESMAN', 'MANAGER')
    ->   and ename like '%S';
+-------+----------+
| Name  | JobTitle |
+-------+----------+
| JONES | MANAGER  |
| GRASS | SALESMAN |
+-------+----------+
2 rows in set (0.00 sec)
```

21. Display all the Names of the Employees whose Salary is either more than 1000 but not more than 2200.

mysql> select ename as Name from emp where sal > 1000 and sal <= 2200;

```
mysql> select ename as Name from emp where sal > 1000  and sal <= 2200;
+-----------+
| Name      |
+-----------+
| GITA      |
| VRUSHALI  |
| SHARMIN   |
| BANDISH   |
| THOMAS    |
| ALLEN     |
| WARD      |
| MARTIN    |
| TURNER    |
| ADAMS     |
| Ruhan     |
| MILLER    |
| AARUSH    |
| ALEX      |
| NATASHA   |
| SANGITA   |
| SUPRIYA   |
+-----------+
17 rows in set (0.00 sec)
```

22. *Select Name & Salary of employees who are clerks.*

mysql> select ename as Name, sal as Salary from emp where job = 'CLERK';

```
mysql>
mysql>
mysql> select ename as Name,  sal as Salary from emp where job = 'CLERK';
+---------+--------+
| Name    | Salary |
+---------+--------+
| SMITH   |    800 |
| AARAV   |   3350 |
| THOMAS  |   1750 |
| ADAMS   |   1100 |
| JAMES   |    950 |
| MILLER  |   1300 |
| NATASHA |   1750 |
+---------+--------+
7 rows in set (0.00 sec)
```

23. *List the Department Number and Names of all Employees having Salary less than 2500.*

mysql> select deptno, ename from emp where sal < 2500;

+--------+----------+

| deptno | ename |

+--------+----------+

| 30 | GITA |

| 50 | VRUSHALI |

| 20 | BANDISH |

| 50 | SUPRIYA |

+--------+----------+

21 rows in set (0.00 sec)

24. *List the Employee Number and the Name of the President.*

```
mysql> select empno, ename from emp where job = 'PRESIDENT';
+-------+-------+
| empno | ename |
+-------+-------+
|  7839 | KING  |
+-------+-------+
1 row in set (0.00 sec)
```

25. *Display Names whose job is either Clerk or Analyst or Salesman.*

```
mysql> select ename from emp where job in ('CLERK', 'ANALYST', 'SALESMAN');
+---------+
| ename   |
+---------+
| SMITH   |
| AARAV   |
| MILLER  |
| AARUSH  |
| NATASHA |
| SUPRIYA |
+---------+
16 rows in set (0.00 sec)
```

26. *List the Employees whose names start with 'B' or 'M'*

```
mysql> select ename from emp where ename like 'B%' or ename like 'M%';
+---------+
| ename   |
+---------+
| BANDISH |
| MARTIN  |
| BLAKE   |
| MILLER  |
+---------+
4 rows in set (0.00 sec)
```

27. *Give a list of Employees sorted in alphabetic order of Names.*

```
mysql> select ename from emp order by ename;
+----------+
| ename    |
+----------+
| Neel     |
| Ruhan    |
| SANGITA  |
| TURNER   |
| VRUSHALI |
| WARD     |
+----------+
30  ows in set (0.00 sec)
```

28. Find out details of Employees where Commission is greater than 5% of the Salary.

```
mysql> select * from emp where comm > sal * 0.05;
+-------+--------+--------+----------+------+------------+------+------+--------+---------+--------------+------------+------------+-------+
| EMPNO | ENAME  | GENDER | JOB      | MGR  | HIREDATE   | SAL  | COMM | DEPTNO | BONUSID | USER NAME    |
PWD       | PHONE      | isActive |
+-------+--------+--------+----------+------+------------+------+------+--------+---------+--------------+------------+------------+-------+
|  7499 | ALLEN  | M      | SALESMAN | 7698 | 1981-02-20 | 1600 |  300 |     30 |       4 | ALWAYS TESTE | sales@2017
| 7032300096 |       1 |
|  7521 | WARD   | M      | SALESMAN | 7698 | 1981-02-22 | 1250 |  500 |     30 |       1 | WARD         | sales@2017 |
7132300034 |       1 |
|  7654 | MARTIN | M      | SALESMAN | 7698 | 1981-09-28 | 1250 | 1400 |     30 |       6 | LIFE RACER   | sales@2017 |
7132300050 |       1 |
|  7920 | GRASS  | M      | SALESMAN | 7919 | 1980-02-14 | 2575 | 2700 |     30 |       5 | GRASS        | sales@2017 |
NULL       |       1 |
|  7934 | MILLER | M      | CLERK    | 7782 | 1982-01-23 | 1300 | 1300 |     10 |       2 | QUARTERNOTE  | r50mpm     |
7132300055 |       0 |
|  7945 | AARUSH | M      | SALESMAN | 7902 | 1980-02-14 | 1350 | 2700 |     30 |    NULL | AARUSH       | ABCDEF     |
NULL       |       0 |
|  7949 | ALEX   | M      | MANAGER  | 7698 | 1982-01-24 | 1250 |  500 |     30 |       5 | QUARTERREST  | sales@2017 |
7156567183 |       1 |
+-------+--------+--------+----------+------+------------+------+------+--------+---------+--------------+------------+------------+-------+
7 rows in set (0.00 sec)
```

29. Create query to display the Employee Name and Department Number for empno 7566.

```
mysql> select ename, deptno from emp where empno =  7566;
+-------+--------+
| ename | deptno |
+-------+--------+
| JONES |     20 |
+-------+--------+
1 row in set (0.00 sec)
```

30. List the Name and Salary of Employees who earn more than $1500 and are in Department 10 or 30. Label the columns NAME and Monthly Salary, respectively.

```
mysql> select ename as NAME,
   ->       sal as "Monthly Salary"
   -> from emp
   -> where sal > 1500
   ->   and deptno in (10, 30)
   -> order by ename;
+---------+----------------+
| NAME    | Monthly Salary |
+---------+----------------+
| AARAV   |         3350 |
| ALLEN   |         1600 |
| NATASHA |         1750 |
| THOMAS  |         1750 |
+---------+----------------+
10 rows in set (0.00 sec)
```

31. Display the Name, Salary and Commission for all Employees who earn Commission. Sort data in descending order of Salary and Commission.

```
mysql> select ename as NAME,
   ->      sal as SALARY,
   ->      comm as COMMISSION
   -> from emp
   -> where comm is not null
   -> order by sal desc, comm desc;
+--------+--------+------------+
| NAME   | SALARY | COMMISSION |
+--------+--------+------------+
| GRASS  |   2575 |       2700 |
| ALLEN  |   1600 |        300 |
| TURNER |   1500 |          0 |
| AARUSH |   1350 |       2700 |
| MILLER |   1300 |       1300 |
| MARTIN |   1250 |       1400 |
| WARD   |   1250 |        500 |
| ALEX   |   1250 |        500 |
+--------+--------+------------+
8 rows in set (0.00 sec)
```

32. Display the Names of all Employees with the third letter of their Name as an "A".

```
mysql> select ename from emp where ename like '_A%';
+----------+
| ename    |
+----------+
| SHARMIN  |
| BLAKE    |
| CLARK    |
| ADAMS    |
| GRASS    |
+----------+
5 rows in set (0.00 sec)
```

33. Display the name of all Employees that have two 'LS' in the name and are in department 30 or their manager is 7782.

```
mysql> select ename
   -> from emp
   -> where ename like '%LS%LS%'
   ->   and (deptno = 30 or mgr = 7782);
Empty set (0.05 sec)
```

34. Display Name, Job & Sal for all Emp whose job is Clerk or Analyst and their Sal is not equal to 1000, 3000 & 5000.

```
mysql> select ename as NAME,
   ->      job   as JOB,
   ->      sal   as SAL
   -> from emp
```

```
   -> where job in ('CLERK', 'ANALYST')
   ->   and sal not in (1000, 3000, 5000)
   -> order by ename;
+---------+---------+------+
| NAME    | JOB     | SAL  |
+---------+---------+------+
| AARAV   | CLERK   | 3350 |
| ADAMS   | CLERK   | 1100 |
| JAMES   | CLERK   |  950 |
| MILLER  | CLERK   | 1300 |
| NATASHA | CLERK   | 1750 |
| SMITH   | CLERK   |  800 |
| SUPRIYA | ANALYST | 1750 |
| THOMAS  | CLERK   | 1750 |
+---------+---------+------+
8 rows in set (0.00 sec)
```

35. *Display the Name, Sal & Comm for all Employees whose Comm amount is greater than their Sal increased by 10%.*

```
mysql> select ename as NAME,
   ->       sal   as SALARY,
   ->       comm  as COMMISSION
   -> from emp
   -> where comm > sal * 1.10
   -> order by comm desc, sal desc;
+--------+--------+------------+
| NAME   | SALARY | COMMISSION |
+--------+--------+------------+
| AARUSH |   1350 |       2700 |
| MARTIN |   1250 |       1400 |
+--------+--------+------------+
2 rows in set (0.00 sec)
```

36. *Display Employee Number, Name, Gross Salary (Bonus + Salary*12 + Commission) for all those Employees who belong to Department Number 20 or 30 in the ascending order of Employee Numbers.*

```
mysql> select
   ->     empno as employee_number,
   ->     ename as employee_name,
   ->     (ifnull(bonusid,0) + sal*12 + ifnull(comm,0)) as gross_salary
   -> from
   ->     emp
   -> where
   ->     deptno in (20, 30)
   -> order by
   ->     empno asc;
+----------------+---------------+--------------+
| employee_number | employee_name | gross_salary |
+----------------+---------------+--------------+
|          6001 | GITA          |        21001 |
```

```
|        6473 | SHARMIN      |       21001 |
|        6781 | BANDISH      |       21001 |
|        7369 | SMITH        |        9602 |
|        7920 | GRASS        |       33605 |
|        7945 | AARUSH       |       18900 |
|        7949 | ALEX         |       15505 |
|        8433 | NATASHA      |       21001 |
+-----------------+---------------+--------------+
20 rows in set (0.00 sec)
```

37. *Display the Employee Number, Name, Salary, and Salary Increase by 15% expressed as a whole number. Label the column New Salary.*

```
select empno as "Employee Number",
    ename as "Name",
    sal   as "Salary",
    round(sal * 1.15) as "New Salary"
from emp
order by empno;
```

```
+-----------------+----------+--------+------------+
| Employee Number | Name     | Salary | New Salary |
+-----------------+----------+--------+------------+
|        6001 | GITA     |  1750 |      2013 |
|        6129 | VRUSHALI |  1750 |      2013 |
|        6473 | SHARMIN  |  1750 |      2013 |
|        6781 | BANDISH  |  1750 |      2013 |
|        7521 | WARD     |  1250 |      1438 |
|        7566 | JONES    |  2975 |      3421 |
+-----------------+----------+--------+------------+
30 rows in set (0.00 sec)
```

38. *Write a query that will display the employees name with the first letter capitalized an other letters lowercase and the length of their name, for all employees whose name starts with J, A or M.*

```
mysql> select concat(upper(left(ename,1)), lower(substr(ename,2))) as "Name",
   ->      length(ename) as "Name Length"
   -> from emp
   -> where ename like 'J%'
   ->   or ename like 'A%'
   ->   or ename like 'M%'
   -> order by ename;
+--------+-------------+
| Name   | Name Length |
+--------+-------------+
```

```
| Aarav  |        5 |
| Aarush |        6 |
| Adams  |        5 |
| Alex   |        4 |
| Allen  |        5 |
| James  |        5 |
| Jones  |        5 |
| Martin |        6 |
| Miller |        6 |
+--------+----------+
9 rows in set (0.00 sec)
```

39. *Create a query that will display the Employees name and commission amount. If the employee does not earn commission, put "No Commission".*

```
mysql> select
    -> ename as employee_name,
    -> ifnull(comm, 'No Commission') as commission
    -> from emp;
+---------------+---------------+
| employee_name | commission    |
+---------------+---------------+
| GITA          | No Commission |
| VRUSHALI      | No Commission |
| SHARMIN       | No Commission |
| BANDISH       | No Commission |
| SMITH         | No Commission |
+---------------+---------------+
30 rows in set (0.00 sec)
```

40. *Display Customers Name, Sales Amount approximate Profit Earned (Profit = 8% of Sales Amount) in whole numbers.*

```
mysql> select
    -> cname as customer_name,
    -> rating as sales_amount,
    -> round(rating * 0.08) as profit
    -> from customers;
+---------------+--------------+--------+
| customer_name | sales_amount | profit |
+---------------+--------------+--------+
| Saleel        |          250 |     20 |
| Nitish        |          250 |     20 |
| Santosh       |          100 |      8 |
| Joe           |          200 |     16 |
| Raj           |          200 |     16 |
| Grass         |          300 |     24 |
| Raja          |          100 |      8 |
| Jackson       |          100 |      8 |
| William       |          300 |     24 |
```

```
| Smith       |        300 |    24 |
| ADAMS       |        250 |    20 |
+---------------+--------------+--------+
11 rows in set (0.00 sec)
```

41. *Using the sales table, you need to report the following a. Sales for the first quarter of the year of 1999 b. Sales for the product SP TENNIS RACKET*

```
mysql> select
   ->    prodname,
   ->    sum(amount) as total_sales
   -> from sales
   -> where prodname = 'SP TENNIS RACKET'
   -> group by prodname;
+-----------------+-------------+
| prodname        | total_sales |
+-----------------+-------------+
| SP TENNIS RACKET |    7224.00 |
+-----------------+-------------+
1 row in set (0.04 sec)
```

42. *Consider the Customer table. The Credit Limit of all the Customers is increased by 25%. Calculate the new Credit Limit and display the same along with the Name, Repid and Credit Limit for all the Customers. The following should be implemented in the query result set:*
a. The Credit Limit should be expressed as a whole number, prefixed with a $ symbol.
b. Total length of the new Credit Limit should be 10.
c. Names of the Customers should be displayed in the title case.

```
mysql> select
   ->    concat(lpad(concat('$', round(rating * 1.25)), 10, ' ')) as new_credit_limit,
   ->    concat(upper(left(cname,1)), lower(substr(cname,2))) as customer_name,
   ->    snum as repid,
   ->    rating as credit_limit
   -> from customers;
+-----------------+---------------+-------+--------------+
| new_credit_limit | customer_name | repid | credit_limit |
+-----------------+---------------+-------+--------------+
|      $312       | Saleel        |  1007 |        250 |
|      $312       | Nitish        |  1007 |        250 |
|      $125       | Santosh       |  1001 |        100 |
|      $250       | Joe           |  1003 |        200 |
|      $250       | Raj           |  1002 |        200 |
|      $375       | Grass         |  1002 |        300 |
|      $125       | Raja          |  1001 |        100 |
|      $125       | Jackson       |  1004 |        100 |
|      $375       | William       |  1007 |        300 |
|      $375       | Smith         |  1007 |        300 |
|      $312       | Adams         |  1007 |        250 |
+-----------------+---------------+-------+--------------+
11 rows in set (0.00 sec)
```

43. *Display the name and the department number of all employees. The department number should be displayed in the following manner: a. If the department number is 10, display 'Belongs to Dept. 10' b. If 20, display 'Belongs to the Dept. 20' c. Otherwise display 'Neither 10 nor 20.'*

```
mysql> select  ename as employee_name,
                case
                  when deptno = 10 then 'Belongs to Dept. 10'
                  when deptno = 20 then 'Belongs to the Dept. 20'
                  else 'Neither 10 nor 20.'
                end as department_info
              from emp;
+---------------+------------------------+
| employee_name | department_info        |
+---------------+------------------------+
| GITA          | Neither 10 nor 20.     |
| VRUSHALI      | Neither 10 nor 20.     |
| SHARMIN       | Belongs to the Dept. 20 |
| BANDISH       | Belongs to the Dept. 20 |
| BLAKE         | Neither 10 nor 20.     |
| SANGITA       | Neither 10 nor 20.     |
| SUPRIYA       | Neither 10 nor 20.     |
+---------------+------------------------+
30  ows in set (0.00 sec)
```

44. *Display the name, first letter of the name (as Abbreviated Name) and the annual compensation for all employees. The following issues should be taken care of:*
a. The annual compensation has to be calculated by adding the salary and the commission earned by the employee and multiplying the value by 12.
b. The first letter of the employee name should be in upper case.
c. If the employee does not earn any commission, the commission values should be taken as 600.

```
mysql> select
   ->    ename as employee_name,
   ->    upper(left(ename,1)) as abbreviated_name,
   ->    ( (sal + ifnull(comm,600)) * 12 ) as annual_compensation
   -> from emp;
+---------------+------------------+---------------------+
| employee_name | abbreviated_name | annual_compensation |
+---------------+------------------+---------------------+
| GITA          | G                |               28200 |
| VRUSHALI      | V                |               28200 |
| SHARMIN       | S                |               28200 |
| BANDISH       | B                |               28200 |
```

```
| SMITH       | S             |            16800 |
| BLAKE       | B             |            41400 |
| SANGITA     | S             |            28200 |
| SUPRIYA     | S             |            28200 |
+---------------+------------------+---------------------+
30 rows in set (0.00 sec)
```

45. *Display the Order ID, the Total Value of the Order and the Commission Plan taking into consideration the following-*
    a. If the Commission Plan is A display it as Anonymous
    b. If the Commission Plan is B display it as Business
    c. If the Commission Plan is C display it as Casual
    d. If no Commission Plan has been mentioned then display Commission Not Allowed.

```
mysql> select
  onum as order_id,
  amt as total_value,
  case
    when type = 'A' then 'Anonymous'
    when type = 'B' then 'Business'
    when type = 'C' then 'Casual'
    else 'Commission Not Allowed'
  end as commission_plan
from orders;

+----------+-------------+-----------------------+
| order_id | total_value | commission_plan       |
+----------+-------------+-----------------------+
|    2322 |      750.1 | Commission Not Allowed |
|    2364 |      750.1 | Commission Not Allowed |
|    6606 |    5160.45 | Commission Not Allowed |
|    6607 |    1098.16 | Commission Not Allowed |
|    6608 |    1713.23 | Commission Not Allowed |
+----------+-------------+-----------------------+
61 rows in set (0.00 sec)
```

46. *List all the employees who are living in 'BOSTON'.*
    mysql > select e.ename as employee_name, d.loc as city from emp e join dept d on e.deptno = d.deptno where upper(d.loc) = 'BOSTON';

    Empty set (0.00 sec)

47. *List the names of employees who stay in city whose second letter is 'A' or 'H'.*
    Mysql> select e.ename as employee_name, d.loc as city from emp e join dept d on e.deptno = d.deptno where d.loc like '_A%' or d.loc like '_H%';

```
+---------------+---------+
| employee_name | city    |
+---------------+---------+
| SHARMIN       | DALLAS  |
| BANDISH       | DALLAS  |
| SMITH         | DALLAS  |
| JONES         | DALLAS  |
| NATASHA       | CHICAGO |
| Ruhan         | BARODA  |
| Neel          | BARODA  |
+---------------+---------+
22 rows in set (0.00 sec)
```

48. *List names of employees who are working in 'SALES' department.*

mysql> select e.ename as employee_name, d.dname as department_name from emp e join dept d on e.deptno = d.deptno where upper(d.dname) = 'SALES';

```
+---------------+-----------------+
| employee_name | department_name |
+---------------+-----------------+
| GITA          | SALES           |
| ALLEN         | SALES           |
| WARD          | SALES           |
| MARTIN        | SALES           |
| BLAKE         | SALES           |
+---------------+-----------------+
12 rows in set (0.00 sec)
```

49. *Print the name of employees in the ascending order of employee name.*

mysql> select ename as employee_name from emp order by ename asc;

```
+---------------+
| employee_name |
+---------------+
| AARAV         |
| AARUSH        |
| ADAMS         |
| ALEX          |
| ALLEN         |
| VRUSHALI      |
| WARD          |
+---------------+
30 rows in set (0.00 sec)
```

50. *Print employee information in the descending order of salary.*

mysql> select ename, job, sal from emp order by sal desc;

```
+----------+---------------------+------+
| ename    | job                 | sal  |
+----------+---------------------+------+
| KING     | PRESIDENT           | 5000 |
| FRED     | vice PRESIDENT      | 5000 |
| HOFFMAN  | MANAGER             | 4150 |
| AARAV    | CLERK               | 3350 |
| SCOTT    | ANALYST             | 3000 |
| FORD     | ANALYST             | 3000 |
| JONES    | MANAGER             | 2975 |
| BLAKE    | MANAGER             | 2850 |
| GRASS    | SALESMAN            | 2575 |
| ALEX     | MANAGER             | 1250 |
| ADAMS    | CLERK               | 1100 |
+----------+---------------------+------+
30 rows in set (0.00 sec)
```

51. *Display employee information in ascending order of year.*

mysql> select ename, year(hiredate) as hire_year from emp order by hire_year asc;

```
+----------+-----------+
| ename    | hire_year |
+----------+-----------+
| SMITH    |      1980 |
| GRASS    |      1980 |
| AARUSH   |      1980 |
| GITA     |      1981 |
| TURNER   |      1981 |
| Neel     |      1983 |
+----------+-----------+
30 rows in set (0.00 sec)
```

52. *Display job, deptno, names of employee whose name starts with 'B' or 'M'.*

mysql> select job, deptno, ename as employee_name from emp where ename like 'B%' or ename like 'M%';

```
+-----------------+--------+---------------+
| job             | deptno | employee_name |
+-----------------+--------+---------------+
| Public Relation |     20 | BANDISH       |
| SALESMAN        |     30 | MARTIN        |
| MANAGER         |     30 | BLAKE         |
| CLERK           |     10 | MILLER        |
+-----------------+--------+---------------+
4 rows in set (0.00 sec)
```

53. *List the employees whose comm is null and salary does not exceed 3000.*

```
mysql> select ename, job, sal from emp where comm is null and sal<=3000;
+----------+---------------------+------+
| ename    | job                 | sal  |
+----------+---------------------+------+
| GITA     | Compliance officers | 1750 |
| VRUSHALI | Compliance officers | 1750 |
| SHARMIN  | Public Relation     | 1750 |
| BANDISH  | Public Relation     | 1750 |
| SMITH    | CLERK               |  800 |
| THOMAS   | CLERK               | 1750 |
| JONES    | MANAGER             | 2975 |
| BLAKE    | MANAGER             | 2850 |
| CLARK    | MANAGER             | 2450 |
| SCOTT    | ANALYST             | 3000 |
| ADAMS    | CLERK               | 1100 |
| Ruhan    | Network             | 2000 |
| Neel     | vice PRESIDENT      | 1000 |
| JAMES    | CLERK               |  950 |
| FORD     | ANALYST             | 3000 |
| NATASHA  | CLERK               | 1750 |
| SANGITA  | Compliance officers | 1750 |
| SUPRIYA  | ANALYST             | 1750 |
+----------+---------------------+------+
18 rows in set (0.00 sec)
```