PRN – 260245920034

1. *Display the Employee Name, Job, and Start Date of Employees hired from February 1981 to May 1981.*
   mysql> select ename, job, hiredate from emp where hiredate between '1981-02-01' AND '1981-05-31';

```
30 rows in set (0.00 sec)

mysql> select ename, job, hiredate from emp where hiredate between '1981-02-01' AND '1981-05-31';
+-------+----------+------------+
| ename | job      | hiredate   |
+-------+----------+------------+
| ALLEN | SALESMAN | 1981-02-20 |
| WARD  | SALESMAN | 1981-02-22 |
| JONES | MANAGER  | 1981-04-02 |
| BLAKE | MANAGER  | 1981-05-01 |
+-------+----------+------------+
4 rows in set (0.00 sec)

mysql> |
```

2. *Display the Name and Hiredate of every Employee who was hired in 1982.*
   mysql> select ename, hiredate from emp where year(hiredate) = 1982;

```
mysql> select ename, hiredate from emp where year(hiredate) = 1982;
+---------+------------+
| ename   | hiredate   |
+---------+------------+
| SCOTT   | 1982-12-09 |
| HOFFMAN | 1982-03-24 |
| MILLER  | 1982-01-23 |
| ALEX    | 1982-01-24 |
+---------+------------+
4 rows in set (0.00 sec)

mysql> |
```

3. *Write a query to display the current date. Label the column as Current Date.*
   mysql> select CURDATE() as 'Current_Date';

```
mysql> select CURDATE() as 'Current_Date';
+--------------+
| Current_Date |
+--------------+
| 2026-04-17   |
+--------------+
1 row in set (0.00 sec)
```

4. *Display the Employee's Name, Hiredate, Salary and Review Date, which is first Monday after six months of service.*

```
SELECT ename,
    hiredate,
    sal AS Salary,
    DATE_ADD(
      DATE_ADD(hiredate, INTERVAL 6 MONTH),
      INTERVAL ( (7 - WEEKDAY(DATE_ADD(hiredate, INTERVAL 6 MONTH))) % 7 ) DAY
    ) AS Review_Date
FROM emp;
```

```
mysql> SELECT ename,
    ->        hiredate,
    ->        sal AS Salary,
    ->        DATE_ADD(
    ->          DATE_ADD(hiredate, INTERVAL 6 MONTH),
    ->          INTERVAL ( (7 - WEEKDAY(DATE_ADD(hiredate, INTERVAL 6 MONTH))) % 7 ) DAY
    ->        ) AS Review_Date
    -> FROM emp;
+----------+------------+--------+-------------+
| ename    | hiredate   | Salary | Review_Date |
+----------+------------+--------+-------------+
| GITA     | 1981-07-19 |   1750 | 1982-01-25  |
| VRUSHALI | 1981-07-19 |   1750 | 1982-01-25  |
| SHARMIN  | 1981-07-19 |   1750 | 1982-01-25  |
| BANDISH  | 1981-07-19 |   1750 | 1982-01-25  |
| SMITH    | 1980-12-17 |    800 | 1981-06-22  |
| AARAV    | 1981-12-31 |   3350 | 1982-07-05  |
| THOMAS   | 1981-07-19 |   1750 | 1982-01-25  |
| ALLEN    | 1981-02-20 |   1600 | 1981-08-24  |
| WARD     | 1981-02-22 |   1250 | 1981-08-24  |
| JONES    | 1981-04-02 |   2975 | 1981-10-05  |
| MARTIN   | 1981-09-28 |   1250 | 1982-03-29  |
| BLAKE    | 1981-05-01 |   2850 | 1981-11-02  |
| CLARK    | 1981-06-09 |   2450 | 1981-12-14  |
| SCOTT    | 1982-12-09 |   3000 | 1983-06-13  |
| KING     | 1981-11-17 |   5000 | 1982-05-17  |
| FRED     | 1983-08-09 |   5000 | 1984-02-13  |
| TURNER   | 1981-09-08 |   1500 | 1982-03-08  |
| ADAMS    | 1983-01-12 |   1100 | 1983-07-18  |
| Ruhan    | 1983-08-09 |   2000 | 1984-02-13  |
| Neel     | 1983-08-09 |   1000 | 1984-02-13  |
| JAMES    | 1981-12-03 |    950 | 1982-06-07  |
| FORD     | 1981-12-03 |   3000 | 1982-06-07  |
| HOFFMAN  | 1982-03-24 |   4150 | 1982-09-27  |
| GRASS    | 1980-02-14 |   2575 | 1980-08-18  |
| MILLER   | 1982-01-23 |   1300 | 1982-07-26  |
| AARUSH   | 1980-02-14 |   1350 | 1980-08-18  |
| ALEX     | 1982-01-24 |   1250 | 1982-07-26  |
| NATASHA  | 1981-07-19 |   1750 | 1982-01-25  |
| SANGITA  | 1981-07-19 |   1750 | 1982-01-25  |
```

5. *Modify the query to display the dates as "Sunday, the Seventh of September, 1981".*

```
SELECT ename,
    hiredate,
    sal AS Salary,
    DATE_FORMAT(
      DATE_ADD(
        DATE_ADD(hiredate, INTERVAL 6 MONTH),
        INTERVAL ( (7 - WEEKDAY(DATE_ADD(hiredate, INTERVAL 6 MONTH))) % 7 ) DAY
      ),
      '%W, the %D of %M, %Y'
    ) AS Review_Date
FROM emp;
```

```
mysql> SELECT ename,
    ->        hiredate,
    ->        sal AS Salary,
    ->        DATE_FORMAT(
    ->          DATE_ADD(
    ->            DATE_ADD(hiredate, INTERVAL 6 MONTH),
    ->            INTERVAL ( (7 - WEEKDAY(DATE_ADD(hiredate, INTERVAL 6 MONTH))) % 7 ) DAY
    ->          ),
    ->          '%W, the %D of %M, %Y'
    ->        ) AS Review_Date
    -> FROM emp;
+----------+------------+--------+-----------------------------------+
| ename    | hiredate   | Salary | Review_Date                       |
+----------+------------+--------+-----------------------------------+
| GITA     | 1981-07-19 |   1750 | Monday, the 25th of January, 1982 |
| VRUSHALI | 1981-07-19 |   1750 | Monday, the 25th of January, 1982 |
| SHARMIN  | 1981-07-19 |   1750 | Monday, the 25th of January, 1982 |
| BANDISH  | 1981-07-19 |   1750 | Monday, the 25th of January, 1982 |
| SMITH    | 1980-12-17 |    800 | Monday, the 22nd of June, 1981    |
| AARAV    | 1981-12-31 |   3350 | Monday, the 5th of July, 1982     |
| THOMAS   | 1981-07-19 |   1750 | Monday, the 25th of January, 1982 |
| ALLEN    | 1981-02-20 |   1600 | Monday, the 24th of August, 1981  |
| WARD     | 1981-02-22 |   1250 | Monday, the 24th of August, 1981  |
| JONES    | 1981-04-02 |   2975 | Monday, the 5th of October, 1981  |
| MARTIN   | 1981-09-28 |   1250 | Monday, the 29th of March, 1982   |
| BLAKE    | 1981-05-01 |   2850 | Monday, the 2nd of November, 1981 |
| CLARK    | 1981-06-09 |   2450 | Monday, the 14th of December, 1981 |
| SCOTT    | 1982-12-09 |   3000 | Monday, the 13th of June, 1983    |
| KING     | 1981-11-17 |   5000 | Monday, the 17th of May, 1982     |
| FRED     | 1983-08-09 |   5000 | Monday, the 13th of February, 1984 |
| TURNER   | 1981-09-08 |   1500 | Monday, the 8th of March, 1982    |
| ADAMS    | 1983-01-12 |   1100 | Monday, the 18th of July, 1983    |
| Ruhan    | 1983-08-09 |   2000 | Monday, the 13th of February, 1984 |
| Neel     | 1983-08-09 |   1000 | Monday, the 13th of February, 1984 |
| JAMES    | 1981-12-03 |    950 | Monday, the 7th of June, 1982     |
| FORD     | 1981-12-03 |   3000 | Monday, the 7th of June, 1982     |
| HOFFMAN  | 1982-03-24 |   4150 | Monday, the 27th of September, 1982 |
| GRASS    | 1980-02-14 |   2575 | Monday, the 18th of August, 1980  |
| MILLER   | 1982-01-23 |   1300 | Monday, the 26th of July, 1982    |
```

6. *Create a query to display the name and salary for all Employees. Format the salary to be 15 characters long by adding '$'.*

```
SELECT ename,
    LPAD(CONCAT('$', sal), 15, ' ') AS Formatted_Salary
FROM emp;
```

```
mysql> SELECT ename,
    ->        LPAD(CONCAT('$', sal), 15, ' ') AS Formatted_Salary
    -> FROM emp;
+----------+-----------------+
| ename    | Formatted_Salary |
+----------+-----------------+
| GITA     |           $1750  |
| VRUSHALI |           $1750  |
| SHARMIN  |           $1750  |
| BANDISH  |           $1750  |
| SMITH    |            $800  |
| AARAV    |           $3350  |
| THOMAS   |           $1750  |
| ALLEN    |           $1600  |
| WARD     |           $1250  |
| JONES    |           $2975  |
| MARTIN   |           $1250  |
| BLAKE    |           $2850  |
| CLARK    |           $2450  |
| SCOTT    |           $3000  |
| KING     |           $5000  |
| FRED     |           $5000  |
| TURNER   |           $1500  |
| ADAMS    |           $1100  |
| Ruhan    |           $2000  |
| Neel     |           $1000  |
| JAMES    |            $950  |
| FORD     |           $3000  |
| HOFFMAN  |           $4150  |
| GRASS    |           $2575  |
| MILLER   |           $1300  |
| AARUSH   |           $1350  |
| ALEX     |           $1250  |
| NATASHA  |           $1750  |
| SANGITA  |           $1750  |
| SUPRIYA  |           $1750  |
+----------+-----------------+
30 rows in set (0.00 sec)
```

7. *Display the Name, Hiredate and day of the week on which the employees started. Order the results by the Day of the week starting with Monday.*

```
SELECT ename,
    hiredate,
    DAYNAME(hiredate) AS Start_Day
FROM emp
ORDER BY WEEKDAY(hiredate);
```

```
mysql> SELECT ename,
    ->        hiredate,
    ->        DAYNAME(hiredate) AS Start_Day
    -> FROM emp
    -> ORDER BY WEEKDAY(hiredate);
+----------+------------+-----------+
| ename    | hiredate   | Start_Day |
+----------+------------+-----------+
| MARTIN   | 1981-09-28 | Monday    |
| CLARK    | 1981-06-09 | Tuesday   |
| KING     | 1981-11-17 | Tuesday   |
| FRED     | 1983-08-09 | Tuesday   |
| TURNER   | 1981-09-08 | Tuesday   |
| Ruhan    | 1983-08-09 | Tuesday   |
| Neel     | 1983-08-09 | Tuesday   |
| SMITH    | 1980-12-17 | Wednesday |
| ADAMS    | 1983-01-12 | Wednesday |
| HOFFMAN  | 1982-03-24 | Wednesday |
| AARAV    | 1981-12-31 | Thursday  |
| JONES    | 1981-04-02 | Thursday  |
| SCOTT    | 1982-12-09 | Thursday  |
| JAMES    | 1981-12-03 | Thursday  |
| FORD     | 1981-12-03 | Thursday  |
| GRASS    | 1980-02-14 | Thursday  |
| AARUSH   | 1980-02-14 | Thursday  |
| ALLEN    | 1981-02-20 | Friday    |
| BLAKE    | 1981-05-01 | Friday    |
| MILLER   | 1982-01-23 | Saturday  |
| GITA     | 1981-07-19 | Sunday    |
| VRUSHALI | 1981-07-19 | Sunday    |
| SHARMIN  | 1981-07-19 | Sunday    |
| BANDISH  | 1981-07-19 | Sunday    |
| THOMAS   | 1981-07-19 | Sunday    |
| WARD     | 1981-02-22 | Sunday    |
| ALEX     | 1982-01-24 | Sunday    |
| NATASHA  | 1981-07-19 | Sunday    |
| SANGITA  | 1981-07-19 | Sunday    |
| SUPRIYA  | 1981-07-19 | Sunday    |
+----------+------------+-----------+
30 rows in set (0.00 sec)
```

8. *Display details of orders received in the year 1986.*

mysql> select * from orders where year(odate) = 1996;
//1986

```
mysql> select * from orders where year(odate) = 1996;
+------+---------+---------------------+------+------+--------+--------------+------------+------------------+
| ONUM | AMT     | ODATE               | CNUM | SNUM | type   | paymentType  | registered | delivery_partner |
+------+---------+---------------------+------+------+--------+--------------+------------+------------------+
| 2322 |   750.1 | 1996-10-03 12:05:00 | NULL | 1004 | Online | PhonePe      |          0 | NULL             |
| 2364 |   750.1 | 1996-10-03 12:07:00 | NULL | 1004 | Online | PhonePe      |          0 | NULL             |
| 2475 |   750.1 | 1996-10-03 12:05:00 | NULL | 1004 | Online | PhonePe      |          0 | NULL             |
| 3001 |   18.69 | 1996-10-03 12:30:00 | 2008 | 1007 | Online | Credit Cards |          1 | NULL             |
| 3002 |  1900.1 | 1996-10-03 12:30:00 | 2007 | 1004 | Online | Wallets      |          1 | NULL             |
| 3003 |  767.19 | 1996-10-03 13:45:00 | 2001 | 1001 | Online | Debit Cards  |          1 | NULL             |
| 3005 | 5160.45 | 1996-10-03 14:00:00 | 2003 | 1002 | Online | Debit Cards  |          1 | NULL             |
| 3006 | 1098.16 | 1996-10-03 13:37:00 | 2008 | 1007 | Online | Wallets      |          1 | NULL             |
| 3007 |   75.75 | 1996-10-04 15:21:00 | 2002 | 1003 | Online | Credit Cards |          1 | NULL             |
| 3008 |    4723 | 1996-10-05 12:07:00 | 2006 | 1001 | Cash   | COD          |          0 | NULL             |
| 3009 | 1713.23 | 1996-10-04 15:21:00 | 2002 | 1003 | Online | Credit Cards |          1 | NULL             |
| 3010 | 1309.95 | 1996-10-06 13:12:00 | 2004 | 1002 | Online | EMI Options  |          1 | NULL             |
| 3011 | 9891.88 | 1996-10-06 13:09:00 | 2006 | 1001 | Online | EMI Options  |          1 | NULL             |
| 3012 | 3455.78 | 1996-10-04 15:21:00 | 2002 | 1003 | Cash   | COD          |          0 | NULL             |
| 3013 | 1245.98 | 1996-10-04 16:32:00 | 2002 | 1003 | Online | EMI Options  |          1 | NULL             |
| 3014 | 3721.53 | 1996-10-05 12:45:00 | 2006 | 1001 | Cash   | COD          |          0 | NULL             |
| 3015 |   734.5 | 1996-10-06 13:16:00 | 2004 | 1002 | Online | EMI Options  |          1 | NULL             |
| 3016 | 1729.67 | 1996-10-06 13:18:00 | 2006 | 1001 | Online | Wallets      |          1 | NULL             |
| 3017 |   18.69 | 1996-10-03 12:30:00 | 2001 | 1007 | Online | Credit Cards |          1 | NULL             |
| 3018 |  767.19 | 1996-10-03 12:05:00 | 2002 | 1001 | Online | Wallets      |          1 | NULL             |
| 3019 |  1900.1 | 1996-10-03 12:05:00 | 2007 | 1004 | Online | EMI Options  |          1 | NULL             |
| 3020 | 5160.45 | 1996-10-03 14:00:00 | 2003 | 1007 | Cash   | COD          |          0 | NULL             |
| 3021 | 1098.16 | 1996-10-03 13:37:00 | 2008 | 1007 | Online | Debit Cards  |          1 | NULL             |
| 3022 | 1713.23 | 1996-10-04 15:21:00 | 2002 | 1003 | Cash   | COD          |          0 | NULL             |
| 3023 |   75.75 | 1996-10-04 16:02:00 | 2002 | 1004 | Online | Wallets      |          1 | NULL             |
| 3024 |    4723 | 1996-10-05 12:07:00 | 2006 | 1002 | Online | Credit Cards |          1 | NULL             |
| 3025 | 1309.95 | 1996-10-06 13:12:00 | 2002 | 1002 | Online | Wallets      |          1 | NULL             |
| 3026 | 9891.88 | 1996-10-06 13:09:00 | 2006 | 1001 | Online | Wallets      |          1 | NULL             |
| 3027 | 3455.78 | 1996-10-04 15:21:00 | 2002 | 1003 | Cash   | COD          |          0 | NULL             |
| 3028 | 1245.98 | 1996-10-04 16:32:00 | 2002 | 1003 | Online | Debit Cards  |          1 | NULL             |
```

9. *Write a query to find out the DAY (for example, SUNDAY) of the current date.*

mysql> SELECT DAYNAME(CURDATE()) AS Current_Day;

```
+-------------+
| Current_Day |
+-------------+
| Friday      |
+-------------+
1 row in set (0.00 sec)
```

10. *Display the name and the date of joining of the employees who belong to department number 10. The date of joining should be formatted. For eg. if it is '10-JUN-97' it should be displayed as Fifteenth JUNE, 1997. The name of the employee should be in upper case.*

```
mysql> SELECT UPPER(ename) AS Employee_Name,
    ->        DATE_FORMAT(hiredate, '%D %M, %Y') AS Formatted_Join_Date
    -> FROM emp
    -> WHERE deptno = 10;
+---------------+---------------------+
| Employee_Name | Formatted_Join_Date |
+---------------+---------------------+
| AARAV         | 31st December, 1981 |
| THOMAS        | 19th July, 1981     |
| CLARK         | 9th June, 1981      |
| KING          | 17th November, 1981 |
| MILLER        | 23rd January, 1982  |
+---------------+---------------------+
5 rows in set (0.00 sec)
```

11. *Consider the Ord table. Find the difference between the Order Date and Ship Date in months as well as days. Label the columns appropriately.*

```
SELECT
   ORDID,
   ORDERDATE,
   SHIPDATE,
   TIMESTAMPDIFF(MONTH, ORDERDATE, SHIPDATE) AS Diff_Months,
   TIMESTAMPDIFF(DAY, ORDERDATE, SHIPDATE) AS Diff_Days
FROM ord;
```

```
mysql> SELECT
    ->     ORDID,
    ->     ORDERDATE,
    ->     SHIPDATE,
    ->     TIMESTAMPDIFF(MONTH, ORDERDATE, SHIPDATE) AS Diff_Months,
    ->     TIMESTAMPDIFF(DAY, ORDERDATE, SHIPDATE) AS Diff_Days
    -> FROM ord;
+-------+------------+------------+-------------+-----------+
| ORDID | ORDERDATE  | SHIPDATE   | Diff_Months | Diff_Days |
+-------+------------+------------+-------------+-----------+
|   601 | 1986-05-01 | 1986-05-30 |           0 |        29 |
|   602 | 1986-06-05 | 1986-06-20 |           0 |        15 |
|   603 | 1986-06-05 | 1986-06-05 |           0 |         0 |
|   604 | 1986-06-15 | 1986-05-30 |           0 |       -16 |
|   606 | 1986-07-14 | 1986-07-30 |           0 |        16 |
|   607 | 1986-07-18 | 1986-07-18 |           0 |         0 |
|   608 | 1986-07-25 | 1986-07-25 |           0 |         0 |
|   609 | 1986-08-01 | 1986-08-15 |           0 |        14 |
|   610 | 1987-01-07 | 1987-01-08 |           0 |         1 |
|   611 | 1987-01-11 | 1987-01-11 |           0 |         0 |
|   612 | 1987-01-15 | 1987-01-20 |           0 |         5 |
|   613 | 1987-02-01 | 1987-02-01 |           0 |         0 |
|   614 | 1987-02-01 | 1987-02-05 |           0 |         4 |
|   615 | 1987-02-01 | 1987-02-06 |           0 |         5 |
|   616 | 1987-02-03 | 1987-02-10 |           0 |         7 |
|   617 | 1987-02-05 | 1987-03-03 |           0 |        26 |
|   618 | 1987-02-15 | 1987-03-06 |           0 |        19 |
|   619 | 1987-02-22 | 1987-02-04 |           0 |       -18 |
|   620 | 1987-03-12 | 1987-03-12 |           0 |         0 |
|   621 | 1987-03-15 | 1987-03-01 |           0 |       -14 |
|   622 | 1986-12-31 | 1987-01-01 |           0 |         1 |
|   624 | 1987-01-06 | 1987-01-06 |           0 |         0 |
|   625 | 1987-01-09 | 1987-01-10 |           0 |         1 |
|   626 | 1987-01-31 | 1987-02-01 |           0 |         1 |
|   627 | 1987-02-13 | 1987-02-14 |           0 |         1 |
|   628 | 1987-03-13 | 1987-03-14 |           0 |         1 |
|   629 | 1987-03-14 | 1987-03-16 |           0 |         2 |
|   630 | 1987-02-21 | 1987-02-22 |           0 |         1 |
|   631 | 1987-02-23 | 1987-02-23 |           0 |         0 |
|   632 | 1987-03-13 | 1987-03-14 |           0 |         1 |
```

12. List employee details who have joined in December.

```
SELECT
   EMPNO,
   ENAME,
   JOB,
   HIREDATE,
   MONTHNAME(HIREDATE) AS JoinMonth
FROM emp
WHERE MONTH(HIREDATE) = 12;
```

```
mysql> SELECT
    ->     EMPNO,
    ->     ENAME,
    ->     JOB,
    ->     HIREDATE,
    ->     MONTHNAME(HIREDATE) AS JoinMonth
    -> FROM emp
    -> WHERE MONTH(HIREDATE) = 12;
+-------+-------+---------+------------+-----------+
| EMPNO | ENAME | JOB     | HIREDATE   | JoinMonth |
+-------+-------+---------+------------+-----------+
|  7369 | SMITH | CLERK   | 1980-12-17 | December  |
|  7415 | AARAV | CLERK   | 1981-12-31 | December  |
|  7788 | SCOTT | ANALYST | 1982-12-09 | December  |
|  7900 | JAMES | CLERK   | 1981-12-03 | December  |
|  7902 | FORD  | ANALYST | 1981-12-03 | December  |
+-------+-------+---------+------------+-----------+
5 rows in set (0.00 sec)

mysql>
```

13. Display day on which KING joined.

```
SELECT
   ENAME,
   HIREDATE,
   DAYNAME(HIREDATE) AS Join_Day
FROM emp
WHERE ENAME = 'KING';
```

```
mysql> SELECT
    ->     ENAME,
    ->     HIREDATE,
    ->     DAYNAME(HIREDATE) AS Join_Day
    -> FROM emp
    -> WHERE ENAME = 'KING';
+-------+------------+----------+
| ENAME | HIREDATE   | Join_Day |
+-------+------------+----------+
| KING  | 1981-11-17 | Tuesday  |
+-------+------------+----------+
1 row in set (0.04 sec)

mysql>
```

14. Display month on which MARTIN joined.

```
SELECT
   ENAME,
   HIREDATE,
   MONTHNAME(HIREDATE) AS Join_Month
FROM emp
WHERE ENAME = 'MARTIN';
```

```
mysql> SELECT
    ->     ENAME,
    ->     HIREDATE,
    ->     MONTHNAME(HIREDATE) AS Join_Month
    -> FROM emp
    -> WHERE ENAME = 'MARTIN';
+--------+------------+------------+
| ENAME  | HIREDATE   | Join_Month |
+--------+------------+------------+
| MARTIN | 1981-09-28 | September  |
+--------+------------+------------+
1 row in set (0.00 sec)

mysql>
```

15. Find number of days elapsed between today's date and hiredate of 'ADAMS'.

```
SELECT
   ENAME,
   HIREDATE,
   DATEDIFF(CURDATE(), HIREDATE) AS Days_Elapsed
FROM emp
WHERE ENAME = 'ADAMS';
```

```
mysql> SELECT
    ->     ENAME,
    ->     HIREDATE,
    ->     DATEDIFF(CURDATE(), HIREDATE) AS Days_Elapsed
    -> FROM emp
    -> WHERE ENAME = 'ADAMS';
+-------+------------+--------------+
| ENAME | HIREDATE   | Days_Elapsed |
+-------+------------+--------------+
| ADAMS | 1983-01-12 |        15802 |
+-------+------------+--------------+
1 row in set (0.03 sec)
```

16. Print the date, 15 days alter today's date.

mysql > ***SELECT DATE_ADD(CURDATE(), INTERVAL 15 DAY) AS Date_After_15_Days;***

```
mysql> SELECT DATE_ADD(CURDATE(), INTERVAL 15 DAY) AS Date_After_15_Days;
+--------------------+
| Date_After_15_Days |
+--------------------+
| 2026-05-03         |
+--------------------+
1 row in set (0.00 sec)
```

17. List all employee hired in the month of December.

```
SELECT
   EMPNO,
   ENAME,
   JOB,
   HIREDATE,
   MONTHNAME(HIREDATE) AS Hire_Month
FROM emp
WHERE MONTH(HIREDATE) = 12;
```

```
mysql> SELECT
    ->     EMPNO,
    ->     ENAME,
    ->     JOB,
    ->     HIREDATE,
    ->     MONTHNAME(HIREDATE) AS Hire_Month
    -> FROM emp
    -> WHERE MONTH(HIREDATE) = 12;
+-------+-------+---------+------------+------------+
| EMPNO | ENAME | JOB     | HIREDATE   | Hire_Month |
+-------+-------+---------+------------+------------+
|  7369 | SMITH | CLERK   | 1980-12-17 | December   |
|  7415 | AARAV | CLERK   | 1981-12-31 | December   |
|  7788 | SCOTT | ANALYST | 1982-12-09 | December   |
|  7900 | JAMES | CLERK   | 1981-12-03 | December   |
|  7902 | FORD  | ANALYST | 1981-12-03 | December   |
+-------+-------+---------+------------+------------+
5 rows in set (0.00 sec)
```

18. List all employee hired after 1980.

```
SELECT
   EMPNO,
   ENAME,
   JOB,
   HIREDATE,
   YEAR(HIREDATE) AS Hire_Year
FROM emp WHERE YEAR(HIREDATE) > 1980;
```

```
mysql> SELECT
    ->     EMPNO,
    ->     ENAME,
    ->     JOB,
    ->     HIREDATE,
    ->     YEAR(HIREDATE) AS Hire_Year
    -> FROM emp
    -> WHERE YEAR(HIREDATE) > 1980;
+-------+----------+---------------------+------------+-----------+
| EMPNO | ENAME    | JOB                 | HIREDATE   | Hire_Year |
+-------+----------+---------------------+------------+-----------+
|  6001 | GITA     | Compliance officers | 1981-07-19 |      1981 |
|  6129 | VRUSHALI | Compliance officers | 1981-07-19 |      1981 |
|  6473 | SHARMIN  | Public Relation     | 1981-07-19 |      1981 |
|  6781 | BANDISH  | Public Relation     | 1981-07-19 |      1981 |
|  7415 | AARAV    | CLERK               | 1981-12-31 |      1981 |
|  7421 | THOMAS   | CLERK               | 1981-07-19 |      1981 |
|  7499 | ALLEN    | SALESMAN            | 1981-02-20 |      1981 |
|  7521 | WARD     | SALESMAN            | 1981-02-22 |      1981 |
|  7566 | JONES    | MANAGER             | 1981-04-02 |      1981 |
|  7654 | MARTIN   | SALESMAN            | 1981-09-28 |      1981 |
|  7698 | BLAKE    | MANAGER             | 1981-05-01 |      1981 |
|  7782 | CLARK    | MANAGER             | 1981-06-09 |      1981 |
|  7788 | SCOTT    | ANALYST             | 1982-12-09 |      1982 |
|  7839 | KING     | PRESIDENT           | 1981-11-17 |      1981 |
|  7840 | FRED     | vice PRESIDENT      | 1983-08-09 |      1983 |
|  7844 | TURNER   | SALESMAN            | 1981-09-08 |      1981 |
|  7876 | ADAMS    | CLERK               | 1983-01-12 |      1983 |
|  7888 | Ruhan    | Network             | 1983-08-09 |      1983 |
|  7889 | Neel     | vice PRESIDENT      | 1983-08-09 |      1983 |
|  7900 | JAMES    | CLERK               | 1981-12-03 |      1981 |
|  7902 | FORD     | ANALYST             | 1981-12-03 |      1981 |
|  7919 | HOFFMAN  | MANAGER             | 1982-03-24 |      1982 |
|  7934 | MILLER   | CLERK               | 1982-01-23 |      1982 |
|  7949 | ALEX     | MANAGER             | 1982-01-24 |      1982 |
|  8433 | NATASHA  | CLERK               | 1981-07-19 |      1981 |
|  9400 | SANGITA  | Compliance officers | 1981-07-19 |      1981 |
|  9473 | SUPRIYA  | ANALYST             | 1981-07-19 |      1981 |
+-------+----------+---------------------+------------+-----------+
27 rows in set (0.00 sec)
```

19. Display names and jobs of employee in the format SMITH-CLERK.

Mysql> SELECT CONCAT(ENAME, '-', JOB) AS Employee_Details FROM emp;

```
mysql> SELECT
    ->     CONCAT(ENAME, '-', JOB) AS Employee_Details
    -> FROM emp;
+------------------------------+
| Employee_Details             |
+------------------------------+
| GITA-Compliance officers     |
| VRUSHALI-Compliance officers |
| SHARMIN-Public Relation      |
| BANDISH-Public Relation      |
| SMITH-CLERK                  |
| AARAV-CLERK                  |
| THOMAS-CLERK                 |
| ALLEN-SALESMAN               |
| WARD-SALESMAN                |
| JONES-MANAGER                |
| MARTIN-SALESMAN              |
| BLAKE-MANAGER                |
| CLARK-MANAGER                |
| SCOTT-ANALYST                |
| KING-PRESIDENT               |
| FRED-vice PRESIDENT          |
| TURNER-SALESMAN              |
| ADAMS-CLERK                  |
| Ruhan-Network                |
| Neel-vice PRESIDENT          |
| JAMES-CLERK                  |
| FORD-ANALYST                 |
| HOFFMAN-MANAGER              |
| GRASS-SALESMAN               |
| MILLER-CLERK                 |
| AARUSH-SALESMAN              |
| ALEX-MANAGER                 |
| NATASHA-CLERK                |
| SANGITA-Compliance officers  |
| SUPRIYA-ANALYST              |
+------------------------------+
30 rows in set (0.00 sec)
```

20. Show the length of names in EMP table. Eliminate duplicate length. Do not show the names.

Mysql> SELECT DISTINCT LENGTH(ENAME) AS Name_Length FROM emp;

```
mysql> SELECT DISTINCT LENGTH(ENAME) AS Name_Length
    -> FROM emp;
+-------------+
| Name_Length |
+-------------+
|           4 |
|           8 |
|           7 |
|           5 |
|           6 |
+-------------+
5 rows in set (0.05 sec)

mysql>
```

21. List the names and hiredate of EMP in dept 20, display hiredate formatted as 12/03/1984.

```
SELECT
   ENAME,
   DATE_FORMAT(HIREDATE, '%d/%m/%Y') AS Formatted_HireDate
FROM emp
WHERE DEPTNO = 20;
```

```
mysql> SELECT
    ->     ENAME,
    ->     DATE_FORMAT(HIREDATE, '%d/%m/%Y') AS Formatted_HireDate
    -> FROM emp
    -> WHERE DEPTNO = 20;
+---------+--------------------+
| ENAME   | Formatted_HireDate |
+---------+--------------------+
| SHARMIN | 19/07/1981         |
| BANDISH | 19/07/1981         |
| SMITH   | 17/12/1980         |
| JONES   | 02/04/1981         |
| SCOTT   | 09/12/1982         |
| FRED    | 09/08/1983         |
| ADAMS   | 12/01/1983         |
| FORD    | 03/12/1981         |
+---------+--------------------+
8 rows in set (0.00 sec)
```

22. Find the day of week on which SMITH joined.

```
SELECT
   ENAME,
   HIREDATE,
   DAYNAME(HIREDATE) AS Join_Day
FROM emp WHERE ENAME = 'SMITH';
```

```
mysql> SELECT
    ->     ENAME,
    ->     HIREDATE,
    ->     DAYNAME(HIREDATE) AS Join_Day
    -> FROM emp
    -> WHERE ENAME = 'SMITH';
+-------+------------+-----------+
| ENAME | HIREDATE   | Join_Day  |
+-------+------------+-----------+
| SMITH | 1980-12-17 | Wednesday |
+-------+------------+-----------+
1 row in set (0.00 sec)

mysql>
```

23. Retrieve the ANALYST record with hiredate formatted as 'The 3rd of Oct. 1984'.

```
SELECT
   ENAME,
   JOB,
   CONCAT('The ', DATE_FORMAT(HIREDATE, '%D'), ' of ', DATE_FORMAT(HIREDATE, '%b. %Y')) AS
Formatted_HireDate
FROM emp
WHERE JOB = 'ANALYST';
```

```
mysql> SELECT
    ->     ENAME,
    ->     JOB,
    ->     CONCAT('The ', DATE_FORMAT(HIREDATE, '%D'), ' of ', DATE_FORMAT(HIREDATE, '%b. %Y')) AS Formatted_HireDate
    -> FROM emp
    -> WHERE JOB = 'ANALYST';
+---------+---------+-----------------------+
| ENAME   | JOB     | Formatted_HireDate    |
+---------+---------+-----------------------+
| SCOTT   | ANALYST | The 9th of Dec. 1982  |
| FORD    | ANALYST | The 3rd of Dec. 1981  |
| SUPRIYA | ANALYST | The 19th of Jul. 1981 |
+---------+---------+-----------------------+
3 rows in set (0.00 sec)
```

24. Calculate the total compensation expensive for each dept in 1 year. Assume that employees, who don't earn commission, receive non-monetary benefits than are worth Rs.1000 a month.

```
SELECT
   DEPTNO,
   SUM(
      SAL * 12 +
      IFNULL(COMM, 0) +
      (CASE WHEN COMM IS NULL OR COMM = 0 THEN 12000 ELSE 0 END)
   ) AS Total_Compensation
FROM emp
GROUP BY DEPTNO;
```

```
mysql> SELECT
    ->     DEPTNO,
    ->     SUM(
    ->         SAL * 12 +
    ->         IFNULL(COMM, 0) +
    ->         (CASE WHEN COMM IS NULL OR COMM = 0 THEN 12000 ELSE 0 END)
    ->     ) AS Total_Compensation
    -> FROM emp
    -> GROUP BY DEPTNO;
+--------+--------------------+
| DEPTNO | Total_Compensation |
+--------+--------------------+
|     10 |             215500 |
|     20 |             328500 |
|     30 |             346800 |
|     50 |              99000 |
|     60 |              60000 |
+--------+--------------------+
5 rows in set (0.04 sec)
```

25. Display the Names of the Managers as follows-

a. *If the employee code is 7788 the Manager is CLARK*
b. *If the employee code is 7698 the Manager is BLAKE*
c. *If the employee code is 7566 the Manager is JONES*
d. *For all other Employees the Manager is KING*

SELECT
EMPNO,
ENAME,
CASE
WHEN EMPNO = 7788 THEN 'CLARK'
WHEN EMPNO = 7698 THEN 'BLAKE'
WHEN EMPNO = 7566 THEN 'JONES'
ELSE 'KING'
END AS Manager
FROM emp;

```
mysql> SELECT
    ->     EMPNO,
    ->     ENAME,
    ->     CASE
    ->         WHEN EMPNO = 7788 THEN 'CLARK'
    ->         WHEN EMPNO = 7698 THEN 'BLAKE'
    ->         WHEN EMPNO = 7566 THEN 'JONES'
    ->         ELSE 'KING'
    ->     END AS Manager
    -> FROM emp;
+-------+----------+---------+
| EMPNO | ENAME    | Manager |
+-------+----------+---------+
|  6001 | GITA     | KING    |
|  6129 | VRUSHALI | KING    |
|  6473 | SHARMIN  | KING    |
|  6781 | BANDISH  | KING    |
|  7369 | SMITH    | KING    |
|  7415 | AARAV    | KING    |
|  7421 | THOMAS   | KING    |
|  7499 | ALLEN    | KING    |
|  7521 | WARD     | KING    |
|  7566 | JONES    | JONES   |
|  7654 | MARTIN   | KING    |
|  7698 | BLAKE    | BLAKE   |
|  7782 | CLARK    | KING    |
|  7788 | SCOTT    | CLARK   |
|  7839 | KING     | KING    |
|  7840 | FRED     | KING    |
|  7844 | TURNER   | KING    |
|  7876 | ADAMS    | KING    |
|  7888 | Ruhan    | KING    |
|  7889 | Neel     | KING    |
|  7900 | JAMES    | KING    |
|  7902 | FORD     | KING    |
```