





SWIGGY


Advanced SQL Project

By- Komal gupta





About Swiggy



SWIGGY founded in India in 2014, is a leading food delivery platform that has transformed dining experiences with its easy-to-use app, broad restaurant selection, and fast delivery service has also expanded into grocery deliveries, continually evolving in the competitive market.

Queries that we have



1. Display all customers who live in 'Delhi'.

2. Find the average rating of all restaurants in 'Mumbai'.

3. List all customers who have placed at least one order.

4. Display the total number of orders placed by each customer.

5. Find the total revenue generated by each restaurant.

6. Find the top 5 restaurants with the highest average rating.

7. Display all customers who have never placed an order.

8. Find the number of orders placed by each customer in 'Mumbai'.

9. Display all orders placed in the last 30 days.

10. List all delivery partners who have completed more than 1 delivery.

11. Find the customers who have placed orders on exactly three different days.

12. Find the delivery partner who has worked with the most different customers.

13. Identify customers who have the same city and have placed orders at the same restaurants, but on different dates.



Display all customers who live in 'Delhi'



```
1 • SELECT * FROM swiggydb.customers
2 where city = 'Delhi';
```

result Grid | Filter Rows: | Edit: | Export/Import: | Wra

customer_id	name	email	phone_number	city	address
2	Rohini Verma	rohini.verma@yahoo.com	9823456789	Delhi	B-23, Saket
5	Manish Kumar	NULL	9834567890	Delhi	D-45, Lajpat Nagar
18	Sonali Mishra	NULL	9878345678	Delhi	N-54, Karol Bagh





```
3 • SELECT
4     city, AVG(rating) as Avg_rating
5 FROM
6     restaurants
7 WHERE
8     city = 'Mumbai'
9     group by city;
```

Result Grid |   Filter Rows: | Export:  | Wrap Cell Content: 

city	Avg_rating
Mumbai	4.300000

**Find the average
rating of all
restaurants in
'Mumbai'**



List all customers who have placed at least one order.

```
1 • SELECT * FROM swiggydb.customers;  
2 • select  
3     distinct customer_id, name  
4     from  
5     customers  
6     join orders  
7     using (customer id);
```

Result Grid	Filter Rows:
customer_id	name
1	Amit Sharma
2	Rohini Verma
3	Rajesh Gupta
4	Sneha Mehta
5	Manish Kumar
6	Priya Singh
7	Vikas Reddy
8	Anjali Patel
9	Suresh Nair
10	Kavita Deshmukh
11	Vivek Bhatt
12	Meera Joshi
13	Pankaj Jain
14	Nidhi Saxena
15	Ashok Kumar
16	Deepa Rao
17	Karan Kapoor
18	Sonali Mishra
19	Arjun Desai
20	Shweta Bansal
21	Rahul Chatterjee
22	Neha Kaushik
23	Ravi Singh




Display the total number of orders placed by each customer.




```
1 • SELECT * FROM swiggydb.orders;  
2 • select  
3   customer_id, name, count(order_id)  
4   from  
5   customers  
6   join  
7   orders  
8   using (customer_id)  
9   group by customer_id, name ;
```

	customer_id	name	count(order_id)
▶	1	Amit Sharma	2
	2	Rohini Verma	3
	3	Rajesh Gupta	3
	4	Sneha Mehta	2
	5	Manish Kumar	4
	6	Priya Singh	3
	7	Vikas Reddy	3
	8	Anjali Patel	3
	9	Suresh Nair	1
	10	Kavita Deshmukh	2
	11	Vivek Bhatt	2
	12	Meera Joshi	2
	13	Pankaj Jain	2
	14	Nidhi Saxena	3
	15	Ashok Kumar	3
	16	Deepa Rao	2
	17	Karan Kapoor	1
	18	Sonali Mishra	3
	19	Arjun Desai	2
	20	Shweta Bansal	2
	21	Rahul Chatterjee	2
	22	Neha Kaushik	2
	23	Ravi Singh	2





Find the total revenue generated by each restaurant.



```
select
restaurant_id, name, sum(total_amount) as total_revenue
from
orders
join
restaurants
using ( restaurant_id)
group by restaurant_id, name;
```

restaurant_id	name	total_revenue
3	Biryani House	5300.00
5	Taste of Punjab	600.00
1	Spice of India	1100.00
7	Coastal Delight	2100.00
2	Tandoori Flames	1200.00
4	Curry Pot	3200.00
8	Veggie Delight	1600.00
9	Gujarat Express	2550.00
6	Royal Biryani	650.00
11	Punjabi Tadka	900.00
12	Flavours of Ben...	4050.00
13	South Treat	2950.00
14	The Great India...	1600.00
15	Rajasthani Rasoi	2100.00
10	Andhra Spice	4050.00
17	Chaat Junction	2150.00
18	Maharashtrian ...	2050.00
19	Awadhi Zaika	4150.00
16	Kerala Kitchen	950.00






Find the top 5 restaurants with the highest average rating.

```
4 • select
5     name, rating
6     from restaurants
7     order by rating desc limit 5;
8
```

Result Grid |   Filter Rows:

name	rating
Biryani House	4.80
Paradise Biryani	4.80
Lucknowi Nawabi	4.70
Royal Biryani	4.70
Flavours of Bengal	4.60



Display all customers who have never placed an order.

```
2 • select
3   *
4   from customers
5   left join orders
6   using ( customer_id)
7   where order_id is null;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

customer_id	name	email	phone_number	city	address	order_id	restaurant_id	order_date	total_amount	status
24	Sonal Kaur	sonal.kaur@gmail.com	NULL	Amritsar	S-19, Ranjit Avenue	NULL	NULL	NULL	NULL	NULL
25	Vivek Malhotra	vivek.malhotra@hotmail.com	9812789012	Thane	NULL	NULL	NULL	NULL	NULL	NULL
26	Divya Iyer	NULL	9823890123	Bangalore	T-20, Indiranagar	NULL	NULL	NULL	NULL	NULL
27	Rakesh Yadav	rakesh.yadav@gmail.com	9834901234	Varanasi	U-31, Lanka	NULL	NULL	NULL	NULL	NULL
28	Mona Sharma	mona.sharma@yahoo.com	9845012345	Ranchi	NULL	NULL	NULL	NULL	NULL	NULL
29	Sudha Pillai	sudha.pillai@gmail.com	9856123789	Kozhikode	V-42, Mavoor Road	NULL	NULL	NULL	NULL	NULL
30	Gaurav Khanna	NULL	9867238901	Gwalior	W-53, City Centre	NULL	NULL	NULL	NULL	NULL

Display all orders placed in the last 30 days

```
SELECT
    *
FROM
    orders
WHERE
    order_date >= DATE_SUB((SELECT
        MAX(order_date)
    FROM
        orders),
        INTERVAL 30 DAY);
```

	order_id	customer_id	restaurant_id	order_date	total_amount	status
▶	1	1	3	2024-08-01 00:00:00	750.00	Completed
	2	2	5	2024-08-02 00:00:00	600.00	Completed
	3	3	1	2024-08-04 00:00:00	0.00	Cancelled
	4	4	7	2024-08-01 00:00:00	850.00	Completed
	5	5	2	2024-08-03 00:00:00	1200.00	Completed
	6	1	4	2024-08-06 00:00:00	500.00	Processing
	7	6	8	2024-08-03 00:00:00	950.00	Completed
	8	7	9	2024-08-08 00:00:00	700.00	Completed
	9	8	6	2024-08-02 00:00:00	650.00	Completed
	10	9	11	2024-08-09 00:00:00	0.00	Cancelled
	11	10	12	2024-08-01 00:00:00	900.00	Completed
	12	2	13	2024-08-04 00:00:00	550.00	Completed
	13	3	14	2024-08-05 00:00:00	750.00	Completed
	14	11	4	2024-08-06 00:00:00	800.00	Processing
	15	12	15	2024-08-10 00:00:00	1100.00	Completed
	16	13	10	2024-08-01 00:00:00	950.00	Completed


List all delivery partners who have completed more than 1 delivery

```
2 • SELECT
3     partner_id, name, COUNT(order_delivery_id) delivery_count
4 FROM
5     deliverypartners
6     JOIN
7     orderdelivery USING (partner_id)
8 GROUP BY partner_id , name
9 HAVING COUNT(order_delivery_id) > 1;
```



Result Grid   Filter Rows:			
	partner_id	name	delivery_count
▶	1	Amit Sharma	2
	2	Ravi Kumar	5
	3	Priya Patel	3
	4	Suresh Reddy	6
	5	Anita Desai	4
	6	Rajesh Gupta	4
	7	Sonia Agarwal	3
	8	Vikram Singh	2
	9	Sneha Iyer	2
	12	Reena Rao	2
	13	Mohit Saini	2
	16	Ritika Sharma	2

Find the customers who have placed orders on exactly three different days.



```
select
name, count(distinct order_date) as 'c'
from customers
join orders
using (customer_id)
group by name
having c=3;
```

	name	c
▶	Anjali Patel	3
	Ashok Kumar	3
	Nidhi Saxena	3
	Priya Singh	3
	Rohini Verma	3
	Sonali Mishra	3



Find the delivery partner who has worked with the most different customers

```
2 • with t as (  
3   select  
4   partner_id, name, count(distinct customer_id) as 'c'  
5   from  
6   deliverypartners  
7   join orderdelivery  
8   using (partner_id)  
9   join  
10  orders  
11  using( order_id)  
12  group by partner_id, name)  
13  select * from t where c = (select max(c) from t);
```

Result Grid	Filter Rows:	Export:	Wrap Cell Content:
partner_id	name	c	
4	Suresh Reddy	6	



Identify customers who have the same city and have placed orders at the same restaurants but on different dates

```
2 • with t as (  
3   select  
4     customer_id, name, restaurant_id, order_date, city  
5   from customers  
6   join orders  
7   using (customer_id)  
8 )  
9 select distinct * from t t1  
10 join t t2  
11 where t1.city = t2.city and t1.restaurant_id = t2.restaurant_id  
12 and t1.customer_id <> t2.customer_id and t1.order_date <> t2.order_date  
13 and t1.customer_id < t2.customer_id;
```

Result Grid


Filter Rows:

Export:

Wrap Cell Content:

A


customer_id	name	restaurant_id	order_date	city	customer_id	name	restaurant_id	order_date	city
5	Manish Kumar	3	2024-08-04 00:00:00	Delhi	18	Sonali Mishra	3	2024-08-05 00:00:00	Delhi
19	Arjun Desai	8	2024-08-03 00:00:00	Mumbai	23	Ravi Singh	8	2024-08-09 00:00:00	Mum
5	Manish Kumar	3	2024-08-07 00:00:00	Delhi	18	Sonali Mishra	3	2024-08-05 00:00:00	Delhi



THANK YOU



Free First Delivery:



Ready to order you fav meal?
Download the Swiggy App or
visit the website now.