

## **CREATION OF S3 BUCKET:**

**CREATE AN S3 BUCKET OF IN AWS** 




## **CREATION OF LAMBDA FUNCTION**

CREATE A NEW LAMBDA FUNCTION AND CONFIGURE IT.



ADD AN S3 TRIGGER TO GET UPDATED WHEN A NEW IMAGE IS UPLOADED IN THE S3 BUCKET




UPDATE THE PYTHON SCRIPT IN THE CODE SOURCE TO WRITE A CODE THAT PRINTS "AN IMAGE IS UPLOADED" WHEN THE LAMBDA FUNCTION IS TRIGGERED BY S3.

```
Write the below code in the script.
import json
import logging
# Set up logging
logger = logging.getLogger()
logger.setLevel(logging.INFO)
def lambda_handler(event, context):
  # Log incoming event data
  logger.info('Received event: %s', json.dumps(event, indent=2))
  # Get bucket name and object key from the event
  bucket_name = event['Records'][0]['s3']['bucket']['name']
  object_key = event['Records'][0]['s3']['object']['key']
  # Check if the uploaded object is an image
  if object_key.lower().endswith(('.png', '.jpg', '.jpeg', '.gif')):
    logger.info('An Image has been added to the bucket: %s, Object: %s', bucket_name, object_key)
  else:
    logger.info('Non-image file uploaded to the bucket: %s, Object: %s', bucket_name, object_key)
  return {
    'statusCode': 200,
    'body': json.dumps('Lambda function executed successfully!')
  }
```

```
Code source Info
▲ File Edit Find View Go Tools Window
                                                                                                                Deploy
Q Go to Anything (Ctrl-P)
                                                       18
                                                                 lambda_function ×
                                                                                                    Environment Vari ×
                                                                                                                                      Execution results X
                                                           import json
import logging


# Set up loggin
logger = loggin
logger.setLevel
          v 📋 komal-lambdafun - . 🔅 🔻
                lambda_function.py
                                                               # Set up logging
logger = logging.getLogger()
logger.setLevel(logging.INFO)
                                                                def lambda_handler(event, context):
                                                                      # Log incoming event data
logger.info('Received event: %s', json.dumps(event, indent=2))
                                                                      # Get bucket name and object key from the event
bucket_name = event['Records'][0]['s3']['bucket']['name']
object_key = event['Records'][0]['s3']['object']['key']
                                                         13
14
15
16
17
18
19
20
21
22
23
24
25
                                                                      # Check if the uploaded object is an image
if object_key.lower().endswith(('.png', '.jpg', '.jpeg', '.gif')):
   logger.info('An Image has been added to the bucket: %s, Object: %s', bucket_name, object_key)
                                                                      else:
logger.info('Non-image file uploaded to the bucket: %s, Object: %s', bucket_name, object_key)
                                                                      return {
   'statusCode': 200,
   'body': json.dumps('Lambda function executed successfully!')
```

## 1)UPLOAD AN IMAGE IN THE S3 BUCKET:




NOW GO BACK TO LAMBDA FUNCTION AND

DEPLOY THE CODE BY CLICKING ON THE DEPLOY OPTION AND TEST IT.



```
-USE THE SUITABLE EVENT FOR YOUR CODE.
THE EVENT SHOULD INCLUDE BELOW SCRIPT.
 "Records": [
   "eventVersion": "2.1",
   "eventSource": "aws:s3",
   "awsRegion": "us-east-1",
   "eventTime": "2024-10-19T17:00:00.000Z",
   "eventName": "ObjectCreated:Put",
   "userIdentity": {
    "principalId": "EXAMPLE"
   },
   "requestParameters": {
    "sourceIPAddress": "127.0.0.1"
   },
   "responseElements": {
    "x-amz-request-id": "EXAMPLE123456789",
    "x-amz-id-2": "EXAMPLE123/456EXAMPLE="
   },
   "s3": {
    "s3SchemaVersion": "1.0",
    "configurationId": "testConfigRule",
    "bucket": {
     "name": "example-bucket",
     "ownerIdentity": {
      "principalId": "EXAMPLE"
     },
     "arn": "arn:aws:s3:::example-bucket"
```

```
},
"object": {
    "key": "test-image.jpg",
    "size": 1024,
    "eTag": "0123456789abcdef0123456789abcdef",
    "sequencer": "0A1B2C3D4E5F678901"
    }
}
```




THE RESULT OF EXECUTION WILL LOOK LIKE:

-the output of this code is of before the image fourstroke.jpg was uploaded.

# 2)CHECK THE CLOUDWATCH LOGS

Once the image is uploaded. The lambda function is triggered and it can be checked in the logs.

Go to cloudwatch>log group name>log stream



### AFTER UPLOADING ONE MORE IMAGE:



## 3) FOR MONITORING THE LAMBDA FUNCTION BY USING NAGIOS ON EC2:

PREREQUISITES: INSTALL AND CONFIGURE NAGIOS ON YOUR EC2 INSTANCE.

1)GO TO THE LIBEXEC DIRECTORY cd /usr/local/nagios/libexec

```
ec2-user@ip-172-31-43-5 ~]$ <mark>cd /usr</mark>/local/nagios/libexec
[ec2-user@ip-172-31-43-5 libexec]$ sudo chmod +x check_lambda.sh
```

- 2) RUN THE COMMAND sudo nano check\_lambda.sh
- 3) WRITE THE BELOW CODE IN THE SCRIPT

#!/bin/bash

# AWS Lambda function name

LAMBDA\_FUNCTION\_NAME="komal-lambdafun"

# S3 bucket name (replace this with your actual bucket name)

S3\_BUCKET\_NAME="your-s3-bucket-name"

# Log group for the Lambda function (CloudWatch logs)

LOG GROUP NAME="/aws/lambda/\$LAMBDA FUNCTION NAME"

# Get the current time to filter logs from this point onward

CURRENT\_TIME=\$(date -u +"%Y-%m-%dT%H:%M:%S.000Z")

# Monitor Lambda for S3 trigger (image upload)

echo "Monitoring Lambda function '\$LAMBDA\_FUNCTION\_NAME' for image uploads to S3 bucket '\$S3\_BUCKET\_NAME'."

# Monitor S3 bucket for any new object (image upload)

echo "Checking if there is a new image uploaded to the S3 bucket..."

```
LATEST_OBJECT=$(aws s3api list-objects --bucket $S3_BUCKET_NAME --query 'Contents[?contains(Key,
`.jpg`) || contains(Key, `.png`)] | sort_by(@, &LastModified)[-1].Key' --output text)
if [ "$LATEST OBJECT" == "None" ]; then
  echo "No image found in the bucket '$S3 BUCKET NAME'."
  exit 1
else
  echo "Latest image uploaded: $LATEST_OBJECT"
fi
# Check the Lambda function's logs for recent activity (triggered by the S3 event)
echo "Checking Lambda function logs for the latest execution..."
# Fetch log streams (sorted by latest event time)
LATEST_LOG_STREAM=$(aws logs describe-log-streams --log-group-name $LOG_GROUP_NAME --order-
by LastEventTime --descending --limit 1 --query 'logStreams[0].logStreamName' --output text)
if [ "$LATEST_LOG_STREAM" == "None" ]; then
  echo "No logs found for Lambda function '$LAMBDA FUNCTION NAME'."
  exit 2
else
  echo "Fetching logs from stream: $LATEST_LOG_STREAM"
fi
# Get logs for the latest Lambda execution
LOG_EVENTS=$(aws logs get-log-events --log-group-name $LOG_GROUP_NAME --log-stream-name
$LATEST_LOG_STREAM --start-time $(date --date="$CURRENT_TIME" +%s%3N))
# Check if log events were found
if [ -z "$LOG_EVENTS" ]; then
```

```
echo "No log events found for Lambda function execution after image upload."
  exit 3
else
  echo "Log events from Lambda function triggered by S3 upload:"
  echo "$LOG_EVENTS"
  exit 0
fi
-IT MONITORS YOUR LAMBDA FUNCTION AND THE S3 BUCKET'S LATEST CHANGES.
3)RUN sudo chmod +x check_lambda.sh
4) RUN THE FOLLOWING COMMAND TO ACCESS THE COMMANDS SCRIPT
sudo nano /usr/local/nagios/etc/objects/services/commands/commands.cfg
5) WRITE THE BELOW CODE IN THE SCRIPT
define command {
  command_name check_lambda
  command_line /usr/local/nagios/libexec/check_lambda.sh
ec2-user@ip-172-31-43-5:/usr/local/nagios/libexec
GNU nano 5.8
                          /usr/local/nagios/etc/objects/services/commands/commands.cfg
efine command {
                check_lambda
  command_name
   command line
                /usr/local/nagios/libexec/check_lambda.sh
```

6)RUN THE FOLLOWING COMMAND TO ACCESS THE SERVICES SCRIPT sudo nano /usr/local/nagios/etc/objects/services/services.cfg

```
ec2-user@ip-172-31-43-5:/usr/local/nagios/libexec
 GNU nano 5.8
                                /usr/local/nagios/etc/objects/services/services.cfg
efine service {
                        generic-service
   use
                        localhost
   host_name
                        Check Lambda Function
   service_description
                        check lambda
   check command
7) WRITE THE BELOW CODE IN THE SCRIPT
define service {
                generic-service
  use
  host_name
                    localhost
  check_command
                       check_lambda
}
8)SET THE AWS CREDENTIALS TO ACCESS AND MONITOR THE CREATED LAMBDA FUNCTION.
export AWS_SECRET_ACCESS_KEY="your_secret_key"
export AWS_SESSION_TOKEN="your_session_token"
 export AWS_SESSION_TOKEN="your_session_token"
ec2-user@ip-172-31-43-5 libexec]$ export AWS_SECRET_ACCESS_KEY="uzjnupR3BdeJnPktvBZxxxzc4GHiCdmWJ9T+wGKL
9) RESTART NAGIOS TO GET THE CHANGES UPDATED sudo systemctl restart nagios
```

10) RUN BELOW COMMAND TO CHECK THE MONITORING OF YOUR LAMBDA FUNCTION

./check\_lambda.sh

```
Monitoring Lambda function 'komal-lambdafun' for image uploads to S3 bucket 'komalimagebucket'.

Checking if there is a new image uploaded to the S3 bucket...

Latest image uploaded: ottocycle.jpg


Checking Lambda function logs for the latest execution...

Fetching logs from stream: 2024/10/19/[$LATEST]6fffb263855042b295ab4aabd7f7f3fb

Log events from Lambda function triggered by S3 upload:

{
    "events": [],
    "nextForwardToken": "f/38567525873567295377391290756440763726736881459105103872/s",
    "nextBackwardToken": "b/385673652425930735828275784168711175004025588495155200000/s"
}
```

#### ALSO TRY UPLOADING A NEW IMAGE IN THE S3 BUCKET TO CHECK IF THE MONITORING IS WORKING



```
Monitoring Lambda function 'komal-lambdafun' for image uploads to S3 bucket 'komalimagebucket'.

Checking if there is a new image uploaded to the S3 bucket...

Latest image uploaded: fourstroke.jpg

Checking Lambda function logs for the latest execution...

Fetching logs from stream: 2024/10/20/[$LATEST]2385120a48774ac5aac4a8c8a8f44d49

Log events from Lambda function triggered by S3 upload:

{
    "events": [],
    "nextForwardToken": "f/38567529563337092200275542639233030527771534431094833152/s",
    "nextBackwardToken": "b/38567568944516776538911019911800350760030568842264576000/s"

}

[ec2-user@ip-172-31-43-5 libexec]$

Broadcast message from root@localhost (Sun 2024-10-20 10:37:49 UTC):

The system will power off now!

Connection to ec2-98-83-23-82.compute-1.amazonaws.com closed by remote host.

Connection to ec2-98-83-23-82.compute-1.amazonaws.com closed.
```

-IT ALSO NOTIFIES YOU ABOUT SYSTEM BEING POWERED OFF BY THE HOST.

11) RUN aws lambda get-function --function-name your\_function\_name TO GET THE CONFIGURATION OF THE LAMBDA FUNCTION.