Cucumber Report

Start : Dec 17, 5:54:01.584 PM	End : Dec 17, 5:54:48.641 PM	Duration : 47.057 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 3 FAILED - 1 SKIPPED - 0

Features: 1

Scenarios: 1

Steps: 4

Pass %: 0 %

Pass %: 0 %

Pass %: 75 %

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Top menu test	*47.057 s*	*1*	*0*	*1*	*0*	*4*	*3*	*1*	*0*

#	*Feature Name*	*Scenario Name*
1	*Top menu test*	*Verify user should navigate to desktops page successfully*

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@sanity	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Top menu test	1	0	1	0	47.057 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Top menu test	Verify user should navigate to desktops page successfully	4	3	1	0	47.053 s

Top menu test

FAILED	DURATION - 47.057 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	Steps Total - 4 Pass - 3 Fail - 1 Skip - 0
/ 5:54:01.584 PM // 5:54:48.641 PM /			

Verify user should navigate to desktops page successfully

FAILED	DURATION - 47.053 s		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0
/ 5:54:01.588 PM // 5:54:48.641 PM /			
Top menu test			
@sanity			

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When Mouse hover on "Desktops" Tab and click	PASSED	0.182 s
3	And call selectMenu method and pass the menu = "Show All Desktops"	PASSED	20.023 s
4	Then Verify the text 'Desktops'	FAILED	20.077 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h2[normalize-space()='Desktops']"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/ documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e99c78ff854abbbc288fb3a8922decec, findElement {using=xpath, value=//h2[normalize-space()='Desktops']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\komal\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59837}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59837/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e99c78ff854abbbc288fb3a8922decec at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.$Proxy30.getText(Unknown Source)		
	at com.tutorialsninja.demo.utility.Utility.getTextFromElement(Utility.java:63)		
	at com.tutorialsninja.demo.pages.DesktopsPage.getDesktopsText(DesktopsPage.java:31)		
	at com.tutorialsninja.demo.steps.TopMenuTestSteps.verifyTheTextDesktops(TopMenuTestSteps.java:29)		
	at ?.Verify the text 'Desktops'(file:///C:/Users/komal/IdeaProjects/com.tutorialsninja-sw-6/src/test/resources/features/topmenutest.feature:9)		
* Not displayable characters are replaced by '?'.			