

```

import java.util.Scanner;
class A
{
    public static void main(String [] arg)
    {
        Scanner sc=new Scanner(System.in);
        System.out.println("Enter the size ");
        int n=sc.nextInt();
        int star=n;
        for(int i=1;i<=n;i++)
        {
            for(int k=1;k<=star;k++)
            {
                if(i==1 || i==n/2+1 || k==1 || k==n)
                    System.out.print("* ");
                else
                    System.out.print(" "+" ");
            }

            System.out.println();

            star--;
        }
    }
}

```

S

```

C:\PatternProblem>java A
Enter the size
8
* * * * *
*           *
*           *
*           *
* * * * *
*           *
*           *
*           *

```

```

import java.util.Scanner;
class B
{
    public static void main(String [] arg)
    {
        Scanner sc=new Scanner(System.in);
        System.out.println("Enter the size ");
        int n=sc.nextInt();
        int star=n;
        for(int i=1;i<=n;i++)
        {
            for(int k=1;k<=star;k++)
            {
                if( i==n/2+1||k==1 ||k==star|| i==1 ||i==star)
                    System.out.print("* ");
                else
                    System.out.print(" + " );
            }
            System.out.println();
        }
    }
}

```

```

C:\PatternProblem>java B
Enter the size
5
* * * * *
*       *
* * * * *
*       *
* * * * *

```

```

import java.util.Scanner;
class C
{
    public static void main(String [] arg)
    {
        Scanner sc=new Scanner(System.in);
        System.out.println("Enter the size ");
        int n=sc.nextInt();
        int star=n;
        int space=1;
        for(int i=1;i<=n;i++)
        {
            if(i==1 || i==n)
            {
                for(int j=1;j<=space;j++)
                {
                    System.out.print(" "+" ");
                }
            }
            for(int k=1;k<=star;k++)
            {
                if(k==1 || i==1 ||i==n)
                    System.out.print("* ");
                else
                    System.out.print(" "+" ");
            }

            System.out.println();

        }
    }
}

```

```

C:\PatternProblem>java C
Enter the size
4
 * * * *
*
*
 * * * *

```

```

import java.util.Scanner;
class D
{
    public static void main(String [] arg)
    {
        Scanner sc=new Scanner(System.in);
        System.out.println("Enter the size ");
        int n=sc.nextInt();
        int star=n;
        int space=n-2,k;
        for(int i=1;i<=n;i++)
        {
            for(int j=1;j<=n;j++)
            {
                if(j==1 || j==n || i==1 || i==n)
                    System.out.print("* ");

                else
                    System.out.print("  ");

            }
            System.out.println();
        }
    }
}

```

```

C:\Users\user>cd C:\Users\user\Documents\java
C:\Users\user\Documents\java>javac D.java
C:\Users\user\Documents\java>java D
Enter the size
5
* * * * *
*       *
*       *
*       *
* * * * *

```

```

import java.util.Scanner;
class MainE{
    public static void main(String[] args) {
        System.out.println("Try programiz.pro");
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        for(int i=1;i<=n;i++)
        {
            for(int j=1;j<=n;j++)
            {
                if(i==1 || j==1 || i==n || i==n/2+1)
                {
                    System.out.print("* ");
                }
                else
                    System.out.print("  ");
            }
            System.out.println();
        }
    }
}

```

Try programiz.pro

5

* * * * *

*

* * * * *

*

* * * * *

```

import java.util.Scanner;
class MainF {
    public static void main(String[] args) {
        System.out.println("Try programiz.pro");
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        for(int i=1;i<=n;i++)
        {
            for(int j=1;j<=n;j++)
            {
                if( j==n ||j==1|| i==n/2+1)
                {
                    System.out.print("* ");
                }
                else
                    System.out.print("  ");
            }
            System.out.println();
        }
    }
}

```

Try programiz.pro

5

* * * * *

*

* * * * *

*

*

```

import java.util.Scanner;
class MainG {
    public static void main(String[] args) {
        System.out.println("Try programiz.pro");
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        for(int i=1;i<=n;i++)
        {
            for(int j=1;j<=n;j++)
            {
                if( i==1|| j==1|| i==n|| (j>=n/2+1 && i==n/2+1)|| (j==n && i>=n/2+1))
                {
                    System.out.print("* ");
                }
                else
                    System.out.print("  ");
            }
            System.out.println();
        }
    }
}

```

Try programiz.pro

```

5
* * * * *
*
*   * * *
*           *
* * * * *

```

```

import java.util.Scanner;
class MainH {
    public static void main(String[] args) {
        System.out.println("Try programiz.pro");
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        for(int i=1;i<=n;i++)
        {
            for(int j=1;j<=n;j++)
            {
                if( j==n ||j==1|| i==n/2+1)
                {
                    System.out.print("* ");
                }
                else
                    System.out.print("  ");
            }
            System.out.println();
        }
    }
}

```

Try programiz.pro

5

```

*           *
*           *
* * * * *
*           *
*           *

```



```
import java.util.Scanner;
class MainI {
    public static void main(String[] args) {
        System.out.println("Try programiz.pro");
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        for(int i=1;i<=n;i++)
        {
            for(int j=1;j<=n;j++)
            {
                if( i==n ||i==1|| j==3)
                {
                    System.out.print("* ");
                }
                else
                    System.out.print("  ");
            }
            System.out.println();
        }
    }
}
```

Try programiz.pro

```
* * * * *
    *
    *
    *
* * * * *
```

```

import java.util.Scanner;
class Main {
    public static void main(String[] args) {
        System.out.println("Try programiz.pro");
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        for(int i=1;i<=n;i++)
        {
            for(int j=1;j<=n;j++)
            {
                if( i==1||j==n/2+1|| (i==n && j<=n/2)
                )
                {
                    System.out.print("* ");
                }
                else
                    System.out.print(" ");
            }

            System.out.println();
        }
    }
}

```

5

```

* * * * *
    *
    *
    *
* * *

```

```

import java.util.Scanner;
class MainK {
    public static void main(String[] args) {
        System.out.println("Try programiz.pro");
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        for(int i=1;i<=n;i++)
        {
            for(int j=1;j<=n;j++)
            {
                if( j==1 || (i+j==n-1 && j<=n/2+2) || (i>=n/2+1 && i==j && i<=n-1))
                {
                    System.out.print("* ");
                }
                else
                    System.out.print("  ");
            }
            System.out.println();
        }
    }
}

```

Try programiz.pro

5

```

*      *
*  *
*      *
*          *
*

```

```
import java.util.Scanner;
class MainL {
    public static void main(String[] args) {
        System.out.println("Try programiz.pro");
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        for(int i=1;i<=n;i++)
        {
            for(int j=1;j<=n;j++)
            {
                if( j==1|| i==n)
                {
                    System.out.print("* ");
                }
                else
                    System.out.print("  ");
            }
            System.out.println();
        }
    }
}
```

```
5
*
*
*
*
*
* * * * *
```

```

import java.util.Scanner;
class MainM {
    public static void main(String[] args) {
        System.out.println("Try programiz.pro");
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        for(int i=1;i<=n;i++)
        {
            for(int j=1;j<=n;j++)
            {
                if( j==n || j==1 || (i==j && j<=n/2+1) || (i+j==n+1 && i<=n/2+1 ))
                {
                    System.out.print("* ");
                }
                else
                    System.out.print("  ");
            }
            System.out.println();
        }
    }
}

```

Try programiz.pro

5

```

*           *
*  *       *  *
*    *     *
*           *
*           *

```

```

import java.util.Scanner;
class MainN {
    public static void main(String[] args) {
        System.out.println("Try programiz.pro");
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        for(int i=1;i<=n;i++)
        {
            for(int j=1;j<=n;j++)
            {
                if( j==1|| j==n|| i==j
                )
                {
                    System.out.print("* ");
                }
                else
                    System.out.print("  ");
            }
            System.out.println();
        }
    }
}

```

```

5
*           *
*  *       *
*   *     *
*     *  *
*       *

```

```

import java.util.Scanner;
class Main0 {
    public static void main(String[] args) {
        System.out.println("Try programiz.pro");
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        for(int i=1;i<=n;i++)
        {
            for(int j=1;j<=n;j++)
            {
                if( (j>=2 && j<=n-1 &&i==1)|| (i>=2 && i<=n-1 && j==1) || (j==n && i>=2 && i<=n-1)||i==n && j>=2 && j<=n-1))
                {
                    System.out.print("* ");
                }
                else
                    System.out.print(" ");
            }
            System.out.println();
        }
    }
}

```

```

5
* * *
*       *
*       *
*       *
* * *

```

```

import java.util.Scanner;
class MainP {
    public static void main(String[] args) {
        System.out.println("Try programiz.pro");
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        for(int i=1;i<=n;i++)
        {
            for(int j=1;j<=n;j++)
            {
                if(j==1 || j==n/2-1 || i==1 || (j==n && i<=n/2+1) || i==n/2+1)
                {
                    System.out.print("* ");
                }
                else
                    System.out.print("  ");
            }
            System.out.println();
        }
    }
}

```

Try programiz.pro

5

* * * * *

* * * *

* * * * *

* * *

* * *


```

import java.util.Scanner;
class MainQ {
    public static void main(String[] args) {
        System.out.println("Try programiz.pro");
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        for(int i=1;i<=n;i++)
        {
            for(int j=1;j<=n;j++)
            {
                if( (i==1 && j<n)|| (j==1&& i<n ) ||
                    (j==n && i<n )||(i==n &&j<n) || (i==j && i>=3))
                {
                    System.out.print("* ");
                }
                else
                    System.out.print("  ");
            }
            System.out.println();
        }
    }
}

```

```

5
* * * * *
*       *
*   *   *
*       * *
* * * * *

```

```

import java.util.Scanner;
class Main1R {
    public static void main(String[] args) {
        System.out.println("Try programiz.pro");
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        for(int i=1;i<=n;i++)
        {
            for(int j=1;j<=n;j++)
            {
                if(j==1|| j==n/2-1 ||i==1|| (j==n && i<=n/2+1)||i==n/2+1 ||
                    |(i==5 && j==3)||
                    (i==4 && j==2))
                {
                    System.out.print("* ");
                }
                else
                    System.out.print("  ");
            }
            System.out.println();
        }
    }
}

```

5

```

* * * * *
*           *
* * * * *
* *
*     *

```

// use this editor to write, compile and run your java code online

```
import java.util.Scanner;
class MainS {
    public static void main(String[] args) {
        System.out.println("Try programiz.pro");
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        for(int i=1;i<=n;i++)
        {
            for(int j=1;j<=n;j++)
            {
                if( (j==n&& i>=n/2+1) ||(j==1 && i<=n/2+1)|| i==n || i==1 || i==n/2+1)
                {
                    System.out.print("* ");
                }
                else
                    System.out.print("  ");
            }
            System.out.println();
        }
    }
}
```

Try programiz.pro

```
5
* * * * *
*
* * * * *
      *
* * * * *
```

```
import java.util.Scanner;
class MainT {
    public static void main(String[] args) {
        System.out.println("Try programiz.pro");
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        for(int i=1;i<=n;i++)
        {
            for(int j=1;j<=n;j++)
            {
                if( i==1|| j==3)
                {
                    System.out.print("* ");
                }
                else
                    System.out.print("  ");
            }
            System.out.println();
        }
    }
}
```

5

```
* * * * *
  *
  *
  *
  *
```

```

import java.util.Scanner;
class MainU {
    public static void main(String[] args) {
        System.out.println("Try programiz.pro");
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        for(int i=1;i<=n;i++)
        {
            for(int j=1;j<=n;j++)
            {
                if( (j==n && i<=n-1 ) ||(j==1 && i<=n-1) || (i==n && j>1 && j<=n-1 ))
                {
                    System.out.print("* ");
                }
                else
                    System.out.print("  ");
            }
            System.out.println();
        }
    }
}

```

```

5
*      *
*      *
*      *
*      *
*      *
  * * *

```

```

import java.util.Scanner;
class MainV {
    public static void main(String[] args) {
        System.out.println("Try programiz.pro");
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        for(int i=1;i<=n;i++)
        {
            for(int j=1;j<=n;j++)
            {
                if( (i==j && j<n/2+1)|| (i+j==n+1 && i<n/2+1 )|| (i==n/2+1 && j==n/2+1))
                {
                    System.out.print("* ");
                }
                else
                    System.out.print(" ");
            }
            System.out.println();
        }
    }
}

```

```

Try programiz.pro
5
*      *
 *    *
  *

```

```

import java.util.Scanner;
class MainW {
    public static void main(String[] args) {
        System.out.println("Try programiz.pro");
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        for(int i=1;i<=n;i++)
        {
            for(int j=1;j<=n;j++)
            {
                if( j==n ||j==1||(i==j && j>=n/2+1)|| (i+j==n+1 && i>=n/2+1 ))
                {
                    System.out.print("* ");
                }
                else
                    System.out.print("  ");
            }
            System.out.println();
        }
    }
}

```

Try programiz.pro

5

```

*           *
*           *
*   *       *
* *   * *   *
*           *

```

```

import java.util.Scanner;
class Main {
    public static void main(String[] args) {
        System.out.println("Try programiz.pro");
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        for(int i=1;i<=n;i++)
        {
            for(int j=1;j<=n;j++)
            {
                if( i==j|| i+ j== n+1
                )
                {
                    System.out.print("* ");
                }
                else
                    System.out.print("  ");
            }

            System.out.println();
        }
    }
}

```

```

5
*       *
  *     *
    *
  *     *
*       *

```



```

import java.util.Scanner;
class MainY {
    public static void main(String[] args) {
        System.out.println("Try programiz.pro");
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        for(int i=1;i<=n;i++)
        {
            for(int j=1;j<=n;j++)
            {
                if( (i==j && j<=n/2+1)|| (i+j==n+1 && i<=n/2+1 )||(j==n/2+1 && i>=n/2+1))
                {
                    System.out.print("* ");
                }
                else
                    System.out.print("  ");
            }
            System.out.println();
        }
    }
}

```

Try programiz.pro

5

```

*           *
  *       *
    *   *
      *
      *
      *

```

```

import java.util.Scanner;
class MainZ {
    public static void main(String[] args) {
        System.out.println("Try programiz.pro");
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        for(int i=1;i<=n;i++)
        {
            for(int j=1;j<=n;j++)
            {
                if( i==1||i==n|| i+ j== n+1
                )
                {
                    System.out.print("* ");
                }
                else
                    System.out.print("  ");
            }

            System.out.println();
        }
    }
}

```

Try programiz.pro

```

5
* * * * *
  *
   *
    *
   *
* * * * *

```

```

import java.util.Scanner;
class Main0 {
    public static void main(String[] args) {
        System.out.println("Try programiz.pro");
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        int m=n;
        n=n+2;
        for(int i=1;i<=n;i++)
        {
            for(int j=1;j<=m;j++)
            {
                if( j==m ||j==1|| i==1||i==n)
                {
                    System.out.print("* ");
                }
                else
                    System.out.print("  ");
            }
            System.out.println();
        }
    }
}

```

```

4
* * * *
*   *
*   *
*   *
*   *
*   *
* * * *

```

```

import java.util.Scanner;
class Main1 {
    public static void main(String[] args) {
        System.out.println("Try programiz.pro");
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        for(int i=1;i<=n;i++)
        {
            for(int j=1;j<=n;j++)
            {
                if(j==n/2+1 || i==n || i+j==n/2+1)
                {
                    System.out.print("* ");
                }
                else
                    System.out.print("  ");
            }
            System.out.println();
        }
    }
}

```

```

5
  * *
*   *
   *
   *
* * * * *

```

```

import java.util.Scanner;
class Main2 {
    public static void main(String[] args) {
        System.out.println("Try programiz.pro");
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        for(int i=1;i<=n;i++)
        {
            for(int j=1;j<=n;j++)
            {
                if( i==n || i==1 || i==n/2+1 || (j==n && i<=n/2+1) || (j==1 && i>=n/2+1))
                {
                    System.out.print("* ");
                }
                else
                    System.out.print(" ");
            }
            System.out.println();
        }
    }
}

```

Try programiz.pro

5

```

* * * * *
      *
* * * * *
*
* * * * *

```

```

import java.util.Scanner;
class Main3 {
    public static void main(String[] args) {
        System.out.println("Try programiz.pro");
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        for(int i=1;i<=n;i++)
        {
            for(int j=1;j<=n;j++)
            {
                if(j==n || i==n || i==1 || i==n/2+1)
                {
                    System.out.print("* ");
                }
                else
                    System.out.print("  ");
            }
            System.out.println();
        }
    }
}

```

```

5
* * * * *
      *
* * * * *
      *
* * * * *

```

```

import java.util.Scanner;
class Main4 {
    public static void main(String[] args) {
        System.out.println("Try programiz.pro");
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        for(int i=1;i<=n;i++)
        {
            for(int j=1;j<=n;j++)
            {
                if( j==n || (j==1 && i<=n/2+1)|| i==n/2+1 )
                {
                    System.out.print("* ");
                }
                else
                    System.out.print("  ");
            }
            System.out.println();
        }
    }
}

```

Try programiz.pro

5

```

*           *
*           *
* * * * *
           *
           *

```

// use this editor to write, compile and run your java code online

```
import java.util.Scanner;
class MainS {
    public static void main(String[] args) {
        System.out.println("Try programiz.pro");
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        for(int i=1;i<=n;i++)
        {
            for(int j=1;j<=n;j++)
            {
                if( (j==n&& i>=n/2+1) ||(j==1 && i<=n/2+1)|| i==n || i==1 || i==n/2+1)
                {
                    System.out.print("* ");
                }
                else
                    System.out.print("  ");
            }
            System.out.println();
        }
    }
}
```

Try programiz.pro

```
5
* * * * *
*
* * * * *
      *
* * * * *
```



```

import java.util.Scanner;
class Main6 {
    public static void main(String[] args) {
        System.out.println("Try programiz.pro");
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        for(int i=1;i<=n;i++)
        {
            for(int j=1;j<=n;j++)
            {
                if( (j==n&& i>=n/2+1) ||(j==1)|| i==n || i==1 || i==n/2+1)
                {
                    System.out.print("* ");
                }
                else
                    System.out.print("  ");
            }
            System.out.println();
        }
    }
}

```

Try programiz.pro

```

5
* * * * *
*
* * * * *
*       *
* * * * *

```

```

import java.util.Scanner;
class Main7 {
    public static void main(String[] args) {
        System.out.println("Try programiz.pro");
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        for(int i=1;i<=n;i++)
        {
            for(int j=1;j<=n;j++)
            {
                if(i==1 || i+j==n+1)
                {
                    System.out.print("* ");
                }
                else
                    System.out.print("  ");
            }
            System.out.println();
        }
    }
}

```

```

5
* * * * *
  *
    *
      *
        *
          *

```

```

import java.util.Scanner;
class Main8 {
    public static void main(String[] args) {
        System.out.println("Try programiz.pro");
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        for(int i=1;i<=n;i++)
        {
            for(int j=1;j<=n;j++)
            {
                if((j==n && j>n/2)|| (j==n && i<1) || i==n || i==1 || i==n/2+1 || j==1)
                {
                    System.out.print("* ");
                }
                else
                    System.out.print("  ");
            }
            System.out.println();
        }
    }
}

```

```

5
* * * * *
*       *
* * * * *
*       *
* * * * *

```

```

import java.util.Scanner;
class Main9 {
    public static void main(String[] args) {
        System.out.println("Try programiz.pro");
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        for(int i=1;i<=n;i++)
        {
            for(int j=1;j<=n;j++)
            {
                if( (j==n) ||(j==1 && i<=n/2+1)|| i==n || i==1 || i==n/2+1)
                {
                    System.out.print("* ");
                }
                else
                    System.out.print("  ");
            }
            System.out.println();
        }
    }
}

```

Try programiz.pro

5

```

* * * * *
*       *
* * * * *
*       *
* * * * *

```