# On the power of oritatami cotranscriptional folding with unary bead sequence <sup>0</sup>

# Szilárd Zsolt Fazekas<sup>1</sup>, Kohei Maruyama<sup>2</sup>, Reoto Morita<sup>2</sup>, Shinnosuke Seki<sup>2</sup>

<sup>1</sup>Akita University, <sup>2</sup>University of Electro-Communications

**TAMC2019** 





<sup>&</sup>lt;sup>0</sup> Supported by KAKENHI Grant-in-Aid for Challenging Research (Exploratory) No. 18K19779 and JST Program to Disseminate Tenure Tracking System No. 6F36

# What is oritatami system?

Oritatami system is a mathematical model for co-transcriptional folding(CF). (Geary, Meunier, Schabanel and Seki. MFCS 2016.)





Figure: RNA tile is self-assembled (RNA Origami)

(Geary, Rothemund and Andersen. Science 345(6198), 2014)


## An example

 $\Sigma = \{a, b, c, d\}, R = \{(a, a), (b, b), (c, c), (d, d)\},$ arity  $\alpha = 2$ , delay  $\delta = 3$ ,  $w = \underline{bac}$ bcadbcbab




## An example

 $\Sigma = \{a, b, c, d\}, R = \{(a, a), (b, b), (c, c), (d, d)\},$ arity  $\alpha = 2$ , delay  $\delta = 3$ ,  $w = \underline{bac}$ bcadbcbab




## An example

 $\Sigma = \{a, b, c, d\}, R = \{(a, a), (b, b), (c, c), (d, d)\},$ arity  $\alpha = 2$ , delay  $\delta = 3$ ,  $w = \underline{bac}$ bcadbcbab




## An example

 $\Sigma = \{a, b, c, d\}, R = \{(a, a), (b, b), (c, c), (d, d)\},$ arity  $\alpha = 2$ , delay  $\delta = 3$ , w = bacbcadbcbab




## An example

 $\Sigma = \{a, b, c, d\}, R = \{(a, a), (b, b), (c, c), (d, d)\},$ arity  $\alpha = 2$ , delay  $\delta = 3$ ,  $w = b\underline{acb}$ cadbcbab




## An example

 $\Sigma = \{a, b, c, d\}, R = \{(a, a), (b, b), (c, c), (d, d)\},$ arity  $\alpha = 2$ , delay  $\delta = 3$ , w = bacbcadbcbab




## An example

 $\Sigma = \{a, b, c, d\}, R = \{(a, a), (b, b), (c, c), (d, d)\},$ arity  $\alpha = 2$ , delay  $\delta = 3$ ,  $w = ba\underline{cbc}$ adbcbab




## An example

 $\Sigma = \{a, b, c, d\}, R = \{(a, a), (b, b), (c, c), (d, d)\},$ arity  $\alpha = 2$ , delay  $\delta = 3$ ,  $w = bac\underline{bca}dbcbab$ 




## An example

 $\Sigma = \{a, b, c, d\}, R = \{(a, a), (b, b), (c, c), (d, d)\},$ arity  $\alpha = 2$ , delay  $\delta = 3$ ,  $w = bacb\underline{cad}bcbab$ 




## An example

 $\Sigma = \{a, b, c, d\}, R = \{(a, a), (b, b), (c, c), (d, d)\},$ arity  $\alpha = 2$ , delay  $\delta = 3$ ,  $w = bacbc\underline{adb}cbab$ 



## An example


 $\Sigma = \{a, b, c, d\}, R = \{(a, a), (b, b), (c, c), (d, d)\},$ arity  $\alpha = 2$ , delay  $\delta = 3$ ,  $w = bacbca\underline{dbc}bab$ 



# Oritatami system and determinism

## An example


 $\Sigma = \{a, b, c, d\}, R = \{(a, a), (b, b), (c, c), (d, d)\},$  arity  $\alpha = 2$ , delay  $\delta = 3$ ,  $w = bacbcadbc\underline{bab}$ 



# Oritatami system and determinism

## An example

 $\Sigma = \{a, b, c, d\}, R = \{(a, a), (b, b), (c, c), (d, d)\},$  arity  $\alpha = 2$ , delay  $\delta = 3$ ,  $w = bacbcadbc\underline{bab}$ 



# Turing universality

#### Theorem (Geary, Meunier, Schabanel and Seki. ISAAC 2018.)

The deterministic oritatami system at *delay*  $\delta = 3$  with 542 types of beads is Turing universal.

- A smaller Turing universal system
- The characterization of non-Turing-universal systems

#### **Theorem**

Polynomial upper bounds on the size of structures

→ Non-Turing-universality

The system at *delay*  $\delta=1$  and *arity*  $\alpha=1$  is not Turing universal. (Demaine et al. DNA24, 2018.)

#### **Problem**

#### Problem


Give an upper bound on the length of a transcript of a *delay*  $\delta$ , *arity*  $\alpha$  deterministic oritatami system by a function in  $\delta$ ,  $\alpha$ , and seed n.

- input : delay  $\delta$ , arity  $\alpha$  and seed n
- output : an upper bound


#### Unary variant

Let's focus on unary.


# Turing-universal oritatami systems



# Turing-universal oritatami systems




# Turing-universal oritatami systems



# Oritatami systems at delay 1

#### The two ways to stabilize a bead at delay 1


- To be bound to another bead.
- Through a 1-in-1-out structure called the tunnel section.



# Oritatami systems at delay 1

#### The two ways to stabilize a bead at delay 1


- To be bound to another bead.
- Through a 1-in-1-out structure called the tunnel section.




## Results $(\delta = 1)$


$$\alpha=4$$
  $3n^2+3n+1$   
 $\alpha=3$   $4n+14$   
 $\alpha=2$   $\infty$  but zigzag after  $(27n^2+9n+1)$ 

<sup>a</sup>c.f.  $\alpha = 1$ : 10*n* (Demaine et al. 2018 DNA24)







$$\alpha = 2$$




$$\alpha = 2$$




$$\alpha = 2$$



$$\alpha = 2$$




$$\alpha = 3$$



## Results $(\delta = 1)$


$$\alpha = 4$$
  $3n^2 + 3n + 1$   
 $\alpha = 3$   $4n + 14$   
 $\alpha = 2$   $\infty$  but zigzag after  $(27n^2 + 9n + 1)$ 

<sup>a</sup>c.f.  $\alpha = 1$ : 10*n* (Demaine et al. 2018 DNA24)




$$\alpha = 4$$

The terminal conformation at  $\alpha = 4$  is of length at most  $3n^2 + 3n + 1(\bigcirc_O^n)$ .




$$\alpha = 4$$

The terminal conformation at  $\alpha = 4$  is of length at most  $3n^2 + 3n + 1(\bigcirc_O^n)$ .




$$\alpha = 4$$

The terminal conformation at  $\alpha = 4$  is of length at most  $3n^2 + 3n + 1(\bigcirc_O^n)$ .




$$\alpha = 2 (\delta = 1)$$


A transcript folds into the zig-zag conformation after its  $(27n^2 + 9n + 1)$ -th bead  $(\bigcirc_O^{3n})$ .



$$\alpha = 2 (\delta = 1)$$

A transcript folds into the zig-zag conformation after its  $(27n^2 + 9n + 1)$ -th bead  $(\bigcirc_O^{3n})$ .






free hands: -2

#### $\alpha = 2 (\delta = 1)$

A transcript folds into the zig-zag conformation after its  $(27n^2 + 9n + 1)$ -th bead  $(\bigcirc_O^{3n})$ .








free hands: ±0

free hands: -2


free hands:  $\leq +2$ 

## $\alpha = 2 (\delta = 1)$

A transcript folds into the zig-zag conformation after its  $(27n^2 + 9n + 1)$ -th bead  $(\bigcirc_O^{3n})$ .








Troll

free hands: ±0

free hands: -2

free hands:  $\pm 0$ 


**Tunnel Troll Theorem** 




Illustrated by Gido

#### **Tunnel Troll Theorem**

- $\alpha \ge 4$  # of free hands does not increase / tunnel section.
- $\alpha = 3$  Troll consumes bonds / tunnel section.
- $\alpha = 2$  Troll consumes bonds / tunnel.








Tunnel


#### **Tunnel Troll Theorem**

 $\alpha \ge 4$  Any hands are not supplied with using a tunnel section.




### **Tunnel Troll Theorem**


 $\alpha \ge 4$  Any hands are not supplied with using a tunnel section.






#### **Tunnel Troll Theorem**






#### **Tunnel Troll Theorem**

 $\alpha = 3$  At least one free hand is decreased / tunnel section.






free hands  $\leq -1$ 


#### **Tunnel Troll Theorem**

 $\alpha = 3$  At least one free hand is decreased / tunnel section.





free hands  $\leq -1$ 

#### **Tunnel Troll Theorem**





#### **Tunnel Troll Theorem**






#### **Tunnel Troll Theorem**







#### **Tunnel Troll Theorem**









#### **Tunnel Troll Theorem**








#### **Tunnel Troll Theorem**




#### Jordan curve theorem


A closed curve which is a non-self-intersecting divides into inside and outside.





At  $\alpha = 2$ , Troll consumes free hands an entrance of tunnel, too.

# Thank you for listening!!











## Tunnel Troll Theorem ( $\alpha = 2$ )

If this orange bead is stabilized by bonds, total bonds decrease.





## References I