

optimization

July 2023

1. A company produces two types of goods, A and B, that require gold and silver. Each unit of type A requires 3 g of silver and 1 g of gold, while that of type B requires 1 g of silver and 2 g of gold. The company can use at the most 9 g of silver and 8 g of gold. If each unit of type A brings a profit of ₹ 120 and that of type B ₹ 150, then find the number of units of each type that the company should produce to maximise profit. Formulate the above LPP and solve it graphically. Also, find the maximum profit.
2. Find the maximum value of $7x + 6y$ subject to the constraints:

$$\begin{aligned}x + y &\geq 2 \\ 2x + 3y &\leq 6 \\ x &\geq 0 \text{ and } y \geq 0\end{aligned}$$

3. A window is in the form of a rectangular mounted by a semi-circular opening. The total perimeter of the window to admit maximum light through the whole opening.

OR

Divide the number 8 into two positive numbers such that the sum of the cube of one and the square of the other is maximum.

4. Find the maximum and the minimum values of $z = 5x + 2y$ subject to the constraints:

$$\begin{aligned}-2x - 3y &\leq -6 \\ x - 2y &\leq 2 \\ 6x + 4y &\leq 24 \\ -3x + 2y &\leq 3 \\ x &\geq 0, y \geq 0\end{aligned}$$

OR

A furniture dealer deals in only two items : chairs and tables. He has ₹ 5,000 to invest and a space to store at most 60 pieces. A table costs him ₹ 250 and a chair ₹ 50. He sells a table at a profit of ₹ 50 and a chair at a profit of ₹ 15. Assuming that he can sell all the items he buys, how should he invest his money in order that he may maximize his profit ? Formulate the above as a linear programming problem.

5. The least value of the function $f(x) = 2 \cos(x) + x$ in the closed interval $\left[0, \frac{\pi}{2}\right]$ is:
- (a) 2
 - (b) $\left(\frac{\pi}{6}\right) + \sqrt{3}$
 - (c) $\frac{\pi}{2}$
 - (d) The least value does not exist.
6. A linear programming problem is as follows:
Minimize $Z = 30x + 50y$
subject to the constraints,

$$\begin{aligned} 3x + 5y &\geq 15 \\ 2x + 3y &\leq 18 \\ x \geq 0, y &\geq 0 \end{aligned}$$

In the feasible region, the minimum value of Z occurs at

- (a) a unique point
 - (b) no point
 - (c) infinitely many points
 - (d) two points only
7. The area of a trapezium is defined by function f and given by $f(x) = (10 + x)\sqrt{100 - x^2}$, then the area when it is maximised is:
- (a) 75cm^2
 - (b) $7\sqrt{3}\text{cm}^2$
 - (c) $75\sqrt{3}\text{cm}^2$
 - (d) 5cm^2
8. For an objective function $Z = ax + by$, where $a, b > 0$; the corner points of the feasible region determined by a set of constraints (linear inequalities) are $(0,20)$, $(10,10)$, $(30,30)$, and $(0,40)$. The condition on a and b such that the maximum Z occurs at the points $(30,30)$ and $(0,40)$ is:
- (a) $b - 3a = 0$

- (b) $a = 3b$
 (c) $a + 2b = 0$
 (d) $2a - b = 0$
9. In a linear programming problem, the constraints on the decision variables x and y are $x - 3y \geq 0$, $y \geq 0$, $0 \leq x \leq 3$. The feasible region
- (a) is not in the first quadrant
 (b) is bounded in the first quadrant
 (c) is unbounded in the first quadrant
 (d) does not exist
10. Based on the given shaded region as the feasible region in the graph, at which point(S) is the objective function $Z = 3x + 9y$ maximum?




Figure 1

- (a) point B
 (b) point C
 (c) point D
 (d) every point on the line segment CD
11. In the given graph, the feasible region for a LPP is shaded. The objective function $Z = 2x - 3y$, will be minimum at:
- (a) (4,10)

(b) (6,8)

(c) (0,8)

(d) (6,5)




Figure 2