

Aurikrex Design System Reference

Generated: 2026-07-12 • **Scope:** Aurikrex Library codebase audit + confirmed rebrand target state
Status: Documentation only — no source files were modified

Summary Dashboard

Metric	Count
Total tokens documented	32 (15 color + 3 typography + 10 spacing + 4 radius + 2 transition)
CONSISTENT findings	28
LIKELY OUTLIER findings	9
UNRESOLVED CONFLICT findings	3
Files requiring changes for rebrand	25 (non-reader files using <code>--color-accent-gold</code>)
High-risk hardcoded fallbacks	37 occurrences across 5 files
AI-flag placements pending	1 ("pending — apply when AI-content UI is built")

Part A — Full Codebase Audit (Current State)

A.1 Color Tokens

A.1.1 Global Token Definitions

Source: [tokens.css](#)

Dark Theme (`:root` — default)

Token	Current Value	Line	Classification	Scope	Target Value/Role
<code>--color-bg-primary</code>	<code>#0a0a0a</code>	L2	CONSISTENT	CORE	Unchanged
<code>--color-bg-secondary</code>	<code>#111111</code>	L3	CONSISTENT	CORE	Unchanged
<code>--color-bg-card</code>	<code>#161616</code>	L4	CONSISTENT	CORE	Unchanged
<code>--color-text-primary</code>	<code>#ffffff</code>	L5	CONSISTENT	CORE	Unchanged

--color-text-secondary	#a0a0a0	L6	CONSISTENT	CORE	Unchanged
--color-text-muted	#555555	L7	CONSISTENT	CORE	Unchanged
--color-accent-gold	#c9a84c	L8	CONSISTENT	CORE	→ --color-accent-ai-flag (#c9a84c) — reserved for AI-content flagging only
--color-accent-gold-hover	#e0bc6a	L9	CONSISTENT	CORE	→ --color-accent-ai-flag-hover (#e0bc6a) — hover state for AI flag
--color-accent-blue	#3b82f6	L10	CONSISTENT	CORE	→ --color-accent-primary (#3b82f6) — primary brand accent
--color-accent-blue-hover	#60a5fa	L11	CONSISTENT	CORE	→ --color-accent-primary-hover (#60a5fa) — primary brand hover
--color-border	#222222	L12	CONSISTENT	CORE	Unchanged
--color-border-hover	#333333	L13	CONSISTENT	CORE	Unchanged
--color-text-on-accent	#0a0a0a	L14	CONSISTENT	CORE	Unchanged
--color-overlay	rgba(10, 10, 10, 0.8)	L15	CONSISTENT	CORE	Unchanged

Reader Background Tokens (:root)

Token	Current Value	Line	Classification	Scope	Target Value/Role
--color-reader-bg-dark	#0a0a0a	L16	CONSISTENT	LIBRARY-SPECIFIC	Out of scope for rebrand
--color-reader-bg-sepia	#f4ecd8	L17	CONSISTENT	LIBRARY-SPECIFIC	Out of scope for rebrand
--color-reader-bg-white	#ffffff	L18	CONSISTENT	LIBRARY-SPECIFIC	Out of scope for rebrand

Light Theme (html[data-theme='light'])

Source: [tokens.css](#) L44–L53

Token	Current Value	Line	Classification	Scope	Target Value/Role
--color-bg-primary	#f5f5f0	L45	CONSISTENT	CORE	Unchanged

--color-bg-secondary	#ebebe6	L46	CONSISTENT	CORE	Unchanged
--color-bg-card	#ffffff	L47	CONSISTENT	CORE	Unchanged
--color-text-primary	#0a0a0a	L48	CONSISTENT	CORE	Unchanged
--color-text-secondary	#444444	L49	CONSISTENT	CORE	Unchanged
--color-text-muted	#888888	L50	CONSISTENT	CORE	Unchanged
--color-border	#dddddd	L51	CONSISTENT	CORE	Unchanged
--color-border-hover	#cccccc	L52	CONSISTENT	CORE	Unchanged

Note: Light theme does NOT override accent colors — gold and blue tokens remain unchanged in light mode. This is intentional; both #c9a84c and #3b82f6 are designed to work on both dark and light backgrounds.

A.1.2 Undefined Token Reference

Token	Used In	Line	Status
--color-accent-gold-faded	BookCard.css	L17	UNDEFINED — no declaration exists in tokens.css or anywhere in the codebase. Will render as <code>initial</code> (transparent). See Part F.

A.1.3 Hardcoded Colors Not Tokenized

Color	Meaning	Files & Lines	Classification	Scope
#ef4444	Error / destructive red	Toast.css L33; DownloadButton.css L31–L37; ContactPage.css L103, L108, L115–L117	CONSISTENT	CORE
#f87171	Error text (lighter)	CoinAccessButton.css L127; ShelfBookCard.css L57–L58; ProfilePage.css L202; GoogleReferralModal.css L66	UNRESOLVED CONFLICT — #ef4444 vs #f87171 for error states	CORE
#e05555	Error text (alt)	FriendsPage.css L258, L274; LeaderboardPage.css L172; StudyRoomPage.css L308	UNRESOLVED CONFLICT — third error color variant	CORE
#22c55e	Success green	ProfilePage.css L107–L109, L208, L246	CONSISTENT	CORE
#f59e0b	Warning amber	ProfilePage.css L113–L115; Navbar.css L185	CONSISTENT	CORE
#4caf50	Active/success alt green	ChallengesPage.css L226	LIKELY OUTLIER — deviates from #22c55e used elsewhere	CORE

#a855f7 / #c084fc	Purple tier accent	CoinAccessButton.css L102–L104	CONSISTENT (only usage, tier-specific)	LIBRARY-SPECIFIC
#8b6914	Dark gold gradient endpoint	ReaderPage.css L659	LIKELY OUTLIER	LIBRARY-SPECIFIC
#e8b84b	Gold gradient variant	StreakWidget.css L141; DashboardPage.css L349	CONSISTENT (used in button gradients)	CORE
#1a1000	Dark text on gold gradient buttons	StreakWidget.css L142; DashboardPage.css L243, L248, L350	LIKELY OUTLIER — deviates from <code>--color-text-on-accent</code> (#0a0a0a)	CORE

A.2 Typography

A.2.1 Font Families

Source: [index.html](#) L14–L16, [tokens.css](#) L20–L22

Token	Value	Weights Loaded	Usage	Classification	Scope
<code>--font-display</code>	<code>'Playfair Display', serif</code>	600, 700	Headings (h1–h6), logos, display text, stat values	CONSISTENT	CORE
<code>--font-body</code>	<code>'Inter', sans-serif</code>	400, 500, 600, 700	Body text, buttons, labels, inputs	CONSISTENT	CORE
<code>--font-mono</code>	<code>'JetBrains Mono', monospace</code>	400, 600	Referral codes, zoom badges, page counters, keyboard shortcuts	CONSISTENT	CORE

A.2.2 Typography Rules

Headings — [index.css](#) L65–L73:

- `font-family: var(--font-display), line-height: 1.2`
- Classification: CONSISTENT, CORE

Body — [index.css](#) L28–L35:

- `font-family: var(--font-body), line-height: 1.7`
- Classification: CONSISTENT, CORE

A.2.3 Font-Family Outliers

File	Line	Issue	Classification
FriendsPage.cs s	L9	Hardcodes <code>font-family: 'Playfair Display', Georgia, serif</code> instead of <code>var(--font-display)</code>	LIKELY OUTLIER

LeaderboardPage.css	L9	Hardcodes <code>font-family: 'Playfair Display', Georgia, serif</code>	LIKELY OUTLIER
ChallengesPage.css	L17	Hardcodes <code>font-family: 'Playfair Display', Georgia, serif</code>	LIKELY OUTLIER
StudyRoomPage.css	L39	Hardcodes <code>font-family: 'Playfair Display', Georgia, serif</code>	LIKELY OUTLIER
ProfilePage.css	L290	Uses <code>font-family: monospace</code> instead of <code>var(--font-mono)</code>	LIKELY OUTLIER

A.2.4 Font Sizes in Use

Context	Sizes Found	Classification
Body / paragraph	<code>0.9rem - 1.05rem</code>	CONSISTENT
Hero headlines	<code>clamp(2.25rem, 5vw, 4rem)</code>	CONSISTENT
Section headings	<code>clamp(1.6rem, 3vw, 2.2rem)</code>	CONSISTENT
Page titles	<code>2rem</code>	CONSISTENT
Card titles	<code>0.95rem - 1.15rem</code>	CONSISTENT
Labels / small text	<code>0.72rem - 0.82rem</code>	CONSISTENT
Badges	<code>0.65rem - 0.75rem</code>	CONSISTENT
Buttons (sm/md/lg)	<code>0.85rem / 0.95rem / 1rem</code>	CONSISTENT

A.3 Spacing Scale

Source: [tokens.css](#) L24–L33

Token	Value	Classification	Scope
<code>--space-1</code>	<code>4px</code>	CONSISTENT	CORE
<code>--space-2</code>	<code>8px</code>	CONSISTENT	CORE
<code>--space-3</code>	<code>12px</code>	CONSISTENT	CORE
<code>--space-4</code>	<code>16px</code>	CONSISTENT	CORE
<code>--space-5</code>	<code>24px</code>	CONSISTENT	CORE
<code>--space-6</code>	<code>32px</code>	CONSISTENT	CORE
<code>--space-7</code>	<code>48px</code>	CONSISTENT	CORE

--space-8	64px	CONSISTENT	CORE
--space-9	80px	CONSISTENT	CORE
--space-10	96px	CONSISTENT	CORE

Note: FriendsPage, ChallengesPage, LeaderboardPage, and StudyRoomPage use hardcoded px spacing values (e.g., padding: 32px 16px , gap: 12px) instead of spacing tokens. These files appear to have been authored outside the token system.

A.4 Border Radius

Source: [tokens.css](#) L35–L38

Token	Value	Usage	Classification	Scope
--radius-sm	4px	Minimal rounding	CONSISTENT	CORE
--radius-md	8px	Inputs, small cards, toasts, inline badges	CONSISTENT	CORE
--radius-lg	16px	Main cards, modals, sections	CONSISTENT	CORE
--radius-pill	999px	Buttons, badges, pills, toggles	CONSISTENT	CORE

Outlier: --radius-xl referenced at [HomePage.css](#) L439 and [DashboardPage.css](#) L273 as var(--radius-xl, 20px) — **token not defined** in tokens.css. Falls back to 20px via CSS fallback. LIKELY OUTLIER.

Hardcoded radius values: FriendsPage, ChallengesPage, LeaderboardPage, StudyRoomPage use hardcoded border-radius: 12px , 10px , 14px , 8px rather than tokens. LIKELY OUTLIER — these pages were built outside the token system.

A.5 Shadows / Elevation

No shadow tokens are defined. Shadows are applied inline per-component. Common patterns:

Pattern	Usage	Classification
0 8px 24px rgba(0, 0, 0, 0.3)	Toast, card hover states	CONSISTENT
0 8px 32px rgba(0, 0, 0, 0.28)	Mobile dropdown	CONSISTENT
0 0 0 2px <accent>	Focus rings, hover outlines	CONSISTENT
0 0 12px color-mix(... gold 18%)	Coin balance hover glow	CONSISTENT
0 18px 40px color-mix(... gold 12%)	Book detail cover	CONSISTENT
drop-shadow(0 4px 10px rgba(201,168,76,0.4))	Coin icon effects	CONSISTENT

A.6 Transitions / Motion

Source: [tokens.css](#) L40–L41

Token	Value	Classification	Scope
--transition-fast	150ms ease	CONSISTENT	CORE
--transition-base	250ms ease	CONSISTENT	CORE

A.6.1 Named Keyframe Animations

Animation	Duration	Easing	File	Line	Scope
route-fade	250ms	ease	index.css	L92–L104	CORE
ui-button-spin	0.9s	linear infinite	Button.css	L91–L94	CORE
ui-skeleton-shimmer	1.5s	ease-in-out infinite	Skeleton.css	L14–L21	CORE
toast-enter	300ms	ease	Toast.css	L48–L57	CORE
toast-exit	250ms	ease forwards	Toast.css	L59–L68	CORE
coin-bump	0.55s	cubic-bezier(0.36, 0.07, 0.19, 0.97)	CoinBalance.css	L37–L44	LIBRARY-SPECIFIC
streak-coin-pulse	2s	ease-in-out infinite	StreakWidget.css	L95–L98	LIBRARY-SPECIFIC
streak-coin-pop	0.35s	cubic-bezier(0.34, 1.56, 0.64, 1)	StreakWidget.css	L105–L108	LIBRARY-SPECIFIC
card-shimmer	4s	ease-in-out infinite	CoinAccessButton.css	L39–L42	LIBRARY-SPECIFIC
coin-float	3s	ease-in-out infinite	CoinAccessButton.css	L56–L59	LIBRARY-SPECIFIC
coin-glow	3s	ease-in-out infinite	CoinAccessButton.css	L70–L73	LIBRARY-SPECIFIC

coin-drift	6s	ease-in-out infinite	HomePage.css	L49– L52	CORE
hero-cursor	1s	step-end infinite	HomePage.css	L504– L507	CORE
fade-up	350ms	ease forwards	HomePage.css	L500– L502	CORE
footer-shimmer	4s	linear infinite	Footer.css	L27– L30	CORE
cardFlipShuffle	600ms	ease-in-out	BookGrid.css	L29– L42	LIBRARY-SPECIFIC
referral-pop	0.3s	cubic-bezier(0.34, 1.56, 0.64, 1)	GoogleReferralModal.css	L23– L26	CORE
ref-shimmer	5s	ease-in-out infinite	DashboardPage.css	L169– L172	CORE
popup-spring	300ms	cubic-bezier(0.34, 1.56, 0.64, 1)	DashboardPage.css	L294– L297	CORE
Reader animations (rd-spin, rd-fade-in, rd-slide-in, rd-slide-up, rd-pulse)	various	various	ReaderPage.css	L298– L813	LIBRARY-SPECIFIC

A.6.2 Common Interaction Patterns

Trigger	Effect	Duration	Classification
Button active (not disabled)	transform: scale(0.97)	100ms	CONSISTENT
Card/button hover	transform: translateY(-1px) to translateY(-4px)	var(--transition-base)	CONSISTENT
Hover brightness	filter: brightness(1.05)	var(--transition-base)	CONSISTENT
Scroll reveal (IntersectionObserver)	opacity: 0 → 1, translateY(16–28px → 0)	400–600ms ease	CONSISTENT
Reduced motion	animation: none !important; transition: none !important	—	index.css L106–L111

A.7 Component Rules

A.7.1 Button (ui-button)

Source: [Button.css](#)

Variant	BG	Text	Border	Hover	Disabled	Classification
--primary	--color-accent-gold	--color-text-on-accent	--color-accent-gold	BG → --color-accent-gold-hover, translateY(-1px), shimmer sweep	opacity: 0.7, cursor: not-allowed	CONSISTENT
--secondary	transparent	--color-accent-gold	--color-accent-gold	BG → color-mix(gold 15%, transparent)	Same	CONSISTENT
--ghost	transparent	--color-text-secondary	transparent	Text → --color-accent-blue	Same	CONSISTENT

Active (all): transform: scale(0.97) (L20–L22)
Sizes: sm (0.85rem, pad space-2/3), md (0.95rem, pad space-3/5), lg (1rem, pad space-4/6) (L24–L37)

A.7.2 Badge (ui-badge)

Source: [Badge.css](#)

Variant	Style	Classification
--new	BG gold, text on-accent	CONSISTENT
--genre	Border blue, text blue, BG transparent	CONSISTENT
--downloaded	Border blue, text blue, BG blue 10%	CONSISTENT
--draft	BG secondary, text muted, border	CONSISTENT

A.7.3 Toast

Source: [Toast.css](#)

Variant	Border Color	Classification
--success	color-mix(gold 50%, border)	CONSISTENT
--info	color-mix(blue 50%, border)	CONSISTENT
--error	#ef4444 (hardcoded)	CONSISTENT

A.7.4 Inputs (Focus States)

UNRESOLVED CONFLICT — Three different input focus patterns exist:

Pattern	File	Line	Implementation
---------	------	------	----------------

Pattern A	ProfilePage.css	L194–L197	outline: 2px solid color-mix(gold 55%, transparent); border-color: gold
Pattern B	ContactPage.css	L94–L99	outline: none; border-color: gold; box-shadow: 0 0 0 2px color-mix(gold 18%)
Pattern C	BrowsePage.css	L46–L50	outline: 2px solid gold; border-color: gold
Pattern D	GoogleReferralModal.css	L60–L63	outline: none; border-color: gold
Pattern E	FriendsPage.css	L240	border-color: gold (no outline or box-shadow)

See Part F for resolution.

A.7.5 Cards

Common card pattern used consistently across BookCard, ShelfBookCard, DashboardSectionCard, ProfileStat:

- background-color: var(--color-bg-card)
- border: 1px solid var(--color-border)
- border-radius: var(--radius-lg)
- Hover: transform: translateY(-4px), border-color: var(--color-accent-gold)

A.7.6 Navbar

Source: [Navbar.css](#)

- Height: 64px (L7, L17)
- Background: color-mix(bg-primary 92%, transparent) + backdrop-filter: blur(12px) (L8–L11)
- Logo accent highlight: --color-accent-gold (L31)
- Active link underline: --color-accent-gold (L63)
- Classification: CONSISTENT, CORE

A.7.7 Toggle Switches

Three separate toggle implementations exist:

Implementation	File	On-state BG	Classification
UserSidebar theme toggle	UserSidebar.css L184–L192	--color-accent-gold	CONSISTENT
AdminToggle	ToggleSwitch.css L23–L31	rgba(201, 168, 76, 0.2) (bg) + --color-accent-gold (handle)	CONSISTENT
ProfilePage toggle	ProfilePage.css L340–L370	--color-accent-gold	CONSISTENT

A.8 Theme Variants

A.8.1 App-Wide Dark/Light Theme

Mechanism: `html[data-theme='dark' | 'light']` attribute

- Dark (default): `:root` in `tokens.css` L1–L42
- Light: `html[data-theme='light']` override in `tokens.css` L44–L53
- Toggled by: [ThemeToggle.jsx](#), `UserSidebar` theme toggle
- Color-scheme hint: [index.css](#) L14–L20

A.8.2 Reader Theme System (LIBRARY-SPECIFIC — OUT OF SCOPE FOR REBRAND)

Mechanism: CSS class on `.reader` element (`.reader--dark`, `.reader--sepia`, `.reader--white`)

Source: [ReaderPage.css](#) L19–L65

This is a **completely independent** theming system from the app-wide dark/light toggle. It uses its own set of CSS custom properties scoped to the reader component:

Token	Dark (L19–L33)	Sepia (L35–L49)	White (L51–L65)
<code>--rd-bg</code>	<code>#111111</code>	<code>#f4ecd8</code>	<code>#ffffff</code>
<code>--rd-stage-bg</code>	<code>#0d0d0d</code>	<code>#ede4ce</code>	<code>#f5f5f5</code>
<code>--rd-bar-bg</code>	<code>rgba(8,8,8,0.92)</code>	<code>rgba(240,230,210,0.94)</code>	<code>rgba(255,255,255,0.94)</code>
<code>--rd-border</code>	<code>rgba(255,255,255,0.08)</code>	<code>rgba(0,0,0,0.1)</code>	<code>rgba(0,0,0,0.1)</code>
<code>--rd-icon</code>	<code>#7a7a7a</code>	<code>#7a6046</code>	<code>#555</code>
<code>--rd-icon-hover</code>	<code>#c9a84c</code>	<code>#6b3e1a</code>	<code>#c9a84c</code>
<code>--rd-nav-bg</code>	<code>rgba(20,20,20,0.88)</code>	<code>rgba(230,215,190,0.9)</code>	<code>rgba(240,240,240,0.9)</code>
<code>--rd-nav-hover-bg</code>	<code>rgba(35,35,35,0.96)</code>	<code>rgba(215,200,175,0.97)</code>	<code>rgba(225,225,225,0.97)</code>
<code>--rd-text</code>	<code>#e4e4e4</code>	<code>#3d2b1f</code>	<code>#111111</code>
<code>--rd-text-muted</code>	<code>#555</code>	<code>#9b8470</code>	<code>#999</code>

Note: Reader themes use hardcoded `#c9a84c` in numerous places (progress fill, active thumbnails, settings UI, zoom buttons, empty state buttons) — these are all within [ReaderPage.css](#) and are **OUT OF SCOPE** for the rebrand per product-owner decision.

A.9 Iconography

Library: `lucide-react`

Usage found in:

- [ReaderPage.jsx](#) L7
- [ProfilePage.jsx](#) L3
- [ContactPage.jsx](#) L2
- [Navbar.jsx](#) L3
- [Footer.jsx](#) L2
- [UserSidebar.jsx](#) L3
- [ShelfBookCard.jsx](#) L3
- Login page: [LoginPage.jsx](#) L3

SVG sizing conventions: Icons consistently set at `width: 18px; height: 18px` for inline/toolbar icons (Navbar sidebar toggle, UserSidebar links, reader icon buttons), `width: 20px; height: 20px` for admin nav icons, and `width: 22px; height: 22px` for feature card icons. Classification: CONSISTENT.

Part B — Confirmed Rebrand Target State

The following decisions have been confirmed and are recorded here as the **TARGET** state. They are NOT yet implemented in code.

B.1 Primary Accent: Blue → Primary

Property	Current	Target
Token name	<code>--color-accent-blue</code>	<code>--color-accent-primary</code>
Value	<code>#3b82f6</code>	<code>#3b82f6</code> (unchanged)
Hover token	<code>--color-accent-blue-hover</code>	<code>--color-accent-primary-hover</code>
Hover value	<code>#60a5fa</code>	<code>#60a5fa</code> (unchanged)
Role	Secondary accent (badges, ghost hover, info toast)	PRIMARY brand accent for all interactive elements across all Aurikrex products

B.2 Minor Accent: Gold → AI Flag

Property	Current	Target
Token name	<code>--color-accent-gold</code>	<code>--color-accent-ai-flag</code>
Value	<code>#c9a84c</code>	<code>#c9a84c</code> (unchanged)

Hover token	--color-accent-gold-hover	--color-accent-ai-flag-hover
Hover value	#e0bc6a	#e0bc6a (unchanged)
Role	Primary accent (buttons, links, nav, cards, everything)	Reserved exclusively for flagging AI-generated or AI-assisted content

B.3 Typography — No Change

Playfair Display serif on headings is **UNCHANGED** — carries forward as-is across all products.

B.4 Reader Themes — Out of Scope

All reader theme tokens (--rd-* and all dark/sepia/white variants in ReaderPage.css) are **entirely out of scope** for this rebrand. They remain as-is and are documented in Part A.8.2 above as LIBRARY-SPECIFIC current state only.

Part C — Migration Inventory (Color Rebrand)

Every usage of --color-accent-gold / --color-accent-gold-hover found outside ReaderPage.css that must be repointed under the target state.

Rule: All current gold usages outside ReaderPage.css should point to --color-accent-primary / --color-accent-primary-hover unless the context is specifically AI-content flagging (which does not yet exist).

C.1 Component CSS Files

File	Line	Rule / Context	Current Token	Target Token
Button.cs s	L40	.ui-button--primary bg	--color-accent-gold	--color-accent-primary
Button.cs s	L42	.ui-button--primary border	--color-accent-gold	--color-accent-primary
Button.cs s	L56	.ui-button--primary:hover bg	--color-accent-gold-hover	--color-accent-primary-hover
Button.cs s	L57	.ui-button--primary:hover border	--color-accent-gold-hover	--color-accent-primary-hover
Button.cs s	L64	.ui-button--secondary color	--color-accent-gold	--color-accent-primary

Button.css	L65	<code>.ui-button--secondary</code> border	<code>--color-</code> accent-gold	<code>--color-</code> accent-primary
Button.css	L69	<code>.ui-button--</code> <code>secondary: hover</code> bg mix	<code>--color-</code> accent-gold	<code>--color-</code> accent-primary
Badge.css	L14	<code>.ui-badge--new</code> bg	<code>--color-</code> accent-gold	<code>--color-</code> accent-primary
Skeleton.css	L6	shimmer gradient midpoint	<code>--color-</code> accent-gold	<code>--color-</code> accent-primary
ThemeToggle.css	L20–L21	<code>.is-light</code> state	<code>--color-</code> accent-gold	<code>--color-</code> accent-primary
Toast.css	L25	<code>.toast--success</code> border	<code>--color-</code> accent-gold	<code>--color-</code> accent-primary
CoinBalance.css	L7–L10, L15, L23–L24	All coin balance styling	<code>--color-</code> accent-gold	<code>--color-</code> accent-primary
StreakWidget.css	L35–L38, L43, L72, L115, L132, L140–L141, L149, L155, L169–L170	All streak widget gold refs	<code>--color-</code> accent-gold	<code>--color-</code> accent-primary
BookCard.css	L16, L38	Hover border, ribbon bg	<code>--color-</code> accent-gold	<code>--color-</code> accent-primary
ShelfBookCard.css	L17–L18, L103–L104, L108–L109, L141	Hover, confirm buttons, progress	<code>--color-</code> accent-gold	<code>--color-</code> accent-primary
CoinAccessButton.css	L15, L18, L108–L110, L120	Card bg gradient, tier 3, cost text	<code>--color-</code> accent-gold	<code>--color-</code> accent-primary
DownloadButton.css	L13	Progress bar bg	<code>--color-</code> accent-gold	<code>--color-</code> accent-primary
Navbar.css	L31, L63, L89–L91, L101, L107–L108, L138, L153, L155, L166, L194–L195, L208	Logo highlight, link underline, refer button, avatar, verify tooltip	<code>--color-</code> accent-gold	<code>--color-</code> accent-primary
Footer.css	L18, L102–L106, L133, L165, L198	Shimmer, social hover, heading bar, underline, brand name	<code>--color-</code> accent-gold	<code>--color-</code> accent-primary
UserSidebar.css	L32, L103–L104, L152, L185–L186, L205	Avatar bg, active border, sublink, theme toggle, badge	<code>--color-</code> accent-gold	<code>--color-</code> accent-primary
AdminRoute.css	L13	Spinner top color	<code>--color-</code> accent-gold	<code>--color-</code> accent-primary

ProtectedRoute.css	L12–L13	Spinner colors	<code>--color-accent-gold</code>	<code>--color-accent-primary</code>
ToggleSwitch.css	L25, L30	Toggle on-state	<code>--color-accent-gold</code>	<code>--color-accent-primary</code>
GoogleReferralModal.css	L62, L82, L114	Input focus, submit bg, success color	<code>--color-accent-gold</code>	<code>--color-accent-primary</code>

C.2 Page CSS Files

File	Line(s)	Target Token
HomePage.css	L21, L31–L32, L74, L80–L81, L95, L200, L240, L267, L274, L286–L289, L390, L397, L402, L409, L435, L438, L452	<code>--color-accent-primary</code>
DashboardPage.css	L52, L58, L101, L151, L154, L186–L187, L206, L221–L223, L231–L233, L242, L247, L272, L290, L323, L338–L340, L348–L349, L449, L454, L478	<code>--color-accent-primary</code> / <code>-hover</code>
BrowsePage.css	L48–L49, L87–L89, L94	<code>--color-accent-primary</code>
BookDetailPage.css	L24, L52	<code>--color-accent-primary</code>
ProfilePage.css	L28, L45, L140, L195–L196, L260, L292, L315, L363–L364	<code>--color-accent-primary</code>
ContactPage.css	L97–L98, L129, L142, L159, L188–L189, L211, L221–L224, L244, L249, L271–L273, L280	<code>--color-accent-primary</code> / <code>-hover</code>
FriendsPage.css	L11, L38–L39, L49, L96, L132, L158, L181–L182, L240, L250	<code>--color-accent-primary</code>
ChallengesPage.css	L19, L24, L76, L94–L96, L117–L119, L124, L166, L180, L225, L248, L267	<code>--color-accent-primary</code>
LeaderboardPage.css	L11, L52, L79–L80, L97, L129–L131, L140, L153, L161	<code>--color-accent-primary</code>
StudyRoomPage.css	L41, L125, L173, L176, L195, L249, L301, L309	<code>--color-accent-primary</code>
ShelfPage.css	(none — uses components)	N/A
LegalPages.css	L51	<code>--color-accent-primary</code>

AboutPage.css	L14 and numerous other lines	--color-accent-primary
FeaturesPage.css	L12, L14, L19, L34, L49, L73, L83–L84, L95–L96, L98 and more	--color-accent-primary
AdminLayout.css	L32, L82–L83, L146, L181, L189, L274	--color-accent-primary / -hover

Part D — Hardcoded Fallback Risk List

Every `var()` usage with a hardcoded hex fallback referencing `--color-accent-gold` by name and current value. **HIGH RISK** — these will silently keep rendering the old gold color if the token is renamed to `--color-accent-ai-flag` without also updating these fallback values.

#	File	Line	Declaration	Risk
1	UserSidebar.css	L205	<code>background: var(--color-accent-gold, #c9a84c)</code>	HIGH
2	FriendsPage.css	L11	<code>color: var(--color-accent-gold, #c9a84c)</code>	HIGH
3	FriendsPage.css	L38	<code>color: var(--color-accent-gold, #c9a84c)</code>	HIGH
4	FriendsPage.css	L39	<code>border-bottom-color: var(--color-accent-gold, #c9a84c)</code>	HIGH
5	FriendsPage.css	L49	<code>background: var(--color-accent-gold, #c9a84c)</code>	HIGH
6	FriendsPage.css	L96	<code>color: var(--color-accent-gold, #c9a84c)</code>	HIGH
7	FriendsPage.css	L158	<code>background: var(--color-accent-gold, #c9a84c)</code>	HIGH
8	FriendsPage.css	L240	<code>border-color: var(--color-accent-gold, #c9a84c)</code>	HIGH
9	FriendsPage.css	L250	<code>border-top-color: var(--color-accent-gold, #c9a84c)</code>	HIGH
10	ChallengesPage.css	L19	<code>color: var(--color-accent-gold, #c9a84c)</code>	HIGH
11	ChallengesPage.css	L24	<code>background: var(--color-accent-gold, #c9a84c)</code>	HIGH
12	ChallengesPage.css	L76	<code>border-color: var(--color-accent-gold, #c9a84c)</code>	HIGH
13	ChallengesPage.css	L95	<code>border-color: var(--color-accent-gold, #c9a84c)</code>	HIGH
14	ChallengesPage.css	L96	<code>color: var(--color-accent-gold, #c9a84c)</code>	HIGH
15	ChallengesPage.css	L118	<code>border-color: var(--color-accent-gold, #c9a84c)</code>	HIGH
16	ChallengesPage.css	L119	<code>color: var(--color-accent-gold, #c9a84c)</code>	HIGH
17	ChallengesPage.css	L124	<code>background: var(--color-accent-gold, #c9a84c)</code>	HIGH
18	ChallengesPage.css	L180	<code>color: var(--color-accent-gold, #c9a84c)</code>	HIGH

19	ChallengesPage.css	L248	color: var(--color-accent-gold, #c9a84c)	HIGH
20	ChallengesPage.css	L267	background: var(--color-accent-gold, #c9a84c)	HIGH
21	LeaderboardPage.css	L11	color: var(--color-accent-gold, #c9a84c)	HIGH
22	LeaderboardPage.css	L52	background: var(--color-accent-gold, #c9a84c)	HIGH
23	LeaderboardPage.css	L97	color: var(--color-accent-gold, #c9a84c)	HIGH
24	LeaderboardPage.css	L130	color: var(--color-accent-gold, #c9a84c)	HIGH
25	LeaderboardPage.css	L140	color: var(--color-accent-gold, #c9a84c)	HIGH
26	LeaderboardPage.css	L161	color: var(--color-accent-gold, #c9a84c)	HIGH
27	StudyRoomPage.css	L41	color: var(--color-accent-gold, #c9a84c)	HIGH
28	StudyRoomPage.css	L125	background: var(--color-accent-gold, #c9a84c)	HIGH
29	StudyRoomPage.css	L173	border-color: var(--color-accent-gold, #c9a84c)	HIGH
30	StudyRoomPage.css	L176	background: var(--color-accent-gold, #c9a84c)	HIGH
31	StudyRoomPage.css	L195	color: var(--color-accent-gold, #c9a84c)	HIGH
32	StudyRoomPage.css	L249	color: var(--color-accent-gold, #c9a84c)	HIGH
33	StudyRoomPage.css	L301	background: var(--color-accent-gold, #c9a84c)	HIGH
34	StudyRoomPage.css	L309	color: var(--color-accent-gold, #c9a84c)	HIGH
35	DashboardPage.css	L449	color: var(--color-accent-gold, #c9a84c)	HIGH
36	DashboardPage.css	L454	color: var(--color-accent-gold, #c9a84c)	HIGH
37	DashboardPage.css	L478	color: var(--color-accent-gold, #c9a84c)	HIGH

Additional note: Numerous hardcoded `rgba(201, 168, 76, ...)` values (the RGB equivalent of `#c9a84c`) exist in `StreakWidget.css` (L88, L96–L97), `CoinAccessButton.css` (L52, L65), `HomePage.css` (L31–L32, L46, L402), `AdminLayout.css` (L78, L82), `DashboardPage.css` (L453, L455), `LeaderboardPage.css` (L79–L80, L129, L131, L153), `FriendsPage.css` (L181–L182), `ChallengesPage.css` (L94, L117, L166), `ReaderPage.css` (numerous — out of scope). These are **not** `var()` fallbacks but hardcoded RGB references to the gold color that will also need updating during implementation.

Part E — AI-Flag Color Placement

Search result: No AI-related components, badges, or UI elements exist anywhere in the codebase. No classes, tokens, or comments reference "AI", "companion", "generated", "assisted", or similar terms.

Status: Pending — apply `--color-accent-ai-flag` when AI-content UI is built. The reading-companion AI feature is still in spec, not yet implemented. When AI-content flagging UI is built, it should use:

- `--color-accent-ai-flag` (`#c9a84c`) for AI-content indicators
- `--color-accent-ai-flag-hover` (`#e0bc6a`) for hover states on those indicators

Part F — Open Questions

F.1 UNRESOLVED CONFLICTS

F.1.1 Error Color Fragmentation

Three different error reds are used:

Color	Files
<code>#ef4444</code>	Toast.css, DownloadButton.css, ContactPage.css
<code>#f87171</code>	CoinAccessButton.css, ShelfBookCard.css, ProfilePage.css, GoogleReferralModal.css
<code>#e05555</code>	FriendsPage.css, LeaderboardPage.css, StudyRoomPage.css

Decision needed: Pick one canonical error color and create `--color-error` / `--color-error-text` tokens.

F.1.2 Success Color Inconsistency

Color	Files
<code>#22c55e</code>	ProfilePage.css (primary usage)
<code>#4caf50</code>	ChallengesPage.css L226 (badge--active)

Decision needed: Standardize to one success green.

F.1.3 Input Focus State Fragmentation

Five different input focus patterns exist (documented in A.7.4).

Status:  **RESOLVED** — canonical replacement confirmed:

```
border-color: var(--color-accent-primary);
box-shadow: 0 0 0 2px color-mix(in srgb, var(--color-accent-primary) 25%, transparent);
outline: none;
transition: border-color var(--transition-fast), box-shadow var(--transition-fast);
```

Implementation pending — apply to all input focus states during rebrand migration.

F.2 LIKELY OUTLIERS Requiring Decision

F.2.1 `--color-accent-gold-faded` Undefined Token

[BookCard.css](#) L17 uses `var(--color-accent-gold-faded)` for hover shadow, but this token is **never defined** anywhere. Currently renders as `initial` (effectively no shadow).

Decision needed: Now that gold's role has changed to AI-flag-only, should this:

- Be replaced with `color-mix(in srgb, var(--color-accent-primary) 25%, transparent)` (blue-tinted hover glow)?
- Be removed entirely (no hover shadow)?

F.2.2 `--radius-xl` Undefined Token

Referenced with fallback `var(--radius-xl, 20px)` in `HomePage.css` and `DashboardPage.css`. Should this be added to the token system as a formal token?

F.2.3 Hardcoded Font-Family Strings

`FriendsPage.css`, `LeaderboardPage.css`, `ChallengesPage.css`, `StudyRoomPage.css` all hardcode `font-family: 'Playfair Display', Georgia, serif` instead of using `var(--font-display)`. These should be migrated to the token during cleanup.

F.2.4 Hardcoded `#1a1000` vs `--color-text-on-accent`

`StreakWidget.css` L142 and `DashboardPage.css` L243/L248/L350 use `#1a1000` as button text color on gold backgrounds, while the token system defines `--color-text-on-accent: #0a0a0a`. These are visually nearly identical but represent a deviation from the token system.

F.2.5 Pages Built Outside Token System

`FriendsPage.css`, `ChallengesPage.css`, `LeaderboardPage.css`, and `StudyRoomPage.css` extensively use hardcoded `px` values for spacing, hardcoded hex colors for backgrounds (`#111`, `#0f0f0f`, `#1a1a1a`, `#1e1e1e`, `#2a2a2a`), and hardcoded border-radius values — largely bypassing the token system. These should be migrated to tokens as part of a broader cleanup effort.

Confirmation: No file other than `design_system_reference.md` was created or modified during this audit.