

COVID-19 Version

Video Surveillance Smart AI Cameras

Thermal
Dome
Bullet
PTZ
ANPR
Body
Hunting
UAV
Explosion proof
Military
Vehicle
Fisheye

INNORIX



Thermal camera

Temperature check

Thermal camera

Temperature check



INX-279503

Display	7 inch LCD Screen
Resolution	2.0 MP
Sensor type	Linux
Temperature Range	35°C~42°C
Recognition Distance	0.5~2.0m
Battery type	DC 12V
Type	Desk type



INX-279501

Display	8 inch LCD Screen
Resolution	2.0 MP
Sensor type	Android
Temperature Range	30°C~45°C
Recognition Distance	1.5m
Battery type	DC 12V/2A
Type	Stand type




INX-279508

Display	3.5 inch LCD Touch Screen
Resolution	160x120/ 12μm
Sensor type	Uncooled focal
Temperature Range	32°C~42°C
Recognition Distance	15cm~1m
Battery type	Lithium battery
Type	Mobile type

Thermal camera

Fixed type



Thermal camera

Fixed type



INX-279509

Thermal Sensor	Vox Uncooled
Thermal Resolution	256x192
Temperature Range	-15°C~150°C
Visible Sensor	1/2.8 inch CMOS
Visible Resolution	1920x1080
NETD	≤ 60mK
Video Compression	H.265
Type	Desk type



INX-279510

Thermal Sensor	Vox Uncooled
Thermal Resolution	160x120
Temperature Range	-20°C~150°C
Visible Sensor	1/2.7 inch CMOS
Visible Resolution	2688x1520
NETD	≤ 40mK
Video Compression	H.264/H.265
Type	Bullet type




INX-279511

Thermal Sensor	Vox Uncooled
Thermal Resolution	256x192
Temperature Range	-15°C~150°C
Visible Sensor	1/2.7 inch
Visible Resolution	2366x1752
NETD	≤ 50mK
Video Compression	H.264/H.265
Type	Dome type

Dome camera

Fixed type



Dome camera

Fixed type



INX-279512

Resolution
Lens
IR LED
IR Distance
In/Out
Feature
Material
Type

4K Dome Camera
3.6mm Fixed
IR LEDs 15pcs
30m Range
PoE, SD Card Slot
Waterproof, BLC, 3D DNR
Metal
Outdoor type

Dome camera

Fixed type



INX-279513

Resolution	4K Dome Camera
Lens	3.6mm Fixed
IR LED	IR LEDs 32pcs
IR Distance	30m Range
In/Out	PoE, SD Card Slot
Feature	Vandalproof, WDR
Material	Metal
Type	Outdoor type

INX-279514

Resolution	4K Dome Camera
Lens	3.6mm Fixed
IR LED	IR LEDs 18pcs
IR Distance	25m Range
In/Out	PoE, SD Card Slot
Feature	WDR, BLC, 3D DNR
Material	Metal
Type	Outdoor type

INX-279515

Resolution	4K Dome Camera
Lens	2.8mm Fixed
IR LED	IR LEDs 12pcs
IR Distance	20m Range
In/Out	PoE, SD Card Slot
Feature	WDR, 3D DNR
Material	Plastic
Type	Indoor type

Dome camera

Fixed type



INX-279516

Resolution	4MP Dome Camera
Lens	3.6mm Fixed
IR LED	IR LEDs 18pcs
IR Distance	30m Range
In/Out	PoE, SD Card Slot
Feature	Vandalproof, WDR
Material	Metal
Type	Outdoor type

INX-279517


Resolution	4MP Dome Camera
Lens	3.6mm Fixed
IR LED	IR LEDs 16pcs
IR Distance	25m Range
In/Out	PoE, SD Card Slot
Feature	WDR, BLC, 3D DNR
Material	Metal
Type	Outdoor type

INX-279518

Resolution	4MP Dome Camera
Lens	2.8mm Fixed
IR LED	IR LEDs 32pcs
IR Distance	20m Range
In/Out	PoE, SD Card Slot
Feature	WDR, 3D DNR
Material	Plastic
Type	Indoor type

Bullet camera

Fixed type



Bullet camera

Fixed type



INX-279519

Resolution
Lens
IR LED
IR Distance
In/Out
Feature
Material
Type

4K Bullet Camera
3.6mm Fixed
IR LEDs 4pcs
IR Distance 50m
PoE, SD Card Slot
Waterproof, WDR
Metal
Outdoor type

Bullet camera

Fixed type



INX-279520

Resolution	4K Bullet Camera
Lens	3.6mm Fixed
IR LED	IR LEDs 8pcs
IR Distance	35m Range
In/Out	PoE, SD Card Slot
Feature	Waterproof, WDR
Material	Metal
Type	Outdoor type

INX-279521

Resolution	4K Bullet Camera
Lens	3.6mm Fixed
IR LED	IR LEDs 32pcs
IR Distance	30m Range
In/Out	PoE, SD Card Slot
Feature	Waterproof, WDR
Material	Metal
Type	Outdoor type

INX-279522

Resolution	4K Bullet Camera
Lens	2.8mm Fixed
IR LED	IR LEDs 4pcs
IR Distance	25m Range
In/Out	PoE, SD Card Slot
Feature	WDR, 3D DNR
Material	Plastic
Type	Indoor type

Bullet camera

Fixed type



INX-279523

Resolution	4MP Bullet Camera
Lens	3.6mm Fixed
IR LED	IR LEDs 4pcs
IR Distance	35m Range
In/Out	PoE, SD Card Slot
Feature	Waterproof, WDR
Material	Metal
Type	Outdoor type

INX-279524


Resolution	4MP Bullet Camera
Lens	3.6mm Fixed
IR LED	IR LEDs 4pcs
IR Distance	30m Range
In/Out	PoE, SD Card Slot
Feature	Waterproof, WDR
Material	Metal
Type	Outdoor type

INX-279525

Resolution	4MP Bullet Camera
Lens	2.8mm Fixed
IR LED	IR LEDs 16pcs
IR Distance	25m Range
In/Out	PoE, SD Card Slot
Feature	WDR, 3D DNR
Material	Plastic
Type	Indoor type

Varifocal camera

Fixed type



Varifocal camera

Fixed type



INX-279526

Resolution
Lens
IR LED
IR Distance
In/Out
Feature
Material
Type

4K Dome Camera
2.8~12mm Varifocal
IR LEDs 16pcs
30m Range
PoE, SD Card Slot
Vandalproof, WDR
Metal
Outdoor type

INX-279527

4MP Dome Camera
2.8~12mm Varifocal
IR LEDs 8pcs
25m Range
PoE, SD Card Slot
Vandalproof, WDR
Metal
Indoor type

INX-279528

4K Bullet Camera
2.8~12mm Varifocal
IR LEDs 42pcs
25m Range
PoE, SD Card Slot
Vandalproof, WDR
Metal
Outdoor type

PTZ camera

Speed dome



PTZ camera

Speed dome



INX-279529

Resolution
Zoom Lens
Lens
Pan/Tilt Range
Preset Point
IR LED
IR Distance
In/Out
Feature

4K Speed Dome Camera
Optical 36x
5.8~210mm Lens
360° Endless/-10°~92 °
250 presets
IR LEDs 10pcs
300m Range
SD Card Slot
Waterproof, Auto Flip

PTZ camera

Speed dome



INX-279530

Resolution	4K Speed Dome Camera
Zoom Lens	Optical 36x
Lens	4.6~165mm Lens
Pan/Tilt Range	360° Endless/-15°~90 °
Preset Point	256 presets
IR LED	IR LEDs 6pcs
IR Distance	300m Range
In/Out	SD Card Slot
Feature	Waterproof, Auto Flip

INX-279531

Resolution	4K Speed Dome Camera
Zoom Lens	Optical 20x
Lens	4.7~94mm Lens
Pan/Tilt Range	360° Endless/-16°~90 °
Preset Point	255 presets
IR LED	IR LEDs 8pcs
IR Distance	200m Range
In/Out	SD Card Slot
Feature	Waterproof, ICR

INX-279532

Resolution	4K Speed Dome Camera
Zoom Lens	Optical 18x
Lens	5.35~96.3mm Lens
Pan/Tilt Range	360° Endless/-10 °~92 °
Preset Point	250 presets
IR LED	IR LEDs 10pcs
IR Distance	150m Range
In/Out	SD Card Slot
Feature	Waterproof, ICR

PTZ camera

Speed dome



INX-279533

Resolution	4MP Speed Dome
Zoom Lens	Optical 36x
Lens	4.6~165mm Lens
Pan/Tilt Range	360° Endless/-15 °~90 °
Preset Point	256 presets
IR LED	IR LEDs 6pcs
IR Distance	300m Range
In/Out	SD Card Slot
Feature	Waterproof, Auto Flip

INX-279534

Resolution	4MP Speed Dome
Zoom Lens	Optical 20x
Lens	4.7~94mm Lens
Pan/Tilt Range	360° Endless/-16°~90 °
Preset Point	255 presets
IR LED	IR LEDs 8pcs
IR Distance	200m Range
In/Out	SD Card Slot
Feature	Waterproof, ICR

INX-279535

Resolution	4MP Speed Dome
Zoom Lens	Optical 18x
Lens	5.35~96.3mm Lens
Pan/Tilt Range	360° Endless/-10 °~92 °
Preset Point	250 presets
IR LED	IR LEDs 10pcs
IR Distance	150m Range
In/Out	SD Card Slot
Feature	Waterproof, ICR

PTZ camera Positioning



PTZ camera

Positioning



INX-279536

Resolution	4MP Speed Dome
Zoom Lens	Optical 45x
Lens	5.6~223mm Lens
Pan/Tilt Range	360° Endless/-90 °~45 °
Preset Point	300 presets
IR LED	IR LEDs 8pcs
IR Distance	500m Range
In/Out	SD Card Slot
Feature	Waterproof, WDR

INX-279537

4MP Speed Dome
Optical 36x
5.7~205mm Lens
360° Endless/ -10°~90 °
250 presets
IR LEDs 12pcs
300m Range
SD Card Slot
Waterproof, WDR

INX-279538

4MP Speed Dome
Optical 20x
4.7~94mm Lens
360° Endless/-90 °~90 °
250 presets
IR LEDs 14pcs
200m Range
SD Card Slot
Waterproof, WDR

Mini camera

Indoor, outdoor & PTZ



Mini cameras

Indoor, outdoor & PTZ



INX-279539

Resolution
Lens
IR LED
IR Distance
In/Out
Feature
Type

4K Mini Dome Camera
2.8mm Fixed
IR LEDs 16pcs
20m Range
PoE, SD Card Slot
WDR, 3D DNR
Indoor

INX-279540

4K Mini Bullet Camera
3.6mm Fixed
IR LEDs 18pcs
30m Range
PoE, SD Card Slot
Waterproof, WDR
Outdoor

INX-279541

4K Mini PTZ Camera
5~50mm Motorized
IR LED
25m Range
PoE, SD Card Slot
WDR, 3D DNR
PTZ

ANPR camera

Automatic number-plate recognition

ANPR camera

Automatic number-plate recognition



INX-279542

Resolution
Lens
IR LED
IR Distance
In/Out
Feature

2MP ANPR Camera
6~22mm Varifocal
IR LEDs 6pcs
100m Range
SD Card Slot
Waterproof, 3D DNR

INX-279543

2MP ANPR Camera
2.8~12mm Varifocal
IR LEDs 6pcs
75m Range
SD Card Slot
Waterproof, 3D DNR

INX-279544

2MP ANPR Camera
2.8~12mm Varifocal
IR LEDs 5pcs
55m Range
SD Card Slot
Waterproof, 3D DNR

A photograph showing the lower halves of several police officers in full riot gear. They are wearing dark blue uniforms with multiple layers of protective padding and black knee pads. The officers are standing in a formation, facing away from the camera. In the background, a few civilians are visible.

Body camera

2G & 4G network

Body camera

2G & 4G network



INX-279545

Display	2 inch LCD
Viewing Angle	120°
Video Compression	H.264/H.265
Network	4G/ Wi-Fi/ GPS
Memory	SD Card, TF Card
Recording Time	8 Hours
Charging Time	3 Hours
Feature	Waterproof, Snapshot

INX-279546

Display	2 inch LCD
Viewing Angle	140°
Video Compression	H.264/H.265
Network	3G/ 4G/ Wi-Fi
Memory	SD Card, TF Card
Recording Time	8 Hours
Charging Time	4 Hours
Feature	Waterproof, Snapshot

INX-279547

Display	1 inch LCD
Viewing Angle	120°
Video Compression	H.264/H.265
Network	GPS/ Wi-Fi
Memory	SD Card, TF Card
Recording Time	12 Hours
Charging Time	4 Hours
Feature	Waterproof, Watermark

Hunting camera

Battery & solar power



Hunting camera

Battery & solar power



INX-279548

Display	2.4 inch LCD
Video Compression	H.264/H.265
IR Distance	20m Range
Network	4G/ GPS/ Wifi
Memory	SD Card, TF Card
Trigger Time	0.35s
Power Type	9V Battery, DC 12V
Feature	940nm-IR LED



INX-279549

Display	2 inch LCD
Video Compression	H.264/H.265
IR Distance	20m Range
Network	4G/ GPS
Memory	SD Card, TF Card
Trigger Time	0.5s
Power Type	6V Battery, DC 12V
Feature	850nm-IR LED




INX-279550

Display	2 inch LCD
Video Compression	H.264/H.265
IR Distance	20m Range
Network	4G / GPS
Memory	SD Card, TF Card
Trigger Time	0.4s
Power Type	9V Battery, DC 12V
Feature	12MP Photo Capture

UAV camera

Mount type



UAV camera

Mount type



INX-279551

Visible Sensor	1/2.8 inch
Visible Resolution	1920x1080 (2MP)
Thermal Sensor	Vox Uncooled
Thermal Resolution	640x480
NETD	≤ 60mK
Video Compression	H.265
Feature	3-Axis high Stabilizer

INX-279552

Visible Sensor	1/3 inch
Visible Resolution	1920x1080 (2MP)
Thermal Sensor	Vox Uncooled
Thermal Resolution	256x192
NETD	≤ 55mK
Video Compression	H.265
Feature	18x Zoom, Tracking

INX-279553

Visible Sensor	1/4 inch
Visible Resolution	1920x1080 (2MP)
Thermal Sensor	Vox Uncooled
Thermal Resolution	640x480
NETD	≤ 60mK
Video Compression	H.265
Feature	30x Zoom, Tracking

Explosion proof camera

Various type



Explosion proof camera

Various type



INX-279554

Resolution/Type	2MP Fixed Camera
Lens	3.6mm Fixed
Pan/Tilt Range	N/A
IR LED	IR LEDs 6pcs
IR Distance	35m Range
In/Out	SD Card Slot
Material Housing	SUS 304 Stainless Steel
Feature	Vandalproof, DNR

INX-279555


2MP Speed Dome Camera
4.3~129mm
360° Endless/-15°~90°
IR LEDs 8pcs
80m Range
SD Card Slot
SUS 304 Stainless Steel
Vandalproof, DNR

INX-279556

2MP Positioning Camera
4.7~97mm
360° Endless/-90°~90 °
IR LED 16pcs
150m Range
PoE, SD Card Slot
SUS 316 Stainless Steel
Vandalproof, DNR

Military camera

High performance



Military cameras

High performance



INX-279557

Visible Sensor	8~320mm Lens
Visible Resolution	1920x1080
Visible Zoom	5x
Thermal Sensor	5.8~210mm Lens
Thermal Resolution	640x512
Thermal Zoom	40x
Pan/Tilt Range	360° Endless/ -70°~30 °
Day/ Night Distance	1km/4km

Military cameras

High performance



INX-279558

Visible Sensor	10~500mm Lens
Visible Resolution	1920x1080
Visible Zoom	40x
Thermal Sensor	100mm Lens
Thermal Resolution	640x512
Thermal Zoom	10x
Pan/Tilt Range	360° Endless/ -60°~45 °
Day/ Night Distance	5km/2km

INX-279559

4.44~142.6mm Lens
1920x1080
30x
100mm Lens
640x512
10x
360° Endless/ -90°~90 °
3km/2km

INX-279560

12~240mm Lens
1920x1080
25x
100mm Lens
640x512
10x
360° Endless/ -70°~30 °
2.5km/2km

Military cameras

High performance



INX-279561

Visible Sensor	4.44~142.6mm Lens
Visible Resolution	1920x1080
Visible Zoom	30x
Thermal Sensor	100mm Lens
Thermal Resolution	640x512
Thermal Zoom	10x
Pan/Tilt Range	360° Endless/ -90°~90 °
Day/ Night Distance	3km/2km

INX-279562

8~320mm Lens
1920x1080
5x
5.8~210mm Lens
640x512
40x
360° Endless/ -70°~30 °
1km/4km

INX-279563

4.7~94mm Lens
1920x1080
20x
37mm Lens
384x288
2x
360° Endless/ -15°~90 °
4km/1km

Military cameras

High performance



INX-279564

Visible Sensor	10~1100mm Lens
Visible Resolution	1920x1080 (2.1MP)
Visible Zoom	100x
Thermal Sensor	58~1150mm Lens
Thermal Resolution	640x512
Thermal Zoom	40x
Pan/Tilt Range	360° Endless/ -45°~30 °
Day/ Night Distance	15km/20km

INX-279565

16.7~2000mm Lens
1920x1080
100x
42~690mm Lens
640x512
40x
360° Endless/ -80°~45 °
25km/15km

INX-279567

1500mm Lens
1920x1080
10x
42~690mm Lens
640x512
40x
360° Endless/ -80°~50 °
3km/15km

Military cameras

High performance



INX-279568

Visible Sensor	8~320mm Lens
Visible Resolution	1920x1080
Visible Zoom	5x
Thermal Sensor	5.8~210mm Lens
Thermal Resolution	640x512
Thermal Zoom	40x
Pan/Tilt Range	360° Endless/ -70°~30 °
Day/ Night Distance	1km/4km

INX-279569

8~320mm Lens	1920x1080
5.8~210mm Lens	640x512
40x	360° Endless/ -70°~30 °
1km/4km	1km/4km

INX-279570

8~320mm Lens	1920x1080
5.8~210mm Lens	640x512
40x	360° Endless/ -70°~30 °
1km/4km	1km/4km

Vehicle camera

On the top



Vehicle camera

On the top



INX-279571

Resolution
Zoom Lens
Lens
Pan/Tilt Range
Preset Point
IR LED
IR Distance
Feature

2MP Speed Dome
Optical 36x
5.8~210mm Lens
360° Endless/-10°~92 °
255 presets
IR LEDs 6pcs
400m Range
Waterproof, Auto Tracking

INX-279572

2MP Speed Dome
Optical 20x
4.7~94mm Lens
360° Endless/-90°~90 °
128 presets
IR LEDs 18pcs
200m Range
Waterproof, 6 HD x 2MP

INX-279573

2MP Speed Dome
Optical 20x
5.8~210mm Lens
360° Endless/-90°~45 °
128 presets
IR LEDs 10pcs
100m Range
Waterproof, Anti-Surge

Vehicle camera

Surround type



Vehicle camera

Surround type



INX-279574

Type	Inside Camera
Resolution	1920x1080 (2MP)
Lens	2.1mm Fixed
View Angle	120°
IR LED	IR LEDs 10pcs
IR Distance	10m Range
Feature	Waterproof
Material	Metal



INX-279575

Rear View Camera
1920x1080 (2MP)
3.6mm Fixed
92°
IR LEDs 10pcs
10m Range
Waterproof
Metal



INX-279576

Side View Camera
1280x960 (1.3MP)
2.8mm Fixed
69°
IR LEDs 10pcs
10m Range
Waterproof
Metal



COVID-19 Version

Video Surveillance Smart AI Cameras

- Thermal
- Dome
- Bullet
- PTZ
- ANPR
- Body
- Hunting
- UAV
- Explosion proof
- Military
- Vehicle
- Fisheye

INNORIX

© INNORIX All rights reserved.
All products and services referenced herein
are either trademarks or registered
trademarks of their respective companies.

Head Office

INNORIX Bldg., 93, Pirundae-ro,
Jongno-gu, Seoul, Korea

TEL: +822-557-2757
www.innorix.com
sales@innorix.com

Distributed by: