



<

Previous



Next

>

### Programming Assignment 3

Bookmark this page

Click this link to download the [Winery Classification notebook](#) and then complete problem 1-5.

---

Click this link to download the [Gaussian Generative-MNIST notebook](#) and then complete problems 6-8.

---

## Problem 1

1/1 point (graded)

This problem is based on the *Winery classification notebook*. You should work through that notebook and then enter answers here.

How many errors (out of 48) are made on the test set when using the single feature 'Ash'?



---

## Problem 2

1/1 point (graded)

How many errors when using 'Alcohol' and 'Ash'?



---

## Problem 3

1/1 point (graded)

How many errors when using 'Alcohol', 'Ash', and 'Flavanoids'?



---

## Problem 4

1/1 point (graded)

How many errors when using all the features?



Submit

## Problem 5

1/1 point (graded)

In lecture, we got zero errors on the test set when using all the features. Why might this be?

- ☐ In the example from lecture, the Gaussians were fit to the entire data (both training and test).
- ☒ In the example from lecture, a different split of the data (into training set and test set) was used.
- ☐ In the example from lecture, a different procedure was used for fitting a Gaussian generative model.



Submit

## Problem 6

1/1 point (graded)

This problem is based on the *Gaussian generative MNIST notebook*. You should complete that notebook and then enter answers here.

What happens if you do not regularize the covariance matrix? Select all that apply.

- ☐ The displayed mean vectors are different.
- ☐ The procedure **fit\_generative\_model** generates an error message.
- ☒ The procedure for computing the test error generates an error message.



Submit

## Problem 7

1/1 point (graded)

What happens if you set the value of  $c$  too high, for instance to one billion? Select all that apply.

- ☐ The procedure **fit\_generative\_model** generates an error message.
- ☐ The procedure for computing the test error generates an error message.
- ☒ The test error approaches that of a random classifier.



Submit

# Problem 8

1/1 point (graded)

What value of  $c$  did you end up using? \*Note: any value of  $c$  will be accepted.

1000



1000

**Answer**

Correct: Our value of  $c=4000$  yields an error of  $\sim 4.3\%$

Submit

< Previous

Next >

© All Rights Reserved



## edX

- [About](#)
- [Affiliates](#)
- [edX for Business](#)
- [Open edX](#)
- [Careers](#)
- [News](#)

## Legal

- [Terms of Service & Honor Code](#)
- [Privacy Policy](#)
- [Accessibility Policy](#)
- [Trademark Policy](#)
- [Sitemap](#)

## Connect

- [Blog](#)
- [Contact Us](#)
- [Help Center](#)
- [Media Kit](#)





© 2022 edX LLC. All rights reserved.  
深圳市恒宇博科技有限公司 [粤ICP备17044299号-2](#)