


U-LI™


UNITED U-LI PROJECTS PTE LTD.

**Steel Surface Cable Trunking
Steel Perforated Cable Tray
Steel Cable Ladder**



Steel Surface Cable Trunking

U-LI™ range of Steel Surface Cable Trunking, Cable Ducting and Accessories




Steel Surface Cable Trunking-Straight



Type: UL/TG/ST/M

United U-LI Steel Surface Cable Trunking and Accessories are Certified to SS249, MS IEC 61084-1:2006 & IEC 1084-2-1:1996 by TUV-PSB & SIRIM QAS International Sdn Bhd



Type 5	Specification	Classification MS	Suitable	Material Coating	Finished
Manufactured to SS249:1981	SS249:1981 SS249:1981	Class 1 Class 2	Indoor Outdoor	Electro-Galvanised Steel Hot Rolled Steel	Epoxy Powder Coated Hot Dip Galvanised with Epoxy Powder Coating
	MS IEC 61084		High Corrosion Area	Stainless 304, 316 & 316L	None
None	None	N Class 1	Indoor & Dry	Pre-Galvanised Steel	None
None	None	N Class 1	Indoor & Dry	Mild Steel	Epoxy Powder Coated
	MS IEC 61084		indoor & Outdoor	ZAM Material	None
	MS IEC 61084	Hot Dip Galvanised to BS EN ISO 1461:2009	indoor & Outdoor Tunnel	Hot Rolled Steel - High Silicon Steel	Hot Dip Galvanised

Steel Surface Cable Trunking


Standard Sizes For Type 5 MS IEC 61084

Components Ref.	Nominal Size (mm) W (Width) x H (Height)???	Nominal Thickness of Body Material (mm)	Nominal Thickness of Cover Material (mm)
UL/TG/ST 1-2/M	50 X 25	1.0	1.0
UL/TG/ST 2-2/M	50 X 50	1.0	1.0
UL/TG/ST 2-3/M	75 X 50	1.2	1.2
UL/TG/ST 2-4/M	100 X 50	1.2	1.2
UL/TG/ST 3-4/M	100 X 75	1.2	1.2
UL/TG/ST 4-4/M	100 X 100	1.4	1.2
UL/TG/ST 2-5/M	125 X 50	1.4	1.2
UL/TG/ST 2-6/M	150 x 50	1.4	1.2
UL/TG/ST 3-6/M	150 X 75	1.4	1.2
UL/TG/ST 4-6/M	150 X 100	1.4	1.2
UL/TG/ST 6-6/M	150 X 150	1.4	1.2
UL/TG/ST 2-7/M	175 X 50	1.4	1.2
UL/TG/ST 2-8/M	200 X 50	1.6	1.4
UL/TG/ST 3-8/M	200 X 75	1.6	1.4
UL/TG/ST 4-8/M	200 X 100	1.6	1.4
UL/TG/ST 6-8/M	200 X150	1.6	1.4
UL/TG/ST 2-9/M	225 X 50	1.6	1.4
UL/TG/ST 2-10/M	250 X 50	1.6	1.4
UL/TG/ST 2-11/M	275 X 50	1.6	1.4
UL/TG/ST 2-12/M	300 X 50	1.6	1.6
UL/TG/ST 3-12/M	300 X 75	1.6	1.6
UL/TG/ST 4-12/M	300 X 100	1.6	1.6
UL/TG/ST 6-12/M	300 X 150	1.6	1.6
UL/TG/ST 12-12/M	300 X 300	1.6	1.6
UL/TG/ST 2-14/M	350 X 50	1.6	1.6
UL/TG/ST 3-15/M	375 X 75	1.6	1.6


Standard length:- 2.44m & 3.0m

Custom made length:- 4.5m, 6.0m & 8.0m

Secured Trunking




Vertical Trunking c/w Bracket




Steel Surface Cable Trunking

Cable Steel Trunking - Accessories




Horizontal Cross with Cover
Type: UL/TG/A-1/M




Horizontal Tee with Cover
Type: UL/TG/A-2/M




90° Horizontal Elbow with Cover
Type: UL/TG/A-3/M




45° Horizontal Elbow with Cover
Type: UL/TG/A-4/M




90° Internal Riser with Cover
Type: UL/TG/A-5/M




45° Internal Riser with Cover
Type: UL/TG/A-6/M



90° External Riser with Cover
Type: UL/TG/A-7/M



45° External Riser with Cover
Type: UL/TG/A-8/M




Straight Reducer with Cover
Type: UL/TG/A-13/M


When ordering please indicate W (width), H (height) and Finish.

Steel Surface Cable Trunking


Steel Surface Trunking - Accessories




Single Socket Plate
Type: UL/TG/A-15/M




Double Socket Plate
Type: UL/TG/A-16/M




Twin Socket Plate
Type: UL/TG/A-17/M




Right Reducer With Cover
UL/TG/A-18/M




Left Reducer With Cover
UL/TG/A-19/M




Bonding Strip



**Copper Earth Link
(For Ladder)**



**Copper Earth Link
(For Tray & Trunking)**




**Copper Earth Link
(For Trunking)**

When ordering please indicate W (width), H (height), A (length) and Finish.

Steel Surface Cable Trunking

Single Turnbuckle Cover Fastener




Components Ref.	Trunking Width	Number Of Fastener Per 2.44m Length	Finish
UL/TG/TB3-1/M	50	3 Pcs	
UL/TG/TB3-2/M	75	3 Pcs	Hot Dip Galvanised, Epoxy Powder Coated or Stainless Steel
UL/TG/TB3-3/M	100	3 Pcs	

Dimension in Millimetre

When ordering please indicate Type, Width, Height and Finish.

Double Turnbuckle Cover Fastener



Components Ref.	Trunking Width	Number Of Fastener Per 2.44m Length	Finish
UL/TG/TB6/M	125 to 300	6 Pcs	Hot Dip Galvanised, Epoxy Powder Coated or Stainless Steel

Dimension in Millimetre

When ordering please indicate Type, Width, Height and Finish.



SIRIM QAS International Sdn. Bhd. (Company No.: 410334-X)
No.1, Persiaran Dato' Menteri, P.O.Box 7035, Section 2,
40911 Shah Alam, Selangor Darul Ehsan, Malaysia
Tel. no: 03- 55446382 / 55446380
Fax. no: 03- 55446381

TEST REPORT

REPORT NO.: J20121270156-A (S1)

PAGE : 1 OF 2

This Test Report refers only to samples submitted by the applicant to SIRIM QAS International Sdn. Bhd. and tested by SIRIM QAS International Sdn. Bhd. This test report shall not be reproduced, except in full and shall not be used for advertising purposes by any means or forms without written approval from Managing Director, SIRIM QAS International Sdn. Bhd. Please refer overleaf for Conditions Relating To The Use of Test Report.

Applicant : **United U-Li Projects Pte. Ltd.**
1801 Geylang Bahru,
Block 7B,
Kallang Distripark,
Singapore.

Manufacturer : **United U-Li (M) Sdn. Bhd.**
No. 33, Jalan Kartunis U1/47,
Temasya Industrial Park, Section U1,
40150 Shah Alam, Selangor

Product : Cable Tray

Type of Test / Method of test : Full test.

Reference Standard / : **MS IEC 61537: 2007**
Method of test : Cable Tray Systems and Cable Ladder Systems For Cable Management.
(IEC 61537:2001, IDT)

Description of sample: Brand Name : U-Li
Model / Type : 12 models. Refer to page 2 to 7 of 46 for list of models.
Quantity (for each model) :
1. 2 units of narrowest and 2 units of widest width of cable tray length.
2. 5 units of screw, bold and nut or clamping connections.
3. 1 unit of test sample consisting of two cable tray length fix with integral means of connection.
4. 4 units of cable tray with a length of 250mm ± 5mm (widest width).

Date received : 05/03/2012

Job no./Ref. No. : J20121270156-A

Description of test result : The submitted test samples as described in this test report complied with the requirement of the above Reference Standard.

Issued date : **17 MAY 2012**


Approved Signatories : **MOHD ALIF MOHD YUSOFF**
Testing Executive

HAJI MOHD ADZHAR AHMAD
Head,
Mechanical Section (MST)
Testing Services Department



Steel Perforated Cable Tray

U-LI™ Steel Cable Tray Typical Layout



Steel Perforated Cable Tray

U-LI™ Steel Cable Tray Product Range

U-LI™ design of Cable Ladder is compact and fast to install, with both straight Cable Ladder and all accessories having a unique integrated coupling system.

U-LI™ offers a wide range of options to suit your design and with load rated to NEMA VE1 IEC. We also manufacture Extra Heavy Duty Cable Ladder upon request.

U-LI™ offers multi side rails, rungs and slots profile for your design needs and applications. It has the advantage of quick on site installation, cut to length and reconnection.

U-LI™ offers a wide range of materials to suit the site condition and also choices of final finishes.

Materials:


1. Hot roll mild steel. JISG 3131 SPHC
2. Cold roll mild steel. JISG 3141 SPCC - SD
3. Pre-Galvanised Steel BS 2989 or JISG 3302 SGCC
4. Electro-Galvanised. BS 1449 Pt 1:1983
5. Stainless steel. AISI 304, 316 or 316L
6. Aluminium.

Materials thickness range from 1mm thick to 3mm thick.


7. High Silicon Steel.
8. ZAM Material

Finishing:

1. Hot dip galvanised.
ASTM A123, BS EN ISO 1461:1999
2. Epoxy coated - ASTM D 1654, BS 6920
3. Polyester coated - ASTM D 1654, BS 6920




a) For 50mm, 100mm and 150mm width




b) For standard width


Perforated Tray Series




Type: TU



Type: TC



Type: TT




Type: TR

Standard Slots Configuration. Total removal of material approximately 18%. We also manufacture to other slot configurations as per customer's request

Steel Perforated Cable Tray

Steel Perforated Cable Tray - Straight

Type: UL/TU/ST/M



Standard Sizes (TU Type) MS IEC 61537

Components Ref.	H	W	Thickness	Standard (mm) Length	Finishing
UL/TU/ST-1/M		50		2440 / 3000	
UL/TU/ST-2/M		75		2440 / 3000	
UL/TU/ST-3/M		100		2440 / 3000	
UL/TU/ST-4/M		150		2440 / 3000	
UL/TU/ST-5/M		200		2440 / 3000	
UL/TU/ST-6/M		250		2440 / 3000	
UL/TU/ST-7/M		300		2440 / 3000	
UL/TU/ST-8/M		350		2440 / 3000	
UL/TU/ST-9/M		400		2440 / 3000	
UL/TU/ST-10/M		450		2440 / 3000	
UL/TU/ST-11/M		500		2440 / 3000	
UL/TU/ST-12/M		600		2440 / 3000	
UL/TU/ST-13/M		700		2440 / 3000	
UL/TU/ST-14/M		750		2440 / 3000	
UL/TU/ST-15/M		800		2440 / 3000	
UL/TU/ST-16/M		900		2440 / 3000	
UL/TU/ST-17/M		1000		2440 / 3000	
13 / 17 / 20 / 25					
1.0 / 1.2 / 1.6 / 2.0 / 2.5					

Preferred length 2.44 meter, 3 meter and maximum up to 6 meter


Separate purchase if need for Tray Joint Piece

Thickness Tolerance with + - 10%


Steel Perforated Cable Tray

Steel Perforated Cable Tray - Horizontal Splice Plate

Type: UL/TU/HS/M (Separate order item)



Application



Splice Plate and Fixture


Components Ref.	W	Finish	Application
UL/TU/HS/M	Perforated Tray Width Minus 6mm	Hot Dip Galvanised Epoxy or Polyester Coated Stainless	Applicable to: Straight Trays, Elbows and Risers

Dimension in Millimetre


When ordering please indicate straight cable tray Width.

Steel Perforated Cable Tray


Steel Perforated Cable Tray - Accessories Angular Type




Type: UL/TU/AT-1/M




Type: UL/TU/AT-2/M




Type: UL/TU/AT-3/M



Type: UL/TU/AT-4/M



Type: UL/TU/AT-5/M



Type: UL/TU/AT-6/M

Components Ref.	H	A	W-W1
UL/TU/AT/M	13 / 17 / 20 / 25	100 100 100	Width


Dimension in Millimetre

When ordering please indicate Type, Finish and Sizes as in straight cable tray.

Steel Perforated Cable Tray

Steel Perforated Cable Tray - Straight

Type: UL/TC/ST/M



Connection Slot Detail

Tray Section

Components Ref.	H	W	Thickness	Standard (mm) Length	Finishing
UL/TC/ST 2-4/M		100		2440 / 3000	
UL/TC/ST 2-6/M		150		2440 / 3000	Pre-Galvanized Steel (Indoor)
UL/TC/ST 2-8/M		200		2440 / 3000	
UL/TC/ST 2-10/M		250		2440 / 3000	
UL/TC/ST 2-12/M		300		2440 / 3000	Electro-Galvanized with Epoxy Powder Coated (Indoor)
UL/TC/ST 2-14/M		350		2440 / 3000	
UL/TC/ST 2-16/M		400		2440 / 3000	
UL/TC/ST 2-18/M		450		2440 / 3000	
UL/TC/ST 2-20/M		500		2440 / 3000	Hot Dipped Galvanized to BS EN ISO 1461 (Outdoor)
UL/TC/ST 2-24/M		600		2440 / 3000	
UL/TC/ST 2-28/M		700		2440 / 3000	
UL/TC/ST 2-30/M		750		2440 / 3000	
UL/TC/ST 2-32/M		800		2440 / 3000	
UL/TC/ST 2-36/M		900		2440 / 3000	
UL/TC/ST 2-40/M		1000		2440 / 3000	ZAM material (Outdoor)
	25 / 50 / 75 / 100 / 125 / 150		1.0 / 1.2 / 1.6 / 2.0 / 2.5		

Preferred length 2.44 meter, 3 meter and maximum up to 6 meter


Separate purchase if need for Tray Joint Piece

Thickness Tolerance with + - 10%


Steel Perforated Cable Tray

Steel Perforated Cable Tray - Horizontal Splice Plate

Type: UL/TC/HS/M




Application




Splice Plate and Fixture

Steel Perforated Cable Tray - Vertical Adjustable Splice Plate

Type: UL/TC/VS/M




Application




Splice Plate and Fixture

Steel Perforated Cable Tray - Horizontal Adjustable Splice Plate

Type: UL/TC/HP/M



Application




Splice Plate and Fixture

Steel Perforated Cable Tray


Steel Perforated Cable Tray - End Cap

Type: UL/TC/EP/M




Tray Divider

Type: TC




Steel Perforated Cable Tray


Steel Perforated Cable Tray - Accessories Angular Type




Type: UL/TC/AT-1/M




Type: UL/TC/AT-2/M




Type: UL/TC/AT-3/M



Type: UL/TC/AT-4/M



Type: UL/TC/AT-5/M



Type: UL/TC/AT-6/M

Components Ref.	H	A	W-W1
	50	100	
UL/TC/AT/M	75	100	Width
	100	100	


Dimension in Millimetre

When ordering please indicate Type, Finish and Sizes as in straight cable tray.

Steel Perforated Cable Tray

Steel Perforated Cable Tray - Straight

Type: UL/TR/ST/M



Components Ref.	H	W	Thickness	Standard (mm) Length	Finishing
UL/TR/ST 2-4/M		100		2440 / 3000	
UL/TR/ST 2-6/M		150		2440 / 3000	Pre-Galvanized Steel (Indoor)
UL/TR/ST 2-8/M		200		2440 / 3000	
UL/TR/ST 2-10/M		250		2440 / 3000	
UL/TR/ST 2-12/M		300		2440 / 3000	Electro-Galvanized with Epoxy Powder Coated (Indoor)
UL/TR/ST 2-14/M		350		2440 / 3000	
UL/TR/ST 2-16/M		400		2440 / 3000	
UL/TR/ST 2-18/M		450		2440 / 3000	
UL/TR/ST 2-20/M		500		2440 / 3000	Hot Dipped Galvanized to BS EN ISO 1461 (Outdoor)
UL/TR/ST 2-24/M		600		2440 / 3000	
UL/TR/ST 2-28/M		700		2440 / 3000	Stainless steel for High Corrosion Area
UL/TR/ST 2-30/M		750		2440 / 3000	
UL/TR/ST 2-32/M		800		2440 / 3000	
UL/TR/ST 2-36/M		900		2440 / 3000	ZAM material (Outdoor)
UL/TR/ST 2-40/M	25 / 50 / 75 / 100 / 125 / 150	1000	1.0 / 1.2 / 1.6 / 2.0 / 2.5	2440 / 3000	

Preferred length 2.44 meter, 3 meter and maximum up to 6 meter


Separate purchase if need for Tray Joint Piece

Thickness Tolerance with + - 10%

Steel Perforated Cable Tray


Steel Perforated Cable Tray - Horizontal Splice Plate

Type: UL/TR/HS/M




Steel Perforated Cable Tray - Vertical Adjustable Splice Plate

Type: UL/TR/VS/M



Steel Perforated Cable Tray - Horizontal Adjustable Splice Plate


Type: UL/TR/HP/M



Steel Perforated Cable Tray


Steel Perforated Cable Tray - End Cap & Reducer Plate

Type: UL/TR/EP/M




Tray Divider

Type: TC/TR




Steel Perforated Cable Tray


Steel Perforated Cable Tray - Accessories Angular Type




Type: UL/TR/AT-1/M




Type: UL/TR/AT-2/M




Type: UL/TR/AT-3/M



Type: UL/TR/AT-4/M



Type: UL/TR/AT-5/M



Type: UL/TR/AT-6/M

Components Ref.	H	A	W-W1
UL/TR/AT/M	50	100	
	75	100	
	100	100	Width

Dimension in Millimetre

When ordering please indicate Type, Finish and Sizes as in straight cable tray.

Steel Cable Ladder



SIRIM QAS International Sdn. Bhd. (Company No.: 410334-X)
No.1, Persiaran Dato' Menteri, P.O.Box 7035, Section 2,
40911 Shah Alam, Selangor Darul Ehsan, Malaysia
Tel. no: 03- 55446382 / 55446380
Fax. no: 03- 55446381

TEST REPORT

REPORT NO.: J20121270156-B

PAGE : 1 OF 16

This Test Report refers only to samples submitted by the applicant to SIRIM QAS International Sdn. Bhd. and tested by SIRIM QAS International Sdn. Bhd. This test report shall not be reproduced, except in full and shall not be used for advertising purposes by any means or forms without written approval from Managing Director, SIRIM QAS International Sdn. Bhd. Please refer overleaf for Conditions Relating To The Use of Test Report.

Applicant : United U-Li Projects Pte. Ltd.
1801 Geylang Bahru,
Block 7B,
Kallang Distripark,
Singapore.

Manufacturer : United U-Li (M) Sdn. Bhd.
No. 33, Jalan Kartunis U1/47,
Temasya Industrial Park, Section U1,
40150 Shah Alam, Selangor

Product : Cable Ladder

Type of Test / Method of test : Full test.

Reference Standard / : MS IEC 61537: 2007
Method of test : Cable Tray Systems and Cable Ladder Systems For Cable Management.
(IEC 61537:2001, IDT)

Description of sample: Brand Name : U-Li
Model / Type : 2 models. Refer to page 2 of 16 for list of models.
Quantity (for each model) :
1. 2 units of narrowest and 2 units of widest width of cable ladder length.
2. 5 units of screw, bold and nut or clamping connections.
3. 1 unit of test sample consisting of two cable ladder length fix with integral means of connection.
4. 4 units of cable ladder with a length of 250mm ± 5mm (widest width).

Date received : 05/03/2012

Job no./Ref. No. : J20121270156-B

Description of test result : The submitted test samples as described in this test report complied with the requirement of the above Reference Standard.

Issued date : 13 MAR 2012

Approved Signatories


.....
(MOHD ALIF MOHD YUSOFF)
Testing Executive

.....
(HAJI MOHD ADZHAR AHMAD)
Head,
Mechanical Section (MST)
Testing Services Department
123.



Steel Cable Ladder

ULI™ Steel Cable Ladder Typical Layout



Steel Cable Ladder

U-LIT™ Cable Ladder Product Range

U-LIT™ design of Cable Ladder is compact and fast to install, with both straight Cable Ladder and all accessories having a unique integrated coupling system.

U-LIT™ offers a wide range of options to suit your design and with load rated to NEMA VE1 IEC. We also manufacture Extra Heavy Duty Cable Ladder upon request.

U-LIT™ offers multi side rails, rungs and slots profile for your design needs and applications. It has the advantage of quick on site installation, cut to length and reconnection.




U-LIT™ offers a wide range of materials to suit the site condition and also choices of final finishes.

Materials:

1. Hot roll mild steel. JISG 3131 SPHC
2. Cold roll mild steel. JISG 3141 SPCC - SD
3. Pre-Galvanised Steel BS 2989 or JISG 3302 SGCC
4. Electro-Galvanised. BS 1449 Pt 1:1983
5. Stainless steel. AISI 304, 316 or 316L
6. Aluminium.
Materials thickness range from 1mm thick to 3mm thick.
7. High Silicon Steel.
8. ZAM Material

Finishing:


1. Hot dip galvanised.
ASTM A123, BS EN ISO 1461:1999
2. Epoxy coated - ASTM D 1654, BS 6920
3. Polyester coated - ASTM D 1654, BS 6920



Steel Cable Ladder

Steel Cable Ladder - Straight


Type: UL/LZ/ST/M




CONNECTION SLOT DETAIL
For 100mm - 125mm - 150mm height
Cable Ladder

Components Ref.	H	W	B1	B2	L	Thickness	Finish
UL/LZ/ST/4-6/M	150	150	300				
UL/LZ/ST/4-8/M	200	150	300				
UL/LZ/ST/4-12/M	300	150	300				
UL/LZ/ST/4-16/M	400	150	300				
UL/LZ/ST/4-18/M	450	150	300				
UL/LZ/ST/4-20/M	500	150	300				
UL/LZ/ST/4-24/M	600	150	300				
UL/LZ/ST/4-30/M	750	150	300				
UL/LZ/ST/4-36/M	900	150	300				
UL/LZ/ST/4-40/M	1000	150	300				
UL/LZ/ST/6-6/M	150	150	300				
UL/LZ/ST/6-8/M	200	150	300				
UL/LZ/ST/6-12/M	300	150	300				
UL/LZ/ST/6-16/M	400	150	300				
UL/LZ/ST/6-18/M	450	150	300				
UL/LZ/ST/6-20/M	500	150	300				
UL/LZ/ST/6-24/M	600	150	300				
UL/LZ/ST/6-30/M	750	150	300				
UL/LZ/ST/6-36/M	900	150	300				
UL/LZ/ST/6-40/M	1000	150	300				

2440mm / 3000mm / 6000mm
2440mm / 100 / 125 / 150 / 200 / 300
1.5mm / 2.0mm / 2.5mm / 3.0mm



RUNG DETAIL



SIDE RAIL SECTION

Dimension in Millimetre

Abbreviation: B - Rung Spacing H - Height L - Length W - Width


When ordering please indicate Material and Finish.

We also supply other sizes with the same Side Rail, Rung Profile and various number of Connection Slots.


Steel Cable Ladder

Steel Cable Ladder - Straight

Type: UL/LN/ST




CONNECTION SLOT DETAIL
Cable Ladder
For 50mm and 75mm height




CONNECTION SLOT DETAIL
Cable Ladder
For 100mm - 125mm - 150mm height

Components Ref.	H	W	B1	B2	L	Thickness	Finish
UL/LZ/ST/4-6/M	150	150	300				
UL/LZ/ST/4-8/M	200	150	300				
UL/LZ/ST/4-12/M	300	150	300				
UL/LZ/ST/4-16/M	400	150	300				
UL/LZ/ST/4-18/M	450	150	300				
UL/LZ/ST/4-20/M	500	150	300				
UL/LZ/ST/4-24/M	600	150	300				
UL/LZ/ST/4-30/M	750	150	300				
UL/LZ/ST/4-36/M	900	150	300				
UL/LZ/ST/4-40/M	1000	150	300				
UL/LZ/ST/6-6/M	150	150	300				
UL/LZ/ST/6-8/M	200	150	300				
UL/LZ/ST/6-12/M	300	150	300				
UL/LZ/ST/6-16/M	400	150	300				
UL/LZ/ST/6-18/M	450	150	300				
UL/LZ/ST/6-20/M	500	150	300				
UL/LZ/ST/6-24/M	600	150	300				
UL/LZ/ST/6-30/M	750	150	300				
UL/LZ/ST/6-36/M	900	150	300				
UL/LZ/ST/6-40/M	1000	150	300				

50 / 75 / 100 / 125 / 150 / 200 / 300
2440mm / 3000mm / 6000mm
1.5mm / 2.0mm / 2.5mm / 3.0mm



RUNG DETAIL



SIDE RAIL SECTION

Dimension in Millimetre

Abbreviation: B - Rung Spacing H - Height L - Length W - Width


When ordering please indicate Material and Finish.

We also supply other sizes with the same Side Rail, Rung Profile and various number of Connection Slots.


Steel Cable Ladder

Steel Cable Ladder - Straight


Type: UL/LG/ST




CONNECTION SLOT DETAIL
For 50mm and 75mm height
Cable Ladder



CONNECTION SLOT DETAIL
For 100mm - 125mm - 150mm height
Cable Ladder



RUNG DETAIL



SIDE RAIL SECTION

Components Ref.	H	W	B1	B2	L	Thickness	Finish
UL/LZ/ST/4-6/M	150	150	300				
UL/LZ/ST/4-8/M	200	150	300				
UL/LZ/ST/4-12/M	300	150	300				
UL/LZ/ST/4-16/M	400	150	300				
UL/LZ/ST/4-18/M	450	150	300				
UL/LZ/ST/4-20/M	500	150	300				
UL/LZ/ST/4-24/M	600	150	300				
UL/LZ/ST/4-30/M	750	150	300				
UL/LZ/ST/4-36/M	900	150	300				
UL/LZ/ST/4-40/M	1000	150	300				
UL/LZ/ST/6-6/M	150	150	300				
UL/LZ/ST/6-8/M	200	150	300				
UL/LZ/ST/6-12/M	300	150	300				
UL/LZ/ST/6-16/M	400	150	300				
UL/LZ/ST/6-18/M	450	150	300				
UL/LZ/ST/6-20/M	500	150	300				
UL/LZ/ST/6-24/M	600	150	300				
UL/LZ/ST/6-30/M	750	150	300				
UL/LZ/ST/6-36/M	900	150	300				
UL/LZ/ST/6-40/M	1000	150	300				

Dimension in Millimetre

Abbreviation: B - Rung Spacing H - Height L - Length W - Width


When ordering please indicate Material and Finish.

We also supply other sizes with the same Side Rail, Rung Profile and various number of Connection Slots.


Steel Cable Ladder

Steel Cable Ladder - Straight


Type: UL/LC/ST




CONNECTION SLOT DETAIL
For 50mm and 75mm height
Cable Ladder



CONNECTION SLOT DETAIL
For 100mm - 125mm - 150mm height
Cable Ladder



RUNG DETAIL



SIDE RAIL SECTION

Components Ref.	H	W	B1	B2	L	Thickness	Finish
UL/LZ/ST/4-6/M	150	150	300				
UL/LZ/ST/4-8/M	200	150	300				
UL/LZ/ST/4-12/M	300	150	300				
UL/LZ/ST/4-16/M	400	150	300				
UL/LZ/ST/4-18/M	450	150	300				
UL/LZ/ST/4-20/M	500	150	300				
UL/LZ/ST/4-24/M	600	150	300				
UL/LZ/ST/4-30/M	750	150	300				
UL/LZ/ST/4-36/M	900	150	300				
UL/LZ/ST/4-40/M	1000	150	300				
UL/LZ/ST/6-6/M	150	150	300				
UL/LZ/ST/6-8/M	200	150	300				
UL/LZ/ST/6-12/M	300	150	300				
UL/LZ/ST/6-16/M	400	150	300				
UL/LZ/ST/6-18/M	450	150	300				
UL/LZ/ST/6-20/M	500	150	300				
UL/LZ/ST/6-24/M	600	150	300				
UL/LZ/ST/6-30/M	750	150	300				
UL/LZ/ST/6-36/M	900	150	300				
UL/LZ/ST/6-40/M	1000	150	300				

2440mm / 3000mm / 6000mm
50 / 75 / 100 / 125 / 150 / 200 / 300

Dimension in Millimetre

Abbreviation: B - Rung Spacing H - Height L - Length W - Width


When ordering please indicate Material and Finish.

We also supply other sizes with the same Side Rail, Rung Profile and various number of Connection Slots.

Steel Cable Ladder

Steel Cable Ladder - Straight


Type: Knock-Down (Available upon request)




CONNECTION SLOT DETAIL
For 100mm Height Cable Ladder

Components Ref.	H	W	B1	B2	L	Thickness	Finish
UL/LZ/ST/4-6/M	150	150	300				
UL/LZ/ST/4-8/M	200	150	300				
UL/LZ/ST/4-12/M	300	150	300				
UL/LZ/ST/4-16/M	400	150	300				
UL/LZ/ST/4-18/M	450	150	300				
UL/LZ/ST/4-20/M	500	150	300				
UL/LZ/ST/4-24/M	600	150	300				
UL/LZ/ST/4-30/M	750	150	300				
UL/LZ/ST/4-36/M	900	150	300				
UL/LZ/ST/4-40/M	1000	150	300				
UL/LZ/ST/6-6/M	150	150	300				
UL/LZ/ST/6-8/M	200	150	300				
UL/LZ/ST/6-12/M	300	150	300				
UL/LZ/ST/6-16/M	400	150	300				
UL/LZ/ST/6-18/M	450	150	300				
UL/LZ/ST/6-20/M	500	150	300				
UL/LZ/ST/6-24/M	600	150	300				
UL/LZ/ST/6-30/M	750	150	300				
UL/LZ/ST/6-36/M	900	150	300				
UL/LZ/ST/6-40/M	1000	150	300				

2440mm / 3000mm / 6000mm
2440mm / 3000mm / 6000mm
1.5mm / 2.0mm / 2.5mm / 3.0mm



RUNG DETAIL



SIDE RAIL SECTION DETAIL

Dimension in Millimetre


Abbreviation: B - Rung Spacing H - Height L - Length W - Width

When ordering please indicate Material and Finish.

We also supply other sizes with the same Side Rail, Rung Profile and various number of Connection Slots.


Steel Cable Ladder

Steel Cable Ladder- Accessories




Steel Cable Ladder - 90° Elbow

Type: UL/LZ/EL90/M




Steel Cable Ladder - 45° Elbow

Type: UL/LZ/EL45/M




Steel Cable Ladder - Horizontal Equal Tee

Type: UL/LZ/ET/M




Steel Cable Ladder - Unequal Tee

Type: UL/LZ/UT/M



Steel Cable Ladder - Unequal Crosses

Type: UL/LZ/UC/M



Steel Cable Ladder - Equal Crosses

Type: UL/LZ/EC/M

Ladder bending radius as 300mm to 900mm.

Standard Radius 450mm.


Dimension in Millimetre

Abbreviation: B - Rung Spacing H - Height R - Radius W - Width


When ordering Material and Finish as straight cable ladder please also indicate Radius, otherwise will fabricate according standard radius.

Steel Cable Ladder


Steel Cable Ladder- Accessories




Steel Cable Ladder - External Riser
Type: UL/LZ/ER/M




Steel Cable Ladder - Internal Riser
Type: UL/LZ/IR/M



Steel Cable Ladder - Left Offset Reducer
Type: UL/LZ/LR/M



Steel Cable Ladder - Right Offset Reducer
Type: UL/LZ/RR/M



Steel Cable Ladder - Straight Offset Reducer
Type: UL/LZ/SR/M

Ladder bending radius as 300mm to 900mm.

Standard Radius 450mm.

Dimension in Millimetre


Abbreviation: B - Rung Spacing H - Height R - Radius W - Width

When ordering Material and Finish as straight cable ladder please also indicate Radius, otherwise will fabricate according standard radius.

Steel Cable Ladder


Steel Cable Ladder - End Plate

Type: UL/LZ/EP-6/M



Application


Cup Head Sq Neck Screw
M8 x 20 With Hex Nut and Flat Washer
Total: 4 Sets Per End Plate




Splice Plate and Fixture

Steel Cable Ladder - Hold Down Clamp

Type: UL/L-CP/M



Application




Clamp and Fixture


Steel Cable Ladder

- Cover & Cover Clamp


Type: UL



COVER CLAMP DETAIL



CABLE LADDER AND
COVER SECTION




APPLICATION

Steel Cable Ladder


- Ladder Divider

Type: UL



Fixture
Pan Head Slotted Screw
M6 x 16 With Hex Nut,
& Flat Washer
Finished: Mechanical Zinc
4 Sets / Divider

STRAIGHT DIVIDER
SECTION




APPLICATION

Steel Cable Ladder


Steel Cable Ladder - Horizontal Splice Plate

Type: UL/LZ/HS-6/M



Application


M8 x 20 Cap Head Sq Neck Bolt
With Hex Nut and Flat Washer
Finished: HDG
Total: 8 Sets Per Splice Plate



Horizontal Splice Plate and Fixture


Steel Cable Ladder - Vertical Adjustable Splice Plate

Type: UL/LZ/VAS-6/M



Application

M10 x 20 Cap Head Sq Neck Bolt
With Hex Nut and Flat Washer
Finished: HDG
Total: 1 Sets Per Vertical Splice Plate




Splice Plate and Fixture


M8 x 20 Cap Head Sq Neck Bolt
With Hex Nut and Flat Washer
Finished: HDG
Total: 8 Sets Per Vertical Splice Plate

Steel Cable Ladder - Horizontal Adjustable Splice Plate

Type: UL/LZ/HAS-6/M





Application



Splice Plate and Fixture

Cup Head Sq Neck Screw
M8 x 20 With Hex Nut
and Flat Washer
Total 8 Sets Per Connection







United U-LI (M) Sdn Bhd

Lot 7, Jalan 6/1, Kawasan Perindustrian Seri Kembangan,
43300 Seri Kembangan, Selangor Darul Ehsan, Malaysia
Tel: 03-8943 6999 • Fax: 03-8948 3999
E-mail: salescss@uli.com.my • website: www.uli.com.my



Distributor:

U-LI

UNITED U-LI PROJECTS PTE LTD.

1801, Geylang Bahru, #01-02 Kallang Distripark, Singapore 339709
Tel: +65 6392 4313 • Fax: +65 6392 4428
E-mail: sales@uli.com.sg • website: www.uliprojects.com

UNITED U-LI MARKETING PTE LTD

17, Tampines Industrial Ave 5, T5@Tampines, Singapore 528618

Tel : (65) 6744 2555 Fax : (65) 6844 3455

Residential Projects - Landed and Condominiums

- ◆ 19, Jalan Jambu Batu
- ◆ 2, Swetehham Road
- ◆ 27, Ridout Road
- ◆ 39A, Ridout Road
- ◆ 41, Cluny Park Road
- ◆ 45, Faber Walk
- ◆ 5, Jervios Road
- ◆ 53G, Holland Road
- ◆ 8, Bassein Road
- ◆ 9, Chatsworth Road
- ◆ Bartley Ridge Condominium
- ◆ Casa Merah Condominium
- ◆ Centra Loft
- ◆ Cityscape @ Farrer Park
- ◆ D' Leedon Condominium
- ◆ Devonshire 12
- ◆ Draycott Park
- ◆ Duo Residence
- ◆ The Espanis Condominium
- ◆ Farrer Suites
- ◆ Fernhill Condominium
- ◆ Fernvale @ Riverbank
- ◆ Grand Duchess Condominium
- ◆ Hill Crest Villa Condominium
- ◆ Holland Link Cluster House
- ◆ Icon Condominium
- ◆ Livia Condominium
- ◆ Louis Kienne Serviced Apartment
- ◆ Monte Bleu
- ◆ Oakwood Studios
- ◆ Park 1 Suites
- ◆ Park Natura
- ◆ Quinterra Condominium
- ◆ Regent Grove Condominium
- ◆ Ritz Condominium
- ◆ Sculptura Ardmore
- ◆ Seastrand
- ◆ Seaview Condominium
- ◆ South Bank Condominium
- ◆ St Martin Condominium
- ◆ The Cape
- ◆ The Light Condominium
- ◆ The Meyerise
- ◆ Tivoli - Grande Condo @ Koon Seng Road
- ◆ Urban Vista
- ◆ VisionCrest Condominium

UNITED U-LI MARKETING PTE LTD

17, Tampines Industrial Ave 5, T5@Tampines, Singapore 528618

Tel : (65) 6744 2555 Fax : (65) 6844 3455

Residential Projects - Landed and Condominiums

- ◆ HDB NRP Projects / Upgrading
 - Ang Mo Kio Ave 4, Blk 108 / 631
 - Ang Mo Kio Ave 9, Blk 620 / 622 / 630 / 632 / 642
 - Bain Street, Blk 232
 - Bangkit Road, Blk 275
 - Bedok Reservoir Road, Blk 607
 - Bishan Street 11, Blk 138
 - Bishan Street 12, Blk 136
 - Bukit Batok Ave 4, Blk 411
 - Chai Chee Drive, Blk 55
 - Compassvale Street, Blk 299
 - Hougang Ave 4, Blk 634
 - Hougang Ave 8, Blk 633 / 637
 - Hoy Fatt Road, Blk 50
 - Jurong West Ave 3 Blk 271 Multi Storey Carpark
 - Serangoon Ave 3, Blk 327 / 332
 - Tampines Street 21, Blk 235
 - Tampines Street 42, Blk 456
 - Tampines Street 82, Blk 842A
 - Toa Payoh Lorong 8, Blk 214

Commercial Projects - Hotels and Tertiary School

- ◆ 8 on Claymore Serviced Apartment
- ◆ Amara Resort Hotel at Sentosa
- ◆ Crown Hotel at Changi Airport Terminal 3
- ◆ Data Storage Institute (A* Star)
- ◆ D' Resort @ Pasir Ris
- ◆ Hyatt Hotel of Singapore
- ◆ Jurong Genting Hotel
- ◆ Link Hotel
- ◆ Marina Bay Sands IR
- ◆ Naumi Hotel
- ◆ Park Hotel at River Valley
- ◆ Resorts World at Sentosa
- ◆ St Regis at Tanglin Road
- ◆ Value Hotel
- ◆ Insead at Ayer Rajah Avenue
- ◆ ITE West at Chua Chu Kang
- ◆ NIE Extension at NTU
- ◆ MO6 at NUS
- ◆ NTU 1 - North Campus at North Buona Vista
- ◆ NTU Business School / School of Communication and Information
- ◆ NTU Phase 2

UNITED U-LI MARKETING PTE LTD

17, Tampines Industrial Ave 5, T5@Tampines, Singapore 528618

Tel : (65) 6744 2555 Fax : (65) 6844 3455

- ◆ NTU School of Mechanical & Aerospace Engineering
- ◆ NTU School of Physical & Mathematical Science
- ◆ NUS RVA
- ◆ NUS Blk AS3 / Cultural Hub / Lecture Theatre 8, 11 and 13
- ◆ NUS S4, S14 and S17
- ◆ Singapore Polytechnic

Commercial Projects - Retail

- ◆ Cathay Building
- ◆ City Square Mall
- ◆ CK Tang at Vivo City
- ◆ Compass One - 2017
- ◆ Giant at Vivo City
- ◆ Ginza Plaza
- ◆ Hong Lim Market
- ◆ M2 Machperson Mall
- ◆ Oasis @ Science Park
- ◆ Orchard Cineleisure
- ◆ Republic Food Court at Vivo City
- ◆ Shopping Centre @ South Bridge Road
- ◆ Triple One Somerset
- ◆ Westgate @ Jurong East

Commercial Projects - Others

- ◆ ABN AMRO Bank at One Raffles Quay
- ◆ Alexandra Hospital
- ◆ Amex at Mapletree Business City
- ◆ Ang Mo Kio Nursing Home
- ◆ Apex @ Henderson
- ◆ Asia Square Tower 1
- ◆ Barclay Bank
- ◆ Bedok Telephone Exchange
- ◆ Biopolis
- ◆ Capita Green - 2017
- ◆ Capitol Cinema
- ◆ Citibank at Changi Business Park
- ◆ Chai Chee Nursing Home
- ◆ Deutsche Bank at One Raffles Quay
- ◆ Ernest and Young Office at One Raffles Quay
- ◆ Fusionpolis
- ◆ Gardens By the Bay

UNITED U-LI MARKETING PTE LTD

17, Tampines Industrial Ave 5, T5@Tampines, Singapore 528618

Tel : (65) 6744 2555 Fax : (65)6844 3455

- ◆ Golden Agri Plaza
- ◆ Havelock II
- ◆ Henderson Nursing Home
- ◆ Hub Synergy Point
- ◆ I Biz Center
- ◆ Khoo Teck Puat Hospital
- ◆ Launch Pad @ One North
- ◆ Mapletree Business City @ Pasir Panjang - 2017
- ◆ Marina House
- ◆ Marine Cove at East Coast
- ◆ Merrill Lynch at One Raffles Quay
- ◆ Mindsville @ Lor Napiri
- ◆ Mount Elizabeth Novena Hospital
- ◆ Ng Teng Fong Hospital
- ◆ Robinson 77 - 2017
- ◆ Robinson Square
- ◆ St Joseph Nursing Home @ Jurong West
- ◆ St Lukes 2
- ◆ SCB at MBFC
- ◆ Sengkang Hospital
- ◆ Societe Generale Bank and Trust
- ◆ Stellar Centre at Peck Hay
- ◆ Suntec City (New Wing)
- ◆ Tampines Junction
- ◆ Tokio Marine Centre
- ◆ Vision Exchange

Institutional Projects - School

- ◆ ACS @ Manis Road
- ◆ American School
- ◆ Anglican Primary School - 2017
- ◆ Assumption English School
- ◆ Australia School
- ◆ Blangah Height Primary School
- ◆ Boon Lay Primary School
- ◆ Bukit Ho Swee Primary School
- ◆ Chung Cheng High School
- ◆ Bedok Town Secondary School
- ◆ Bukit Batok Secondary School
- ◆ Bukit View Secondary School
- ◆ Casuarina Primary School
- ◆ Chua Chu Kang Secondary School
- ◆ Corporation Primary School
- ◆ East View Secondary School
- ◆ Elias Park Primary School - 2017

UNITED U-LI MARKETING PTE LTD

17, Tampines Industrial Ave 5, T5@Tampines, Singapore 528618

Tel : (65) 6744 2555 Fax : (65) 6844 3455

- ◆ Edgefield Primary School
- ◆ Fengshan Primary School
- ◆ Fu Chun Secondary School
- ◆ Geylang Methodist Primary School
- ◆ Geylang Methodist Secondary School
- ◆ Greenbridge Secondary School
- ◆ Hai Sing High School
- ◆ Jurong Primary School
- ◆ Juying Primary School
- ◆ Lian Hua Primary School
- ◆ Maha Bodhi School
- ◆ Meridian Primary School
- ◆ NUS High School
- ◆ Parkview Primary School
- ◆ Pasir Ris Primary School - 2017
- ◆ Pasir Ris Secondary School
- ◆ Punggol View Primary School
- ◆ Riverside Primary School
- ◆ Saint Hilda's Primary School
- ◆ Sembawang Primary School
- ◆ Sengkang Secondary School
- ◆ Si Ling Primary School
- ◆ Springdale Primary School
- ◆ Tao Nan School
- ◆ Toa Payoh Primary School
- ◆ Tampines Secondary School
- ◆ Tampines North Primary School - 2017
- ◆ Teck Ghee Primary School - 2017
- ◆ West Spring Primary School
- ◆ White Sand Primary School
- ◆ Yishun Town Secondary School
- ◆ Zhong Hwa Primary School

Institutional Projects - Others

- ◆ BCA Academy
- ◆ Bedok Central Hawker Centre
- ◆ Central Christian Church
- ◆ Changi Exhibition Hall at Changi
- ◆ Changi Naval Base
- ◆ Changi Naval Base and Air Traffic Control Project
- ◆ Changi Prison
- ◆ Chern Nam Kong Siew Temple
- ◆ Church of Saint Alphonsus
- ◆ Church of Saint Michael
- ◆ Ci Yuan Community Club
- ◆ Elias Community Centre

UNITED U-LI MARKETING PTE LTD

17, Tampines Industrial Ave 5, T5@Tampines, Singapore 528618

Tel : (65) 6744 2555 Fax : (65) 6844 3455

- ◆ Jurong Fire Station
- ◆ Law Enforcement Academy
- ◆ LTA Office at Hampshire
- ◆ MOE @ Grange Road
- ◆ Murai Camp @ Old Lim Chu Kang
- ◆ NEA Office @ Tannery Lane
- ◆ Novena Church - 2017
- ◆ Pasir Leba Camp
- ◆ SAFTI MI
- ◆ SCDF Bukit Batok and Tampines
- ◆ Sentosa Fire Station
- ◆ Singapore Police Coast Guard @ Lim Chu Kang
- ◆ Singapore Sports Hub
- ◆ Supreme Court
- ◆ Tanah Merah Prison
- ◆ Tengah Airbase
- ◆ Trinity Christian Center
- ◆ Tuas Naval Base
- ◆ Wesley Methodist Church - 2017

Infrastructure Projects

- ◆ Changi Airport Terminal 2 Extension and A&A Project
- ◆ Changi Airport Terminal 2 Extension and A&A Project
- ◆ Changi Airport Terminal 3 Kitchen Exhaust System
- ◆ Changi Water Reclamation Plant C2B, C4A, C4B, C5A, EP4 and EP7
- ◆ Kim Chuan Telecom Complex
- ◆ KPE Project
- ◆ MRT Circle Line Bayfront
- ◆ MRT Circle Line Bras Basah
- ◆ MRT Circle Line Bukit Brown
- ◆ MRT Circle Line Dakota
- ◆ MRT Circle Line Farrer Road
- ◆ MRT Circle Line Holland Village
- ◆ MRT Circle Line Macpherson
- ◆ MRT Circle Line Marina Bay
- ◆ MRT Circle Line Marymount
- ◆ MRT Circle Line Nicoll Highway
- ◆ MRT Circle Line One North
- ◆ MRT Circle Line Paya Lebar
- ◆ MRT Circle Line / Downtown Promenade
- ◆ MRT Circle Line Stadium
- ◆ MRT Circle Line Telok Blangah
- ◆ MRT Downtown Line Beauty World
- ◆ MRT Downtown Line Botanic Garden
- ◆ MRT Downtown Line Bugis

UNITED U-LI MARKETING PTE LTD

17, Tampines Industrial Ave 5, T5@Tampines, Singapore 528618

Tel : (65) 6744 2555 Fax : (65) 6844 3455

- ◆ MRT Downtown Line Bukit Panjang
- ◆ MRT Downtown Line Cashew
- ◆ MRT Downtown Line Chinatown
- ◆ MRT Downtown Line Hillview
- ◆ MRT Downtown Line King Albert Park
- ◆ MRT Downtown Line Little India
- ◆ MRT Downtown Line Newton
- ◆ MRT Downtown Line Rochor
- ◆ MRT Downtown Line Sixth Avenue
- ◆ MRT Downtown Line Stevens
- ◆ MRT Downtown Line Tan Kah Kee
- ◆ MRT Downtown Line Telok Ayer
- ◆ MRT East West Line Clementi
- ◆ MRT East West Line Commonwealth
- ◆ MRT East West Line Dover
- ◆ MRT East West Line Joo Koon
- ◆ MRT East West Line Lakeside
- ◆ MRT East West Line Redhill
- ◆ MRT Depot Gali Batu
- ◆ MRT Depot Kim Chuan
- ◆ Sentosa Linkway
- ◆ Woodlands Interchange

Industrial / Others

- ◆ 10, Tuas South Street 1
- ◆ 100, Pasir Panjang Road
- ◆ 101M @ Kranji Road - 2017
- ◆ 20, Penjuru Lane
- ◆ 26, Riverside Road - 2017
- ◆ Asahi Kasei Plastics Singapore
- ◆ ASM Technology
- ◆ COSL at Benoi
- ◆ CWT Cold Hub 2 / 3
- ◆ Data Centre Building @ Tai Seng
- ◆ Denyo Machinery
- ◆ Dormakaba @ Tukang Innovative Drive - 2017
- ◆ Dupont at Jurong Island
- ◆ E 9 Premium
- ◆ Eastman Lift Trucks @ Tuas South
- ◆ ECO Plant @ Tuas View Circuit
- ◆ Excel Logistic at Changi
- ◆ Fair Chem at Tuas
- ◆ Google @ Alexandra - 2017
- ◆ GSK Tech Centre Building
- ◆ Hitachi Nippon Steel Plant

UNITED U-LI MARKETING PTE LTD

17, Tampines Industrial Ave 5, T5@Tampines, Singapore 528618

Tel : (65) 6744 2555 Fax : (65)6844 3455

- ◆ Hock Hua Agri Food at Senoko
- ◆ Hon Industrial Building
- ◆ HP at Tuas
- ◆ IKEA Tampines
- ◆ Infineon Centre
- ◆ Infineon Centre Extension
- ◆ INTEL Technology
- ◆ Jurong Cold Store
- ◆ Jurong Data Centre
- ◆ Kah 101 Industrial Building
- ◆ Kim Heng Offshore & Marine
- ◆ Kong Hwee Iron Works & Construction
- ◆ Lian Beng Building
- ◆ Linear Technology at Yishun
- ◆ Lonza at Tuas
- ◆ Loyang Enterprise Building
- ◆ Lucas Film
- ◆ M-Cube @ Pioneer Crescent
- ◆ M38 at Jalan Pemimpin
- ◆ Marina Bay Sands Data Centre
- ◆ Media Corp at Ayer Rajah
- ◆ Micron @ North Coast Drive
- ◆ New Cadbury Schweppes Factory
- ◆ Nikko Chemical at Jurong Island
- ◆ Nordcom 2 @ Gambas - 2017
- ◆ Northtech at Woodlands
- ◆ Nova Factory at Woodlands Loop
- ◆ Novartis E&I Project at Tuas
- ◆ NTUC @ Joo Koon
- ◆ P&W NGPF Manufacturing
- ◆ Pacific Refreshment
- ◆ Parker Hannifin at Chin Bee Road
- ◆ Philips @ Toa Payoh
- ◆ Philips Lumileds at Yishun
- ◆ Poh Tiong Choon Logistic @
- ◆ Power Seraya Station
- ◆ RBM Centre
- ◆ Regent Motor Showroom
- ◆ Rolls Royce Plant at Seletar
- ◆ Schlumberger Geo services - 2017
- ◆ Seagate @ AMK
- ◆ Seagate @ Ayer Rajah
- ◆ Seletar Aerospace
- ◆ Shin Nippon Air Technologies Building at Changi Business Park
- ◆ Showa Denko Hard Disk Manufacturing Plant
- ◆ Siltronic Samsung Wafer Hook Up Project
- ◆ Singapore Wine Vault Building
- ◆ Singpost Regional E-Commerce Logistic Hub
- ◆ SNK Toshiba Project

UNITED U-LI MARKETING PTE LTD

17, Tampines Industrial Ave 5, T5@Tampines, Singapore 528618

Tel : (65) 6744 2555 Fax : (65)6844 3455

- ◆ SPT Plant at Jurong Island
- ◆ ST Aerospace Engineering
- ◆ ST Building @ AMK - 2017
- ◆ ST Micro Phase 6
- ◆ ST 1 at Ang Mo Kio Street 65
- ◆ Stats Chippac @ Yishun
- ◆ Sub Station - Changi
- ◆ Sub Station – Jurong Island - 2017
- ◆ Sub Station – Portsdown - 2017
- ◆ Sub Station - PSA Pasir Panjang
- ◆ Sunhuan Building at Tuas
- ◆ Swift Engineering at Bukit Batok
- ◆ Tagore 8
- ◆ Teijin Polycarbonate Singapore @ Jurong Island
- ◆ TECH Semiconductor at Woodlands
- ◆ Toshiba Liquid Crystal Display Plant
- ◆ Trans Engineering Works
- ◆ Tuas South Incinerator Plant
- ◆ UPS @ Changi
- ◆ Ultracon Structural System
- ◆ Waste Recycle Factory at West Coast
- ◆ WASCO Engineering at Pandan Road
- ◆ Wings over Asia @ Seletar Aerospace
- ◆ Zenith Data Centre

A & A Works

- ◆ ABB @ Ayer Rajah - 2017
- ◆ Ai Tong School
- ◆ Alexandra Hospital
- ◆ Anderson Primary School
- ◆ Anglo Chinese Junior College
- ◆ Ang Mio Kio Fire Station
- ◆ Australia High Commission
- ◆ Ayer Rajah Community Centre
- ◆ Bedok Camp
- ◆ Bedok Market Upgrading
- ◆ Boon Lay Garden Primary School
- ◆ Bukit Merah Nursing Home
- ◆ Bukit Panjang Primary School
- ◆ Cantonment Police HQ
- ◆ Centennial Tower
- ◆ Chevron House
- ◆ Chinese Swimming Club
- ◆ Dupont
- ◆ Eco Tech @ Sunview - 2017

UNITED U-LI MARKETING PTE LTD

17, Tampines Industrial Ave 5, T5@Tampines, Singapore 528618

Tel : (65) 6744 2555 Fax : (65)6844 3455

- ◆ Esplanade - 2017
- ◆ Harvey Norman @ Millenia / Parkway / Vivo City - 2017
- ◆ HSBC Building
- ◆ IMM Shopping Mall
- ◆ Jurong Town Hall
- ◆ Katong Shopping Centre
- ◆ Liat Towers
- ◆ Maju Camp
- ◆ Malaysia High Commission
- ◆ Ministry of Manpower
- ◆ MRT East Line / North East Line
- ◆ Nex Shopping Mall
- ◆ NTUC Benoi
- ◆ NTUC Clementi
- ◆ NTUC Downtown East Park
- ◆ Ocean Tower
- ◆ Panasonic at Ang Mo Kio Park
- ◆ Panasonic at Bedok Park
- ◆ Paragon Shopping Centre
- ◆ Parakou Building at Robinson Road
- ◆ Parkway Parade Shopping Centre
- ◆ Pasir Ris Camp
- ◆ PSA at Pasir Panjang Terminal 4
- ◆ Punggol LRT
- ◆ Renci Hospital
- ◆ Sembawang Airbase
- ◆ Sengkang LRT
- ◆ Senoko Power Station
- ◆ SGX Centre
- ◆ Singapore Aviation Academy
- ◆ Singapore Expo Hall 3, 4 and 10 - 2017
- ◆ Singapore Power Building
- ◆ StarHub Centre
- ◆ Suntec City Mall
- ◆ Sun Plaza
- ◆ Tiong Bahru Plaza
- ◆ Tuas Power Station
- ◆ Turbo Mega @ Seletar Aerospace
- ◆ UOL Building at Somerset Road
- ◆ Westvale Condominium
- ◆ Woodlands Civic Centre