

Reference :
DoC Issue Date:

DECLARATION OF COMPLIANCE

This declaration is issued in accordance with the requirement of Element Testing Services (“ETS”) Product Listing Scheme (“PLS”). It confirms that the defined project coverage are which has been completed, having full regard to the requirements of the appropriate product specifications, and installation and /or application instructions, and that the claimed performance is substantiated by test and /or assessment evidence.

This declaration is issued by the ETS PLS listed company named below, who is responsible for the installation process as shown in the table below.

CoC holder:

Installer:

SCDF Ref No.:

Approved date:

Other
Documentary Evidence:
*(DO / PO / Other
Contractual Agreement)*

Project:

Product Type (as per CoC)	CoC No.	Brand	Model	Total Area of Coverage	Unit (m², metre- run, opening)	Fire Resistance Rating (Hr)	Location

I, hereby declare that the above-recorded informations are consistent with the information submitted to ETS in the “Declaration of Compliance Request Form”.

Authorized signature

Company Stamp

Name & Designation of authorized signatory

Date

Please include additional information on DoC (e.g. detailed information on location) if applicable

Please include additional information on DoC (e.g. detailed information on location) if applicable

**FIRE SAFETY ACT
(CHAPTER 109A)
FIRE SAFETY (BUILDING AND PIPELINE FIRE SAFETY) REGULATIONS**

(Regulation 13)

REGULATED FIRE SAFETY PRODUCTS INSTALLATION CERTIFICATE

The Commissioner
Singapore Civil Defence Force
91 Ubi Avenue 4
Singapore 408827
Attn: Director, Fire Safety Department

Project Title: AIR-CONDITIONING AND MECHANICAL VENTILATION SYSTEM TO PROPOSED ADDITIONS OF 1 BLOCK OF 3-STOREY OFFICE BUILDING (BLK 2), 1 BLOCK OF 6-STOREY ACCOMMODATION BUILDING (BLK 3), 1 BLOCK OF 4-STOREY ACCOMMODATION BUILDING (BLK 4), 1 BLOCK OF 2-STOREY TRAINING MULTIPLEX (BLK 9), 1 BLOCK OF MSVS (BLK 10), AND ANCILLARY FACILITIES (BLK 5, 6 & 8), PARTIAL DEMOLITION OF BLKS 1 & 22 AND DEMOLITION OF BLKS 1A, 1B, 2, 3, 3A, 4, 4A, 5, 5A, 6, 6A, 6B, 7, 7A, 8, 9, 10, 14, 18, 18A, 19, 20, 23, 23B, 23C, 24, 25, 25A, 25B, 26, 26A, 26B, 26C, 26D, 27A, 31, 31B, 32, 33B, 33C, 33D, 33E, 33F, 33G, 33H, 37, 37A, 37B, 41, 44, 44A & 131 TO EXISTING DIEPPE BARRACK ON LOT 05019M MK13 AT SEMBAWANG ROAD (MANDAI PLANNING AREA)

SCDF Approved Plan Number: RMV/N01320/23

Approved Date: 20-Sep-2024

*To attach floor plans indicating the locations of Regulated Fire Safety Product installed and endorsed by the same appointed Appropriate QP.

**FIRE SAFETY ACT
(CHAPTER 109A)
FIRE SAFETY (BUILDING AND PIPELINE FIRE SAFETY) REGULATIONS**

(Regulation 13)

REGULATED FIRE SAFETY PRODUCTS INSTALLATION CERTIFICATE

Type of Regulated Fire Safety Products & Materials: FIRE RATED DUCT SYSTEM

*Storey	*Room type (E.g. Office, Classroom, etc.)	*Gridlines in SCDF approved plans	Installed size / area	Fire resistance rating (hrs) / Thickness	Inspection Date
Blk 3(11) 1st storey		GL 3-8 ~ 3-14 / 3-F ~ 3-K	187.50 m2	2 HRS / 12MM	29 Aug 2024
Blk 3(11) 1st storey		GL 3-5 ~ 3-9 / 3-K ~ 3-R	147.60 m2	2 HRS / 12MM	29 Aug 2024
Blk 3(11) 1st storey		GL 3-5 ~ 3-6 / 3-N ~ 3-R	44.70 m2	2 HRS / 12MM	29 Aug 2024
Blk 3(11) 1st storey		GL 3-3 ~ 3-9 / 3-E ~ 3-J	126.70 m2	2 HRS / 12MM	29 Aug 2024
Blk 3(11) 1st storey		GL 3-3 ~ 3-9 / 3-E ~ 3-L	154.50 m2	2 HRS / 12MM	29 Aug 2024
Blk 3(11) 1st storey		GL 3-16 ~ 2-1/ 2-E ~ 2-H	50.00 m2	2 HRS / 12MM	29 Aug 2024
Blk 3(11) 1st storey		GL 3-13 ~ 3-14/ 3-F ~ 3-L	120.00 m2	2 HRS / 12MM	29 Aug 2024
Blk 3 (11) 2nd Storey, Staircase 4		GL 3-12 ~ 3-13/ 3-B ~ 3-C	2.31 m2	2 HRS / 12MM	29 Aug 2024
Blk 3 (11) - 4th Storey,		GL 3-12 ~ 3-13/ 3-B ~ 3-C	1.85 m2	2 HRS / 12MM	29 Aug 2024

*To attach floor plans indicating the locations of Regulated Fire Safety Product installed and endorsed by the same appointed Appropriate QP.

Updated as of 16 Oct 2020

**FIRE SAFETY ACT
(CHAPTER 109A)
FIRE SAFETY (BUILDING AND PIPELINE FIRE SAFETY) REGULATIONS**

(Regulation 13)

REGULATED FIRE SAFETY PRODUCTS INSTALLATION CERTIFICATE

Staircase 4					
Blk 3 (11) -5th Storey, Staircase 4		GL 3-12 ~ 3-13/ 3-B ~ 3-C	7.08 m2	2 HRS / 12MM	29 Aug 2024
Inspected by Appropriate QP appointed by Supplier of the Regulated Fire Safety Product					

Type of Regulated Fire Safety Products & Materials:

*Storey	*Room type (E.g. Office, Classroom, etc.)	*Gridlines in SCDF approved plans	Installed size / area	Fire resistance rating (hrs) / Thickness	Inspection Date
Blk 3 (11) - 6th Storey, Staircase 4		GL 3-12 ~ 3-13/ 3-B ~ 3-C	3.08 m2	2 HRS / 12MM	29 Aug 2024
Blk 3 (11) - Lower Roof Storey, Staircase 4		GL 3-12 ~ 3-13/ 3-B ~ 3-C	2.51 m2	2 HRS / 12MM	29 Aug 2024

*To attach floor plans indicating the locations of Regulated Fire Safety Product installed and endorsed by the same appointed Appropriate QP.

Updated as of 16 Oct 2020

**FIRE SAFETY ACT
(CHAPTER 109A)
FIRE SAFETY (BUILDING AND PIPELINE FIRE SAFETY) REGULATIONS**

(Regulation 13)

REGULATED FIRE SAFETY PRODUCTS INSTALLATION CERTIFICATE

Blk 3 (11) - 2nd Storey, Staircase 3		GL 3-12 ~ 3-13/ 3-P ~ 3-Q	2.31 m2	2 HRS / 12MM	29 Aug 2024
Blk 3 (11) -6th Storey, Staircase 3		GL 3-12 ~ 3-13/ 3-P ~ 3-Q	3.08 m2	2 HRS / 12MM	29 Aug 2024
Blk 3 (11) - Lower Roof Storey, Staircase 3		GL 3-12 ~ 3-13/ 3-P ~ 3-Q	2.51 m2	2 HRS / 12MM	29 Aug 2024
Blk 3 (11) 1st Storey FCC Room		GL 3-1 ~ 3-2/ 3-B ~ 3-D	1.90 m2	2 HRS / 12MM	29 Aug 2024
Blk 3 (11) 1st Storey Sprinkler		GL 3-3 ~ 3-5/ 3-N ~ 3-P	30.37 m2	2 HRS / 12MM	29 Aug 2024

*To attach floor plans indicating the locations of Regulated Fire Safety Product installed and endorsed by the same appointed Appropriate QP.

Updated as of 16 Oct 2020

**FIRE SAFETY ACT
(CHAPTER 109A)
FIRE SAFETY (BUILDING AND PIPELINE FIRE SAFETY) REGULATIONS**

(Regulation 13)

REGULATED FIRE SAFETY PRODUCTS INSTALLATION CERTIFICATE

Pump Room (EA)					
Blk 3 (11) 1st Storey Sprinkler Pump Room (FA)		GL 3-5 ~ 3-6/ 3-Q ~ 3-R	19.30 m2	2 HRS / 12MM	29 Aug 2024
Blk 2 1st storey		GL 2-1 ~ 2-2/ 2-J ~ 2-L	23.10 m2	2 HRS / 12MM	29 Aug 2024
Inspected by Appropriate QP appointed by Supplier of the Regulated Fire Safety Product					

Type of Regulated Fire Safety Products & Materials:

*Storey	*Room type (E.g. Office, Classroom, etc.)	*Gridlines in SCDF approved plans	Installed size / area	Fire resistance rating (hrs) / Thickness	Inspection Date
Blk 5 1st Storey		GL 5-5 ~ 5-7/ 5-G ~ 5-H	39.00 m2	2 HRS / 12MM	29 Aug 2024
					Click or tap to enter a date.
					Click or tap to enter a date.

*To attach floor plans indicating the locations of Regulated Fire Safety Product installed and endorsed by the same appointed Appropriate QP.

Updated as of 16 Oct 2020

**FIRE SAFETY ACT
(CHAPTER 109A)
FIRE SAFETY (BUILDING AND PIPELINE FIRE SAFETY) REGULATIONS**

(Regulation 13)

REGULATED FIRE SAFETY PRODUCTS INSTALLATION CERTIFICATE

					Click or tap to enter a date.
					Click or tap to enter a date.
					Click or tap to enter a date.
					Click or tap to enter a date.
					Click or tap to enter a date.
					Click or tap to enter a date.
Inspected by Appropriate QP appointed by Supplier of the Regulated Fire Safety Product					

Type of Regulated Fire Safety Products & Materials:

*Storey	*Room type (E.g. Office, Classroom, etc.)	*Gridlines in SCDF approved plans	Installed size / area	Fire resistance rating (hrs) / Thickness	Inspection Date
					Click or tap to enter a date.
					Click or tap to enter a date.
					Click or tap to enter a date.

*To attach floor plans indicating the locations of Regulated Fire Safety Product installed and endorsed by the same appointed Appropriate QP.

Updated as of 16 Oct 2020

**FIRE SAFETY ACT
(CHAPTER 109A)
FIRE SAFETY (BUILDING AND PIPELINE FIRE SAFETY) REGULATIONS**

(Regulation 13)

REGULATED FIRE SAFETY PRODUCTS INSTALLATION CERTIFICATE



					Click or tap to enter a date.
					Click or tap to enter a date.
					Click or tap to enter a date.
					Click or tap to enter a date.
					Click or tap to enter a date.
					Click or tap to enter a date.
Inspected by Appropriate QP appointed by Supplier of the Regulated Fire Safety Product					

*To attach floor plans indicating the locations of Regulated Fire Safety Product installed and endorsed by the same appointed Appropriate QP.

**FIRE SAFETY ACT
(CHAPTER 109A)
FIRE SAFETY (BUILDING AND PIPELINE FIRE SAFETY) REGULATIONS**

(Regulation 13)

REGULATED FIRE SAFETY PRODUCTS INSTALLATION CERTIFICATE

Certificate of Conformity (CoC) Number	15A0108	
Validity Period	17/11/2015 ~ 16/11/2028	
Certification Body	Element (formerly Singapore Test Services)	
Test Report(s) No	BRANZ No. FR 5570, FR 5726, FAR 4510, FAR 4529,	
	FAR 4530, FAR 4531, SIRIM No. 2023FE0169,	
	ETS No. 03857-0323-00903-MEFT	
Supplier 	Full Name	Leong Jia Ling
	Designation	Sales Coordinator
	Company Name	R.Glazen Singapore Pte Ltd
	Company UEN	198204335G
Installer 	Full Name	Lam Chee Cheong
	Designation	Project Supervisor
	Company Name	Top Sim Engineering Pte Ltd
	Company UEN	201004381E

I, Tan Heng Wee, (full name of Appropriate QP, as per NRIC/FIN), being an appropriate qualified person have supervised the installation of the aforesaid regulated fire safety products and certify that all installation works have been carried out in accordance with the approved plans of fire safety works for the project, the provisions of prevailing Fire Code, the Fire Safety Act and any regulations made under this Act and any terms and conditions imposed by the Commissioner

TAN HENG WEE

Full Name of Appropriate QP
appointed by Supplier

PROFESSIONAL ENGINEER
Designation



BOA or P1586

Signature

TAN HENG WEE CONSULTING ENGINEER
19 FABER WALK, SINGAPORE 128960
TEL: 93371919, 67730019 FAX: 67748119
EMAIL: tanhengwee@outlook.com

Company Name

15 Mar 2024

Date

*To attach floor plans indicating the locations of Regulated Fire Safety Product installed and endorsed by the same appointed Appropriate QP.

