# **Shopsmart – Your Digital Grocery Store Experience**

**Team Members:** 

TEAM ID: LTVIP2025TMID59331

MEMBER	RESPONSIBILITY
1. Lingala Meghana	Frontend , Database , Documentation
2.Korrapati Pavani	N/A
3.Konda Jyothi	Implementation ,Demo, Resources gathering
4.Konanki Varshitha	Backend , Testing , Design

#### 1. Introduction

**Project Title:** 

Shopsmart – Your Digital Grocery Store Experience

## 2. Project Overview

## Purpose:

"Welcome to our Grocery Web App, your one-stop shop for all your grocery needs! With our user-friendly interface and wide selection of high-quality products, we aim to make your grocery shopping experience convenient and enjoyable. Whether you're looking for fresh produce, pantry staples, or household essentials, our app has you covered. Explore our virtual aisles, add items to your cart with ease, and have your groceries delivered right to your doorstep. Experience the future of grocery shopping with our Grocery Web App today!"

#### **Features:**

### User Authentication & Roles

Secure login/signup system with role-based access for Customers, Sellers, and Admins.

## • Product Browsing & Search

Easy navigation with category filters and keyword search to find products quickly.

### Shopping Cart & Checkout

Add products to cart, update quantities, and securely complete orders with a streamlined checkout.

### Order Tracking & History

Customers can view their past orders and track the delivery status in real-time.

#### Seller Dashboard

Sellers can manage products, update inventory, and process orders from a single interface.

#### Admin Panel

Admins can manage users, monitor app performance, and oversee orders and product listings.

## • Product Management

Sellers can easily add, edit, or delete product listings with real-time stock updates.

## • Responsive Design

Mobile-friendly interface for a smooth experience across smartphones, tablets, and desktops.

### Secure Payments

Safe and encrypted payment processing ensures user data and transactions are protected.

## • Analytics & Reports

Sellers and Admins get insights on sales, user behavior, and app performance.

#### 3. Architecture

#### Frontend:

The frontend handles the user interface and experience — what customers, sellers, and admins interact with.

- HTML5 / CSS3 / JavaScript
- React.is (Recommended) for building responsive, component-based UI
- **Redux / Context API** for state management (e.g., cart, user data)
- Axios / Fetch API for making API calls to the backend
- Tailwind CSS / Bootstrap for modern and responsive styling
- React Router for navigation and routing between pages

#### Backend:

The backend handles business logic, authentication, APIs, and database operations.

- Node.js JavaScript runtime
- Express.js Web framework for building RESTful APIs

- JWT (JSON Web Tokens) for user authentication and secure routes
- Multer / Cloudinary for file/image uploads (optional for product images)

Database:

**MongoDB** (*Recommended*) – NoSQL, flexible schema, scalable

#### 4. Setup Instructions

### Prerequisites:

- **1.** Node.js & npm Install from <u>nodejs.org</u> to run server-side code and manage packages.
- 2. MongoDB Use local MongoDB or MongoDB Atlas to store application data.
- 3. **Express.js** Install with npm install express to handle backend APIs and routing.
- 4. **React.js** A frontend library to build the user interface and create single-page applications.
- 5. **Vite Setup** Run: npm create vite@latest, cd my-app, npm install, npm run dev to start the frontend.
- 6. Use VS Code for development, API testing, and version control.

## **Installation Steps:**

• Clone the repository

git clone: https://github.com/konankivarshitha/grocery-webapp

Set up environment variables: Create .env file in the server directory PORT=5000 MONGO\_URI='mongodb://localhost:127.0.0.1:27017/grocery'

JWT SECRET=mysecretpassword

• Install dependencies:

cd Backendnpm run devcd Frontendnpm start

## **Folder Structure**

Shopsmart/

— Backend/ # Express + MongoDB backend		
├— db/ # Database connection logic		
│ ├── index.js # Server entry point		
├— package.json		
<del> </del>		
├— Frontend/ # React frontend		
— admin_components/ # Admin dashboard components		
— components/ # Reusable UI components		
— context/ # Context API for global state		
— App.css, index.css		
L— package.json		
├— .gitignore		
6. Running the Application		
To start both servers:		
<u>cd Frontend</u> :		
Navigate to the client directory:		
cd frontend		
Start the development server:		
npm start		
The frontend application runs on: http://localhost:5100		
<u>cd Backend</u> :		
Navigate to the server directory:		
cd backend		

Start the backend server:

npm run dev

The backend application runs on: http://localhost:5100

#### 7. API Documentation

Base URL:

http://localhost:5000/api

## Auth Endpoints:

- 1. **POST /auth/register** Register new user (name, email, password)
- 2. **POST /auth/login** Login and receive JWT token
- 3. **GET /user/profile** Get current user profile (auth required)
- 4. **GET /products** Fetch all products
- 5. **GET /products/:id** Fetch product by ID
- 6. **POST /products** Add new product (admin/seller only)
- 7. **PUT /products/:id** Update product (admin only)
- 8. **DELETE /products/:id** Delete product (admin only)
- 9. **POST /cart** Add product to cart (auth required)
- 10. **GET /cart** View current user's cart
- 11. **DELETE /cart/:productId** Remove item from cart
- 12. **POST /orders** Place a new order (auth required)
- 13. **GET /orders** View user's order history
- 14. **GET /admin/users** Admin fetch all users
- 15. **GET /categories / POST /categories –** View or add product categories (admin)


## 8. Authentication

- POST /auth/register Register a new user with name, email, and password.
- POST /auth/login Log in and receive a JWT token for session management.
- GET /user/profile Fetch logged-in user's profile using the token.
- Passwords are securely hashed using bcrypt before storing in the database.
- JWT tokens are generated on login and must be sent in headers:


- Middleware is used to protect private routes by verifying the token.
- Only authenticated users can access cart, orders, and profile routes.

## 9. Screenshots or Demo


## **HOME PAGE:**




## **LOGIN PAGE:**



## **ITEMS PAGE:**



### **ADMIN DASHBOARD PAGE:**



### **HISTORY**:





# 10. Testing

Testing Strategy:

• **Frontend Testing** is done using **Jest** and **React Testing Library** to validate component rendering, UI behavior, and state management.

- **Backend API Testing** uses **Mocha** and **Chai** to verify route responses, status codes, and error handling logic.
- End-to-End (E2E) Testing is conducted with Cypress, simulating complete user workflows like login, adding to cart, and checkout.
- Tests are written to cover both **positive and negative scenarios**, ensuring reliability.
- Continuous testing ensures new features don't break existing functionality.

#### 11. Known Issues

- No Email Verification New user accounts are created without email validation.
- Limited Payment Integration Only basic payment methods (e.g., COD) are supported; no real-time gateway.
- Admin Panel Access Control Role-based UI restrictions are basic and can be bypassed if tokens are misused.
- Mobile Responsiveness Some UI components may not display correctly on smaller screens.
- No Image Uploads Product images are static or missing due to lack of media upload support.

#### 12. Future Enhancements

- Real-Time Updates Implement WebSocket support for live cart, order, and appointment status updates.
- Multi-Format File Uploads Extend document upload to support images (JPG, PNG) and DOCX files.
- Advanced Payment Integration Integrate secure payment gateways like Razorpay, Stripe, or PayPal.
- Push Notifications Notify users about order updates, offers, and appointment status via browser/mobile alerts.
- AI-Based Recommendations Use ML to suggest products based on browsing and purchase history.
- Role-Based Dashboards Provide customized dashboards for customers, sellers, and admins.