1 Reminder

1.1 Observations and Tricks

- Contribution Technique
- 二分圖/Spanning Tree/DFS Tree
- 行、列操作互相獨立
- 奇偶性
- 當 s,t 遞增並且 $t=f(s)$，對 s 二分搜不好做，可以改成對 t 二分搜，再算 $f(t)$
- 啟發式合併
- Permutation Normalization（做一些平移對齊兩個 permutation）
- 枚舉 $a_1\sim a_n$ 再枚舉 $a_n\sim a_1$ 可以包在一個迴圈
- 兩個凸型函數相加還是凸型函數，相減不一定
- 一個區間的 $\text{mex}=k$，表示這個區間包含 $0\sim k-1$ 所有數字，並且「$U-$ 區間」的最小值 $=k$。

1.2 Bug List

- 沒開 long long
- 陣列戳出界／陣列開不夠大
- 寫好的函式（例如 `init()`、`build()`）忘記呼叫
- 0-base / 1-base
- 線段樹改值懶標初始值不能設為 0
- DFS 的時候不小心覆寫到全域變數
- 多筆測資不能沒讀完直接 return
- vector 超級肥，小 vector 請用 array，例如矩陣快速冪

2 Init (Linux)

2.1 vimrc

```
syn on
set nu rnu cul mouse=a cin et ts=2 sw=2 sts=2 autochdir
cb=unnamedplus
no ; :
ino {<CR> {<CR>}<Esc>ko
ca Hash w !cpp -dD -P \| tr -d '[:space:]' \| md5sum \| cut
-c-6
```

```
" Gino's .vimrc "
"no <C-h> ^  |  <C-l> $  |  h b  |  l e  |  b l  |  e h
```

2.2 bashrc

```
gogo() {
  g++ -std=c++20 -O2 "$1" && echo run && ./a.out
}
alias vig='vim -u ~/.vimrc-gino'
```

3 Basic

3.1 Template (Using Codebook)

```
// CRyptoGRapheR
#define SZ(c) ((int)(c).size())
// kactl
#define sz(x) (int)(x).size()
#define rep(i,a,b) for(int i=(a);i<(b);i++)
using ll = long long;
using vi = vector<int>;
using pii = pair<int, int>;
// ckiseki
#define all(x) begin(x), end(x)
#define pb emplace_back
#define REP(i, l, r) for (int i=(l); i<=(r); ++i)
const ll LINF = 1e18;
template<class A, class B> bool chmin(A& a, B& b) {
  return b < a ? a = b, 1 : 0;
}
```

3.2 PBDS, Random

```
#include <bits/extc++.h>
using namespace __gnu_pbds;
// map
tree<int, int, less<>, rb_tree_tag,
tree_order_statistics_node_update> tr;
tr.order_of_key(element);
tr.find_by_order(rank);
// set
tree<int, null_type, less<>, rb_tree_tag,
tree_order_statistics_node_update> tr;
tr.order_of_key(element);
tr.find_by_order(rank);
// priority queue
```

```
__gnu_pbds::priority_queue<int, less<int>> big_q;
__gnu_pbds::priority_queue<int, greater<int>> small_q;
q1.join(q2);  // join

mt19937
gen(chrono::steady_clock::now().time_since_epoch().count());
uniform_int_distribution<int>(a, b)(rng) // [a, b]
uniform_real_distribution<double>(a, b)(rng)  // (a, b)
shuffle(v.begin(), v.end(), gen);
```

3.3 Debug

```
#define debug(...) cerr << "\x1b[33m" #__VA_ARGS__ ":
\x1b[0m", \
    [](auto&&... a){ ((cerr << a << ' '), ...); }
(__VA_ARGS__), cerr << '\n'
#define output(...) \
    [](auto&&... a){ ((cout << a << ' '), ...); }
(__VA_ARGS__), cout << '\n'
int v = 42;
format("{:b}", v);   // "101010"
format("{:#b}", v);  // "0b101010"
format("{:#x}", v);  // "0x2a"
format("{:#X}", v);  // "0X2A"
int x = 7;
format("{:05d}", x);      // "00007"
format("{:>5}", x);       // "    7"
format("{:<5}", x);       // "7    "
format("{:^5}", x);       // "  7  "
format("{:*^5}", x);      // "**7**"
double pi = 3.1415926535;
format("{:.2f}", pi);     // "3.14"
```

3.4 SVG Writer

```
// Author: ckiseki
class SVG {
  void p(string_view s) { o << s; }
  void p(string_view s, auto v, auto... vs) {
    auto i = s.find('$');
    o << s.substr(0, i) << v, p(s.substr(i + 1), vs...);
  }
  ofstream o; string c = "red";
public:
  SVG(auto f,auto x1,auto y1,auto x2,auto y2) : o(f) {
    p("<svg xmlns='http://www.w3.org/2000/svg' "
      "viewBox='$ $ $ $'>\n"
      "<style>*{stroke-width:0.5%;}</style>\n",
      x1, -y2, x2 - x1, y2 - y1); }
  ~SVG() { p("</svg>\n"); }
  void color(string nc) { c = nc; }
  void line(auto x1, auto y1, auto x2, auto y2) {
    p("<line x1='$' y1='$' x2='$' y2='$' stroke='$'/>\n",
      x1, -y1, x2, -y2, c); }
  void circle(auto x, auto y, auto r) {
    p("<circle cx='$' cy='$' r='$' stroke='$' "
      "fill='none'/>\n", x, -y, r, c); }
  void text(auto x, auto y, string s, int w = 12) {
    p("<text x='$' y='$' font-size='$px'>$</text>\n",
      x, -y, w, s); }
};
```

```
SVG svg("out.svg", -200, -200, 200, 200);
svg.color("lightgray");  // ↓ drawing x-y plane
svg.line(-200, 0, 200, 0); svg.line(0, -200, 0, 200);
svg.color("blue"); svg.line(10, 10, 80, 80);
svg.color("red"); svg.circle(50, 50, 1);
```

3.5 Python

```
import sys
input = sys.stdin.readline
readStr  = lambda: input().rstrip('\r\n')
readInt  = lambda: int(input())
readInts = lambda: list(map(int, input().split()))

from decimal import *
getcontext().prec = 50  # precision
x = Decimal(str(x))
y = Decimal("6.7")
x *= y
print(x.quantize(Decimal("0.000001"),
rounding=ROUND_HALF_EVEN))
# ROUND_CEILING  : To INF           (2.9 -> 3, -2.1 -> -2)
# ROUND_FLOOR    : To -INF          (2.1 -> 2, -2.9 -> -3)
# ROUND_HALF_EVEN: To nearest even  (2.5 -> 2,  3.5 -> 4)
# ROUND_HALF_UP  : Half away from 0 (2.5 -> 3, -2.5 -> -3)
# ROUND_HALF_DOWN: Half towards 0   (2.5 -> 2, -2.5 -> -2)
# ROUND_UP       : Away from 0      (2.1 -> 3, -2.1 -> -3)
# ROUND_DOWN     : Truncate to 0    (2.9 -> 2, -2.9 -> -2)
# <Default>: ROUND_HALF_EVEN
# <Standard School Math>: ROUND_HALF_UP
```

3.6 Stress Tests

```
from random import *
n = randint(1, 10)
arr = list(randint(1, 20) for i in range(n))
print(*arr)
# permutation / non-repetitive sequence
perm = sample(range(1, n + 1), n)
arr = sample(range(1, 10000 + 1), n)
# string
from string import *
s = "".join(choices(ascii_lowercase, k=n))
t = "".join(choices(ascii_lowercase[:3], k=n))  # (a|b|c)*
u = "".join(choices(ascii_lowercase + ascii_uppercase +
digits, k=n))
# palindrome
half = "".join(choices(ascii_lowercase, k=(n + 1) // 2))
palindrome = half + (half[-2::-1] if n % 2 else half[::-1])
# ================== tree ==================
n = 30
## shallow tree
edges = [(randint(1, u - 1), u) for u in range(2, n + 1)]
## deep tree
## (suggested k: 2 ~ 5 or int(sqrt(n)) or 2n/D (D is
expected depth))
from math import *
k = int(sqrt(n))
edges = [(randint(max(1, u-k), u-1), u) for u in range(2, n
+ 1)]
for e in edges:
    print(*e)

edges = [(1, i) for i in range(2, n + 1)]  ## star
edges = [(i, i + 1) for i in range(1, n)]  ## chain
edges = [(i // 2, i) for i in range(2, n + 1)]  ## complete
binary tree
# ================== graph ==================
## not necessarily connected, no multi-edge or self-loop
n = 10
density = 0.3  # graph density (0.0 ~ 1.0)
edges = [(i, j) for i in range(1, n+1) for j in range(i+1,
n+1) if random() < density]
## connected, no multi-edge or self-loop
n, extra_edges = 10, 5
edges = set()
#### ... generate spanning tree with codes above
while len(edges) < n - 1 + extra_edges:
    u, v = randint(1, n), randint(1, n)
    if u != v:
        edges.add((min(u, v), max(u, v)))
edges = list(edges)
## DAG
perm = sample(range(1, n + 1), n)
edges = []
for _ in range(m):
    i, j = sorted(sample(range(n), 2))
    edges.append((perm[i], perm[j]))
## Bipartite Graph
n1, n2 = 6, 7
left, right = list(range(1, n1+1)), list(range(n1+1,
n1+n2+1))
edges = [(choice(left), choice(right)) for _ in range(m)]
```

```
g++ -std=c++20 -o buggy $1
g++ -std=c++20 -o ac ac.cpp
for i in {1..100}; do
  echo "TEST $i"
  python3 gen.py > in
  ./ac < in > oa
  ./buggy < in > ob
  if ! diff -q oa ob; then
    cat in <(echo "=== AC") oa <(echo "=== WA") ob
    break
  fi
done
```

4 Data Structure

4.1 Mo's Algorithm

```
// segments are 0-based
int B = max(1, (int)sqrt(n));
sort(Q.begin(), Q.end(), [&](const auto& a, const auto& b) {
  if (a[0]/B != b[0]/B) return a[0]<b[0];
  return (a[0]/B & 1) ? a[1]<b[1] : a[1]>b[1];
});
ll cur = 0;  // current answer
int pl = 0, pr = -1;
for (auto& qi : Q) {
  // get (l, r, qid) from qi
  while (pl < l) del(pl++); while (pl > l) add(--pl);
  while (pr < r) add(++pr); while (pr > r) del(pr--);
```

```
  ans[qid] = cur;
}
```

4.2 CDQ

```
// preparation
// 1. write a 1-base BIT
// 2. init(n, mxc): n is number of elements, mxc = 值域
// 3. build info array CDQ.v by yourself (x, y, z, id)
// 4. call solve()
// => cdq.ans[i] is number of j s.t. (xj <= xi, yj <= yi, zj <= zi) (j != i)
struct CDQ {
  struct info {
    int x, y, z, id;
    info(int x, int y, int z, int id):
      x(x), y(y), z(z), id(id) {}
    info():
      x(0), y(0), z(0), id(0) {}
  };
  int n, mxc;
  BIT bit;
  vector<info> v;
  vector<ll> ans;
  void init(int _n, int _mxc) {
    n = _n; mxc = _mxc;
    v.assign(n, info{});
    ans.assign(n, 0);
  }
  void dfs(int l, int r) {
    if (l >= r) return;
    int mid = (l+r) >> 1;
    dfs(l, mid); dfs(mid+1, r);

    vector<info> tmp;
    vector<int> bit_op;
    int pl = l, pr = mid+1;

    while (pl <= mid && pr <= r) {
      if (v[pl].y <= v[pr].y) {
        tmp.emplace_back(v[pl]);
        bit.upd(v[pl].z, 1);
        bit_op.emplace_back(v[pl].z);
        pl++;
      }
      else {
        tmp.emplace_back(v[pr]);
        ans[v[pr].id] += bit.qry(v[pr].z);
        pr++;
      }
    }
    while (pl <= mid) {
      tmp.emplace_back(v[pl]);
      pl++;
    }
    while (pr <= r) {
      tmp.emplace_back(v[pr]);
      ans[v[pr].id] += bit.qry(v[pr].z);
      pr++;
    }
    for (int i = l, j = 0; i <= r; i++, j++) v[i] = tmp[j];
    for (auto& op : bit_op) bit.upd(op, -1);
  }
  void solve() {
    bit.init(mxc);
    sort(v.begin(), v.end(), [&](const info& a, const info& b){
        return (a.x == b.x ? (a.y == b.y ? (a.z == b.z ? a.id < b.id : a.z < b.z) : a.y < b.y) : a.x < b.x);
        });
    dfs(0, n-1);
    map<pair<int, pii>, int> s;
    sort(v.begin(), v.end(), [&](const info& a, const info& b){
        return a.id > b.id;
        });
    for (int i = 0, id = n-1; i < n; i++, id--) {
      pair<int, pii> tmp = make_pair(v[i].x, make_pair(v[i].y, v[i].z));
      auto it = s.find(tmp);
      if (it != s.end())
        ans[id] += it->second;
      s[tmp]++;
    }
  }
};
```

4.3 Persistent Treap

```
// Author: Ian
struct node {
  node *l, *r;
  char c; int v, sz;
  node(char x = '$'): c(x), v(mt()), sz(1) {
    l = r = nullptr;
  }
  node(node* p) {*this = *p;}
  void pull() {
    sz = 1;
    for (auto i : {l, r})
      if (i) sz += i->sz;
  }
} arr[maxn], *ptr = arr;
inline int size(node* p) {return p ? p->sz : 0;}
node* merge(node* a, node* b) {
  if (!a || !b) return a ? : b;
  if (a->v < b->v) {
    node* ret = new(ptr++) node(a);
    ret->r = merge(ret->r, b), ret->pull();
    return ret;
  }
  else {
    node* ret = new(ptr++) node(b);
    ret->l = merge(a, ret->l), ret->pull();
    return ret;
  }
}
P<node*> split(node* p, int k) {
  if (!p) return {nullptr, nullptr};
  if (k >= size(p->l) + 1) {
    auto [a, b] = split(p->r, k - size(p->l) - 1);
    node* ret = new(ptr++) node(p);
    ret->r = a, ret->pull();
    return {ret, b};
  }
  else {
    auto [a, b] = split(p->l, k);
    node* ret = new(ptr++) node(p);
    ret->l = b, ret->pull();
    return {a, ret};
  }
}
```

4.4 Li Chao Tree

```
// Author: Ian
// Function: For a set of lines L, find the maximum L_i(x) in L in O(lg n).
typedef long double ld;
constexpr int maxn = 5e4 + 5;
struct line {
  ld a, b;
  ld operator()(ld x) {return a * x + b;}
} arr[(maxn + 1) << 2];
bool operator<(line a, line b) {return a.a < b.a;}
#define m ((l+r)>>1)
void insert(line x, int i = 1, int l = 0, int r = maxn) {
  if (r - l == 1) {
    if (x(l) > arr[i](l))
      arr[i] = x;
    return;
  }
  line a = max(arr[i], x), b = min(arr[i], x);
  if (a(m) > b(m))
    arr[i] = a, insert(b, i << 1, l, m);
  else
    arr[i] = b, insert(a, i << 1 | 1, m, r);
}
ld query(int x, int i = 1, int l = 0, int r = maxn) {
  if (x < l || r <= x) return -numeric_limits<ld>::max();
  if (r - l == 1) return arr[i](x);
  return max({arr[i](x), query(x, i << 1, l, m), query(x, i << 1 | 1, m, r)});
}
#undef m
```

4.5 Time Segment Tree

```
// Author: Ian
constexpr int maxn = 1e5 + 5;
V<P<int>> arr[(maxn + 1) << 2];
V<int> dsu, sz;
V<tuple<int, int, int>> his;
int cnt, q;
int find(int x) {
    return x == dsu[x] ? x : find(dsu[x]);
};
inline bool merge(int x, int y) {
    int a = find(x), b = find(y);
    if (a == b) return false;
    if (sz[a] > sz[b]) swap(a, b);
    his.emplace_back(a, b, sz[b]), dsu[a] = b, sz[b] += sz[a];
```

```
    return true;
};
inline void undo() {
    auto [a, b, s] = his.back(); his.pop_back();
    dsu[a] = a, sz[b] = s;
}
#define m ((l + r) >> 1)
void insert(int ql, int qr, P<int> x, int i = 1, int l = 0,
int r = q) {
    // debug(ql, qr, x); return;
    if (qr <= l || r <= ql) return;
    if (ql <= l && r <= qr) {arr[i].push_back(x); return;}
    if (qr <= m)
        insert(ql, qr, x, i << 1, l, m);
    else if (m <= ql)
        insert(ql, qr, x, i << 1 | 1, m, r);
    else {
        insert(ql, qr, x, i << 1, l, m);
        insert(ql, qr, x, i << 1 | 1, m, r);
    }
}
void traversal(V<int>& ans, int i = 1, int l = 0, int r = q)
{
    int opcnt = 0;
    // debug(i, l, r);
    for (auto [a, b] : arr[i])
        if (merge(a, b))
            opcnt++, cnt--;
    if (r - l == 1) ans[l] = cnt;
    else {
        traversal(ans, i << 1, l, m);
        traversal(ans, i << 1 | 1, m, r);
    }
    while (opcnt--)
        undo(), cnt++;
    arr[i].clear();
}
#undef m
inline void solve() {
    int n, m; cin>>n>>m>>q;q++;
    dsu.resize(cnt = n), sz.assign(n, 1);
    iota(dsu.begin(), dsu.end(), 0);
    // a, b, time, operation
    unordered_map<ll, V<int>> s;
    for (int i = 0; i < m; i++) {
        int a, b; cin>>a>>b;
        if (a > b) swap(a, b);
        s[((ll)a << 32) | b].emplace_back(0);
    }
    for (int i = 1; i < q; i++) {
        int op,a, b;
        cin>>op>>a>>b;
        if (a > b) swap(a, b);
        switch (op) {
        case 1:
            s[((ll)a << 32) | b].push_back(i);
            break;
        case 2:
            auto tmp = s[((ll)a << 32) | b].back();
            s[((ll)a << 32) | b].pop_back();
            insert(tmp, i, P<int> {a, b});
        }
    }
    for (auto [p, v] : s) {
        int a = p >> 32, b = p & -1;
        while (v.size()) {
            insert(v.back(), q, P<int> {a, b});
            v.pop_back();
        }
    }
    V<int> ans(q);
    traversal(ans);
    for (auto i : ans)
        cout<<i<<' ';
    cout<<endl;
}
```

5 DP

5.1 SOS DP

```
// Author: Gino
// Function: Solve problems that enumerates subsets of
subsets (3^n => n*2^n)
for (int msk = 0; msk < (1<<n); msk++) {
  for (int i = 1; i <= n; i++) {
    if (msk & (1<<(i - 1))) {
// dp[msk][i] = dp[msk][i - 1] + dp[msk ^ (1<<(i - 1))][i -
1];
    } else {
// dp[msk][i] = dp[msk][i - 1];
} } }
```

5.2 Divide and Conquer DP

```
/* Author: Simon Lindholm (License: CC0)
 * Description: Given $a[i] = \min_{lo(i) \le k < hi(i)}
(f(i, k))$ where the (minimal)
 * optimal $k$ increases with $i$, computes $a[i]$ for $i =
L..R-1$.
 * Time: O((N + (hi-lo)) \log N) */
struct DP { // Modify at will:
  int lo(int ind) { return 0; }
  int hi(int ind) { return ind; }
  ll f(int ind, int k) { return dp[ind][k]; }
  void store(int ind, int k, ll v) { res[ind] = pii(k, v); }

  void rec(int L, int R, int LO, int HI) {
    if (L >= R) return;
    int mid = (L + R) >> 1;
    pair<ll, int> best(LLONG_MAX, LO);
    rep(k, max(LO,lo(mid)), min(HI,hi(mid)))
      best = min(best, make_pair(f(mid, k), k));
    store(mid, best.second, best.first);
    rec(L, mid, LO, best.second+1);
    rec(mid+1, R, best.second, HI);
  }
  void solve(int L, int R) { rec(L, R, INT_MIN, INT_MAX); }
};
```

5.3 Dynamic DP

- 適用情境：$dp_i = M_i \cdot dp_{i-1} \Rightarrow dp_i = M_i M_{i-1} \cdots M_1 dp_0$
- 當 M_i 需要動態修改，且 M_i 是廣義矩陣乘法：

$$C_{ij} = \bigoplus_k A_{ik} \otimes B_{kj}$$

- 滿足 $(\oplus, \otimes)$ 是半環 ($\otimes$ 對 $\oplus$ 有分配律、$\otimes$ 和 $\oplus$ 有結合律、$\oplus$ 有交換律)
- 此時便可用線段樹維護 $M_n M_{n-1} \cdots M_1$ 的乘積。線段樹上的 pos 是 M_{pos}，但 pull 時要 `st[idx] = mul(st[cr], st[cl])`

6 Graph

6.1 Max Clique

```
// max N = 64
typedef unsigned long long ll;
struct MaxClique{
  ll nb[ N ] , n , ans;
  void init( ll _n ){
    n = _n;
    for( int i = 0 ; i < n ; i ++ ) nb[ i ] = 0LLU;
  }
  void add_edge( ll _u , ll _v ){
    nb[ _u ] |= ( 1LLU << _v );
    nb[ _v ] |= ( 1LLU << _u );
  }
  void B( ll r , ll p , ll x , ll cnt , ll res ){
    if( cnt + res < ans ) return;
    if( p == 0LLU && x == 0LLU ){
      if( cnt > ans ) ans = cnt;
      return;
    }
    ll y = p | x; y &= -y;
    ll q = p & ( ~nb[ int( log2( y ) ) ] );
    while( q ){
      ll i = int( log2( q & (-q) ) );
      B( r | ( 1LLU << i ) , p & nb[ i ] , x & nb[ i ]
           , cnt + 1LLU , __builtin_popcountll( p &
nb[ i ] ) );
      q &= ~( 1LLU << i );
      p &= ~( 1LLU << i );
      x |= ( 1LLU << i );
    }
  }
  int solve(){
    ans = 0;
    ll _set = 0;
    if( n < 64 ) _set = ( 1LLU << n ) - 1;
    else{
      for( ll i = 0 ; i < n ; i ++ ) _set |= ( 1LLU << i );
    }
    B( 0LLU , _set , 0LLU , 0LLU , n );
    return ans;
  }
}maxClique;
```

6.2 Bellman-Ford

```
// Author: Gino
// n, m = #(vertices), #(edges), and vertices are 1-based
// 1. BellmanFord bf(G, n, m);
```

```cpp
// 2-1: bf.calcDis(s);
// => bf.dis[u] := shortest dis from s to u
// => bf.dis[u] := LINF  (s can't reach u)
// => bf.dis[u] := -LINF (dis[u] can be arbitrary small)
// 2-2: bf.findNegCycle();
// => return false (if no neg cycle)
// => return true  (has neg cycle, and gives an example: bf.neg_cycle)
// Time: O(VE), Space: O(V + E)
const ll LINF = 4e18;
struct BellmanFord {
  const vector<vector<pair<int, ll>>>& G;
  int n, m;  // #(vertices), #(edges)
  BellmanFord(const auto& G, int n, int m):
    G(G), n(n), m(m) {}

  vector<ll> dis;
  vector<int> nth_relax, pa;
  void run_bf(const auto& src) {
    dis.assign(n + 1, LINF);
    nth_relax.assign(n + 1, 0);
    pa.assign(n + 1, -1);
    for (auto& s : src) dis[s] = 0;
    for (int rlx = 1; rlx <= n; rlx++) {
      for (int u = 1; u <= n; u++) {
        if (dis[u] == LINF) continue; // !important
        for (auto& [v, w] : G[u]) {
          if (dis[v] > dis[u] + w) {
            dis[v] = dis[u] + w;
            pa[v] = u;
            if (rlx == n) nth_relax[v] = 1;
  } } } } }  // 5 brackets
  void calcDis(int s) {
    run_bf(vector<int>{s});
    queue<int> q;
    for (int u = 1; u <= n; u++)
      if (nth_relax[u]) q.push(u);
    while (!q.empty()) {
      int u = q.front(); q.pop();
      for (auto& [v, w] : G[u]) {
        if (!nth_relax[v]) {
          nth_relax[v] = 1;
          q.push(v);
    } } }
    for (int u = 1; u <= n; u++)
      if (nth_relax[u]) dis[u] = -LINF;
  }
  vector<int> neg_cycle;
  bool findNegCycle() {
    auto src = views::iota(1, n + 1);
    run_bf(src);
    auto it = ranges::find_if(src, [&](int s){ return nth_relax[s]; });
    if (it == src.end()) return false;
    int ptr = *it;
    for (int i = 0; i < n; i++) ptr = pa[ptr];

    neg_cycle.clear();
    int cur = ptr;
    while (true) {
      neg_cycle.emplace_back(cur);
      if (cur == ptr && neg_cycle.size() > 1) break;
      cur = pa[cur];
    }
    ranges::reverse(neg_cycle);
    return true;
  }
};
```

6.3 System of Difference Constraints

```cpp
vector<vector<pair<int, ll>>> G;
void add(int u, int v, ll w) { G[u].push_back({v, w}); }
```

- $x_u - x_v \le c \Rightarrow$ `add(v, u, c)`
- $x_u - x_v \ge c \Rightarrow$ `add(u, v, -c)`
- $x_u - x_v = c \Rightarrow$ `add(v, u, c), add(u, v -c)`
- $x_u \ge c \Rightarrow$ add super vertex $x_0 = 0$, then $x_u - x_0 \ge c \Rightarrow$ `add(u, 0, -c)`
- Don't for get non-negative constraints for every variable if specified implicitly.
- Interval sum $\Rightarrow$ Use prefix sum to transform into differential constraints. Don't for get $S_{i+1} - S_i \ge 0$ if x_i needs to be non-negative.
- $x_u / x_v \le c \Rightarrow \log x_u - \log x_v \le \log c$

6.4 Graph Girth

Run BFS for every node, when encountered non-BFS-tree edge, update answer (min cycle length) with `dis[u] + dis[v] + 1`. Time O(VE).

6.5 Euler Trail

```cpp
// Author: kactl (Simon Lindholm), wrapped by Gino
// Vertices are 1-based, Edge ID are 0-based
// 1. EulerWalk euler(n, true(directed) / false(undirected));
// 2. euler.addEdge(u, v);
// 3. int result = euler.solve();
// => -1: nothing ( euler.path, euler.path_edges = {} )
// =>  1: Euler trail,
// =>  2: Euler circuit
//        euler.path = {u_1, ..., u_{m+1}}
//        euler.path_edges = {e_1, ..., e_m}
// Time: O(V + E), Space: O(V + E)
// Test: V, E <= 2e5, 99ms
struct EulerWalk {
  int n, m = 0; bool dir;
  vector<vector<pii>> G; vi deg;
  EulerWalk(int n, bool dir) : n(n), dir(dir), G(n + 1), deg(n + 1) {}
  void addEdge(int u, int v) {
    G[u].push_back({v, m});
    if (!dir) G[v].push_back({u, m});
    deg[u]++, deg[v] += dir ? -1 : 1;
    m++;
  }
  vi path, path_edges;
  void walk(int src) {
    path.clear(); path_edges.clear();
    vi its(n + 1), visE(m);
    function<void(int, int)> dfs = [&](int u, int e_in) {
      while (its[u] < sz(G[u])) {
        auto [v, e] = G[u][its[u]++];
        if (visE[e]) continue;
        visE[e] = 1;
        dfs(v, e);
      }
      path.push_back(u);
      if (e_in != -1) path_edges.push_back(e_in);
    };
    dfs(src, -1);
    if (sz(path) != m + 1) {
      path.clear(); path_edges.clear(); return;
    }
    ranges::reverse(path); ranges::reverse(path_edges);
  }
  int solve() {
    int s = -1, odd = 0, src = 0, dst = 0;
    for (int u = 1; u <= n; u++) {
      if (!dir && (deg[u] & 1)) odd++, s = u;
      if (dir && deg[u] == 1) s = u, src++;
      if (dir && deg[u] == -1) dst++;
      if (dir && abs(deg[u]) > 1) return -1;
    }
    if (!dir && odd != 0 && odd != 2) return -1;
    if (dir && !((src == 0 && dst == 0) || (src == 1 && dst == 1))) return -1;
    if (s == -1) for (int u = 1; u <= n; u++) if (!G[u].empty()) { s = u; break; }
    if (s == -1) s = 1;
    walk(s);  return path.empty() ? -1 : path.front() == path.back() ? 2 : 1;
  }
};
```

6.6 Vertex BCC (Round Square Tree)

```cpp
// Author: std_abs
struct BCC { // 1-based, remember to build
  int n, nbcc; // note for isolated point
  vector <vector <int>> g, _g; // id > n: bcc
  vector <int> pa, dep, low, stk, pa2, dep2;
  void dfs(int v, int p) {
    dep[v] = low[v] = ~p ? dep[p] + 1 : 0;
    stk.pb(v), pa[v] = p;
    for (int u : g[v]) if (u != p) {
      if (low[u] == -1) {
        dfs(u, v), low[v] = min(low[v], low[u]);
        if (low[u] >= dep[v]) {
          int id = nbcc++, x;
          do {
            x = stk.back(), stk.pop_back();
            _g[id + n + 1].pb(x), _g[x].pb(id + n + 1);
          } while (x != u);
          _g[id + n + 1].pb(v), _g[v].pb(id + n + 1);
        }
```

```
    } else low[v] = min(low[v], dep[u]);
  }
}
bool is_cut(int x) { return sz(_g[x]) != 1; }
vector <int> bcc(int id) { return _g[id + n + 1]; }
int bcc_id(int u, int v) {
  return pa2[dep2[u] < dep2[v] ? v : u] - n - 1; }
void dfs2(int v, int p) {
  dep2[v] = ~p ? dep2[p] + 1 : 0, pa2[v] = p;
  for (int u : _g[v]) if (u != p) dfs2(u, v);
}
void build() {
  low.assign(n + 1, -1);
  for (int i = 1; i <= n; ++i) if (low[i] == -1)
    dfs(i, -1), dfs2(i, -1);
}
void add_edge(int u, int v) {
  g[u].pb(v), g[v].pb(u); }
BCC (int _n) : n(_n), nbcc(0), g(n + 1), _g(2 * n + 1),
  pa(n + 1), dep(n + 1), low(n + 1), stk(), pa2(2 * n +
1),
  dep2(2 * n + 1) {}
};
```

6.7 Edge BCC

```
// Author: std_abs
// Vertices 1-based
// Edge ID 0-based, BCCID 0-based
// 1. EBCC ebcc(n);  // n = #(vertices)
// 2. ebcc.add_edge(u, v);
// 3. ebcc.build();
// => nbcc: number of EBCC
// => bccs: stores all edge bccs
// => bcc_id[u], is_bridge[Edge ID]
struct EBCC { // 1-based, remember to build
  int n, m, nbcc;
  vector<vector<pair<int, int>>> G;
  vector<vector<int>> bccs;
  vector<int> pa, low, dep, bcc_id, stk, is_bridge;
  void dfs(int v, int p, int f) {
    low[v] = dep[v] = ~p ? dep[p] + 1 : 0;
    stk.push_back(v), pa[v] = p;
    for (auto [u, e] : G[v]) {
      if (low[u] == -1)
        dfs(u, v, e), low[v] = min(low[v], low[u]);
      else if (e != f)
        low[v] = min(low[v], dep[u]);
    }
    if (low[v] == dep[v]) {
      if (~f) is_bridge[f] = true;
      bccs.push_back({});
      int id = nbcc++, x;
      do {
        x = stk.back(), stk.pop_back();
        bcc_id[x] = id;
        bccs[id].emplace_back(x);
      } while (x != v);
    }
  }
  void build() {
    is_bridge.assign(m, 0);
    for (int i = 1; i <= n; ++i) if (low[i] == -1)
      dfs(i, -1, -1);
  }
  void add_edge(int u, int v) {
    G[u].emplace_back(v, m), G[v].emplace_back(u, m++);
  }
  EBCC (int _n) : n(_n), m(0), nbcc(0), G(n + 1), pa(n + 1),
    low(n + 1, -1), dep(n + 1), bcc_id(n + 1), stk() {}
};
```

6.8 Kth Shortest Path

```
// time: O(|E| \lg |E|+|V| \lg |V|+K)
// memory: O(|E| \lg |E|+|V|)
struct KSP{ // 1-base
  struct nd{
    int u,v; ll d;
    nd(int ui=0,int vi=0,ll di=INF){ u=ui; v=vi; d=di; }
  };
  struct heap{ nd* edge; int dep; heap* chd[4]; };
  static int cmp(heap* a,heap* b)
  { return a->edge->d > b->edge->d; }
  struct node{
    int v; ll d; heap* H; nd* E;
    node(){}
    node(ll _d,int _v,nd* _E){ d =_d; v=_v; E=_E; }
    node(heap* _H,ll _d){ H=_H; d=_d; }
    friend bool operator<(node a,node b)
    { return a.d>b.d; }
  };
  int n,k,s,t,dst[N]; nd *nxt[N];
  vector<nd*> g[N],rg[N]; heap *nullNd,*head[N];
  void init(int _n,int _k,int _s,int _t){
    n=_n; k=_k; s=_s; t=_t;
    for(int i=1;i<=n;i++){
      g[i].clear(); rg[i].clear();
      nxt[i]=NULL; head[i]=NULL; dst[i]=-1;
    }
  }
  void addEdge(int ui,int vi,ll di){
    nd* e=new nd(ui,vi,di);
    g[ui].push_back(e); rg[vi].push_back(e);
  }
  queue<int> dfsQ;
  void dijkstra(){
    while(dfsQ.size()) dfsQ.pop();
    priority_queue<node> Q; Q.push(node(0,t,NULL));
    while (!Q.empty()){
      node p=Q.top(); Q.pop(); if(dst[p.v]!=-1)continue;
      dst[p.v]=p.d; nxt[p.v]=p.E; dfsQ.push(p.v);
      for(auto e:rg[p.v]) Q.push(node(p.d+e->d,e->u,e));
    }
  }
  heap* merge(heap* curNd,heap* newNd){
    if(curNd==nullNd) return newNd;
    heap* root=new heap;memcpy(root,curNd,sizeof(heap));
    if(newNd->edge->d<curNd->edge->d){
      root->edge=newNd->edge;
      root->chd[2]=newNd->chd[2];
      root->chd[3]=newNd->chd[3];
      newNd->edge=curNd->edge;
      newNd->chd[2]=curNd->chd[2];
      newNd->chd[3]=curNd->chd[3];
    }
    if(root->chd[0]->dep<root->chd[1]->dep)
      root->chd[0]=merge(root->chd[0],newNd);
    else root->chd[1]=merge(root->chd[1],newNd);
    root->dep=max(root->chd[0]->dep,
              root->chd[1]->dep)+1;
    return root;
  }
  vector<heap*> V;
  void build(){
    nullNd=new heap; nullNd->dep=0; nullNd->edge=new nd;
    fill(nullNd->chd,nullNd->chd+4,nullNd);
    while(not dfsQ.empty()){
      int u=dfsQ.front(); dfsQ.pop();
      if(!nxt[u]) head[u]=nullNd;
      else head[u]=head[nxt[u]->v];
      V.clear();
      for(auto&& e:g[u]){
        int v=e->v;
        if(dst[v]==-1) continue;
        e->d+=dst[v]-dst[u];
        if(nxt[u]!=e){
          heap* p=new heap;fill(p->chd,p->chd+4,nullNd);
          p->dep=1; p->edge=e; V.push_back(p);
        }
      }
      if(V.empty()) continue;
      make_heap(V.begin(),V.end(),cmp);
#define L(X) ((X<<1)+1)
#define R(X) ((X<<1)+2)
      for(size_t i=0;i<V.size();i++){
        if(L(i)<V.size()) V[i]->chd[2]=V[L(i)];
        else V[i]->chd[2]=nullNd;
        if(R(i)<V.size()) V[i]->chd[3]=V[R(i)];
        else V[i]->chd[3]=nullNd;
      }
      head[u]=merge(head[u],V.front());
    }
  }
  vector<ll> ans;
  void first_K(){
    ans.clear(); priority_queue<node> Q;
    if(dst[s]==-1) return;
    ans.push_back(dst[s]);
    if(head[s]!=nullNd)
      Q.push(node(head[s],dst[s]+head[s]->edge->d));
    for(int _=1;_<k and not Q.empty();_++){
      node p=Q.top(),q; Q.pop(); ans.push_back(p.d);
      if(head[p.H->edge->v]!=nullNd){
        q.H=head[p.H->edge->v]; q.d=p.d+q.H->edge->d;
        Q.push(q);
      }
      for(int i=0;i<4;i++)
        if(p.H->chd[i]!=nullNd){
```

```
          q.H=p.H->chd[i];
          q.d=p.d-p.H->edge->d+p.H->chd[i]->edge->d;
          Q.push(q);
  } }   }
  void solve(){ // ans[i] stores the i-th shortest path
    dijkstra(); build();
    first_K(); // ans.size() might less than k
  }
} solver;
```

6.9 SCC - Tarjan

```
// Author: Ian
// tarjan SCC
void solve() {
  V<bool> ins(n, false);
  V<int> scc(n), dfn(n, -1), low(n, inf);
  stack<int> s;
  function<void(int)> dfs = [&](int x) {
    if (~dfn[x]) return;
    static int t = 0;
    dfn[x] = low[x] = t++;
    s.push(x), ins[x] = true;
    for (auto i : e[x])
      if (dfs(i), ins[i])
        low[x] = min(low[x], low[i]);
    if (dfn[x] == low[x]) {
      static int ncnt = 0;
      int p; do {
        ins[p = s.top()] = false;
        s.pop(), scc[p] = ncnt;
      } while (p != x); ncnt++;
    }
  };
  for (int i = 0; i < n; i++)
    dfs(i);
}
```

6.10 2SAT

```
// Author: CRyptoGRapheR
struct TwoSAT {
  int n;
  Scc scc;
  void init(int _n) {
    // (0,1),(2,3),...
    n = _n; scc.init(n*2);
  }
  void add_disjunction(int a,int na,int b,int nb) {
    a = 2*a^na, b = 2*b^nb;
    scc.addEdge(a^1, b);
    scc.addEdge(b^1, a);
  }
  vector<int> solve() {
    scc.solve();
    vector<int> assignment(n,0);
    for(int i=0; i<n; i++) {
      if (scc.bln[2*i] == scc.bln[2*i^1]) return {};
      assignment[i] = scc.bln[2*i] > scc.bln[2*i^1];
    }
    return assignment;
  }
};
```

7 Tree

7.1 Tree Isomorphism (Rooted Trees)

```
// Author: Gino
// Checks if 2 rooted trees are isomorphic
// Time: O(V log V)
// vector<vector<int>> G1, G2;
// int root_1, root_2;
map<vector<int>, int> dict;
int encode(const auto& G, int u, int pa = -1) {
  vector<int> codes;
  for (auto& v : G[u])
    if (v != pa)
      codes.emplace_back(encode(G, v, u));
  ranges::sort(codes);
  auto [it, _] = dict.try_emplace(codes, dict.size());
  return it->second;
}
bool isomorphic() {
  dict.clear();  dict[{}] = 0;
  return encode(G1, root_1) == encode(G2, root_2);
}
```

7.2 Tree Isomorphism (Unrooted Trees)

Find the centroid(s) of T_1, T_2.
Case 1: T_1, T_2 have different number of centroids $\rightarrow$ NO
Case 2: T_1 has centroid c_1, T_2 has centroid c_2
$\rightarrow$ $rooted\_isomorphic(c_1, c_2)$
Case 3: T_1 has centroids c_1, c_1', T_2 has centroids c_2, c_2'
$\rightarrow$ $rooted\_isomorphic(c_1, c_2)$ || $rooted\_isomorphic(c_1', c_2)$

7.3 Heavy Light Decomposition

```
// Author: Ian
void build(V<int>&v);
void modify(int p, int k);
int query(int ql, int qr);
// Insert [ql, qr) segment tree here
void solve(){
  // Input with adjacency list ...
  V<int> d(n, 0), f(n, 0), sz(n, 1), son(n, -1);
  F<void(int, int)> dfs1 = [&](int x, int pre) {
    for (auto i: e[x]) if (i != pre) {
      d[i] = d[x]+1, f[i] = x;
      dfs1(i, x), sz[x] += sz[i];
      if (son[x] == -1 || sz[son[x]] < sz[i])
        son[x] = i;
    }
  }; dfs1(0,0);
  V<int> top(n, 0), dfn(n, -1);
  F<void(int,int)> dfs2 = [&](int x, int t) {
    static int cnt = 0;
    dfn[x] = cnt++, top[x] = t;
    if (son[x] == -1) return;
    dfs2(son[x], t);
    for (auto i: e[x]) if (!~dfn[i])
      dfs2(i,i);
  }; dfs2(0,0);
  V<int> dfnv(n);
  for (int i = 0; i < n; i++)
    dfnv[dfn[i]] = v[i];
  build(dfnv);
  while(q--){
    int op, a, b, ans; cin >> op >> a >> b;
    switch(op){
      case 1:
        modify(dfn[a-1], b);
        break;
      case 2:
        a--, b--, ans = 0;
        while (top[a] != top[b]) {
          if (d[top[a]] > d[top[b]]) swap(a,b);
          ans = max(ans, query(dfn[top[b]], dfn[b]+1));
          b = f[top[b]];
        }
        if (dfn[a] > dfn[b]) swap(a,b);
        ans = max(ans, query(dfn[a], dfn[b]+1));
        cout << ans << endl;
        break;
    }
  }
}
```

7.4 Virtual Tree

```
// Author: std_abs
// need lca, in, out
vector <pii> virtual_tree(vector <int> &v) {
  auto cmp = [&](int x, int y) {return in[x] < in[y];};
  sort(all(v), cmp);
  for (int i = 1; i < sz(v); ++i)
    v.pb(lca(v[i - 1], v[i]));
  sort(all(v), cmp);
  v.resize(unique(all(v)) - v.begin());
  vector <int> stk(1, v[0]);
  vector <pii> res;
  for (int i = 1; i < sz(v); ++i) {
    int x = v[i];
    while (out[stk.back()] < out[x]) stk.pop_back();
    res.emplace_back(stk.back(), x), stk.pb(x);
  }
  return res;
}
```

8 Matching

8.1 Bipartite Matching

```
// Author: Gino
// Function: Max Bipartite Matching in O(V sqrt(E))
// Usage:
// >>> init(nx, ny) -> add(x, y (+nx))
// >>> hk.max_matching() := the matching plan stores in mx, my
// >>> hk.min_vertex_cover() := the vertex cover plan stores in vcover
// (!) vertices are 0-based: X = [0, nx), Y = [nx, nx+ny)
#define pb emplace_back
struct HopcroftKarp {
  int n, nx, ny;
```

```
  vector<vector<int> > G;
  vector<int> mx, my;
  void init(int _nx, int _ny) {
    nx = _nx, ny = _ny;
    n = nx + ny;
    G.assign(n, vector<int>());
  }
  void add(int x, int y) { G[x].pb(y); G[y].pb(x); }
  int max_matching() {
    vector<int> dis, vis;
    mx.assign(n, -1); my.assign(n, -1);
    function<bool(int)> dfs = [&](int x) {
      vis[x] = 1;
      for (int y : G[x]) {
        int p = my[y];
        if (p == -1 || (dis[p] == dis[x] + 1 && !vis[p] &&
dfs(p)))
          return mx[x] = y, my[y] = x, true;
      }
      return false;
    };
    while (true) {
      dis.assign(n, -1);
      queue<int> q;
      for (int x = 0; x < nx; x++)
        if (mx[x] == -1) dis[x] = 0, q.push(x);
      while (!q.empty()) {
        int x = q.front(); q.pop();
        for (int y : G[x])
          if (my[y] != -1 && dis[my[y]] == -1)
            dis[my[y]] = dis[x] + 1, q.push(my[y]);
      }
      vis.assign(n, 0);
      bool found = false;
      for (int x = 0; x < nx; x++)
        if (mx[x] == -1 && dfs(x)) found = true;
      if (!found) break;
    }
    int ans = 0;
    for (int x = 0; x < nx; x++) if (mx[x] != -1) ans++;
    return ans;
  }
  vector<int> vcover;
  int min_vertex_cover() {
    int ans = max_matching();
    vector<int> vis(n, 0);
    function<void(int)> dfs = [&](int x) {
      vis[x] = true;
      for (int y : G[x]) {
        if (y == mx[x] || my[y] == -1 || vis[y]) continue;
        vis[y] = true;
        dfs(my[y]);
      }
    };
    for (int x = 0; x < nx; x++) if (mx[x] == -1) dfs(x);
    vcover.clear();
    for (int x = 0; x < nx; x++) if (!vis[x]) vcover.pb(x);
    for (int y = nx; y < nx + ny; y++) if (vis[y])
vcover.pb(y);
    return ans;
  }
} hk;
```

8.2 Bipartite Weighted Matching

```
// Author: ckiseki
// n = #(left vertices) = #(right vertices)
// left, right vertices labeled 1 ~ n separately
// 1. build 1-based matrix G of size (n + 1) * (n + 1)
//    G[u][v] := weight between (left u, right v)
//  <!> if not need perfect matching => set weights of all
 negative edges to 0
// 2. constrcut (solve at same time): KM km(n, G);
// => km.ans (max perfect weight sum)
// => km.fl[u] (left u -> right v)
// => km.fr[v] (right v -> left u)
// Time: O(V^3), Space: O(V^2)
// Test: V <= 500, 243ms
struct KM { // maximize, test @ UOJ 80
  int n, l, r; ll ans; // fl and fr are the match
  vector<ll> hl, hr; vector<int> fl, fr, pre, q;
  void bfs(const auto &w, int s) {
    vector<int> vl(n + 1), vr(n + 1); vector<ll> slk(n + 1,
LINF);
    l = r = 0; vr[q[r++] = s] = true;
    auto check = [&](int x) -> bool {
      if (vl[x] || slk[x] > 0) return true;
      vl[x] = true; slk[x] = LINF;
      if (fl[x] != -1) return (vr[q[r++] = fl[x]] = true);
      while (x != -1) swap(x, fr[fl[x] = pre[x]]);
      return false;
    };
    while (true) {
      while (l < r)
        for (int x = 1, y = q[l++]; x <= n; ++x) if (!vl[x])
          if (ll val = hl[x] + hr[y] - w[x][y]; val <
slk[x]) {
            slk[x] = val;
            if (pre[x] = y, !check(x)) return;
          }
      ll d = LINF;
      for (int x = 1; x <= n; ++x) d = min(d, slk[x]);
      for (int x = 1; x <= n; ++x)
        vl[x] ? hl[x] += d : slk[x] -= d;
      for (int x = 1; x <= n; ++x) if (vr[x]) hr[x] -= d;
      for (int x = 1; x <= n; ++x) if (!check(x)) return;
    }
  }
  KM(int n_, const auto &w) : n(n_), ans(0),
    hl(n + 1), hr(n + 1), fl(n + 1, -1), fr(fl), pre(n + 1),
q(n + 1) {
    for (int i = 1; i <= n; ++i) {
      hl[i] = -LINF;
      for (int j = 1; j <= n; ++j) hl[i] = max(hl[i],
(ll)w[i][j]);
    }
    for (int i = 1; i <= n; ++i) bfs(w, i);
    for (int i = 1; i <= n; ++i) ans += w[i][fl[i]];
  }
};
```

8.3 General Matching

```
// Author: ckiseki
// 0. build 1-based graph vector<vector<int>> G(n + 1);
// 1. construct (solve at same time):
//      GeneralMatching M(G, n);  => M.ans
// status: M.match[x] (== -1 if not matched, 1 <= x <= n)
// Time: O(V^3), Space: O(V + E)
// Test: V <= 500, 11ms
struct GeneralMatching {
  queue<int> q; int ans, n;
  vector<int> fa, s, v, pre, match;
  int Find(int u) {
    return u == fa[u] ? u : fa[u] = Find(fa[u]); }
  int LCA(int x, int y) {
    static int tk = 0; tk++; x = Find(x); y = Find(y);
    for (;; swap(x, y)) if (x != 0) {
      if (v[x] == tk) return x;
      v[x] = tk;
      x = Find(pre[match[x]]);
    }
  }
  void Blossom(int x, int y, int l) {
    for (; Find(x) != l; x = pre[y]) {
      pre[x] = y, y = match[x];
      if (s[y] == 1) q.push(y), s[y] = 0;
      for (int z : {x, y}) if (fa[z] == z) fa[z] = l;
    }
  }
  bool Bfs(auto &&g, int r) {
    iota(all(fa), 0); ranges::fill(s, -1);
    q = queue<int>(); q.push(r); s[r] = 0;
    for (; !q.empty(); q.pop()) {
      for (int x = q.front(); int u : g[x])
        if (s[u] == -1) {
          if (pre[u] = x, s[u] = 1, match[u] == 0) {
            for (int a = u, b = x, last;
                 b != 0; a = last, b = pre[a])
              last = match[b], match[b] = a, match[a] = b;
            return true;
          }
          q.push(match[u]); s[match[u]] = 0;
        } else if (!s[u] && Find(u) != Find(x)) {
          int l = LCA(u, x);
          Blossom(x, u, l); Blossom(u, x, l);
        }
    }
    return false;
  }
  GeneralMatching(auto &&g, int n_) : ans(0), n(n_),
  fa(n + 1), s(n + 1), v(n + 1), pre(n + 1, 0), match(n + 1,
0) {
    for (int x = 1; x <= n; ++x)
      if (match[x] == 0) ans += Bfs(g, x);
    for (int x = 1; x <= n; ++x)
      if (match[x] == 0) match[x] = -1;
  }
}; // tested @ yosupo judge
```

8.4 General Weighted Matching

```cpp
// Author: ckiseki
// 1. GeneralWeightedMatching M(n);
//    (1-based, 1 <= u, v <= n)
// 2. add edges: M.set_edge(u, v, w);
// 3. auto [tot_weight, n_matches] = M.solve();
// 4. M.match[u] (== -1 if not matched, 1-based index if matched)
// Time: O(V^3), Space: O(V^2)
// Test: V <= 500, 369ms
struct GeneralWeightedMatching { // 1-based
  static const int inf = INT_MAX;
  struct edge { int u, v, w; }; int n, nx;
  vector<int> lab; vector<vector<edge>> g;
  vector<int> slack, match, st, pa, S, vis;
  vector<vector<int>> flo, flo_from; queue<int> q;
  GeneralWeightedMatching(int n_) : n(n_), nx(n * 2), lab(nx + 1),
    g(nx + 1, vector<edge>(nx + 1)), slack(nx + 1),
    flo(nx + 1), flo_from(nx + 1, vector(n + 1, 0)) {
    match = st = pa = S = vis = slack;
    REP(u, 1, n) REP(v, 1, n) g[u][v] = {u, v, 0};
  }
  int ED(edge e) {
    return lab[e.u] + lab[e.v] - g[e.u][e.v].w * 2; }
  void update_slack(int u, int x, int &s) {
    if (!s || ED(g[u][x]) < ED(g[s][x])) s = u; }
  void set_slack(int x) {
    slack[x] = 0;
    REP(u, 1, n)
      if (g[u][x].w > 0 && st[u] != x && S[st[u]] == 0)
        update_slack(u, x, slack[x]);
  }
  void q_push(int x) {
    if (x <= n) q.push(x);
    else for (int y : flo[x]) q_push(y);
  }
  void set_st(int x, int b) {
    st[x] = b;
    if (x > n) for (int y : flo[x]) set_st(y, b);
  }
  vector<int> split_flo(auto &f, int xr) {
    auto it = find(all(f), xr);
    if (auto pr = it - f.begin(); pr % 2 == 1)
      reverse(1 + all(f)), it = f.end() - pr;
    auto res = vector(f.begin(), it);
    return f.erase(f.begin(), it), res;
  }
  void set_match(int u, int v) {
    match[u] = g[u][v].v;
    if (u <= n) return;
    int xr = flo_from[u][g[u][v].u];
    auto &f = flo[u], z = split_flo(f, xr);
    REP(i, 0, int(z.size())-1) set_match(z[i], z[i ^ 1]);
    set_match(xr, v); f.insert(f.end(), all(z));
  }
  void augment(int u, int v) {
    for (;;) {
      int xnv = st[match[u]]; set_match(u, v);
      if (!xnv) return;
      set_match(v = xnv, u = st[pa[xnv]]);
    }
  }
/* SPLIT_HASH_HERE */
  int lca(int u, int v) {
    static int t = 0; ++t;
    for (++t; u || v; swap(u, v)) if (u) {
      if (vis[u] == t) return u;
      vis[u] = t; u = st[match[u]];
      if (u) u = st[pa[u]];
    }
    return 0;
  }
  void add_blossom(int u, int o, int v) {
    int b = int(find(n + 1 + all(st), 0) - begin(st));
    lab[b] = 0, S[b] = 0; match[b] = match[o];
    vector<int> f = {o};
    for (int x : {u, v}) {
      for (int y; x != o; x = st[pa[y]])
        f.pb(x), f.pb(y = st[match[x]]), q_push(y);
      reverse(1 + all(f));
    }
    flo[b] = f; set_st(b, b);
    REP(x, 1, nx) g[b][x].w = g[x][b].w = 0;
    REP(x, 1, n) flo_from[b][x] = 0;
    for (int xs : flo[b]) {
      REP(x, 1, nx)
        if (g[b][x].w == 0 || ED(g[xs][x]) < ED(g[b][x]))
          g[b][x] = g[xs][x], g[x][b] = g[x][xs];
      REP(x, 1, n)
        if (flo_from[xs][x]) flo_from[b][x] = xs;
    }
    set_slack(b);
  }
  void expand_blossom(int b) {
    for (int x : flo[b]) set_st(x, x);
    int xr = flo_from[b][g[b][pa[b]].u], xs = -1;
    for (int x : split_flo(flo[b], xr)) {
      if (xs == -1) { xs = x; continue; }
      pa[xs] = g[x][xs].u; S[xs] = 1, S[x] = 0;
      slack[xs] = 0; set_slack(x); q_push(x); xs = -1;
    }
    for (int x : flo[b])
      if (x == xr) S[x] = 1, pa[x] = pa[b];
      else S[x] = -1, set_slack(x);
    st[b] = 0;
  }
  bool on_found_edge(const edge &e) {
    if (int u = st[e.u], v = st[e.v]; S[v] == -1) {
      int nu = st[match[v]]; pa[v] = e.u; S[v] = 1;
      slack[v] = slack[nu] = 0; S[nu] = 0; q_push(nu);
    } else if (S[v] == 0) {
      if (int o = lca(u, v)) add_blossom(u, o, v);
      else return augment(u, v), augment(v, u), true;
    }
    return false;
  }
/* SPLIT_HASH_HERE */
  bool matching() {
    ranges::fill(S, -1); ranges::fill(slack, 0);
    q = queue<int>();
    REP(x, 1, nx) if (st[x] == x && !match[x])
      pa[x] = 0, S[x] = 0, q_push(x);
    if (q.empty()) return false;
    for (;;) {
      while (q.size()) {
        int u = q.front(); q.pop();
        if (S[st[u]] == 1) continue;
        REP(v, 1, n)
          if (g[u][v].w > 0 && st[u] != st[v]) {
            if (ED(g[u][v]) != 0)
              update_slack(u, st[v], slack[st[v]]);
            else if (on_found_edge(g[u][v])) return true;
          }
      }
      int d = inf;
      REP(b, n + 1, nx) if (st[b] == b && S[b] == 1)
        d = min(d, lab[b] / 2);
      REP(x, 1, nx)
        if (int s = slack[x]; st[x] == x && s && S[x] <= 0)
          d = min(d, ED(g[s][x]) / (S[x] + 2));
      REP(u, 1, n)
        if (S[st[u]] == 1) lab[u] += d;
        else if (S[st[u]] == 0) {
          if (lab[u] <= d) return false;
          lab[u] -= d;
        }
      REP(b, n + 1, nx) if (st[b] == b && S[b] >= 0)
        lab[b] += d * (2 - 4 * S[b]);
      REP(x, 1, nx)
        if (int s = slack[x]; st[x] == x &&
            s && st[s] != x && ED(g[s][x]) == 0)
          if (on_found_edge(g[s][x])) return true;
      REP(b, n + 1, nx)
        if (st[b] == b && S[b] == 1 && lab[b] == 0)
          expand_blossom(b);
    }
    return false;
  }
  pair<ll, int> solve() {
    ranges::fill(match, 0);
    REP(u, 0, n) st[u] = u, flo[u].clear();
    int w_max = 0;
    REP(u, 1, n) REP(v, 1, n) {
      flo_from[u][v] = (u == v ? u : 0);
      w_max = max(w_max, g[u][v].w);
    }
    REP(u, 1, n) lab[u] = w_max;
    int n_matches = 0; ll tot_weight = 0;
    while (matching()) ++n_matches;
    REP(u, 1, n) if (match[u] && match[u] < u)
      tot_weight += g[u][match[u]].w;
    REP(u, 1, n) if (match[u] == 0) match[u] = -1;
    return make_pair(tot_weight, n_matches);
  }
  void set_edge(int u, int v, int w) {
```

```
    g[u][v].w = g[v][u].w = w; }
};
```

9 Flow

9.1 Flow Methods

```
// Author: CRyptoGRapheR (some modified by Gino)
Maximize c^T x subject to Ax ≤ b, x ≥ 0;
with the corresponding symmetric dual problem,
Minimize b^T y subject to A^T y ≥ c, y ≥ 0.

Maximize c^T x subject to Ax ≤ b;
with the corresponding asymmetric dual problem,
Minimize b^T y subject to A^T y = c, y ≥ 0.

Maximize \sum x subject to x_i + x_j ≤ Aij, x ≥ 0;
=> Maximize \sum x subject to x_i + x_j ≤ A_ij;
=> Minimize A^T y = \sum A_ij y_ij subject to for all v,
\sum_{i=v or j=v} y_ij = 1, y_ij ≥ 0
=> possible optimal solution: y_ij = {0, 0.5, 1}
=> y'=2y: \sum_{i=v or j=v} y'_ij = 2, y'_ij = {0, 1, 2}
=> Minimum Bipartite perfect matching/2 (V1=X,V2=X,E=A)

General Graph:
|Max Ind. Set| + |Min Vertex Cover| = |V|
|Max Ind. Edge Set| + |Min Edge Cover| = |V|
Bipartite Graph:
|Max Ind. Set| = |Min Edge Cover|
|Max Ind. Edge Set| = |Min Vertex Cover|

To reconstruct the minimum vertex cover, dfs from each
unmatched vertex on the left side and with unused edges
only. Equivalently, dfs from source with unused edges
only and without visiting sink. Then, a vertex is
chosen iff. it is on the left side and without visited
or on the right side and visited through dfs.

Minimum Weighted Bipartite Edge Cover:
Construct new bipartite graph with n+m vertices on each
side:
for each vertex u, duplicate a vertex u' on the other side
for each edge (u,v,w), add edges (u,v,w) and (v',u',w)
for each vertex u, add edge (u,u',2w) where w is min edge
connects to u
then the answer is the minimum perfect matching of the new
graph (KM)

Maximum density subgraph ( \sum{W_e}+ \sum{W_v} ) / |V|
Binary search on answer:
For a fixed D, construct a Max flow model as follow:
Let S be Sum of all weight( or inf)
1. from source to each node with cap = S
2. For each (u,v,w) in E, (u->v,cap=w), (v->u,cap=w)
3. For each node v, from v to sink with cap = S + 2 * D -
deg[v] - 2 * (W of v)
where deg[v] = \sum weight of edge associated with v
If maxflow < S * |V|, D is an answer.

Requiring subgraph: all vertex can be reached from source
with
edge whose cap > 0.

Maximum closed subgraph
1. connect source with positive weighted
vertex(capacity=weight)
2. connect sink with negitive weighted vertex(capacity=-
weight)
3. make capacity of the original edges = inf
4. ans = sum(positive weighted vertex weight) - (max flow)

(Node-disjoint) Min DAG Path Cover (用最少路徑覆蓋所有點)
Node disjoint: 拆出來的路徑不能共用同一個點
將一個點 u 裂成 u+ 和 u-, 代表進入和出去
對於一條邊 (u, v) 建邊 u- => v+
1. +點們和 -點們形成一張二分圖
2. 最差的答案是 n, 代表每個點自己一個點就是一條路徑
3. 只要一組 (u-, v+) 匹配成功那對應到的答案恰好會 -1
>>> ans = n - 這張二分圖的最大匹配

General DAG Path Cover
跟 Node-disjoint 版本差在點可以被很多條路共用
建邊方式 Node-disjoint 差別在條件比較鬆
Node-disjoint: u- => v+ 只能在 (u, v) 有邊時建
      General: u- => v+ 在 u 能走到 v 的時候就建

Dilworth Theorem
反鏈：一些節點的集合，滿足這些節點互相無法抵達
最大反鏈 = 最小 General DAG Path Cover
```

9.2 Dinic

```
// Author: Benson (Extensions by Gino)
// Function: Max Flow, O(V^2 E)
// Usage: Call init(n) first, then add(u, v, w) based on
your model
// (!) vertices 0-based
// >>> flow() := return max flow
// >>> find_cut() := return min cut + store cut set in
dinic.cut
// >>> find_matching() := return |M| + store matching plan
in dinic.matching
// >>> flow_decomposition := return max flow + store
decomposition in dinic.D
#define int long long
#define eb emplace_back
#define ALL(a) a.begin(), a.end()
struct Dinic {
  struct Edge {
    // t: to | C: original capacity | c: current capacity |
r: residual edge | f: current flow
    int t, C, c, r, f;
    bool fw;  // is in forward-edge graph
    Edge() {}
    Edge(int _t, int _C, int _r, bool _fw, int _f=0):
      t(_t), C(_C), c(_C), r(_r), fw(_fw), f(_f) {}
  };
  vector<vector<Edge>> G;
  vector<int> dis, iter;
  int n, s, t;
  void init(int _n) {
    n = _n;
    G.resize(n), dis.resize(n), iter.resize(n);
    for(int i = 0; i < n; ++i)
      G[i].clear();
  }
  void add(int a, int b, int c) {
    G[a].eb(b, c, G[b].size(), true);
    G[b].eb(a, 0, G[a].size() - 1, false);
  }
  bool bfs() {
    fill(ALL(dis), -1);
    dis[s] = 0;
    queue<int> que;
    que.push(s);
    while(!que.empty()) {
      int u = que.front(); que.pop();
      for(auto& e : G[u]) {
        if(e.c > 0 && dis[e.t] == -1) {
          dis[e.t] = dis[u] + 1;
          que.push(e.t);
    } } }
    return dis[t] != -1;
  }
  int dfs(int u, int cur) {
    if(u == t) return cur;
    for(int &i = iter[u]; i < (int)G[u].size(); ++i) {
      auto& e = G[u][i];
      if(e.c > 0 && dis[u] + 1 == dis[e.t]) {
        int ans = dfs(e.t, min(cur, e.c));
        if(ans > 0) {
          G[e.t][e.r].c += ans;
          e.c -= ans;
          return ans;
    } } }
    return 0;
  }
// find max flow
  int flow(int a, int b) {
    s = a, t = b;
    int ans = 0;
    while(bfs()) {
      fill(ALL(iter), 0);
      int tmp;
      while((tmp = dfs(s, INF)) > 0)
        ans += tmp;
    }
    return ans;
  }
// min cut plan
  vector<pair<pair<int, int>, int>> cut;
  int find_cut(int a, int b) {
    int cut_sz = flow(a, b);
    vector<int> vis(n, 0);
    cut.clear();
    function<void(int)> dfs = [&](int u) {
      vis[u] = 1;
      for (auto& e : G[u])
        if (e.c > 0 && !vis[e.t])
          dfs(e.t);
    };
    dfs(a);
    for (int u = 0; u < n; u++)
```

```
      if (vis[u])
        for (auto& e : G[u])
          if (!vis[e.t])
            cut.eb(make_pair(make_pair(u, e.t), G[e.t][e.r].c));
    return cut_sz;
  }
// bipartite matching plan
  vector<pair<int, int>> matching;
  int find_matching(int Xstart, int Xend, int Ystart, int Yend, int a, int b) {
    int msz = flow(a, b);
    matching.clear();
    for (int x = Xstart; x <= Xend; x++)
      for (auto& e : G[x])
        if (e.c == 0 && Ystart <= e.t && e.t <= Yend)
          matching.emplace_back(make_pair(x, e.t));
    return msz;
  }
// flow decomposition
  vector<pair<int, vector<int>>> D; // (flow amount, [path p1 ... pk])
  int flow_decomposition(int a, int b) {
    int mxflow = flow(a, b);

    vector<vector<Edge>> fG(n); // graph consists of forward edges
    for (int u = 0; u < n; u++) {
      for (auto& e : G[u]) {
        if (e.fw) {
          e.f = e.C - e.c;
          if (e.f > 0) fG[u].eb(e);
    } } }

    vector<int> vis;
    function<int(int, int)> dfs = [&](int u, int cur) {
      if (u == b) {
        D.back().second.eb(u);
        return cur;
      }
      vis[u] = 1;
      for (auto& e : fG[u]) {
        if (e.f > 0 && !vis[e.t]) {
          int ans = dfs(e.t, min(cur, e.f));
          if (ans > 0) {
            e.f -= ans;
            D.back().second.eb(u);
            return ans;
      } } }
      return 0LL;
    };
    D.clear();
    int quota = mxflow;
    while (quota > 0) {
      D.emplace_back(make_pair(0, vector<int>()));
      vis.assign(n, 0);
      int f = dfs(a, INF);
      if (f == 0) break;
      reverse(D.back().second.begin(), D.back().second.end());
      D.back().first = f, quota -= f;
    }
    return mxflow;
  }
};
```

9.3 ISAP

```
// Author: CRyptoGRapheR
// 1-based: vertices are numbered 1 ~ n
// 1. flow.init(n, s, t);
//    n = #vertices, s, t = source, sink
// 2. flow.addEdge(u, v, c);  // u, v in [1, n]
// 3. call: int ans = flow.flow();
// => ans = max flow value from s to t
// Time: O(V^2 * E) worst case, usually much faster in practice
static const int MAXV=50010;
static const int INF =1000000;
struct Maxflow{
  struct Edge{
    int v,c,r;
    Edge(int _v,int _c,int _r):v(_v),c(_c),r(_r){}
  };
  int s,t; vector<Edge> G[MAXV];
  int iter[MAXV],d[MAXV],gap[MAXV],tot;
  void init(int n,int _s,int _t){
    tot=n,s=_s,t=_t;
    for(int i=1;i<=tot;i++){
      G[i].clear(); iter[i]=d[i]=gap[i]=0;
    }
  }
  void addEdge(int u,int v,int c){
    G[u].push_back(Edge(v,c,SZ(G[v])));
    G[v].push_back(Edge(u,0,SZ(G[u])-1));
  }
  int DFS(int p,int flow){
    if(p==t) return flow;
    for(int &i=iter[p];i<SZ(G[p]);i++){
      Edge &e=G[p][i];
      if(e.c>0&&d[p]==d[e.v]+1){
        int f=DFS(e.v,min(flow,e.c));
        if(f){ e.c-=f; G[e.v][e.r].c+=f; return f; }
      }
    }
    if((--gap[d[p]])==0) d[s]=tot;
    else{ d[p]++; iter[p]=0; ++gap[d[p]]; }
    return 0;
  }
  int flow(){
    int res=0;
    for(res=0,gap[0]=tot;d[s]<tot;res+=DFS(s,INF));
    return res;
  }
  void reset(){
    for(int i=1;i<=tot;i++) iter[i]=d[i]=gap[i]=0;
  }
} flow;
```

9.4 Bounded Max Flow

```
// Author: CRyptoGRapheR
// Max flow with lower/upper bound on edges (source-sink version)
// <!> 1-based: original vertices are numbered 1 ~ n.
//     Super source, sink: n+1, n+2 respectively.
// <!> dependency: ISAP.cpp
// 1. n = #vertices (1 ~ n), m = #edges
//    s, t = original source, sink (both in [1, n])
// 2. l[i], r[i]  := edge i goes from l[i] -> r[i]   (l[i], r[i] in [1, n])
// 3. a[i], b[i]  := flow on edge i must lie in [a[i], b[i]]
// 4. int ans = solve(n, m, s, t);
// => ans == -1 : no feasible flow exists
// => ans       : feasible max flow value
// <!> N, M must be large enough for original graph + 2 super nodes
// Time: O(V^2 E), Space: O(V + E)
int in[N], out[N], l[M], r[M], a[M], b[M];
int solve(int n, int m, int s, int t){
  flow.init(n+2, n+1, n+2); // super source = n+1, super sink = n+2
  for(int i = 0; i < m; i++){
    in[r[i]] += a[i]; out[l[i]] += a[i];
    flow.addEdge(l[i], r[i], b[i] - a[i]);
    // flow from l[i] to r[i] must lie in [a[i], b[i]]
  }
  int nd = 0;
  for(int i = 1; i <= n; i++){
    if(in[i] < out[i]){
      flow.addEdge(i, flow.t, out[i] - in[i]);
      nd += out[i] - in[i];
    }
    if(out[i] < in[i])
      flow.addEdge(flow.s, i, in[i] - out[i]);
  }
  flow.addEdge(t, s, INF); // original sink -> source
  if(flow.flow() != nd) return -1; // infeasible
  int ans = flow.G[s].back().c; // t->s edge's current flow = feasible flow s->t
  flow.G[s].back().c = flow.G[t].back().c = 0;
  for(size_t i = 0; i < flow.G[flow.s].size(); i++){
    Maxflow::Edge &e = flow.G[flow.s][i];
    flow.G[flow.s][i].c = 0; flow.G[e.v][e.r].c = 0;
  }
  for(size_t i = 0; i < flow.G[flow.t].size(); i++){
    Maxflow::Edge &e = flow.G[flow.t][i];
    flow.G[flow.t][i].c = 0; flow.G[e.v][e.r].c = 0;
  }
  flow.addEdge(flow.s, s, INF); flow.addEdge(t, flow.t, INF);
  flow.reset(); // keeps G[] intact, only resets search state
  return ans + flow.flow();
}
```

9.5 MCMF

```
// Author: CRyptoGRapheR
// MCMF (supports negative edges without negative cycles)
// <!> 1-based: vertices are numbered 1 ~ n.
// 1. MCMF.init(n);   // n = #vertices (1 ~ n)
```

```cpp
// 2. MCMF.add(u, v, cap, cost);
// 3. auto [max_flow, min_cost] = MCMF.flow(s, t); // s, t in [1, n]
// Time: O(F * E), Space: O(V + E)
typedef int Tcost;
const int MAXV = 20010;
const int INFf = 1000000;
const Tcost INFc  = 1e9;
struct MCMF {
  struct Edge{
    int v, cap;
    Tcost w;
    int rev;
    bool fw;
    Edge(){}
    Edge(int t2, int t3, Tcost t4, int t5, bool t6)
    : v(t2), cap(t3), w(t4), rev(t5), fw(t6) {}
  };
  int V, s, t;
  vector<Edge> G[MAXV];
  void init(int n){
    V = n;
    for(int i = 0; i <= V; i++) G[i].clear();
  }
  void add(int a, int b, int cap, Tcost w){
    G[a].push_back(Edge(b, cap, w, (int)G[b].size(), true));
    G[b].push_back(Edge(a, 0, -w, (int)G[a].size()-1, false));
  }
  Tcost d[MAXV];
  int id[MAXV], mom[MAXV];
  bool inqu[MAXV];
  queue<int> q;
  pair<int, Tcost> flow(int _s, int _t){
    s = _s, t = _t;
    int mxf = 0; Tcost mnc = 0;
    while(1){
      fill(d, d+1+V, INFc); // need to use type cast
      fill(inqu, inqu+1+V, 0);
      fill(mom, mom+1+V, -1);
      mom[s] = s;
      d[s] = 0;
      q.push(s); inqu[s] = 1;
      while(q.size()){
        int u = q.front(); q.pop();
        inqu[u] = 0;
        for(int i = 0; i < (int) G[u].size(); i++){
          Edge &e = G[u][i];
          int v = e.v;
          if(e.cap > 0 && d[v] > d[u]+e.w){
            d[v] = d[u]+e.w;
            mom[v] = u;
            id[v] = i;
            if(!inqu[v]) q.push(v), inqu[v] = 1;
          }
        }
      }
      if(mom[t] == -1) break ;
      int df = INFf;
      for(int u = t; u != s; u = mom[u])
        df = min(df, G[mom[u]][id[u]].cap);
      for(int u = t; u != s; u = mom[u]){
        Edge &e = G[mom[u]][id[u]];
        e.cap              -= df;
        G[e.v][e.rev].cap += df;
      }
      mxf += df;
      mnc += df*d[t];
    }
    return make_pair(mxf, mnc);
  }
};
```

9.6 Push-Relabel

```cpp
// Author: Simon Lindholm (kactl)
// 0-based: vertices are numbered 0 ~ n-1
// 1. PushRelabel pr(n);     // n = #vertices
// 2. pr.addEdge(u, v, c);  // u, v in [0, n-1]
// 3. ll ans = pr.calc(s, t);
// => ans = max flow value from s to t
// To obtain actual flow:
// for (int u = 0; u < n; u++)
//   for (auto& e : pr.g[u])
//     if (e.f > 0) => (u, e.dest, e.f)
// Time: O(V^2 * sqrt(E)), better on dense graph
struct PushRelabel {
  struct Edge { int dest, back; ll f, c; };
  vector<vector<Edge>> g;
  vector<ll> ec;
  vector<Edge*> cur;
  vector<vi> hs; vi H;
  PushRelabel(int n) : g(n), ec(n), cur(n), hs(2*n), H(n) {}

  void addEdge(int s, int t, ll cap, ll rcap=0) {
    if (s == t) return;
    g[s].push_back({t, sz(g[t]), 0, cap});
    g[t].push_back({s, sz(g[s])-1, 0, rcap});
  }
  void addFlow(Edge& e, ll f) {
    Edge &back = g[e.dest][e.back];
    if (!ec[e.dest] && f) hs[H[e.dest]].push_back(e.dest);
    e.f += f; e.c -= f; ec[e.dest] += f;
    back.f -= f; back.c += f; ec[back.dest] -= f;
  }
  ll calc(int s, int t) {
    int v = sz(g); H[s] = v; ec[t] = 1;
    vi co(2*v); co[0] = v-1;
    rep(i,0,v) cur[i] = g[i].data();
    for (Edge& e : g[s]) addFlow(e, e.c);

    for (int hi = 0;;) {
      while (hs[hi].empty()) if (!hi--) return -ec[s];
      int u = hs[hi].back(); hs[hi].pop_back();
      while (ec[u] > 0)  // discharge u
        if (cur[u] == g[u].data() + sz(g[u])) {
          H[u] = 1e9;
          for (Edge& e : g[u]) if (e.c && H[u] > H[e.dest]+1)
            H[u] = H[e.dest]+1, cur[u] = &e;
          if (++co[H[u]], !--co[hi] && hi < v)
            rep(i,0,v) if (hi < H[i] && H[i] < v)
              --co[H[i]], H[i] = v + 1;
          hi = H[u];
        } else if (cur[u]->c && H[u] == H[cur[u]->dest]+1)
          addFlow(*cur[u], min(ec[u], cur[u]->c));
        else ++cur[u];
    }
  }
  bool leftOfMinCut(int a) { return H[a] >= sz(g); }
};
```

9.7 Gomory-Hu Tree

```cpp
// Author: chilli, Takanori MAEHARA (kactl)
// <!> Dependency: PushRelabel.cpp
// Given a list of edges representing an undirected flow graph,
// returns edges of the Gomory-Hu tree.
// maxflow / mincut of (u, v) => min edge from u to v on Gomory-Hu tree
// Time: O(V) * O(PushRelabel)
typedef array<ll, 3> Edge; // (u, v, w)
vector<Edge> gomoryHu(int N, vector<Edge> ed) {
  vector<Edge> tree;
  vi par(N);
  rep(i,1,N) {
    PushRelabel D(N); // Dinic also works
    for (Edge t : ed) D.addEdge(t[0], t[1], t[2], t[2]);
    tree.push_back({i, par[i], D.calc(i, par[i])});
    rep(j,i+1,N)
      if (par[j] == par[i] && D.leftOfMinCut(j)) par[j] = i;
  }
  return tree;
}
```

9.8 Global Min Cut

```cpp
// Author: ckiseki
// 1-based: vertices are numbered 1 ~ n
// 1. vector<vector<ll>> G(n + 1, vector<ll>(n + 1, 0));
// 2. add_edge(G, u, v, c);  // add undirected edge u-v with weight c, u,v in [1,n]
// 3. ll ans = mincut(G, n); // n = #vertices
// => ans = global min cut value
// Time: O(V^3)
void add_edge(auto &w, int u, int v, int c) {
  w[u][v] += c; w[v][u] += c; }
auto phase(const auto &w, int n, vector<int> id) {
  vector<ll> g(n + 1); int s = -1, t = -1;
  while (!id.empty()) {
    int c = -1;
    for (int i : id) if (c == -1 || g[i] > g[c]) c = i;
    s = t; t = c;
    id.erase(ranges::find(id, c));
    for (int i : id) g[i] += w[c][i];
  }
  return tuple{s, t, g[t]};
}
ll mincut(auto w, int n) {
  ll cut = numeric_limits<ll>::max();
  vector<int> id(n); iota(all(id), 1);
```

```
  for (int i = 0; i < n - 1; ++i) {
    auto [s, t, gt] = phase(w, n, id);
    id.erase(ranges::find(id, t));
    cut = min(cut, gt);
    for (int j = 1; j <= n; ++j)
      w[s][j] += w[t][j], w[j][s] += w[j][t];
  }
  return cut;
}
```

10 String

10.1 Rolling Hash

```
const ll C = 27;
inline int id(char c) {return c-'a'+1;}
struct RollingHash {
    string s; int n; ll mod;
    vector<ll> Cexp, hs;
    RollingHash(string& _s, ll _mod):
        s(_s), n((int)_s.size()), mod(_mod)
    {
        Cexp.assign(n, 0);
        hs.assign(n, 0);
        Cexp[0] = 1;
        for (int i = 1; i < n; i++) {
            Cexp[i] = Cexp[i-1] * C;
            if (Cexp[i] >= mod) Cexp[i] %= mod;
        }
        hs[0] = id(s[0]);
        for (int i = 1; i < n; i++) {
            hs[i] = hs[i-1] * C + id(s[i]);
            if (hs[i] >= mod) hs[i] %= mod;
    } }
    inline ll query(int l, int r) {
        ll res = hs[r] - (l ? hs[l-1] * Cexp[r-l+1] : 0);
        res = (res % mod + mod) % mod;
        return res; }
};
```

10.2 KMP, Z Value

```
int n, m;
string s, p;
vector<int> f;
void build() {
  f.clear(); f.resize(m, 0);
  int ptr = 0; for (int i = 1; i < m; i++) {
    while (ptr && p[i] != p[ptr]) ptr = f[ptr-1];
    if (p[i] == p[ptr]) ptr++;
    f[i] = ptr;
}}
void init() {
  cin >> s >> p;
  n = (int)s.size();
  m = (int)p.size();
  build(); }
void solve() {
  int ans = 0, pi = 0;
  for (int si = 0; si < n; si++) {
    while (pi && s[si] != p[pi]) pi = f[pi-1];
    if (s[si] == p[pi]) pi++;
    if (pi == m) ans++, pi = f[pi-1];
  }
cout << ans << endl; }
```

```
string is, it, s;
int n; vector<int> z;
void init() {
    cin >> is >> it;
    s = it+'0'+is;
    n = (int)s.size();
    z.resize(n, 0); }
void solve() {
    int ans = 0; z[0] = n;
    for (int i = 1, l = 0, r = 0; i < n; i++) {
        if (i <= r) z[i] = min(z[i-l], r-i+1);
        while (i+z[i] < n && s[z[i]] == s[i+z[i]]) z[i]++;
        if (i+z[i]-1 > r) l = i, r = i+z[i]-1;
        if (z[i] == (int)it.size()) ans++;
    }
    cout << ans << endl; }
```

10.3 Manacher

```
int n; string S, s;
vector<int> m;
void manacher() {
s.clear(); s.resize(2*n+1, '.');
for (int i = 0, j = 1; i < n; i++, j += 2) s[j] = S[i];
m.clear(); m.resize(2*n+1, 0);
// m[i] := max k such that s[i-k, i+k] is palindrome
int mx = 0, mxk = 0;
for (int i = 1; i < 2*n+1; i++) {
  if (mx-(i-mx) >= 0) m[i] = min(m[mx-(i-mx)], mx+mxk-i);
  while (0 <= i-m[i]-1 && i+m[i]+1 < 2*n+1 &&
         s[i-m[i]-1] == s[i+m[i]+1]) m[i]++;
  if (i+m[i] > mx+mxk) mx = i, mxk = m[i];
} }
void init() { cin >> S; n = (int)S.size(); }
void solve() {
  manacher();
  int mx = 0, ptr = 0;
  for (int i = 0; i < 2*n+1; i++) if (mx < m[i])
    { mx = m[i]; ptr = i; }
  for (int i = ptr-mx; i <= ptr+mx; i++)
    if (s[i] != '.') cout << s[i];
cout << endl; }
```

10.4 Suffix Array

```
// Author: std_abs
int sa[N], tmp[2][N], c[N], rk[N], lcp[N];
void buildSA(string s) {
  int *x = tmp[0], *y = tmp[1], m = 256, n = s.size();
  for (int i = 0; i < m; ++i) c[i] = 0;
  for (int i = 0; i < n; ++i) c[x[i] = s[i]]++;
  for (int i = 1; i < m; ++i) c[i] += c[i - 1];
  for (int i = n - 1; ~i; --i) sa[--c[x[i]]] = i;
  for (int k = 1; k < n; k <<= 1) {
    for (int i = 0; i < m; ++i) c[i] = 0;
    for (int i = 0; i < n; ++i) c[x[i]]++;
    for (int i = 1; i < m; ++i) c[i] += c[i - 1];
    int p = 0;
    for (int i = n - k; i < n; ++i) y[p++] = i;
    for (int i = 0; i < n; ++i) if (sa[i] >= k)
      y[p++] = sa[i] - k;
    for (int i = n - 1; ~i; --i)
      sa[--c[x[y[i]]]] = y[i];
    y[sa[0]] = p = 0;
    for (int i = 1; i < n; ++i) {
      int a = sa[i], b = sa[i - 1];
      if (!(x[a] == x[b] && a + k < n && b + k < n && x[a +
k] == x[b + k])) p++;
      y[sa[i]] = p;
    }
    if (n == p + 1) break;
    swap(x, y), m = p + 1;
} }
void buildLCP(string s) {
  // lcp[i] = LCP(sa[i - 1], sa[i])
  // lcp(i, j) = query_lcp_min [rk[i] + 1, rk[j] + 1)
  int n = s.length(), val = 0;
  for (int i = 0; i < n; ++i) rk[sa[i]] = i;
  for (int i = 0; i < n; ++i) {
    if (!rk[i]) lcp[rk[i]] = 0;
    else {
      if (val) val--;
      int p = sa[rk[i] - 1];
      while (val + i < n && val + p < n && s[val + i] ==
s[val + p]) val++;
      lcp[rk[i]] = val;
} } }
```

10.5 Suffix Automaton

```
// any path start from root forms a substring of S
// occurrence of P: iff SAM can run on input word P
// number of different substring: ds[1]-1
// total length of all different substring: dsl[1]
// max/min length of state i: mx[i]/mx[mom[i]]+1
// assume a run on input word P end at state i:
// number of occurrences of P: cnt[i]
// first occurrence position of P: fp[i]-|P|+1
// all position: !clone nodes in dfs from i through rmom
const int MXM=1000010;
struct SAM{
  int tot,root,lst,mom[MXM],mx[MXM]; // ind[MXM]
  int nxt[MXM][33]; // cnt[MXM],ds[MXM],dsl[MXM],fp[MXM]
  // bool v[MXM],clone[MXN]
  int newNode(){
    int res=++tot; fill(nxt[res],nxt[res]+33,0);
    mom[res]=mx[res]=0; // cnt=ds=dsl=fp=v=clone=0
    return res;
  }
  void init(){ tot=0;root=newNode();lst=root; }
  void push(int c){
    int p=lst,np=newNode(); // cnt[np]=1,clone[np]=0
    mx[np]=mx[p]+1; // fp[np]=mx[np]-1
    for(;p&&nxt[p][c]==0;p=mom[p]) nxt[p][c]=np;
    if(p==0) mom[np]=root;
    else{
      int q=nxt[p][c];
      if(mx[p]+1==mx[q]) mom[np]=q;
      else{
```

```
        int nq=newNode(); // fp[nq]=fp[q],clone[nq]=1
        mx[nq]=mx[p]+1;
        for(int i=0;i<33;i++) nxt[nq][i]=nxt[q][i];
        mom[nq]=mom[q]; mom[q]=nq; mom[np]=nq;
        for(;p&&nxt[p][c]==q;p=mom[p]) nxt[p][c]=nq;
      }
    }
    lst=np;
  }
  void calc(){
    calc(root); iota(ind,ind+tot,1);
    sort(ind,ind+tot,[&](int i,int j){return mx[i]<mx[j];});
    for(int i=tot-1;i>=0;i--)
      cnt[mom[ind[i]]]+=cnt[ind[i]];
  }
  void calc(int x){
    v[x]=ds[x]=1;dsl[x]=0; // rmom[mom[x]].push_back(x);
    for(int i=0;i<26;i++){
      if(nxt[x][i]){
        if(!v[nxt[x][i]]) calc(nxt[x][i]);
        ds[x]+=ds[nxt[x][i]];
        dsl[x]+=ds[nxt[x][i]]+dsl[nxt[x][i]];
  } } }
  void push(char *str){
    for(int i=0;str[i];i++) push(str[i]-'a');
  }
} sam;
```

10.6 Minimum Rotation

```
// lexicographically minimal rotation
// rotate(begin(s), begin(s)+minRotation(s), end(s))
int minRotation(string s) {
int a = 0, n = s.size(); s += s;
for(int b = 0; b < n; b++) for(int k = 0; k < n; k++) {
    if(a + k == b || s[a + k] < s[b + k]) {
        b += max(0, k - 1);
        break; }
    if(s[a + k] > s[b + k]) {
        a = b;
        break;
    } }
return a; }
```

10.7 Aho Corasick

```
struct ACautomata{
  struct Node{
    int cnt;
    Node *go[26], *fail, *dic;
    Node (){
      cnt = 0; fail = 0; dic=0;
      memset(go,0,sizeof(go));
    }
  }pool[1048576],*root;
  int nMem;
  Node* new_Node(){
    pool[nMem] = Node();
    return &pool[nMem++];
  }
  void init() { nMem = 0; root = new_Node(); }
  void add(const string &str) { insert(root,str,0); }
  void insert(Node *cur, const string &str, int pos){
    for(int i=pos;i<str.size();i++){
      if(!cur->go[str[i]-'a'])
        cur->go[str[i]-'a'] = new_Node();
      cur=cur->go[str[i]-'a'];
    }
    cur->cnt++;
  }
  void make_fail(){
    queue<Node*> que;
    que.push(root);
    while (!que.empty()){
      Node* fr=que.front(); que.pop();
      for (int i=0; i<26; i++){
        if (fr->go[i]){
          Node *ptr = fr->fail;
          while (ptr && !ptr->go[i]) ptr = ptr->fail;
          fr->go[i]->fail=ptr=(ptr?ptr->go[i]:root);
          fr->go[i]->dic=(ptr->cnt?ptr:ptr->dic);
          que.push(fr->go[i]);
  } } } }
}AC;
```

11 Geometry

11.1 Template

```
// Author: Gino
typedef long long T;
// typedef long double T;
const long double eps = 1e-8;

short sgn(T x) {
    if (abs(x) < eps) return 0;
    return x < 0 ? -1 : 1;
}

struct Pt {
T x, y;
Pt(T _x=0, T _y=0):x(_x), y(_y) {}
Pt operator+(Pt a) { return Pt(x+a.x, y+a.y); }
Pt operator-(Pt a) { return Pt(x-a.x, y-a.y); }
Pt operator*(T a)  { return Pt(x*a, y*a); }
Pt operator/(T a)  { return Pt(x/a, y/a); }
T operator*(Pt a)  { return x*a.x + y*a.y; }
T operator^(Pt a)  { return x*a.y - y*a.x; }  // 不要打反
bool operator<(Pt a)
    { return x < a.x || (x == a.x && y < a.y); }
//return sgn(x-a.x) < 0 || (sgn(x-a.x) == 0 && sgn(y-a.y) < 0); }
bool operator==(Pt a)
    { return sgn(x-a.x) == 0 && sgn(y-a.y) == 0; }
};

Pt mv(Pt a, Pt b) { return b-a; }
T len2(Pt a) { return a*a; }
T dis2(Pt a, Pt b) { return len2(b-a); }

short ori(Pt a, Pt b) { return ((a^b)>0) - ((a^b)<0); }
bool onseg(Pt p, Pt l1, Pt l2) {
    Pt a = mv(p, l1), b = mv(p, l2);
    return ((a^b) == 0) && ((a*b) <= 0);
}
```

11.2 Basic Operations

```
// Author: Gino
// Function: Check if a point P sits in a polygon (doesn't have to be convex hull)
// 0 = Bound, 1 = In, -1 = Out
short inPoly(Pt p) {
for (int i = 0; i < n; i++)
    if (onseg(p, E[i], E[(i+1)%n])) return 0;
int cnt = 0;
for (int i = 0; i < n; i++)
    if (banana(p, Pt(p.x+1, p.y+2e9), E[i], E[(i+1)%n]))
        cnt ^= 1;
return (cnt ? 1 : -1);
}
```

```
// Author: Gino
int ud(Pt a) {  // up or down half plane
    if (a.y > 0) return 0;
    if (a.y < 0) return 1;
    return (a.x >= 0 ? 0 : 1);
}
sort(ALL(E), [&](const Pt& a, const Pt& b){
    if (ud(a) != ud(b)) return ud(a) < ud(b);
    return (a^b) > 0;
});
```

```
// Author: Gino
// Function: check if (p1---p2) (q1---q2) banana
inline bool banana(Pt p1, Pt p2, Pt q1, Pt q2) {
if (onseg(p1, q1, q2) || onseg(p2, q1, q2) ||
    onseg(q1, p1, p2) || onseg(q2, p1, p2)) {
    return true;
}
Pt p = mv(p1, p2), q = mv(q1, q2);
return (ori(p, mv(p1, q1)) * ori(p, mv(p1, q2)) < 0 &&
        ori(q, mv(q1, p1)) * ori(q, mv(q1, p2)) < 0);
}
```

```
// Author: Gino
// T: long double
Pt bananaPoint(Pt p1, Pt p2, Pt q1, Pt q2) {
if (onseg(q1, p1, p2)) return q1;
if (onseg(q2, p1, p2)) return q2;
if (onseg(p1, q1, q2)) return p1;
if (onseg(p2, q1, q2)) return p2;
double s = abs(mv(p1, p2) ^ mv(p1, q1));
double t = abs(mv(p1, p2) ^ mv(p1, q2));
return q2 * (s/(s+t)) + q1 * (t/(s+t));
}
```

```
// Author: Gino
vector<Pt> hull;
void convexHull() {
hull.clear(); sort(E.begin(), E.end());
for (int t : {0, 1}) {
    int b = (int)hull.size();
    for (auto& ei : E) {
        while ((int)hull.size() - b >= 2 &&
```

```
            ori(mv(hull[(int)hull.size()-2],
hull.back()),
                mv(hull[(int)hull.size()-2], ei)) == -1)
{
            hull.pop_back();
        }
        hull.emplace_back(ei);
    }
    hull.pop_back();
    reverse(E.begin(), E.end());
} }
```

```
// Author: Gino
// Function: Return doubled area of a polygon
T dbarea(vector<Pt>& e) {
ll res = 0;
for (int i = 0; i < (int)e.size(); i++)
    res += e[i]^e[(i+1)%SZ(e)];
return abs(res);
}
```

11.3 Lower Concave Hull

```
// Author: Unknown
struct Line {
  mutable ll m, b, p;
  bool operator<(const Line& o) const { return m < o.m; }
  bool operator<(ll x) const { return p < x; }
};

struct LineContainer : multiset<Line, less<>> {
  // (for doubles, use inf = 1/.0, div(a,b) = a/b)
  const ll inf = LLONG_MAX;
  ll div(ll a, ll b) { // floored division
    return a / b - ((a ^ b) < 0 && a % b); }
  bool isect(iterator x, iterator y) {
    if (y == end()) { x->p = inf; return false; }
    if (x->m == y->m) x->p = x->b > y->b ? inf : -inf;
    else x->p = div(y->b - x->b, x->m - y->m);
    return x->p >= y->p;
  }
  void add(ll m, ll b) {
    auto z = insert({m, b, 0}), y = z++, x = y;
    while (isect(y, z)) z = erase(z);
    if (x != begin() && isect(--x, y)) isect(x, y =
erase(y));
    while ((y = x) != begin() && (--x)->p >= y->p)
      isect(x, erase(y));
  }
  ll query(ll x) {
    assert(!empty());
    auto l = *lower_bound(x);
    return l.m * x + l.b;
  }
};
```

11.4 Pick's Theorem

Consider a polygon which vertices are all lattice points.
Let i = number of points inside the polygon.
Let b = number of points on the boundary of the polygon.
Then we have the following formula:

$$\text{Area} = i + b/2 - 1$$

11.5 Minimum Enclosing Circle

```
// Author: Gino
// Function: Find Min Enclosing Circle using Randomized O(n)
Algorithm
Pt circumcenter(Pt A, Pt B, Pt C) {
// a1(x-A.x) + b1(y-A.y) = c1
// a2(x-A.x) + b2(y-A.y) = c2
// solve using Cramer's rule
T a1 = B.x-A.x, b1 = B.y-A.y, c1 = dis2(A, B)/2.0;
T a2 = C.x-A.x, b2 = C.y-A.y, c2 = dis2(A, C)/2.0;
T D  = Pt(a1, b1) ^ Pt(a2, b2);
T Dx = Pt(c1, b1) ^ Pt(c2, b2);
T Dy = Pt(a1, c1) ^ Pt(a2, c2);
if (D == 0) return Pt(-INF, -INF);
return A + Pt(Dx/D, Dy/D);
}
Pt center; T r2;

void minEncloseCircle() {
mt19937
gen(chrono::steady_clock::now().time_since_epoch().count());
shuffle(ALL(E), gen);
center = E[0], r2 = 0;

for (int i = 0; i < n; i++) {
    if (dis2(center, E[i]) <= r2) continue;
    center = E[i], r2 = 0;
    for (int j = 0; j < i; j++) {
        if (dis2(center, E[j]) <= r2) continue;
        center = (E[i] + E[j]) / 2.0;
        r2 = dis2(center, E[i]);
        for (int k = 0; k < j; k++) {
            if (dis2(center, E[k]) <= r2) continue;
            center = circumcenter(E[i], E[j], E[k]);
            r2 = dis2(center, E[i]);
        }
    }
} }
```

11.6 PolyUnion

```
// Author: Unknown
struct PY{
  int n; Pt pt[5]; double area;
  Pt& operator[](const int x){ return pt[x]; }
  void init(){ //n,pt[0~n-1] must be filled
    area=pt[n-1]^pt[0];
    for(int i=0;i<n-1;i++) area+=pt[i]^pt[i+1];
    if((area/=2)<0)reverse(pt,pt+n),area=-area;
  }
};
PY py[500]; pair<double,int> c[5000];
inline double segP(Pt &p,Pt &p1,Pt &p2){
  if(dcmp(p1.x-p2.x)==0) return (p.y-p1.y)/(p2.y-p1.y);
  return (p.x-p1.x)/(p2.x-p1.x);
}
double polyUnion(int n){ //py[0~n-1] must be filled
  int i,j,ii,jj,ta,tb,r,d; double z,w,s,sum=0,tc,td;
  for(i=0;i<n;i++) py[i][py[i].n]=py[i][0];
  for(i=0;i<n;i++){
    for(ii=0;ii<py[i].n;ii++){
      r=0;
      c[r++]=make_pair(0.0,0); c[r++]=make_pair(1.0,0);
      for(j=0;j<n;j++){
        if(i==j) continue;
        for(jj=0;jj<py[j].n;jj++){
          ta=dcmp(tri(py[i][ii],py[i][ii+1],py[j][jj]));
          tb=dcmp(tri(py[i][ii],py[i][ii+1],py[j][jj+1]));
          if(ta==0 && tb==0){
            if((py[j][jj+1]-py[j][jj])*(py[i][ii+1]-py[i]
[ii])>0&&j<i){
              c[r++]=make_pair(segP(py[j][jj],py[i]
[ii],py[i][ii+1]),1);
              c[r++]=make_pair(segP(py[j][jj+1],py[i]
[ii],py[i][ii+1]),-1);
            }
          }else if(ta>=0 && tb<0){
            tc=tri(py[j][jj],py[j][jj+1],py[i][ii]);
            td=tri(py[j][jj],py[j][jj+1],py[i][ii+1]);
            c[r++]=make_pair(tc/(tc-td),1);
          }else if(ta<0 && tb>=0){
            tc=tri(py[j][jj],py[j][jj+1],py[i][ii]);
            td=tri(py[j][jj],py[j][jj+1],py[i][ii+1]);
            c[r++]=make_pair(tc/(tc-td),-1);
      } } }
      sort(c,c+r);
      z=min(max(c[0].first,0.0),1.0); d=c[0].second; s=0;
      for(j=1;j<r;j++){
        w=min(max(c[j].first,0.0),1.0);
        if(!d) s+=w-z;
        d+=c[j].second; z=w;
      }
      sum+=(py[i][ii]^py[i][ii+1])*s;
    }
  }
  return sum/2;
}
```

11.7 Minkowski Sum

```
// Author: Unknown
/* convex hull Minkowski Sum*/
#define INF 1000000000000000LL
int pos( const Pt& tp ){
  if( tp.Y == 0 ) return tp.X > 0 ? 0 : 1;
  return tp.Y > 0 ? 0 : 1;
}
#define N 300030
Pt pt[ N ], qt[ N ], rt[ N ];
LL Lx,Rx;
int dn,un;
inline bool cmp( Pt a, Pt b ){
  int pa=pos( a ),pb=pos( b );
  if(pa==pb) return (a^b)>0;
  return pa<pb;
}
int minkowskiSum(int n,int m){
  int i,j,r,p,q,fi,fj;
  for(i=1,p=0;i<n;i++){
```

```
    if( pt[i].Y<pt[p].Y ||
        (pt[i].Y==pt[p].Y && pt[i].X<pt[p].X) ) p=i; }
  for(i=1,q=0;i<m;i++){
    if( qt[i].Y<qt[q].Y ||
        (qt[i].Y==qt[q].Y && qt[i].X<qt[q].X) ) q=i; }
  rt[0]=pt[p]+qt[q];
  r=1; i=p; j=q; fi=fj=0;
  while(1){
    if((fj&&j==q) ||
       ( (!fi||i!=p) &&
         cmp(pt[(p+1)%n]-pt[p],qt[(q+1)%m]-qt[q]) ) ){
      rt[r]=rt[r-1]+pt[(p+1)%n]-pt[p];
      p=(p+1)%n;
      fi=1;
    }else{
      rt[r]=rt[r-1]+qt[(q+1)%m]-qt[q];
      q=(q+1)%m;
      fj=1;
    }
    if(r<=1 || ((rt[r]-rt[r-1])^(rt[r-1]-rt[r-2]))!=0) r++;
    else rt[r-1]=rt[r];
    if(i==p && j==q) break;
  }
  return r-1;
}
void initInConvex(int n){
  int i,p,q;
  LL Ly,Ry;
  Lx=INF; Rx=-INF;
  for(i=0;i<n;i++){
    if(pt[i].X<Lx) Lx=pt[i].X;
    if(pt[i].X>Rx) Rx=pt[i].X;
  }
  Ly=Ry=INF;
  for(i=0;i<n;i++){
    if(pt[i].X==Lx && pt[i].Y<Ly){ Ly=pt[i].Y; p=i; }
    if(pt[i].X==Rx && pt[i].Y<Ry){ Ry=pt[i].Y; q=i; }
  }
  for(dn=0,i=p;i!=q;i=(i+1)%n){ qt[dn++]=pt[i]; }
  qt[dn]=pt[q]; Ly=Ry=-INF;
  for(i=0;i<n;i++){
    if(pt[i].X==Lx && pt[i].Y>Ly){ Ly=pt[i].Y; p=i; }
    if(pt[i].X==Rx && pt[i].Y>Ry){ Ry=pt[i].Y; q=i; }
  }
  for(un=0,i=p;i!=q;i=(i+n-1)%n){ rt[un++]=pt[i]; }
  rt[un]=pt[q];
}
inline int inConvex(Pt p){
  int L,R,M;
  if(p.X<Lx || p.X>Rx) return 0;
  L=0;R=dn;
  while(L<R-1){ M=(L+R)/2;
    if(p.X<qt[M].X) R=M; else L=M; }
    if(tri(qt[L],qt[R],p)<0) return 0;
    L=0;R=un;
    while(L<R-1){ M=(L+R)/2;
      if(p.X<rt[M].X) R=M; else L=M; }
      if(tri(rt[L],rt[R],p)>0) return 0;
      return 1;
}
int main(){
  int n,m,i;
  Pt p;
  scanf("%d",&n);
  for(i=0;i<n;i++) scanf("%lld%lld",&pt[i].X,&pt[i].Y);
  scanf("%d",&m);
  for(i=0;i<m;i++) scanf("%lld%lld",&qt[i].X,&qt[i].Y);
  n=minkowskiSum(n,m);
  for(i=0;i<n;i++) pt[i]=rt[i];
  scanf("%d",&m);
  for(i=0;i<m;i++) scanf("%lld%lld",&qt[i].X,&qt[i].Y);
  n=minkowskiSum(n,m);
  for(i=0;i<n;i++) pt[i]=rt[i];
  initInConvex(n);
  scanf("%d",&m);
  for(i=0;i<m;i++){
    scanf("%lld %lld",&p.X,&p.Y);
    p.X*=3; p.Y*=3;
    puts(inConvex(p)?"YES":"NO");
  }
}
```

12 Number Theory

12.1 Mod Sum

```
/**
 * Author: Simon Lindholm
 * Date: 2015-06-23
 * License: CC0
 * Source: own work
 * Description: Sums of mod'ed arithmetic progressions.
 *
 * \texttt{modsum(to, c, k, m)} = $\sum_{i=0}
^{\mathrm{to}-1}{(ki+c) \% m}$.
 * \texttt{divsum} is similar but for floored division.
 * Time: $\log(m)$, with a large constant.
 * Status: Tested for all |k|,|c|,to,m <= 50, and on
kattis:aladin
 */
#pragma once

typedef unsigned long long ull;
ull sumsq(ull to) { return to / 2 * ((to-1) | 1); }
/// ^ written in a weird way to deal with overflows
correctly

ull divsum(ull to, ull c, ull k, ull m) {
  ull res = k / m * sumsq(to) + c / m * to;
  k %= m; c %= m;
  if (!k) return res;
  ull to2 = (to * k + c) / m;
  return res + (to - 1) * to2 - divsum(to2, m-1 - c, m, k);
}

ll modsum(ull to, ll c, ll k, ll m) {
  c = ((c % m) + m) % m;
  k = ((k % m) + m) % m;
  return to * c + k * sumsq(to) - m * divsum(to, c, k, m);
}
```

12.2 Extended Lucas Theorem

```
/**
 * Author: koukanni
 * Date: 2025
 * License: CC0
 * Source:
 * Description: Computes C(n, m) mod P where P is not
necessarily prime
 * Functions
 * exgcd(a, b, x, y): Extended Euclidean algorithm
 * inv(a, p): Modular inverse of a modulo p
 * qpow(a, b, p): Fast modular exponentiation
 * CRT(n, a, m): Chinese Remainder Theorem
 * calc(n, x, P): Helper function for computing factorial
with prime power
 * multilucas(n, m, x, P): Lucas theorem for prime power
modulus
 * exlucas(n, m, P): Main function - Extended Lucas theorem
 * usage: exlucas(n, m, P) returns C(n, m) mod P
 * Time: O(P log(P))
 * Status: tested
 */
typedef long long ll;
void exgcd(ll a, ll b, ll& x, ll& y) {
  if (!b)
    x = 1, y = 0;
  else
    exgcd(b, a % b, y, x), y -= a / b * x;
}
ll inv(ll a, ll p) {
  ll x, y;
  exgcd(a, p, x, y);
  return (x + p) % p;
}
ll qpow(ll a, ll b, ll p) {
  ll r = 1;
  for (; b; b >>= 1, a = a * a % p)
    if (b & 1) r = r * a % p;
  return r;
}
ll CRT(int n, ll* a, ll* m) {
  ll M = 1, p = 0;
  for (int i = 1; i <= n; i++) M = M * m[i];
  for (int i = 1; i <= n; i++) {
    ll w = M / m[i], x, y;
    exgcd(w, m[i], x, y);
    p = (p + a[i] * w * x % M) % M;
  }
  return (p % M + M) % M;
}
ll calc(ll n, ll x, ll P) {
  if (!n) return 1;
  ll s = 1;
  for (ll i = 1; i <= P; i++)
    if (i % x) s = s * i % P;
  s = qpow(s, n / P, P);
  for (ll i = n / P * P + 1; i <= n; i++)
    if (i % x) s = i % P * s % P;
  return s * calc(n / x, x, P) % P;
```

```cpp
}
ll multilucas(ll n, ll m, ll x, ll P) {
  if (n < m) return 0;
  int cnt = 0;
  for (ll i = n; i; i /= x) cnt += i / x;
  for (ll i = m; i; i /= x) cnt -= i / x;
  for (ll i = n - m; i; i /= x) cnt -= i / x;
  return qpow(x, cnt, P) % P * calc(n, x, P) % P *
inv(calc(m, x, P), P) % P *
        inv(calc(n - m, x, P), P) % P;
}
ll exlucas(ll n, ll m, ll P) {
  int cnt = 0;
  ll p[20], a[20];
  for (ll i = 2; i * i <= P; i++) {
    if (P % i == 0) {
      p[++cnt] = 1;
      while (P % i == 0) p[cnt] = p[cnt] * i, P /= i;
      a[cnt] = multilucas(n, m, i, p[cnt]);
    }
  }
  if (P > 1) p[++cnt] = P, a[cnt] = multilucas(n, m, P, P);
  return CRT(cnt, a, p);
}
```

12.3 Prime Sieve and Defactor

```cpp
// Author: Gino
const int maxc = 1e6 + 1;
vector<int> lpf;
vector<int> prime;

void seive() {
    prime.clear();
    lpf.resize(maxc, 1);
    for (int i = 2; i < maxc; i++) {
        if (lpf[i] == 1) {
            lpf[i] = i;
            prime.emplace_back(i);
        }
        for (auto& j : prime) {
            if (i * j >= maxc) break;
            lpf[i * j] = j;
            if (j == lpf[i]) break;
} } }
vector<pii> fac;
void defactor(int u) {
    fac.clear();
    while (u > 1) {
        int d = lpf[u];
        fac.emplace_back(make_pair(d, 0));
        while (u % d == 0) {
            u /= d;
            fac.back().second++;
} } }
```

12.4 Harmonic Series

```cpp
// Author: Gino
// O(n log n)
for (int i = 1; i <= n; i++) {
    for (int j = i; j <= n; j += i) {
        // O(1) code
    }
}

// PIE
// given array a[0], a[1], ..., a[n - 1]
// calculate dp[x] = number of pairs (a[i], a[j]) such that
//                   gcd(a[i], a[j]) = x   // (i < j)
//
// idea: let mc(x) = # of y s.t. x|y
//            f(x) = # of pairs s.t. gcd(a[i], a[j]) >= x
//            f(x) = C(mc(x), 2)
//          dp[x] = f(x) - sum(dp[y], x < y and x|y)
const int maxc = 1e6;
vector<int> cnt(maxc + 1, 0), dp(maxc + 1, 0);
for (int i = 0; i < n; i++)
    cnt[a[i]]++;

for (int x = maxc; x >= 1; x--) {
    ll cnt_mul = 0;  // number of multiples of x
    for (int y = x; y <= maxc; y += x)
        cnt_mul += cnt[y];

    dp[x] = cnt_mul * (cnt_mul - 1) / 2;  // number of pairs
that are divisible by x
    for (int y = x + x; y <= maxc; y += x)
        dp[x] -= dp[y];  // PIE: subtract all dp[y] for y >
x and x|y
}
```

12.5 Count Number of Divisors

```cpp
// Author: Gino
// Function: Count the number of divisors for all x <= 10^6
using harmonic series
const int maxc = 1e6;
vector<int> facs;

void find_all_divisors() {
    facs.clear(); facs.resize(maxc + 1, 0);
    for (int x = 1; x <= maxc; x++) {
        for (int y = x; y <= maxc; y += x) {
            facs[y]++;
        }
    }
}
```

12.6 數論分塊

```cpp
// Author: Gino
/*
n = 17
  i:  1  2  3  4  5  6  7  8  9 10 11 12 13 14 15 16 17
n/i: 17  8  5  4  3  2  2  2  1  1  1  1  1  1  1  1  1
                        ^     ^
                    L(2)    R(2)

L(x) :=  left bound for n/i = x
R(x) := right bound for n/i = x

====== FORMULA ======
>>> R = n / (n/L) <<<
=====================

Example: L(2) = 6
         R(2) = 17 / (17 / 6)
              = 17 / 2
              = 8
*/
// ======= CODE ========

for (ll l = 1, r = 1, q = n; l <= n; l = r + 1) {
    q = n/l;
    r = n/q;
    // Process your code here
}
// q, l, r: 17 1 1
// q, l, r: 8 2 2
// q, l, r: 5 3 3
// q, l, r: 4 4 4
// q, l, r: 3 5 5
// q, l, r: 2 6 8
// q, l, r: 1 9 17
```

12.7 Pollard's rho

```cpp
// Author: Unknown
// Function: Find a non-trivial factor of a big number in
O(n^(1/4) log^2(n))

ll find_factor(ll number) {
    __int128 x = 2;
    for (__int128 cycle = 1; ; cycle++) {
        __int128 y = x;
        for (int i = 0; i < (1<<cycle); i++) {
            x = (x * x + 1) % number;
            __int128 factor = __gcd(x - y, number);
            if (factor > 1)
                return factor;
        }
    }
}
```

```python
# Author: Unknown
# Function: Find a non-trivial factor of a big number in
O(n^(1/4) log^2(n))
from itertools import count
from math import gcd
from sys import stdin

for s in stdin:
    number, x = int(s), 2
    brk = False
    for cycle in count(1):
        y = x
        if brk:
            break
        for i in range(1 << cycle):
            x = (x * x + 1) % number
            factor = gcd(x - y, number)
            if factor > 1:
                print(factor)
                brk = True
```

```
            break
```

12.8 Miller Rabin

```cpp
// Author: Unknown, Modified by Gino
// Function: Check if a number is a prime in O(100 * log^2(n))
//      miller_rabin(): return 1 if prime, 0 otherwise
inline ll mul(ll x, ll y, ll mod) {
    return (__int128)(x) * y % mod;
}
ll mypow(ll a, ll b, ll mod) {
    ll r = 1;
    while (b > 0) {
        if (b & 1) r = mul(r, a, mod);
        a = mul(a, a, mod);
        b >>= 1;
    }
    return r;
}
bool witness(ll a, ll n, ll u, int t){
  ll x = mypow(a, u, n);
  for(int i = 0; i < t; i++) {
    ll nx = mul(x, x, n);
    if (nx == 1 && x != 1 && x != n-1) return true;
    x = nx;
  }
  return x != 1;
}
bool miller_rabin(ll n) {
    // if n >= 3,474,749,660,383
    // change {2, 3, 5, 7, 11, 13} to
    // {2, 325, 9375, 28178, 450775, 9780504, 1795265022}
  if (n < 2) return false;
  if(!(n & 1)) return n == 2;
  ll u = n - 1; int t = 0;
  while(!(u & 1)) u >>= 1, t++;
    for (ll a : {2, 3, 5, 7, 11, 13}) {
        if (a % n == 0) continue;
        if (witness(a, n, u, t)) return false;
    }
  return true;
}
// bases that make sure no pseudoprimes flee from test
// if WA, replace randll(n - 1) with these bases:
// n < 4,759,123,141        3 :  2, 7, 61
// n < 1,122,004,669,633    4 :  2, 13, 23, 1662803
// n < 3,474,749,660,383          6 :  pirmes <= 13
// n < 2^64                       7 :
// 2, 325, 9375, 28178, 450775, 9780504, 1795265022
```

12.9 Discrete Log

```cpp
// Author: ckiseki
// find x^? = y (mod M)
// O(sqrt(M))
template<typename Int>
Int BSGS(Int x, Int y, Int M) {
  // x^? \equiv y (mod M)
  Int t = 1, c = 0, g = 1;
  for (Int M_ = M; M_ > 0; M_ >>= 1) g = g * x % M;
  for (g = gcd(g, M); t % g != 0; ++c) {
    if (t == y) return c;
    t = t * x % M;
  }
  if (y % g != 0) return -1;
  t /= g, y /= g, M /= g;
  Int h = 0, gs = 1;
  for (; h * h < M; ++h) gs = gs * x % M;
  unordered_map<Int, Int> bs;
  for (Int s = 0; s < h; bs[y] = ++s) y = y * x % M;
  for (Int s = 0; s < M; s += h) {
    t = t * gs % M;
    if (bs.count(t)) return c + s + h - bs[t];
  }
  return -1;
}
```

12.10 Discrete Sqrt

```cpp
// Author: ckiseki
// find solution for x^2 = n (mod P)
// O(log^2 P)
int get_root(int n, int P) { // ensure 0 <= n < p
  if (P == 2 or n == 0) return n;
  auto check = [&](lld x) {
    return modpow(int(x), (P - 1) / 2, P); };
  if (check(n) != 1) return -1;
  mt19937 rnd(7122); lld z = 1, w;
  while (check(w = (z * z - n + P) % P) != P - 1)
    z = rnd() % P;
  const auto M = [P, w](auto &u, auto &v) {
    auto [a, b] = u; auto [c, d] = v;
    return make_pair((a * c + b * d % P * w) % P,
        (a * d + b * c) % P);
  };
  pair<lld, lld> r(1, 0), e(z, 1);
  for (int q = (P + 1) / 2; q; q >>= 1, e = M(e, e))
    if (q & 1) r = M(r, e);
  return int(r.first); // sqrt(n) mod P where P is prime
}
```

12.11 Fast Power

Note: $a^n \equiv a^{(n \bmod (p-1))} (\bmod p)$

12.12 Extend GCD

```cpp
// Author: Gino
// [Usage]
// bezout(a, b, c):
//      find solution to ax + by = c
//      return {-LINF, -LINF} if no solution
// inv(a, p):
//      find modulo inverse of a under p
//      return -1 if not exist
// CRT(vector<ll>& a, vector<ll>& m)
//      find a solution pair (x, mod) satisfies all x = a[i] (mod m[i])
//      return {-LINF, -LINF} if no solution

const ll LINF = 4e18;
typedef pair<ll, ll> pll;
template<typename T1, typename T2>
T1 chmod(T1 a, T2 m) {
    return (a % m + m) % m;
}

ll GCD;
pll extgcd(ll a, ll b) {
    if (b == 0) {
        GCD = a;
        return pll{1, 0};
    }
    pll ans = extgcd(b, a % b);
    return pll{ans.second, ans.first - a/b * ans.second};
}
pll bezout(ll a, ll b, ll c) {
    bool negx = (a < 0), negy = (b < 0);
    pll ans = extgcd(abs(a), abs(b));
    if (c % GCD != 0) return pll{-LINF, -LINF};
    return pll{ans.first * c/GCD * (negx ? -1 : 1),
               ans.second * c/GCD * (negy ? -1 : 1)};
}
ll inv(ll a, ll p) {
    if (p == 1) return -1;
    pll ans = bezout(a % p, -p, 1);
    if (ans == pll{-LINF, -LINF}) return -1;
    return chmod(ans.first, p);
}
pll CRT(vector<ll>& a, vector<ll>& m) {
    for (int i = 0; i < (int)a.size(); i++)
        a[i] = chmod(a[i], m[i]);

    ll x = a[0], mod = m[0];
    for (int i = 1; i < (int)a.size(); i++) {
        pll sol = bezout(mod, m[i], a[i] - x);
        if (sol.first == -LINF) return pll{-LINF, -LINF};

        // prevent long long overflow
        ll p = chmod(sol.first, m[i] / GCD);
        ll lcm = mod / GCD * m[i];
        x = chmod((__int128)p * mod + x, lcm);
        mod = lcm;
    }
    return pll{x, mod};
}
```

12.13 Mu + Phi

```cpp
// Author: Gino
const int maxn = 1e6 + 5;
ll f[maxn];
vector<int> lpf, prime;
void build() {
lpf.clear(); lpf.resize(maxn, 1);
prime.clear();
f[1] = ...;  /* mu[1] = 1, phi[1] = 1 */
for (int i = 2; i < maxn; i++) {
    if (lpf[i] == 1) {
        lpf[i] = i; prime.emplace_back(i);
        f[i] = ...;  /* mu[i] = 1, phi[i] = i-1 */
    }
    for (auto& j : prime) {
        if (i*j >= maxn) break;
        lpf[i*j] = j;
```

```
        if (i % j == 0) f[i*j] = ...;  /* 0, phi[i]*j */
        else f[i*j] = ...;  /* -mu[i], phi[i]*phi[j] */
        if (j >= lpf[i]) break;
} } }
```

12.14 Other Formulas

- Pisano Period: 任何線性遞迴（比如費氏數列）模任何一個數字 M 都會循環，找循環節 $\pi(M)$ 先質因數分解 $M=\prod p_i^{e_i}$，然後 $\pi(M)=\mathrm{lcm}(\pi(p_i^{e_i}))$,
- Inversion:
  $aa^{-1}\equiv 1 (\mathrm{mod}\, m)$. a^{-1} exists iff $\gcd(a,m)=1$.
- Linear inversion:
  $a^{-1}\equiv \left(m-\lfloor \frac{m}{a}\rfloor\right)\times (m \bmod a)^{-1} (\mathrm{mod}\, m)$
- Fermat's little theorem:
  $a^p\equiv a (\mathrm{mod}\, p)$ if p is prime.
- Euler function:
  $\varphi(n)=n\prod_{p|n}\frac{p-1}{p}$
- Euler theorem:
  $a^{\varphi(n)}\equiv 1 (\mathrm{mod}\, n)$ if $\gcd(a,n)=1$. If a, n are not coprime: 質因數分解 $n=\prod p_i^{e_i}$，對每個 $p_i^{e^i}$ 分開看他們跟 a 是否互質（互質：Fermat／不互質：夠大的指數會直接削成 0），最後用 CRT 合併。
- Extended Euclidean algorithm:
  $ax+by=\gcd(a,b)=\gcd(b,a \bmod b)=\gcd\left(b,a-\lfloor\frac{a}{b}\rfloor b\right)=bx_1+\left(a-\lfloor\frac{a}{b}\rfloor b\right)y_1=ay_1+b\left(x_1-\lfloor\frac{a}{b}\rfloor y_1\right)$
- Divisor function:
  $\sigma_x(n)=\sum_{d|n}d^x$. $n=\prod_{i=1}^{r}p_i^{a_i}$.
  $\sigma_x(n)=\prod_{i=1}^{r}\frac{p_i^{(a_i+1)x}-1}{p_i^x-1}$ if $x\neq 0$. $\sigma_0(n)=\prod_{i=1}^{r}(a_i+1)$.
- Chinese remainder theorem (Coprime Moduli):
  $x\equiv a_i (\mathrm{mod}\, m_i)$.
  $M=\prod m_i$. $M_i=\frac{M}{m_i}$. $t_i=M_i^{-1}$.
  $x=kM+\sum a_i t_i M_i$, $k\in\mathbb{Z}$.
- Chinese remainder theorem:
  $x\equiv a_1 (\mathrm{mod}\, m_1), x\equiv a_2 (\mathrm{mod}\, m_2)\Rightarrow x=m_1p+a_1=m_2q+a_2\Rightarrow m_1p-m_2q=a_2-a_1$
  Solve for (p,q) using ExtGCD.
  $x\equiv m_1p+a_1\equiv m_2q+a_2 (\mathrm{mod}\, \mathrm{lcm}(m_1,m_2))$
- Avoiding Overflow: $ca \bmod cb=c(a \bmod b)$
- Dirichlet Convolution: $(f*g)(n)=\sum_{d|n}f(n)g\left(\frac{n}{d}\right)$
- Important Multiplicative Functions + Properties:
  1. $\varepsilon(n)=[n=1]$
  2. $1(n)=1$
  3. $id\,(n)=n$
  4. $\mu(n)=0$ if n has squared prime factor
  5. $\mu(n)=(-1)^k$ if $n=p_1p_2\cdots p_k$
  6. $\varepsilon=\mu*1$
  7. $\varphi=\mu*id$
  8. $[n=1]=\sum_{d|n}\mu(d)$
  9. $[\gcd=1]=\sum_{d|\gcd}\mu(d)$
- Möbius inversion: $f=g*1\Leftrightarrow g=f*\mu$

12.15 Polynomial

```
// Author: Gino
// Preparation: first set_mod(mod, g), then init_ntt()
// everytime you change modulus, you have to call
 init_ntt() again
//
// [Usage]
// polynomial: vector<ll> a, b
// negation: -a
// add/subtract: a += b, a -= b
// convolution: a *= b
// in-place modulo: mod(a, b)
// in-place inversion under mod x^N: inv(ia, N)


const int maxk = 20;
const int maxn = 1<<maxk;

using u64 = unsigned long long;
using u128 = __uint128_t;

int g;
u64 MOD;
u64 BARRETT_IM; // ⌊ 2^64 / MOD ⌋

inline void set_mod(u64 m, int _g) {
    g = _g;
    MOD = m;
    BARRETT_IM = (u128(1) << 64) / m;
}
inline u64 chmod(u128 x) {
    u64 q = (u64)((x * BARRETT_IM) >> 64);
    u64 r = (u64)(x - (u128)q * MOD);
    if (r >= MOD) r -= MOD;
    return r;
}
inline u64 mmul(u64 a, u64 b) {
    return chmod((u128)a * b);
}
ll pw(ll a, ll n) {
    ll ret = 1;
    while (n > 0) {
        if (n & 1) ret = mmul(ret, a);
        a = mmul(a, a);
        n >>= 1;
    }
    return ret;
}

vector<ll> X, iX;
vector<int> rev;
void init_ntt() {
    X.assign(maxn, 1);  // x1 = g^((p-1)/n)
    iX.assign(maxn, 1);

    ll u = pw(g, (MOD-1)/maxn);
    ll iu = pw(u, MOD-2);
    for (int i = 1; i < maxn; i++) {
        X[i] = mmul(X[i - 1], u);
        iX[i] = mmul(iX[i - 1], iu);
    }

    if ((int)rev.size() == maxn) return;
    rev.assign(maxn, 0);
    for (int i = 1, hb = -1; i < maxn; i++) {
        if (!(i & (i-1))) hb++;
        rev[i] = rev[i ^ (1<<hb)] | (1<<(maxk-hb-1));
} }
template<typename T>
void NTT(vector<T>& a, bool inv=false) {
    int _n = (int)a.size();
    int k = __lg(_n) + ((1<<__lg(_n)) != _n);
    int n = 1<<k;
    a.resize(n, 0);

    short shift = maxk-k;
    for (int i = 0; i < n; i++)
        if (i > (rev[i]>>shift))
            swap(a[i], a[rev[i]>>shift]);
    for (int len = 2, half = 1, div = maxn>>1; len <= n;
 len<<=1, half<<=1, div>>=1) {
        for (int i = 0; i < n; i += len) {
            for (int j = 0; j < half; j++) {
                T u = a[i+j];
                T v = mmul(a[i+j+half], (inv ?
 iX[j*div] : X[j*div]));
                a[i+j] = (u+v >= MOD ? u+v-MOD : u+v);
                a[i+j+half] = (u-v < 0 ? u-v+MOD : u-v);
    } } }
    if (inv) {
        T dn = pw(n, MOD-2);
        for (auto& x : a) {
            x = mmul(x, dn);
} } }
template<typename T>
inline void shrink(vector<T>& a) {
    int cnt = (int)a.size();
    for (; cnt > 0; cnt--) if (a[cnt-1]) break;
    a.resize(max(cnt, 1));
}
template<typename T>
vector<T>& operator*=(vector<T>& a, vector<T> b) {
    int na = (int)a.size();
    int nb = (int)b.size();
    a.resize(na + nb - 1, 0);
    b.resize(na + nb - 1, 0);

    NTT(a); NTT(b);
    for (int i = 0; i < (int)a.size(); i++)
        a[i] = mmul(a[i], b[i]);
    NTT(a, true);

    shrink(a);
    return a;
}
inline ll crt(ll a0, ll a1, ll m1, ll m2, ll
 inv_m1_mod_m2){
```

```
    // x ≡ a0 (mod m1), x ≡ a1 (mod m2)
    // t = (a1 - a0) * inv(m1) mod m2
    // x = a0 + t * m1  (mod m1*m2)
    ll t = chmod(a1 - a0);
    if (t < 0) t += m2;
    t = (ll)((__int128)t * inv_m1_mod_m2 % m2);
    return a0 + (ll)((__int128)t * m1);
}
void mul_crt() {
    // a copy to a1, a2 | b copy to b1, b2
    ll M1 = 998244353, M2 = 1004535809;
    g = 3; set_mod(M1); init_ntt(); a1 *= b1;
    g = 3, set_mod(M2); init_ntt(); a2 *= b2;

    ll inv_m1_mod_m2 = pw(M1, M2 - 2);
    for (int i = 2; i <= 2 * k; i++)
        cout << crt(a1[i], a2[i], M1, M2, inv_m1_mod_m2)
<< ' ';
    cout << endl;
}

/* P = r*2^k + 1
P                   r   k   g
998244353           119 23  3
1004535809          479 21  3

P                   r   k   g
3                   1   1   2
5                   1   2   2
17                  1   4   3
97                  3   5   5
193                 3   6   5
257                 1   8   3
7681                15  9   17
12289               3   12  11
40961               5   13  3
65537               1   16  3
786433              3   18  10
5767169             11  19  3
7340033             7   20  3
23068673            11  21  3
104857601           25  22  3
167772161           5   25  3
469762049           7   26  3
1004535809          479 21  3
2013265921          15  27  31
2281701377          17  27  3
3221225473          3   30  5
75161927681         35  31  3
77309411329         9   33  7
206158430209        3   36  22
2061584302081       15  37  7
2748779069441       5   39  3
6597069766657       3   41  5
39582418599937      9   42  5
79164837199873      9   43  5
263882790666241     15  44  7
1231453023109121    35  45  3
1337006139375617    19  46  3
3799912185593857    27  47  5
4222124650659841    15  48  19
7881299347898369    7   50  6
31525197391593473   7   52  3
180143985094819841  5   55  6
1945555039024054273 27  56  5
4179340454199820289 29  57  3
9007271247288401921 505 54  6 */
```

12.16 Counting Primes

```
// prime_count — #primes in [1..n] (O(n^{2/3}) time,
O(sqrt(n)) memory)

using u64 = unsigned long long;
static inline u64 prime_count(u64 n){
  if(n<=1) return 0;
  int v = (int)floor(sqrt((long double)n));
  int s = (v+1)>>1, pc = 0;
  vector<int> smalls(s), roughs(s), skip(v+1);
  vector<long long> larges(s);

  for(int i=0;i<s;++i){
    smalls[i]=i;
    roughs[i]=2*i+1;
    larges[i]=(long long)((n/roughs[i]-1)>>1);
  }

  for(int p=3;p<=v;p+=2) if(!skip[p]){
    int q = p*p;
    if(1LL*q*q > (long long)n) break;
    skip[p]=1;
    for(int i=q;i<=v;i+=2*p) skip[i]=1;

    int ns=0;
    for(int k=0;k<s;++k){
      int i = roughs[k];
      if(skip[i]) continue;
      u64 d = (u64)i * (u64)p;
      long long sub = (d <= (u64)v)
        ? larges[smalls[(int)(d>>1)] - pc]
        : smalls[(int)((n/d - 1) >> 1)];
      larges[ns] = larges[k] - sub + pc;
      roughs[ns++] = i;
    }
    s = ns;
    for(int i=(v-1)>>1, j=((v/p)-1)|1; j>=p; j-=2){
      int c = smalls[j>>1] - pc;
      for(int e=(j*p)>>1; i>=e; --i) smalls[i] -= c;
    }
    ++pc;
  }

  larges[0] += 1LL*(s + 2*(pc-1))*(s-1) >> 1;
  for(int k=1;k<s;++k) larges[0] -= larges[k];

  for(int l=1;l<s;++l){
    int q = roughs[l];
    u64 m = n / (u64)q;
    long long t = 0;
    int e = smalls[(int)((m/q - 1) >> 1)] - pc;
    if(e < l+1) break;
    for(int k=l+1;k<=e;++k) t += smalls[(int)((m/
(u64)roughs[k] - 1) >> 1)];
    larges[0] += t - 1LL*(e - l)*(pc + l - 1);
  }
  return (u64)(larges[0] + 1);
}
```

12.17 Linear Sieve for Other Number Theoretic Functions

```
// linear_sieve(n, primes, lp, phi, mu, d, sigma)
// Outputs over the index range 0..n (n >= 1):
//   primes : all primes in [2..n], increasing.
//   lp     : lowest prime factor; lp[1]=0, lp[x] is the
smallest prime dividing x.
//   phi    : Euler totient, phi[x] = |{1<=k<=x :
gcd(k,x)=1}|.  Multiplicative.
//   mu     : Möbius; mu[1]=1, mu[x]=0 if x has a squared
prime factor, else (-1)^{#distinct primes}.
//   d      : number of divisors; if x=∏ p_i^{e_i}, then
d[x]=∏(e_i+1).  Multiplicative.
//   sigma  : sum of divisors; if x=∏ p_i^{e_i}, then
sigma[x]=∏(1+p_i+...+p_i^{e_i}). (use ll)
//
// Complexity: O(n) time, O(n) memory.
// Notes: Arrays are resized inside; primes is cleared
and reserved. sigma uses ll to avoid 32-bit overflow.

static inline void linear_sieve(
  int n,
  std::vector<int> &primes,
  std::vector<int> &lp,
  std::vector<int> &phi,
  std::vector<int> &mu,
  std::vector<int> &d,
  std::vector<ll>  &sigma
) {
  lp.assign(n + 1, 0); phi.assign(n + 1, 0); mu.assign(n
+ 1, 0); d.assign(n + 1, 0); sigma.assign(n + 1, 0);
  primes.clear(); primes.reserve(n > 1 ? n / 10 : 0);
  std::vector<int> cnt(n + 1, 0), core(n + 1, 1);
  std::vector<ll>  p_pow(n + 1, 1), sum_p(n + 1, 1);
  phi[1] = mu[1] = d[1] = sigma[1] = 1;

  for (int i = 2; i <= n; ++i) {
    if (!lp[i]) {
      lp[i] = i; primes.push_back(i);
      phi[i] = i - 1; mu[i] = -1; d[i] = 2;
      cnt[i] = 1; p_pow[i] = i; core[i] = 1;
      sum_p[i] = 1 + (ll)i; sigma[i] = sum_p[i];
    }
    for (int p : primes) {
      long long ip = 1LL * i * p;
      if (ip > n) break;
      lp[ip] = p;
      if (p == lp[i]) {
        cnt[ip] = cnt[i] + 1; p_pow[ip] = p_pow[i] * p;
core[ip] = core[i];
        sum_p[ip] = sum_p[i] + p_pow[ip];
        phi[ip] = phi[i] * p; mu[ip] = 0;
        d[ip] = d[core[ip]] * (cnt[ip] + 1);
```

```
        sigma[ip] = sigma[core[ip]] * sum_p[ip];
        break; // critical for linear complexity
      } else {
        cnt[ip] = 1; p_pow[ip] = p; core[ip] = i;
        sum_p[ip] = 1 + (ll)p;
        phi[ip] = phi[i] * (p - 1); mu[ip] = -mu[i];
        d[ip] = d[i] * 2;
        sigma[ip] = sigma[i] * sum_p[ip];
      }
    }
  }
}

// Optional helper: factorize x in O(log x) using lp (requires x in [2..n])
static inline std::vector<std::pair<int,int>> factorize(int x, const std::vector<int>& lp) {
  std::vector<std::pair<int,int>> res;
  while (x > 1) {
    int p = lp[x], e = 0;
    do { x /= p; ++e; } while (x % p == 0);
    res.push_back({p, e});
  }
  return res;
}
```

13 Numerical

13.1 Polynomials and recurrences

```
/* Author: David Rydh, Per Austrin
* Description: */
#pragma once
struct Poly {
  vector<double> a;
  double operator()(double x) const {
    double val = 0;
    for (int i = sz(a); i--;) (val *= x) += a[i];
    return val;
  }
  void diff() {
    rep(i,1,sz(a)) a[i-1] = i*a[i];
    a.pop_back();
  }
  void divroot(double x0) {
    double b = a.back(), c; a.back() = 0;
    for(int i=sz(a)-1; i--;) c = a[i], a[i] = a[i+1]*x0+b, b=c;
    a.pop_back();
  }
};
```

```
/* Author: Per Austrin (License: CC0)
* Description: Finds the real roots to a polynomial.
* Usage: polyRoots({{2,-3,1}},-1e9,1e9) // solve x^2-3x+2 = 0
* Time: O(n^2 \log(1/\epsilon)) */
#include "Polynomial.h"
vector<double> polyRoots(Poly p, double xmin, double xmax) {
  if (sz(p.a) == 2) { return {-p.a[0]/p.a[1]}; }
  vector<double> ret;
  Poly der = p;
  der.diff();
  auto dr = polyRoots(der, xmin, xmax);
  dr.push_back(xmin-1);
  dr.push_back(xmax+1);
  sort(all(dr));
  rep(i,0,sz(dr)-1) {
    double l = dr[i], h = dr[i+1];
    bool sign = p(l) > 0;
    if (sign ^ (p(h) > 0)) {
      rep(it,0,60) { // while (h - l > 1e-8)
        double m = (l + h) / 2, f = p(m);
        if ((f <= 0) ^ sign) l = m;
        else h = m;
      }
      ret.push_back((l + h) / 2);
    }
  }
  return ret;
}
```

```
/* Author: Simon Lindholm (License: CC0)
* Description: Given $n$ points (x[i], y[i]), computes an n-1-degree polynomial $p$ that
* passes through them: $p(x) = a[0]*x^0 + ... + a[n-1]*x^{n-1}$.
* For numerical precision, pick $x[k] = c*\cos(k/(n-1)*\pi), k=0 \dots n-1$.
* Time: O(n^2) */
#pragma once
typedef vector<double> vd;
vd interpolate(vd x, vd y, int n) {
  vd res(n), temp(n);
  rep(k,0,n-1) rep(i,k+1,n)
    y[i] = (y[i] - y[k]) / (x[i] - x[k]);
  double last = 0; temp[0] = 1;
  rep(k,0,n) rep(i,0,n) {
    res[i] += y[k] * temp[i];
    swap(last, temp[i]);
    temp[i] -= last * x[k];
  }
  return res;
}
```

```
/* Author: koukanni (License: CC0)
* Description: Lagrange interpolation for polynomial evaluation at integer points.
* Given polynomial values f[0], f[1], ..., f[n-1], computes f(c).
* Time: O(n)
* Status: tested */
Mint lagrange_iota(const vector<Mint> &f, const int c) {
  const int n = int(size(f));
  if (c < n) {
    return f[c];
  }
  vector<Mint> fac(n), ifac(n);
  fac[0] = 1;
  for (int i = 1; i < n; i++) fac[i] = fac[i - 1] * i;
  ifac[n - 1] = fac[n - 1].inv();
  for (int i = n - 1; i >= 1; i--) ifac[i - 1] = ifac[i] * i;
  vector<Mint> g(n);
  for (int i = 0; i < n; i++) {
    g[i] = f[i] * ifac[i] * ifac[n - 1 - i];
    if ((n - 1 - i) & 1) g[i] *= -1;
  }
  vector<Mint> lp(n + 1), rp(n + 1);
  lp[0] = rp[n] = 1;
  for (int i = 0; i < n; i++) lp[i + 1] = lp[i] * Mint(c - i);
  for (int i = n - 1; i >= 0; i--) rp[i] = rp[i + 1] * Mint(c - i);
  Mint ans = 0;
  for (int i = 0; i < n; i++) ans += g[i] * lp[i] * rp[i + 1];
  return ans;
}
```

```
/* Author: Lucian Bicsi (License: CC0)
* Description: Recovers any $n$-order linear recurrence relation from the first
* $2n$ terms of the recurrence.
* Useful for guessing linear recurrences after brute-forcing the first terms.
* Should work on any field, but numerical stability for floats is not guaranteed.
* Output will have size $\le n$.
* Usage: berlekampMassey({0, 1, 1, 3, 5, 11}) // {1, 2}
* Time: O(N^2), Status: bruteforce-tested mod 5 for n <= 5 and all s */
#include "../number-theory/ModPow.h"
vector<ll> berlekampMassey(vector<ll> s) {
  int n = sz(s), L = 0, m = 0;
  vector<ll> C(n), B(n), T;
  C[0] = B[0] = 1;
  ll b = 1;
  rep(i,0,n) { ++m;
    ll d = s[i] % mod;
    rep(j,1,L+1) d = (d + C[j] * s[i - j]) % mod;
    if (!d) continue;
    T = C; ll coef = d * modpow(b, mod-2) % mod;
    rep(j,m,n) C[j] = (C[j] - coef * B[j - m]) % mod;
    if (2 * L > i) continue;
    L = i + 1 - L; B = T; b = d; m = 0;
  }
  // assert(2 * L + 30 <= n);
  C.resize(L + 1); C.erase(C.begin());
  for (ll& x : C) x = (mod - x) % mod;
  return C;
}
```

```
/* Author: Lucian Bicsi (License: CC0)
* Description: Generates the $k$'th term of an $n$-order
* linear recurrence $S[i] = \sum_j S[i-j-1]tr[j]$,
* given $S[0 \ldots \ge n-1]$ and $tr[0 \ldots n-1]$.
* Faster than matrix multiplication.
* Useful together with Berlekamp--Massey.
* Usage: linearRec({0, 1}, {1, 1}, k) // k'th Fibonacci number
* Time: O(n^2 \log k)
* Status: bruteforce-tested mod 5 for n <= 5 */
```

```cpp
const ll mod = 5; /** exclude-line */
typedef vector<ll> Poly;
ll linearRec(Poly S, Poly tr, ll k) {
  int n = sz(tr);
  auto combine = [&](Poly a, Poly b) {
    Poly res(n * 2 + 1);
    rep(i,0,n+1) rep(j,0,n+1)
      res[i + j] = (res[i + j] + a[i] * b[j]) % mod;
    for (int i = 2 * n; i > n; --i) rep(j,0,n)
      res[i - 1 - j] = (res[i - 1 - j] + res[i] * tr[j]) %
mod;
    res.resize(n + 1);
    return res;
  };
  Poly pol(n + 1), e(pol);
  pol[0] = e[1] = 1;
  for (++k; k; k /= 2) {
    if (k % 2) pol = combine(pol, e);
    e = combine(e, e);
  }
  ll res = 0;
  rep(i,0,n) res = (res + pol[i + 1] * S[i]) % mod;
  return res;
}
```

13.2 Optimization

```cpp
/* Author: Ulf Lundstrom (License: CC0)
* Description: Finds the argument minimizing the function
$f$ in the interval $[a,b]$
* assuming $f$ is unimodal on the interval, i.e. has only
one local minimum and no local
* maximum. The maximum error in the result is $eps$. Works
equally well for maximization
* with a small change in the code. See TernarySearch.h in
the Various chapter for a
* discrete version.
* Usage: double func(double x) { return 4+x+.3*x*x; }
*        double xmin = gss(-1000,1000,func);
* Time: O(\log((b-a) / \epsilon)), Status: tested */
/// It is important for r to be precise, otherwise we don't
necessarily maintain the inequality a < x1 < x2 < b.
double gss(double a, double b, double (*f)(double)) {
  double r = (sqrt(5)-1)/2, eps = 1e-7;
  double x1 = b - r*(b-a), x2 = a + r*(b-a);
  double f1 = f(x1), f2 = f(x2);
  while (b-a > eps)
    if (f1 < f2) { //change to > to find maximum
      b = x2; x2 = x1; f2 = f1;
      x1 = b - r*(b-a); f1 = f(x1);
    } else {
      a = x1; x1 = x2; f1 = f2;
      x2 = a + r*(b-a); f2 = f(x2);
    }
  return a;
}
```

```cpp
/* Author: Simon Lindholm (License: CC0)
* Description: Poor man's optimization for unimodal
functions.
* Status: used with great success */
typedef array<double, 2> P;
template<class F> pair<double, P> hillClimb(P start, F f) {
  pair<double, P> cur(f(start), start);
  for (double jmp = 1e9; jmp > 1e-20; jmp /= 2) {
    rep(j,0,100) rep(dx,-1,2) rep(dy,-1,2) {
      P p = cur.second;
      p[0] += dx*jmp;
      p[1] += dy*jmp;
      cur = min(cur, make_pair(f(p), p));
    }
  }
  return cur;
}
```

```cpp
/* Author: Simon Lindholm (License: CC0)
* Description: Simple integration of a function over an
interval using
* Simpson's rule. The error should be proportional to $h^4$,
although in
* practice you will want to verify that the result is stable
to desired
* precision when epsilon changes.
* Status: mostly untested */
template<class F>
double quad(double a, double b, F f, const int n = 1000) {
  double h = (b - a) / 2 / n, v = f(a) + f(b);
  rep(i,1,n*2)
    v += f(a + i*h) * (i&1 ? 4 : 2);
  return v * h / 3;
}
```

```cpp
/* Author: Simon Lindholm (License: CC0)
* Description: Fast integration using an adaptive Simpson's
rule.
* Usage:
* double sphereVolume = quad(-1, 1, [](double x) {
* return quad(-1, 1, [\&](double y) {
* return quad(-1, 1, [\&](double z) {
* return x*x + y*y + z*z < 1; });});});
Status: mostly untested */
typedef double d;
#define S(a,b) (f(a) + 4*f((a+b) / 2) + f(b)) * (b-a) / 6
template <class F>
d rec(F& f, d a, d b, d eps, d S) {
  d c = (a + b) / 2;
  d S1 = S(a, c), S2 = S(c, b), T = S1 + S2;
  if (abs(T - S) <= 15 * eps || b - a < 1e-10)
    return T + (T - S) / 15;
  return rec(f, a, c, eps / 2, S1) + rec(f, c, b, eps / 2,
S2);
}
template<class F>
d quad(d a, d b, F f, d eps = 1e-8) {
  return rec(f, a, b, eps, S(a, b));
}
```

```cpp
/* Author: Stanford (License: MIT)
* Description: Solves a general linear maximization problem:
maximize $c^T x$ subject to $Ax \le b$, $x \ge 0$.
* Returns -inf if there is no solution, inf if there are
arbitrarily good solutions, or the maximum value of $c^T x$
otherwise.
* The input vector is set to an optimal $x$ (or in the
unbounded case, an arbitrary solution fulfilling the
constraints).
* Numerical stability is not guaranteed. For better
performance, define variables such that $x = 0$ is viable.
* Usage:
* vvd A = {{1,-1}, {-1,1}, {-1,-2}};
* vd b = {1,1,-4}, c = {-1,-1}, x;
* T val = LPSolver(A, b, c).solve(x);
* Time: O(NM * \#pivots), where a pivot may be e.g. an edge
relaxation. O(2^n) in the general case.
* Status: seems to work? */
typedef double T; // long double, Rational, double +
mod<P>...
typedef vector<T> vd;
typedef vector<vd> vvd;
const T eps = 1e-8, inf = 1/.0;
#define MP make_pair
#define ltj(X) if(s == -1 || MP(X[j],N[j]) < MP(X[s],N[s]))
s=j
struct LPSolver {
  int m, n;  vi N, B;  vvd D;
  LPSolver(const vvd& A, const vd& b, const vd& c) :
    m(sz(b)), n(sz(c)), N(n+1), B(m), D(m+2, vd(n+2)) {
      rep(i,0,m) rep(j,0,n) D[i][j] = A[i][j];
      rep(i,0,m) { B[i] = n+i; D[i][n] = -1; D[i][n+1] =
b[i];}
      rep(j,0,n) { N[j] = j; D[m][j] = -c[j]; }
      N[n] = -1; D[m+1][n] = 1;
    }
  void pivot(int r, int s) {
    T *a = D[r].data(), inv = 1 / a[s];
    rep(i,0,m+2) if (i != r && abs(D[i][s]) > eps) {
      T *b = D[i].data(), inv2 = b[s] * inv;
      rep(j,0,n+2) b[j] -= a[j] * inv2;
      b[s] = a[s] * inv2;
    }
    rep(j,0,n+2) if (j != s) D[r][j] *= inv;
    rep(i,0,m+2) if (i != r) D[i][s] *= -inv;
    D[r][s] = inv;
    swap(B[r], N[s]);
  }
  bool simplex(int phase) {
    int x = m + phase - 1;
    for (;;) {
      int s = -1;
      rep(j,0,n+1) if (N[j] != -phase) ltj(D[x]);
      if (D[x][s] >= -eps) return true;
      int r = -1;
      rep(i,0,m) {
        if (D[i][s] <= eps) continue;
        if (r == -1 || MP(D[i][n+1] / D[i][s], B[i])
                     < MP(D[r][n+1] / D[r][s], B[r])) r = i;
      }
      if (r == -1) return false;
      pivot(r, s);
    }
  }
  T solve(vd &x) {
    int r = 0;
```

```
    rep(i,1,m) if (D[i][n+1] < D[r][n+1]) r = i;
    if (D[r][n+1] < -eps) {
      pivot(r, n);
      if (!simplex(2) || D[m+1][n+1] < -eps) return -inf;
      rep(i,0,m) if (B[i] == -1) {
        int s = 0;
        rep(j,1,n+1) ltj(D[i]);
        pivot(i, s);
      }
    }
    bool ok = simplex(1); x = vd(n);
    rep(i,0,m) if (B[i] < n) x[B[i]] = D[i][n+1];
    return ok ? D[m][n+1] : inf;
  }
};
```

13.3 Matrices

```
/* Author: Simon Lindholm (License: CC0)
* Description: Calculates determinant of a matrix. Destroys the matrix.
* Time: $O(N^3)$, Status: somewhat tested */
double det(vector<vector<double>>& a) {
  int n = sz(a); double res = 1;
  rep(i,0,n) {
    int b = i;
    rep(j,i+1,n) if (fabs(a[j][i]) > fabs(a[b][i])) b = j;
    if (i != b) swap(a[i], a[b]), res *= -1;
    res *= a[i][i];
    if (res == 0) return 0;
    rep(j,i+1,n) {
      double v = a[j][i] / a[i][i];
      if (v != 0) rep(k,i+1,n) a[j][k] -= v * a[i][k];
    }
  }
  return res;
}
```

```
/* Author: Unknown
* Description: Calculates determinant using modular arithmetics.
* Modulos can also be removed to get a pure-integer version.
* Time: $O(N^3)$
* Status: bruteforce-tested for N <= 3, mod <= 7 */
const ll mod = 12345;
ll det(vector<vector<ll>>& a) {
  int n = sz(a); ll ans = 1;
  rep(i,0,n) {
    rep(j,i+1,n) {
      while (a[j][i] != 0) { // gcd step
        ll t = a[i][i] / a[j][i];
        if (t) rep(k,i,n)
          a[i][k] = (a[i][k] - a[j][k] * t) % mod;
        swap(a[i], a[j]);
        ans *= -1;
      }
    }
    ans = ans * a[i][i] % mod;
    if (!ans) return 0;
  }
  return (ans + mod) % mod;
}
```

```
/* Author: Per Austrin, Simon Lindholm (License: CC0)
* Description: Solves $A * x = b$. If there are multiple solutions, an arbitrary one is returned.
* Returns rank, or -1 if no solutions. Data in $A$ and $b$ is lost.
* Time: O(n^2 m)
* Status: tested on kattis:equationsolver, and bruteforce-tested mod 3 and 5 for n,m <= 3 */
typedef vector<double> vd;
const double eps = 1e-12;
int solveLinear(vector<vd>& A, vd& b, vd& x) {
  int n = sz(A), m = sz(x), rank = 0, br, bc;
  if (n) assert(sz(A[0]) == m);
  vi col(m); iota(all(col), 0);
  rep(i,0,n) {
    double v, bv = 0;
    rep(r,i,n) rep(c,i,m)
      if ((v = fabs(A[r][c])) > bv)
        br = r, bc = c, bv = v;
    if (bv <= eps) {
      rep(j,i,n) if (fabs(b[j]) > eps) return -1;
      break;
    }
    swap(A[i], A[br]);
    swap(b[i], b[br]);
    swap(col[i], col[bc]);
    rep(j,0,n) swap(A[j][i], A[j][bc]);
    bv = 1/A[i][i];
    rep(j,i+1,n) {
      double fac = A[j][i] * bv;
      b[j] -= fac * b[i];
      rep(k,i+1,m) A[j][k] -= fac*A[i][k];
    }
    rank++;
  }
  x.assign(m, 0);
  for (int i = rank; i--;) {
    b[i] /= A[i][i];
    x[col[i]] = b[i];
    rep(j,0,i) b[j] -= A[j][i] * b[i];
  }
  return rank; // (multiple solutions if rank < m)
}
```

```
/* Author: Simon Lindholm (License: CC0)
* Description: To get all uniquely determined values of $x$ back from SolveLinear, make the following changes:
* Status: tested on kattis:equationsolverplus, stress-tested */
#include "SolveLinear.h"
rep(j,0,n) if (j != i) // instead of rep(j,i+1,n)
// ... then at the end:
x.assign(m, undefined);
rep(i,0,rank) {
  rep(j,rank,m) if (fabs(A[i][j]) > eps) goto fail;
  x[col[i]] = b[i] / A[i][i];
fail:; }
```

```
/* Author: Simon Lindholm (License: CC0)
* Description: Solves $Ax = b$ over $\mathbb F_2$. If there are multiple solutions, one is returned arbitrarily.
* Returns rank, or -1 if no solutions. Destroys $A$ and $b$.
* Time: O(n^2 m)
* Status: bruteforce-tested for n, m <= 4 */
typedef bitset<1000> bs;
int solveLinear(vector<bs>& A, vi& b, bs& x, int m) {
  int n = sz(A), rank = 0, br;
  assert(m <= sz(x));
  vi col(m); iota(all(col), 0);
  rep(i,0,n) {
    for (br=i; br<n; ++br) if (A[br].any()) break;
    if (br == n) {
      rep(j,i,n) if(b[j]) return -1;
      break;
    }
    int bc = (int)A[br]._Find_next(i-1);
    swap(A[i], A[br]);
    swap(b[i], b[br]);
    swap(col[i], col[bc]);
    rep(j,0,n) if (A[j][i] != A[j][bc]) {
      A[j].flip(i); A[j].flip(bc);
    }
    rep(j,i+1,n) if (A[j][i]) {
      b[j] ^= b[i];
      A[j] ^= A[i];
    }
    rank++;
  }
  x = bs();
  for (int i = rank; i--;) {
    if (!b[i]) continue;
    x[col[i]] = 1;
    rep(j,0,i) b[j] ^= A[j][i];
  }
  return rank; // (multiple solutions if rank < m)
}
```

```
/* Author: Max Bennedich
* Description: Invert matrix $A$. Returns rank; result is stored in $A$ unless singular (rank < n).
* Can easily be extended to prime moduli; for prime powers, repeatedly
* set $A^{-1} = A^{-1} (2I - AA^{-1})\  (\text{mod }p^k)$ where $A^{-1}$ starts as
* the inverse of A mod p, and k is doubled in each step.
* Time: O(n^3)
* Status: Slightly tested */
int matInv(vector<vector<double>>& A) {
  int n = sz(A); vi col(n);
  vector<vector<double>> tmp(n, vector<double>(n));
  rep(i,0,n) tmp[i][i] = 1, col[i] = i;
  rep(i,0,n) {
    int r = i, c = i;
    rep(j,i,n) rep(k,i,n)
      if (fabs(A[j][k]) > fabs(A[r][c]))
        r = j, c = k;
    if (fabs(A[r][c]) < 1e-12) return i;
    A[i].swap(A[r]); tmp[i].swap(tmp[r]);
```

```
    rep(j,0,n)
      swap(A[j][i], A[j][c]), swap(tmp[j][i], tmp[j][c]);
    swap(col[i], col[c]);
    double v = A[i][i];
    rep(j,i+1,n) {
      double f = A[j][i] / v;
      A[j][i] = 0;
      rep(k,i+1,n) A[j][k] -= f*A[i][k];
      rep(k,0,n) tmp[j][k] -= f*tmp[i][k];
    }
    rep(j,i+1,n) A[i][j] /= v;
    rep(j,0,n) tmp[i][j] /= v;
    A[i][i] = 1;
  }
  /// forget A at this point, just eliminate tmp backward
  for (int i = n-1; i > 0; --i) rep(j,0,i) {
    double v = A[j][i];
    rep(k,0,n) tmp[j][k] -= v*tmp[i][k];
  }
  rep(i,0,n) rep(j,0,n) A[col[i]][col[j]] = tmp[i][j];
  return n;
}
```

```
/* Author: Simon Lindholm
* Description: Invert matrix $A$ modulo a prime.
* Returns rank; result is stored in $A$ unless singular
 (rank < n).
* For prime powers, repeatedly set $A^{-1} = A^{-1} (2I -
 AA^{-1})\  (\text{mod }p^k)$ where $A^{-1}$ starts as
* the inverse of A mod p, and k is doubled in each step.
* Time: O(n^3)
* Status: Slightly tested */
#include "../number-theory/ModPow.h"
int matInv(vector<vector<ll>>& A) {
  int n = sz(A); vi col(n);
  vector<vector<ll>> tmp(n, vector<ll>(n));
  rep(i,0,n) tmp[i][i] = 1, col[i] = i;
  rep(i,0,n) {
    int r = i, c = i;
    rep(j,i,n) rep(k,i,n) if (A[j][k]) {
      r = j; c = k; goto found;
    }
    return i;
found:
    A[i].swap(A[r]); tmp[i].swap(tmp[r]);
    rep(j,0,n)
      swap(A[j][i], A[j][c]), swap(tmp[j][i], tmp[j][c]);
    swap(col[i], col[c]);
    ll v = modpow(A[i][i], mod - 2);
    rep(j,i+1,n) {
      ll f = A[j][i] * v % mod;
      A[j][i] = 0;
      rep(k,i+1,n) A[j][k] = (A[j][k] - f*A[i][k]) % mod;
      rep(k,0,n) tmp[j][k] = (tmp[j][k] - f*tmp[i][k]) %
mod;
    }
    rep(j,i+1,n) A[i][j] = A[i][j] * v % mod;
    rep(j,0,n) tmp[i][j] = tmp[i][j] * v % mod;
    A[i][i] = 1;
  }
  for (int i = n-1; i > 0; --i) rep(j,0,i) {
    ll v = A[j][i];
    rep(k,0,n) tmp[j][k] = (tmp[j][k] - v*tmp[i][k]) % mod;
  }
  rep(i,0,n) rep(j,0,n)
    A[col[i]][col[j]] = tmp[i][j] % mod + (tmp[i][j] <
0)*mod;
  return n;
}
```

```
/** Author: Ulf Lundstrom, Simon Lindholm (License: CC0)
 * Description: Solves the tridiagonal matrix equation
 system:
 *   [ b_0 ]   [ d_0  p_0   0    0   ...   0   ] [ x_0 ]
 *   [ b_1 ]   [ q_0  d_1  p_1   0   ...   0   ] [ x_1 ]
 *   [ b_2 ] = [  0   q_1  d_2  p_2  ...   0   ] [ x_2 ]
 *   [ ... ]   [ ...  ...  ...  ...  ...  ...  ] [ ... ]
 *   [b_n-1]   [  0    0   ...   0  q_n-2 d_n-1] [x_n-1]
 * Application:
 *   Solves linear recurrence systems of the form:
 *     a_i = b_i * a_{i-1} + c_i * a_{i+1} + d_i  (1 <= i <=
n)
 *   where a_0, a_{n+1}, b_i, c_i, and d_i are given.
 *   The solution vector a can be obtained via:
 *     d = {  1, -1,  -1, ...,  -1,     1 }
 *     p = {  0, c_1, c_2, ..., c_n       }
 *     q = { b_1, b_2, ..., b_n, 0        }
 *     b = { a_0, d_1, d_2, ..., d_n, a_n+1 }
 * Numerical Stability:
 *   - Fails if the solution is not unique.
 *   - Numerically stable without pivot checks if:
 *     1) Strictly diagonally dominant:
 *        |d_i| > |p_i| + |q_{i-1}| for all i, OR
 *        |d_i| > |p_{i-1}| + |q_i| for all i
 *     2) The matrix is symmetric positive-definite.
 * Complexity: O(N) time, O(N) space. Status: Brute-force
 tested mod 5 and 7, stress-tested for real matrices. */
typedef double T;
vector<T> tridiagonal(vector<T> diag, const vector<T>&
super,
    const vector<T>& sub, vector<T> b) {
  int n = sz(b); vi tr(n);
  rep(i,0,n-1) {
    if (abs(diag[i]) < 1e-9 * abs(super[i])) { // diag[i] ==
0
      b[i+1] -= b[i] * diag[i+1] / super[i];
      if (i+2 < n) b[i+2] -= b[i] * sub[i+1] / super[i];
      diag[i+1] = sub[i]; tr[++i] = 1;
    } else {
      diag[i+1] -= super[i]*sub[i]/diag[i];
      b[i+1] -= b[i]*sub[i]/diag[i];
    }
  }
  for (int i = n; i--;) {
    if (tr[i]) {
      swap(b[i], b[i-1]);
      diag[i-1] = diag[i];
      b[i] /= super[i-1];
    } else {
      b[i] /= diag[i];
      if (i) b[i-1] -= b[i]*super[i-1];
    }
  }
  return b;
}
```

13.4 Fourier transforms

```
/**
 * Author: chilli, Ludo Pulles, Simon Lindholm (License:
 CC0)
 * Description: Higher precision FFT, can be used for
 convolutions modulo arbitrary integers
 * as long as N\log_2N * mod < 8.6e14 (in practice 10^16 or
 higher).
 * Inputs must be in [0, mod).
 * Time: O(N \log N), where N = |A| + |B| (twice as slow as
 NTT or normal FFT), Status: stress-tested */

typedef complex<double> C;
typedef vector<ll> vl;
void fft(vector<C>& a) {
  int n = sz(a), L = 31 - __builtin_clz(n);
  static vector<complex<long double>> R(2, 1);
  static vector<C> rt(2, 1);
  for (static int k = 2; k < n; k *= 2) {
    R.resize(n); rt.resize(n);
    auto x = polar(1.0L, acos(-1.0L) / k);
    rep(i, k, 2 * k) rt[i] = R[i] = i & 1 ? R[i / 2] * x :
R[i / 2];
  }
  vi rev(n);
  rep(i, 0, n) rev[i] = (rev[i / 2] | (i & 1) << L) / 2;
  rep(i, 0, n) if (i < rev[i]) swap(a[i], a[rev[i]]);
  for (int k = 1; k < n; k *= 2)
    for (int i = 0; i < n; i += 2 * k) rep(j, 0, k) {
      auto x = (double *)&rt[j + k], y = (double *)&a[i + j
+ k];
      C z(x[0] * y[0] - x[1] * y[1], x[0] * y[1] + x[1] *
y[0]);
      a[i + j + k] = a[i + j] - z;
      a[i + j] += z;
    }
}
template<int M> vl convMod(const vl &a, const vl &b) {
  if (a.empty() || b.empty()) return {};
  vl res(sz(a) + sz(b) - 1);
  int B = 32 - __builtin_clz(sz(res)), n = 1 << B, cut =
int(sqrt(M));
  vector<C> L(n), R(n), outs(n), outl(n);
  rep(i, 0, sz(a)) L[i] = C((int)a[i] / cut, (int)a[i] %
cut);
  rep(i, 0, sz(b)) R[i] = C((int)b[i] / cut, (int)b[i] %
cut);
  fft(L), fft(R);
  rep(i, 0, n) {
    int j = -i & (n - 1);
    outl[j] = (L[i] + conj(L[j])) * R[i] / (2.0 * n);
    outs[j] = (L[i] - conj(L[j])) * R[i] / (2.0 * n) / 1i;
  }
  fft(outl), fft(outs);
```

```
  rep(i, 0, sz(res)) {
    ll av = ll(real(outl[i]) + .5), cv = ll(imag(outs[i])
+ .5);
    ll bv = ll(imag(outl[i]) + .5) + ll(real(outs[i]) + .5);
    res[i] = ((av % M * cut + bv) % M * cut + cv) % M;
  }
  return res;
}
```

```
/* Author: Lucian Bicsi (License: GNU Free Documentation
License 1.2)
* Description: Transform to a basis with fast convolutions
of the form
 *   c[z] = \sum_{z = x \oplus y} a[x] * b[y]
 * where \oplus is one of AND, OR, XOR.
 * The size of $a$ must be a power of 2.
* Time: O(N \log N), Status: stress-tested */
void FST(vi& a, bool inv) {
  for (int n = sz(a), step = 1; step < n; step *= 2) {
    for (int i = 0; i < n; i += 2 * step) rep(j,i,i+step) {
      int &u = a[j], &v = a[j + step]; tie(u, v) =
        inv ? pii(v - u, u) : pii(v, u + v); // AND
        // inv ? pii(v, u - v) : pii(u + v, u); // OR /// 
include-line
        // pii(u + v, u - v);                   // XOR /// 
include-line
    }
  }
  // if (inv) for (int& x : a) x /= sz(a); // XOR only /// 
include-line
}
vi conv(vi a, vi b) {
  FST(a, 0); FST(b, 0);
  rep(i,0,sz(a)) a[i] *= b[i];
  FST(a, 1); return a;
}
```

14 Combinatorics

14.1 Catalan Number

$$C_0 = 1, C_n = \sum_{i=0}^{n-1} C_i C_{n-1-i}, C_n = C_n^{2n} - C_{n-1}^{2n}$$

0	1	1	2	5
4	14	42	132	429
8	1430	4862	16796	58786
12	208012	742900	2674440	9694845

14.2 Bertrand's Ballot Theorem

- A always $> B$: $C(p+q,p) - 2C(p+q-1,p)$
- A always $>= B$: $C(p+q,p) \times \frac{p+1-q}{p+1}$

14.3 Burnside's Lemma

Let X be the original set.
Let G be the group of operations acting on X.
Let X^g be the set of x not affected by g.
Let X/G be the set of orbits. Then the following equation holds:

$$|X/G| = \frac{1}{|G|} \sum_{g \in G} |X^g|$$

15 Special Numbers

15.1 Fibonacci Series

1	1	1	2	3
5	5	8	13	21
9	34	55	89	144
13	233	377	610	987
17	1597	2584	4181	6765
21	10946	17711	28657	46368
25	75025	121393	196418	317811
29	514229	832040	1346269	2178309
33	3524578	5702887	9227465	14930352

$f(45) \approx 10^9, f(88) \approx 10^{18}$

15.2 Prime Numbers

- $\pi(n) \equiv$ Number of primes $\leq n \approx \frac{n}{(\ln n)-1}$
  $\pi(100) = 25, \pi(200) = 46$
  $\pi(500) = 95, \pi(1000) = 168$
  $\pi(2000) = 303, \pi(4000) = 550$
  $\pi(10^4) = 1229, \pi(10^5) = 9592$
  $\pi(10^6) = 78498, \pi(10^7) = 664579$

15.3 Number of Divisors

- If $n = \prod p_i^{a_i}$, then $\tau(n) = \prod (a_i + 1)$
- Maximum $\tau(n)$ for $n \leq 10^k$:

k	$\max \tau(n)$	k	$\max \tau(n)$	k	$\max \tau(n)$
3	32	9	1344	15	26880
4	64	10	2304	16	41472
5	128	11	4032	17	64512
6	240	12	6720	18	103680
7	448	13	10752		
8	768	14	17280		

- Useful bounds: $n \leq 10^6 \Rightarrow \tau(n) \leq 240$
  $n \leq 10^9 \Rightarrow \tau(n) \leq 1344$
  $n \leq 10^{12} \Rightarrow \tau(n) \leq 6720$
  $n \leq 10^{15} \Rightarrow \tau(n) \leq 26880$
  $n \leq 10^{18} \Rightarrow \tau(n) \leq 103680$

15.4 Distinct Prime Factors

- Let $\omega(n) =$ number of distinct prime factors.
- Minimum number with k distinct prime factors is the product of the first k primes.
  - $2 \cdot 3 \cdot 5 \cdot 7 \cdot 11 \cdot 13 \cdot 17 \cdot 19 = 9699690$
  - $2 \cdot 3 \cdot \ldots \cdot 23 = 223092870$
  - $2 \cdot 3 \cdot \ldots \cdot 29 = 6469693230$
  - $n \leq 10^9 \Rightarrow \omega(n) \leq 9$, $n \leq 10^{18} \Rightarrow \omega(n) \leq 15$
- Number of square-free divisors $= 2^{\omega(n)}$
  - $n \leq 10^9 \Rightarrow \leq 512$, $n \leq 10^{18} \Rightarrow \leq 32768$