1 Reminder

1.1 Observations and Tricks

- Contribution Technique
- /Spanning Tree/DFS Tree
-
-
- s, t $t = f(s)$ s t $f(t)$
-
- Permutation Normalization permutation
- $a_1 \sim a_n$ $a_n \sim a_1$
-
- mex $= k$ $0 \sim k-1$ $U -$ $= k$

1.2 Bug List

- long long
-
-
- 0-base / 1-base
-
- == =
- <= <+
- dp[i] dp[i-1] i > 0
- std::sort < = true
- case
- 0
- DFS
-
- unsigned int128
- return
- cerr
- vector vector array

2 Init (Linux)

2.1 vimrc

```
syn on
set nu rnu cul mouse=a cin et ts=2 sw=2 sts=2 autochdir
cb=unnamedplus
no ; :
ino {<CR> {<CR>}<Esc>ko
ca Hash w !cpp -dD -P \| tr -d '[:space:]' \| md5sum \| cut
-c-6
```

```
" Gino's .vimrc "
"no <C-h> ^  |  <C-l> $  |  h b  |  l e  |  b l  |  e h
```

2.2 bashrc

```
gogo() {
  g++ -std=c++20 -O2 "$1" && echo run && ./a.out
}
alias vig='vim -u ~/.vimrc-gino'
```

3 Basic

3.1 Template (Using Codebook)

```cpp
// CRyptoGRapheR
#define SZ(c) ((int)(c).size())
// kactl
#define sz(x) (int)(x).size()
#define rep(i,a,b) for(int i=(a);i<(b);i++)
using ll = long long;
using vi = vector<int>;
using pii = pair<int, int>;
// ckiseki
#define all(x) begin(x), end(x)
#define pb emplace_back
#define REP(i, l, r) for (int i=(l); i<=(r); ++i)
const ll LINF = 1e18;
template<class A, class B> bool chmin(A& a, B& b) {
  return b < a ? a = b, 1 : 0;
}
```

3.2 PBDS, Random

```cpp
#include <bits/extc++.h>
using namespace __gnu_pbds;
// map
tree<int, int, less<>, rb_tree_tag,
tree_order_statistics_node_update> tr;
tr.order_of_key(element);
tr.find_by_order(rank);
// set
tree<int, null_type, less<>, rb_tree_tag,
tree_order_statistics_node_update> tr;
tr.order_of_key(element);
tr.find_by_order(rank);
// priority queue
__gnu_pbds::priority_queue<int, less<int>> big_q;
__gnu_pbds::priority_queue<int, greater<int>> small_q;
q1.join(q2);  // join

mt19937
gen(chrono::steady_clock::now().time_since_epoch().count());
uniform_int_distribution<int>(a, b)(rng) // [a, b]
uniform_real_distribution<double>(a, b)(rng)  // (a, b)
shuffle(v.begin(), v.end(), gen);
```

3.3 Debug

```cpp
#define debug(...) cerr << "\x1b[33m" #__VA_ARGS__ ":
\x1b[0m", \
    [](auto&&... a){ ((cerr << a << ' '), ...); }
(__VA_ARGS__), cerr << '\n'
#define output(...) \
    [](auto&&... a){ ((cout << a << ' '), ...); }
(__VA_ARGS__), cout << '\n'
int v = 42;
format("{:b}", v);   // "101010"
format("{:#b}", v);  // "0b101010"
format("{:#x}", v);  // "0x2a"
format("{:#X}", v);  // "0X2A"
int x = 7;
format("{:05d}", x);     // "00007"
format("{:>5}", x);      // "    7"
format("{:<5}", x);      // "7    "
format("{:^5}", x);      // "  7  "
format("{:*^5}", x);     // "**7**"
double pi = 3.1415926535;
format("{:.2f}", pi);    // "3.14"
```

3.4 SVG Writer

```cpp
// Author: ckiseki
class SVG {
  void p(string_view s) { o << s; }
  void p(string_view s, auto v, auto... vs) {
    auto i = s.find('$');
    o << s.substr(0, i) << v, p(s.substr(i + 1), vs...);
  }
  ofstream o; string c = "red";
public:
  SVG(auto f,auto x1,auto y1,auto x2,auto y2) : o(f) {
    p("<svg xmlns='http://www.w3.org/2000/svg' "
      "viewBox='$ $ $ $'>\n"
      "<style>*{stroke-width:0.5%;}</style>\n",
      x1, -y2, x2 - x1, y2 - y1); }
  ~SVG() { p("</svg>\n"); }
  void color(string nc) { c = nc; }
  void line(auto x1, auto y1, auto x2, auto y2) {
    p("<line x1='$' y1='$' x2='$' y2='$' stroke='$'/>\n",
      x1, -y1, x2, -y2, c); }
  void circle(auto x, auto y, auto r) {
    p("<circle cx='$' cy='$' r='$' stroke='$' "
      "fill='none'/>\n", x, -y, r, c); }
  void text(auto x, auto y, string s, int w = 12) {
    p("<text x='$' y='$' font-size='$px'>$</text>\n",
      x, -y, w, s); }
};
```

```cpp
SVG svg("out.svg", -200, -200, 200, 200);
svg.color("lightgray");  // ↓ drawing x-y plane
svg.line(-200, 0, 200, 0); svg.line(0, -200, 0, 200);
svg.color("blue"); svg.line(10, 10, 80, 80);
svg.color("red"); svg.circle(50, 50, 1);
```

3.5 Python

```python
import sys
input = sys.stdin.readline
readStr  = lambda: input().rstrip('\r\n')
readInt  = lambda: int(input())
readInts = lambda: list(map(int, input().split()))

from decimal import *
getcontext().prec = 50  # precision
x = Decimal(str(x))
y = Decimal("6.7")
x *= y
print(x.quantize(Decimal("0.000001"),
rounding=ROUND_HALF_EVEN))
# ROUND_CEILING  : To INF           (2.9 -> 3, -2.1 -> -2)
# ROUND_FLOOR    : To -INF          (2.1 -> 2, -2.9 -> -3)
# ROUND_HALF_EVEN: To nearest even  (2.5 -> 2,  3.5 -> 4)
# ROUND_HALF_UP  : Half away from 0 (2.5 -> 3, -2.5 -> -3)
# ROUND_HALF_DOWN: Half towards 0   (2.5 -> 2, -2.5 -> -2)
# ROUND_UP       : Away from 0      (2.1 -> 3, -2.1 -> -3)
# ROUND_DOWN     : Truncate to 0    (2.9 -> 2, -2.9 -> -2)
# <Default>: ROUND_HALF_EVEN
# <Standard School Math>: ROUND_HALF_UP
```

3.6 Stress Tests

```python
from random import *
n = randint(1, 10)
arr = list(randint(1, 20) for i in range(n))
print(*arr)
# permutation / non-repetitive sequence
perm = sample(range(1, n + 1), n)
arr = sample(range(1, 10000 + 1), n)
# string
from string import *
s = "".join(choices(ascii_lowercase, k=n))
t = "".join(choices(ascii_lowercase[:3], k=n))  # (a|b|c)*
u = "".join(choices(ascii_lowercase + ascii_uppercase +
digits, k=n))
# palindrome
half = "".join(choices(ascii_lowercase, k=(n + 1) // 2))
palindrome = half + (half[-2::-1] if n % 2 else half[::-1])
# ================== tree ==================
n = 30
## shallow tree
edges = [(randint(1, u - 1), u) for u in range(2, n + 1)]
## deep tree
## (suggested k: 2 ~ 5 or int(sqrt(n)) or 2n/D (D is
expected depth))
from math import *
k = int(sqrt(n))
edges = [(randint(max(1, u-k), u-1), u) for u in range(2, n
+ 1)]
for e in edges:
    print(*e)

edges = [(1, i) for i in range(2, n + 1)]  ## star
edges = [(i, i + 1) for i in range(1, n)]  ## chain
edges = [(i // 2, i) for i in range(2, n + 1)]  ## complete
binary tree
# ================== graph ==================
## not necessarily connected, no multi-edge or self-loop
n = 10
density = 0.3  # graph density (0.0 ~ 1.0)
edges = [(i, j) for i in range(1, n+1) for j in range(i+1,
n+1) if random() < density]
## connected, no multi-edge or self-loop
n, extra_edges = 10, 5
edges = set()
#### ... generate spanning tree with codes above
while len(edges) < n - 1 + extra_edges:
    u, v = randint(1, n), randint(1, n)
    if u != v:
        edges.add((min(u, v), max(u, v)))
edges = list(edges)
## DAG
perm = sample(range(1, n + 1), n)
edges = []
for _ in range(m):
    i, j = sorted(sample(range(n), 2))
    edges.append((perm[i], perm[j]))
## Bipartite Graph
```

```
n1, n2 = 6, 7
left, right = list(range(1, n1+1)), list(range(n1+1, n1+n2+1))
edges = [(choice(left), choice(right)) for _ in range(m)]
```

```
g++ -std=c++20 -o buggy $1
g++ -std=c++20 -o ac ac.cpp
for i in {1..100}; do
  echo "TEST $i"
  python3 gen.py > in
  ./ac < in > oa
  ./buggy < in > ob
  if ! diff -q oa ob; then
    cat in <(echo "=== AC") oa <(echo "=== WA") ob
    break
  fi
done
```

4 Data Structure

4.1 CDQ

```
// preparation
// 1. write a 1-base BIT
// 2. init(n, mxc): n is number of elements, mxc = □□
// 3. build info array CDQ.v by yourself (x, y, z, id)
// 4. call solve()
// => cdq.ans[i] is number of j s.t. (xj <= xi, yj <= yi, zj <= zi) (j != i)
struct CDQ {
    struct info {
        int x, y, z, id;
        info(int x, int y, int z, int id):
            x(x), y(y), z(z), id(id) {}
        info():
            x(0), y(0), z(0), id(0) {}
    };
    int n, mxc;
    BIT bit;
    vector<info> v;
    vector<ll> ans;
    void init(int _n, int _mxc) {
        n = _n; mxc = _mxc;
        v.assign(n, info{});
        ans.assign(n, 0);
    }
    void dfs(int l, int r) {
        if (l >= r) return;
        int mid = (l+r) >> 1;
        dfs(l, mid); dfs(mid+1, r);

        vector<info> tmp;
        vector<int> bit_op;
        int pl = l, pr = mid+1;

        while (pl <= mid && pr <= r) {
            if (v[pl].y <= v[pr].y) {
                tmp.emplace_back(v[pl]);
                bit.upd(v[pl].z, 1);
                bit_op.emplace_back(v[pl].z);
                pl++;
            }
            else {
                tmp.emplace_back(v[pr]);
                ans[v[pr].id] += bit.qry(v[pr].z);
                pr++;
            }
        }
        while (pl <= mid) {
            tmp.emplace_back(v[pl]);
            pl++;
        }
        while (pr <= r) {
            tmp.emplace_back(v[pr]);
            ans[v[pr].id] += bit.qry(v[pr].z);
            pr++;
        }
        for (int i = l, j = 0; i <= r; i++, j++) v[i] = tmp[j];
        for (auto& op : bit_op) bit.upd(op, -1);
    }
    void solve() {
        bit.init(mxc);
        sort(v.begin(), v.end(), [&](const info& a, const info& b){
            return (a.x == b.x ? (a.y == b.y ? (a.z == b.z ? a.id < b.id : a.z < b.z) : a.y < b.y) : a.x < b.x);
        });
        dfs(0, n-1);
        map<pair<int, pii>, int> s;
        sort(v.begin(), v.end(), [&](const info& a, const info& b){
            return a.id > b.id;
        });
        for (int i = 0, id = n-1; i < n; i++, id--) {
            pair<int, pii> tmp = make_pair(v[i].x, make_pair(v[i].y, v[i].z));
            auto it = s.find(tmp);
            if (it != s.end())
                ans[id] += it->second;
            s[tmp]++;
        }
    }
};
```

4.2 Mo's Algorithm

```
// segments are 0-based
ll cur = 0;  // current answer
int pl = 0, pr = -1;
for (auto& qi : Q) {
    // get (l, r, qid) from qi
    while (pl < l) del(pl++);
    while (pl > l) add(--pl);
    while (pr < r) add(++pr);
    while (pr > r) del(pr--);
    ans[qid] = cur;
}
```

4.3 Heavy Light Decomposition

```
// Author: Ian
void build(V<int>&v);
void modify(int p, int k);
int query(int ql, int qr);
// Insert [ql, qr) segment tree here
inline void solve(){
  int n, q; cin >> n >> q;
  V<int> v(n);
  for (auto& i: v) cin >> i;
  V<V<int>> e(n);
  for(int i = 1; i < n; i++){
    int a, b; cin >> a >> b, a--, b--;
    e[a].emplace_back(b);
    e[b].emplace_back(a);
  }
  V<int> d(n, 0), f(n, 0), sz(n, 1), son(n, -1);
  F<void(int, int)> dfs1 = [&](int x, int pre) {
    for (auto i: e[x]) if (i != pre) {
      d[i] = d[x]+1, f[i] = x;
      dfs1(i, x), sz[x] += sz[i];
      if (son[x] == -1 || sz[son[x]] < sz[i])
        son[x] = i;
    }
  }; dfs1(0,0);
  V<int> top(n, 0), dfn(n, -1);
  F<void(int,int)> dfs2 = [&](int x, int t) {
    static int cnt = 0;
    dfn[x] = cnt++, top[x] = t;
    if (son[x] == -1) return;
    dfs2(son[x], t);
    for (auto i: e[x]) if (!~dfn[i])
      dfs2(i,i);
  }; dfs2(0,0);
  V<int> dfnv(n);
  for (int i = 0; i < n; i++)
    dfnv[dfn[i]] = v[i];
  build(dfnv);
  while(q--){
    int op, a, b, ans; cin >> op >> a >> b;
    switch(op){
      case 1:
        modify(dfn[a-1], b);
        break;
      case 2:
        a--, b--, ans = 0;
        while (top[a] != top[b]) {
          if (d[top[a]] > d[top[b]]) swap(a,b);
          ans = max(ans, query(dfn[top[b]], dfn[b]+1));
          b = f[top[b]];
        }
        if (dfn[a] > dfn[b]) swap(a,b);
        ans = max(ans, query(dfn[a], dfn[b]+1));
        cout << ans << endl;
        break;
    }
  }
}
```

4.4 Leftist Heap

```
// Author: Ian
// Function: min-heap, with worst-time O(lg n) merge
struct node {
  node *l, *r; int d, v;
```

```
  node(int x): d(1), v(x) { l = r = nullptr; }
};
static inline int d(node* x) { return x ? x->d : 0; }
node* merge(node* a, node* b) {
  if (!a || !b) return a ?: b;
  if (a->v>b->v) swap(a,b);
  a->r = merge(a->r, b);
  if (d(a->l) < d(a->r))
    swap(a->l, a->r);
  a->d = d(a->r) + 1;
  return a;
}
```

4.5 Persistent Treap

```
// Author: Ian
struct node {
  node *l, *r;
  char c; int v, sz;
  node(char x = '$'): c(x), v(mt()), sz(1) {
    l = r = nullptr;
  }
  node(node* p) {*this = *p;}
  void pull() {
    sz = 1;
    for (auto i : {l, r})
      if (i) sz += i->sz;
  }
} arr[maxn], *ptr = arr;
inline int size(node* p) {return p ? p->sz : 0;}
node* merge(node* a, node* b) {
  if (!a || !b) return a ? : b;
  if (a->v < b->v) {
    node* ret = new(ptr++) node(a);
    ret->r = merge(ret->r, b), ret->pull();
    return ret;
  }
  else {
    node* ret = new(ptr++) node(b);
    ret->l = merge(a, ret->l), ret->pull();
    return ret;
  }
}
P<node*> split(node* p, int k) {
  if (!p) return {nullptr, nullptr};
  if (k >= size(p->l) + 1) {
    auto [a, b] = split(p->r, k - size(p->l) - 1);
    node* ret = new(ptr++) node(p);
    ret->r = a, ret->pull();
    return {ret, b};
  }
  else {
    auto [a, b] = split(p->l, k);
    node* ret = new(ptr++) node(p);
    ret->l = b, ret->pull();
    return {a, ret};
  }
}
```

4.6 Li Chao Tree

```
// Author: Ian
// Function: For a set of lines L, find the maximum L_i(x)
in L in O(lg n).
typedef long double ld;
constexpr int maxn = 5e4 + 5;
struct line {
  ld a, b;
  ld operator()(ld x) {return a * x + b;}
} arr[(maxn + 1) << 2];
bool operator<(line a, line b) {return a.a < b.a;}
#define m ((l+r)>>1)
void insert(line x, int i = 1, int l = 0, int r = maxn) {
  if (r - l == 1) {
    if (x(l) > arr[i](l))
      arr[i] = x;
    return;
  }
  line a = max(arr[i], x), b = min(arr[i], x);
  if (a(m) > b(m))
    arr[i] = a, insert(b, i << 1, l, m);
  else
    arr[i] = b, insert(a, i << 1 | 1, m, r);
}
ld query(int x, int i = 1, int l = 0, int r = maxn) {
  if (x < l || r <= x) return -numeric_limits<ld>::max();
  if (r - l == 1) return arr[i](x);
  return max({arr[i](x), query(x, i << 1, l, m), query(x, i
<< 1 | 1, m, r)});
}
#undef m
```

4.7 Time Segment Tree

```
// Author: Ian
constexpr int maxn = 1e5 + 5;
V<P<int>> arr[(maxn + 1) << 2];
V<int> dsu, sz;
V<tuple<int, int, int>> his;
int cnt, q;
int find(int x) {
    return x == dsu[x] ? x : find(dsu[x]);
};
inline bool merge(int x, int y) {
    int a = find(x), b = find(y);
    if (a == b) return false;
    if (sz[a] > sz[b]) swap(a, b);
    his.emplace_back(a, b, sz[b]), dsu[a] = b, sz[b] +=
sz[a];
    return true;
};
inline void undo() {
    auto [a, b, s] = his.back(); his.pop_back();
    dsu[a] = a, sz[b] = s;
}
#define m ((l + r) >> 1)
void insert(int ql, int qr, P<int> x, int i = 1, int l = 0,
int r = q) {
    // debug(ql, qr, x); return;
    if (qr <= l || r <= ql) return;
    if (ql <= l && r <= qr) {arr[i].push_back(x); return;}
    if (qr <= m)
        insert(ql, qr, x, i << 1, l, m);
    else if (m <= ql)
        insert(ql, qr, x, i << 1 | 1, m, r);
    else {
        insert(ql, qr, x, i << 1, l, m);
        insert(ql, qr, x, i << 1 | 1, m, r);
    }
}
void traversal(V<int>& ans, int i = 1, int l = 0, int r = q)
{
    int opcnt = 0;
    // debug(i, l, r);
    for (auto [a, b] : arr[i])
        if (merge(a, b))
            opcnt++, cnt--;
    if (r - l == 1) ans[l] = cnt;
    else {
        traversal(ans, i << 1, l, m);
        traversal(ans, i << 1 | 1, m, r);
    }
    while (opcnt--)
        undo(), cnt++;
    arr[i].clear();
}
#undef m
inline void solve() {
    int n, m; cin>>n>>m>>q,q++;
    dsu.resize(cnt = n), sz.assign(n, 1);
    iota(dsu.begin(), dsu.end(), 0);
    // a, b, time, operation
    unordered_map<ll, V<int>> s;
    for (int i = 0; i < m; i++) {
        int a, b; cin>>a>>b;
        if (a > b) swap(a, b);
        s[((ll)a << 32) | b].emplace_back(0);
    }
    for (int i = 1; i < q; i++) {
        int op,a, b;
        cin>>op>>a>>b;
        if (a > b) swap(a, b);
        switch (op) {
        case 1:
            s[((ll)a << 32) | b].push_back(i);
            break;
        case 2:
            auto tmp = s[((ll)a << 32) | b].back();
            s[((ll)a << 32) | b].pop_back();
            insert(tmp, i, P<int> {a, b});
        }
    }
    for (auto [p, v] : s) {
        int a = p >> 32, b = p & -1;
        while (v.size()) {
            insert(v.back(), q, P<int> {a, b});
            v.pop_back();
        }
    }
    V<int> ans(q);
    traversal(ans);
```

```
    for (auto i : ans)
        cout<<i<<' ';
    cout<<endl;
}
```

5 DP

- 區間 DP
  - 狀態: $dp[l][r]$ = 區間 $[l, r]$ 的最佳值/方案數
  - 轉移: 枚舉劃分點 k
  - 思考: 是否滿足四邊形不等式、Knuth 優化可加速
- 背包 DP
  - 狀態: $dp[i][w]$ = 前 i 個物品容量 w 的最佳值
  - 判斷是 0/1、多重、分組 $\Rightarrow$ 決定轉移方式
  - 若容量大 $\Rightarrow$ bitset / 數學變形 / meet-in-the-middle
- 樹形 DP
  - 狀態: $dp[u][\text{flag}]$ = 子樹 u 的最佳值
  - 合併子樹資訊 $\Rightarrow$ 小到大合併 / 捲積式轉移
  - 注意 reroot 技巧（dp on tree + dp2 上傳）
- 數位 DP
  - 狀態: $(pos, tight, property)$
  - tight 控制是否貼上界
  - property 常為「餘數、數字和、相鄰限制」
- 狀壓 DP
  - 狀態: $dp[\text{mask}][\text{last}]$
  - 常見於 TSP / Hamiltonian path / 覆蓋問題
  - $n \leq 20$ 可做，否則要容斥 / FFT
- ⊠望 / 機率 DP
  - 狀態 $E[s]$ = 從狀態 s 到終點的⊠望
  - 式子: $E[s] = c + \sum P(s \to s')E[s']$
  - 線性⊠望: 能拆就拆，少算分布
  - 輸出 mod $\Rightarrow$ 分數化 $\Rightarrow$ 模逆元
- 計數 DP / 組合數
  - 狀態表示方案數，常搭配「模數取餘」
  - 若轉移是捲積型 $\Rightarrow$ FFT/NTT 加速
  - 若能公式化（Catalan / Ballot / Stirling） $\Rightarrow$ 直接套公式
- 優化 DP
  - 判斷轉移方程 $dp[i] = \min_j(dp[j] + C(j, i))$ 的性質
  - 單調性 $\Rightarrow$ 分治優化
  - 凸性 $\Rightarrow$ Convex Hull Trick / 斜率優化
  - 四邊形不等式 $\Rightarrow$ Knuth 優化

5.1 Aliens

```
// Author: Gino
// Function: TODO
int n; ll k;
vector<ll> a;
vector<pll> dp[2];
void init() {
  cin >> n >> k;
  for (auto& d : dp) d.clear(), d.resize(n);
  a.clear(); a.resize(n);
  for (auto& i : a) cin >> i;
}
pll calc(ll p) {
  dp[0][0] = make_pair(0, 0);
  dp[1][0] = make_pair(-a[0], 0);
    for (int i = 1; i < n; i++) {
    if (dp[0][i-1].first > dp[1][i-1].first + a[i] - p) {
      dp[0][i] = dp[0][i-1];
    } else if (dp[0][i-1].first < dp[1][i-1].first + a[i] - p) {
      dp[0][i] = make_pair(dp[1][i-1].first + a[i] - p, dp[1][i-1].second+1);
    } else {
      dp[0][i] = make_pair(dp[0][i-1].first, min(dp[0][i-1].second, dp[1][i-1].second+1));
    }
    if (dp[0][i-1].first - a[i] > dp[1][i-1].first) {
      dp[1][i] = make_pair(dp[0][i-1].first - a[i], dp[0][i-1].second);
    } else if (dp[0][i-1].first - a[i] < dp[1][i-1].first) {
      dp[1][i] = dp[1][i-1];
    } else {
      dp[1][i] = make_pair(dp[1][i-1].first, min(dp[0][i-1].second, dp[1][i-1].second));
    }
  }
  return dp[0][n-1];
}
void solve() {
  ll l = 0, r = 1e7;
  pll res = calc(0);
  if (res.second <= k) return cout << res.first << endl, void();
  while (l < r) {
    ll mid = (l+r)>>1;
    res = calc(mid);
    if (res.second <= k) r = mid;
    else l = mid+1;
  }
  res = calc(l);
  cout << res.first + k*l << endl;
}
```

5.2 SOS DP

```
// Author: Gino
// Function: Solve problems that enumerates subsets of subsets (3^n => n*2^n)
for (int msk = 0; msk < (1<<n); msk++) {
    for (int i = 1; i <= n; i++) {
        if (msk & (1<<(i - 1))) {
            // dp[msk][i] = dp[msk][i - 1] + dp[msk ^ (1<<(i - 1))][i - 1];
        } else {
            // dp[msk][i] = dp[msk][i - 1];
        }
    }
}
```

5.3 ⊠⊠ DP (Expected Value DP)

- 狀態設計: $E[s]$ = 從狀態 s 出發到終點的⊠望值
- 列式子: $E[s] = (\text{□前代價}) + \sum_{s'} P(s \to s') \cdot E[s']$
- 若存在自環，把 $E[s]$ 移到左邊，整理成 $(1 - P(s \to s))E[s] = c + \sum_{s' \neq s} P(s \to s') \cdot E[s']$
- 線性⊠望技巧: 能拆就拆，避免處理整個分布
- 輸出 mod 時，分母要用模逆元: $q^{-1} \equiv q^{M-2} (\text{mod } M)$（質數模數）

常見題型

- 擲骰子遊戲（到達終點的⊠望步數）
- 隨機遊走 hitting time
- 重複試驗直到成功
- 博弈遊戲的⊠望值
- 機率 DP: 計算到某步時在某狀態的機率

範例: 擲骰子到 n 格

$$E[i] = 1 + \frac{1}{6} \sum_{d=1}^{6} E[i+d], \quad (i < n), \quad E[n] = 0$$

```
int main(){
    int n;
    cin >> n; // 終點位置

    // E[i] = 從位置 i 走到終點的期望步數
    // 因為每次最多走 6, 所以要開 n+6 以避免越界
    vector<double> E(n+7, 0.0);

    // 從終點往前推 (backward DP)
    for(int i=n-1; i>=0; i--){
        double sum=0;
        // 期望公式: E[i] = 1 + (E[i+1]+...+E[i+6]) / 6
        for(int d=1; d<=6; d++) sum += E[i+d];
        E[i] = 1 + sum/6.0;
    }

    // 輸出 E[0], 即從起點到終點的期望擲骰次數
    cout << fixed << setprecision(10) << E[0] << "\n";
}
```

5.4 ⊠⊠ DP (Digit DP)

- 狀態: $(pos, tight, property)$
  - pos = 當前處理到第幾位
  - $tight$ = 是否受限於上界 N
  - $property$ = 額外屬性（如數位和、餘數、相鄰限制...）
- 遞迴: 枚舉當前位數字，遞迴下一位
- 終止條件: $pos ==$ 長度 $\Rightarrow$ 回傳屬性是否滿足
- 記憶化: $dp[pos][tight][property]$

常見題型

- 計算 $[0, N]$ 中數位和可被 k 整除的數字個數
- 不含連續相同數字的數字個數
- 含特定數字次數的數字個數
- 位數和 / 餘數 / mod pattern

範例: 計算 $[0, N]$ 中數位和 $\bmod k = 0$ 的數字個數

$$dp[pos][tight][\text{sum mod } k]$$

```
string s; // N 轉成字串, 方便逐位處理
int k;    // 除數

// dp[pos][tight][sum_mod]
// pos     = 當前處理到哪一位 (0 = 最高位)
// tight   = 是否仍受限於 N 的數字 (1 = 是, 0 = 否)
// sum_mod = 當前數位和 mod k 的
long long dp[20][2][105];

// 計算: 從 pos 開始, tight 狀態下, 數位和 mod k = sum_mod 的方案數
long long dfs(int pos, int tight, int sum_mod){
    // 終止條件: 所有位數都處理完
    if(pos == (int)s.size())
        // 若數位和 mod k == 0, 算作一個合法數字
        return (sum_mod % k == 0);

    // 記憶化查詢
    if(dp[pos][tight][sum_mod] != -1)
        return dp[pos][tight][sum_mod];

    long long res = 0;
    // 如果 tight = 1, 本位數字上限 = N 的該位數字
    // 如果 tight = 0, 本位數字上限 = 9
    int limit = tight ? (s[pos]-'0') : 9;

    // 枚舉當前位可以填的數字
    for(int d=0; d<=limit; d++){
        // 下一位是否仍然 tight?
        int next_tight = (tight && d==limit);
        // 更新數位和 mod k
        int next_mod = (sum_mod + d) % k;
        res += dfs(pos+1, next_tight, next_mod);
    }

    // 存結果
    return dp[pos][tight][sum_mod] = res;
}

int main(){
    long long N;
    cin >> N >> k;
    s = to_string(N); // 把 N 轉成字串, 方便取每一位
    memset(dp,-1,sizeof(dp));
    cout << dfs(0,1,0) << "\n"; // 從最高位開始, 初始 tight=1, sum=0
}
```

6 Graph

6.1 Max Clique

```
// max N = 64
typedef unsigned long long ll;
struct MaxClique{
  ll nb[ N ] , n , ans;
  void init( ll _n ){
    n = _n;
    for( int i = 0 ; i < n ; i ++ ) nb[ i ] = 0LLU;
  }
  void add_edge( ll _u , ll _v ){
    nb[ _u ] |= ( 1LLU << _v );
    nb[ _v ] |= ( 1LLU << _u );
  }
  void B( ll r , ll p , ll x , ll cnt , ll res ){
    if( cnt + res < ans ) return;
    if( p == 0LLU && x == 0LLU ){
      if( cnt > ans ) ans = cnt;
      return;
    }
    ll y = p | x; y &= -y;
    ll q = p & ( ~nb[ int( log2( y ) ) ] );
    while( q ){
      ll i = int( log2( q & (-q) ) );
      B( r | ( 1LLU << i ) , p & nb[ i ] , x & nb[ i ]
          , cnt + 1LLU , __builtin_popcountll( p &
nb[ i ] ) );
      q &= ~( 1LLU << i );
      p &= ~( 1LLU << i );
      x |= ( 1LLU << i );
    }
  }
  int solve(){
    ans = 0;
    ll _set = 0;
    if( n < 64 ) _set = ( 1LLU << n ) - 1;
    else{
      for( ll i = 0 ; i < n ; i ++ ) _set |= ( 1LLU << i );
    }
    B( 0LLU , _set , 0LLU , 0LLU , n );
    return ans;
  }
}maxClique;
```

6.2 Bellman-Ford

```
// Author: Gino
// n, m = #(vertices), #(edges), and vertices are 1-based
// 1. BellmanFord bf(G, n, m);
// 2-1: bf.calcDis(s);
// => bf.dis[u] := shortest dis from s to u
// => bf.dis[u] := LINF  (s can't reach u)
// => bf.dis[u] := -LINF (dis[u] can be arbitrary small)
// 2-2: bf.findNegCycle();
// => return false (if no neg cycle)
// => return true  (has neg cycle, and gives an example:
bf.neg_cycle)
// Time: O(VE), Space: O(V + E)
const ll LINF = 4e18;
struct BellmanFord {
  const vector<vector<pair<int, ll>>>& G;
  int n, m;  // #(vertices), #(edges)
  BellmanFord(const auto& G, int n, int m):
    G(G), n(n), m(m) {}

  vector<ll> dis;
  vector<int> nth_relax, pa;
  void run_bf(const auto& src) {
    dis.assign(n + 1, LINF);
    nth_relax.assign(n + 1, 0);
    pa.assign(n + 1, -1);
    for (auto& s : src) dis[s] = 0;
    for (int rlx = 1; rlx <= n; rlx++) {
      for (int u = 1; u <= n; u++) {
        if (dis[u] == LINF) continue; // !important
        for (auto& [v, w] : G[u]) {
          if (dis[v] > dis[u] + w) {
            dis[v] = dis[u] + w;
            pa[v] = u;
            if (rlx == n) nth_relax[v] = 1;
  } } } } }  // 5 brackets
  void calcDis(int s) {
    run_bf(vector<int>{s});
    queue<int> q;
    for (int u = 1; u <= n; u++)
      if (nth_relax[u]) q.push(u);
    while (!q.empty()) {
      int u = q.front(); q.pop();
      for (auto& [v, w] : G[u]) {
        if (!nth_relax[v]) {
          nth_relax[v] = 1;
          q.push(v);
    } } }
    for (int u = 1; u <= n; u++)
      if (nth_relax[u]) dis[u] = -LINF;
  }
  vector<int> neg_cycle;
  bool findNegCycle() {
    auto src = views::iota(1, n + 1);
    run_bf(src);
    auto it = ranges::find_if(src, [&](int s){ return
nth_relax[s]; });
    if (it == src.end()) return false;
    int ptr = *it;
    for (int i = 0; i < n; i++) ptr = pa[ptr];

    neg_cycle.clear();
    int cur = ptr;
    while (true) {
      neg_cycle.emplace_back(cur);
      if (cur == ptr && neg_cycle.size() > 1) break;
      cur = pa[cur];
    }
    ranges::reverse(neg_cycle);
    return true;
  }
};
```

6.3 System of Difference Constraints

```
vector<vector<pair<int, ll>>> G;
void add(int u, int v, ll w) { G[u].push_back({v, w}); }
```

- $x_u - x_v \le c \Rightarrow$ add(v, u, c)
- $x_u - x_v \ge c \Rightarrow$ add(u, v, -c)
- $x_u - x_v = c \Rightarrow$ add(v, u, c), add(u, v -c)
- $x_u \ge c \Rightarrow$ add super vertex $x_0 = 0$, then $x_u - x_0 \ge c \Rightarrow$ add(u, 0, -c)
- Don't for get non-negative constraints for every variable if specified implicitly.

- Interval sum $\Rightarrow$ Use prefix sum to transform into differential constraints. Don't for get $S_{i+1} - S_i \geq 0$ if x_i needs to be non-negative.
- $x_u/x_v \leq c \Rightarrow \log x_u - \log x_v \leq \log c$

6.4 Graph Girth

Run BFS for every node, when encountered non-BFS-tree edge, update answer (min cycle length) with `dis[u] + dis[v] + 1`. Time O(VE).

6.5 Euler Trail

```cpp
// Author: kactl (Simon Lindholm), wrapped by Gino
// Vertices are 1-based, Edge ID are 0-based
// 1. EulerWalk euler(n, true(directed) / false(undirected));
// 2. euler.addEdge(u, v);
// 3. int result = euler.solve();
// => -1: nothing ( euler.path, euler.path_edges = {} )
// =>  1: Euler trail,
// =>  2: Euler circuit
//        euler.path = {u_1, ..., u_{m+1}}
//        euler.path_edges = {e_1, ..., e_m}
// Time: O(V + E), Space: O(V + E)
// Test: V, E <= 2e5, 99ms
struct EulerWalk {
  int n, m = 0; bool dir;
  vector<vector<pii>> G; vi deg;
  EulerWalk(int n, bool dir) : n(n), dir(dir), G(n + 1), deg(n + 1) {}
  void addEdge(int u, int v) {
    G[u].push_back({v, m});
    if (!dir) G[v].push_back({u, m});
    deg[u]++, deg[v] += dir ? -1 : 1;
    m++;
  }
  vi path, path_edges;
  void walk(int src) {
    path.clear(); path_edges.clear();
    vi its(n + 1), visE(m);
    function<void(int, int)> dfs = [&](int u, int e_in) {
      while (its[u] < sz(G[u])) {
        auto [v, e] = G[u][its[u]++];
        if (visE[e]) continue;
        visE[e] = 1;
        dfs(v, e);
      }
      path.push_back(u);
      if (e_in != -1) path_edges.push_back(e_in);
    };
    dfs(src, -1);
    if (sz(path) != m + 1) {
      path.clear(); path_edges.clear(); return;
    }
    ranges::reverse(path); ranges::reverse(path_edges);
  }
  int solve() {
    int s = -1, odd = 0, src = 0, dst = 0;
    for (int u = 1; u <= n; u++) {
      if (!dir && (deg[u] & 1)) odd++, s = u;
      if (dir && deg[u] == 1) s = u, src++;
      if (dir && deg[u] == -1) dst++;
      if (dir && abs(deg[u]) > 1) return -1;
    }
    if (!dir && odd != 0 && odd != 2) return -1;
    if (dir && !((src == 0 && dst == 0) || (src == 1 && dst == 1))) return -1;
    if (s == -1) for (int u = 1; u <= n; u++) if (!G[u].empty()) { s = u; break; }
    if (s == -1) s = 1;
    walk(s); return path.empty() ? -1 : path.front() == path.back() ? 2 : 1;
  }
};
```

6.6 BCC - AP

```cpp
int n, m;
int low[maxn], dfn[maxn], instp;
vector<int> E, g[maxn];
bitset<maxn> isap;
bitset<maxm> vis;
stack<int> stk;
int bccnt;
vector<int> bcc[maxn];
inline void popout(int u) {
  bccnt++;
  bcc[bccnt].emplace_back(u);
  while (!stk.empty()) {
    int v = stk.top();
    if (u == v) break;
    stk.pop();
    bcc[bccnt].emplace_back(v);
  }
}
void dfs(int u, bool rt = 0) {
  stk.push(u);
  low[u] = dfn[u] = ++instp;
  int kid = 0;
  Each(e, g[u]) {
    if (vis[e]) continue;
    vis[e] = true;
    int v = E[e]^u;
    if (!dfn[v]) {
      // tree edge
      kid++; dfs(v);
      low[u] = min(low[u], low[v]);
      if (!rt && low[v] >= dfn[u]) {
        // bcc found: u is ap
        isap[u] = true;
        popout(u);
      }
    } else {
      // back edge
      low[u] = min(low[u], dfn[v]);
    }
  }
  // special case: root
  if (rt) {
    if (kid > 1) isap[u] = true;
    popout(u);
  }
}
void init() {
  cin >> n >> m;
  fill(low, low+maxn, INF);
  REP(i, m) {
    int u, v;
    cin >> u >> v;
    g[u].emplace_back(i);
    g[v].emplace_back(i);
    E.emplace_back(u^v);
  }
}
void solve() {
  FOR(i, 1, n+1, 1) {
    if (!dfn[i]) dfs(i, true);
  }
  vector<int> ans;
  int cnt = 0;
  FOR(i, 1, n+1, 1) {
    if (isap[i]) cnt++, ans.emplace_back(i);
  }
  cout << cnt << endl;
  Each(i, ans) cout << i << ' ';
  cout << endl;
}
```

6.7 BCC - Bridge

```cpp
int n, m;
vector<int> g[maxn], E;
int low[maxn], dfn[maxn], instp;
int bccnt, bccid[maxn];
stack<int> stk;
bitset<maxm> vis, isbrg;
void init() {
  cin >> n >> m;
  REP(i, m) {
    int u, v;
    cin >> u >> v;
    E.emplace_back(u^v);
    g[u].emplace_back(i);
    g[v].emplace_back(i);
  }
  fill(low, low+maxn, INF);
}
void popout(int u) {
  bccnt++;
  while (!stk.empty()) {
    int v = stk.top();
    if (v == u) break;
    stk.pop();
    bccid[v] = bccnt;
  }
}
void dfs(int u) {
  stk.push(u);
  low[u] = dfn[u] = ++instp;

  Each(e, g[u]) {
    if (vis[e]) continue;
    vis[e] = true;
```

```

    int v = E[e]^u;
    if (dfn[v]) {
      // back edge
      low[u] = min(low[u], dfn[v]);
    } else {
      // tree edge
      dfs(v);
      low[u] = min(low[u], low[v]);
      if (low[v] == dfn[v]) {
        isbrg[e] = true;
        popout(u);
      }
    }
  }
}
void solve() {
  FOR(i, 1, n+1, 1) {
    if (!dfn[i]) dfs(i);
  }
  vector<pii> ans;
  vis.reset();
  FOR(u, 1, n+1, 1) {
    Each(e, g[u]) {
      if (!isbrg[e] || vis[e]) continue;
      vis[e] = true;
      int v = E[e]^u;
      ans.emplace_back(mp(u, v));
    }
  }
  cout << (int)ans.size() << endl;
  Each(e, ans) cout << e.F << ' ' << e.S << endl;
}
```

6.8 SCC - Tarjan with 2-SAT

```
// Author: Ian
// 2-sat + tarjan SCC
void solve() {
  int n, r, l; cin >> n >> r >> l;
  V<P<int>> v(l);
  for (auto& [a, b] : v)
    cin >> a >> b;
  V<V<int>> e(2 * l);
  for (int i = 0; i < l; i++)
    for (int j = i + 1; j < l; j++) {
      if (v[i].first == v[j].first && abs(v[i].second -
v[j].second) <= 2 * r) {
        e[i << 1].emplace_back(j << 1 | 1);
        e[j << 1].emplace_back(i << 1 | 1);
      }
      if (v[i].second == v[j].second && abs(v[i].first -
v[j].first) <= 2 * r) {
        e[i << 1 | 1].emplace_back(j << 1);
        e[j << 1 | 1].emplace_back(i << 1);
      }
    }
  V<bool> ins(2 * l, false);
  V<int> scc(2 * l), dfn(2 * l, -1), low(2 * l, inf);
  stack<int> s;
  function<void(int)> dfs = [&](int x) {
    if (~dfn[x]) return;
    static int t = 0;
    dfn[x] = low[x] = t++;
    s.push(x), ins[x] = true;
    for (auto i : e[x])
      if (dfs(i), ins[i])
        low[x] = min(low[x], low[i]);
    if (dfn[x] == low[x]) {
      static int ncnt = 0;
      int p; do {
        ins[p = s.top()] = false;
        s.pop(), scc[p] = ncnt;
      } while (p != x); ncnt++;
    }
  };
  for (int i = 0; i < 2 * l; i++)
    dfs(i);
  for (int i = 0; i < l; i++)
    if (scc[i << 1] == scc[i << 1 | 1]) {
      cout << "NO" << endl;
      return;
    }
  cout << "YES" << endl;
}
```

6.9 Kth Shortest Path

```
// time: O(|E| \lg |E|+|V| \lg |V|+K)
// memory: O(|E| \lg |E|+|V|)
struct KSP{ // 1-base
  struct nd{
    int u,v; ll d;
    nd(int ui=0,int vi=0,ll di=INF){ u=ui; v=vi; d=di; }
  };
  struct heap{ nd* edge; int dep; heap* chd[4]; };
  static int cmp(heap* a,heap* b)
  { return a->edge->d > b->edge->d; }
  struct node{
    int v; ll d; heap* H; nd* E;
    node(){}
    node(ll _d,int _v,nd* _E){ d =_d; v=_v; E=_E; }
    node(heap* _H,ll _d){ H=_H; d=_d; }
    friend bool operator<(node a,node b)
    { return a.d>b.d; }
  };
  int n,k,s,t,dst[N]; nd *nxt[N];
  vector<nd*> g[N],rg[N]; heap *nullNd,*head[N];
  void init(int _n,int _k,int _s,int _t){
    n=_n; k=_k; s=_s; t=_t;
    for(int i=1;i<=n;i++){
      g[i].clear(); rg[i].clear();
      nxt[i]=NULL; head[i]=NULL; dst[i]=-1;
    }
  }
  void addEdge(int ui,int vi,ll di){
    nd* e=new nd(ui,vi,di);
    g[ui].push_back(e); rg[vi].push_back(e);
  }
  queue<int> dfsQ;
  void dijkstra(){
    while(dfsQ.size()) dfsQ.pop();
    priority_queue<node> Q; Q.push(node(0,t,NULL));
    while (!Q.empty()){
      node p=Q.top(); Q.pop(); if(dst[p.v]!=-1)continue;
      dst[p.v]=p.d; nxt[p.v]=p.E; dfsQ.push(p.v);
      for(auto e:rg[p.v]) Q.push(node(p.d+e->d,e->u,e));
    }
  }
  heap* merge(heap* curNd,heap* newNd){
    if(curNd==nullNd) return newNd;
    heap* root=new heap;memcpy(root,curNd,sizeof(heap));
    if(newNd->edge->d<curNd->edge->d){
      root->edge=newNd->edge;
      root->chd[2]=newNd->chd[2];
      root->chd[3]=newNd->chd[3];
      newNd->edge=curNd->edge;
      newNd->chd[2]=curNd->chd[2];
      newNd->chd[3]=curNd->chd[3];
    }
    if(root->chd[0]->dep<root->chd[1]->dep)
      root->chd[0]=merge(root->chd[0],newNd);
    else root->chd[1]=merge(root->chd[1],newNd);
    root->dep=max(root->chd[0]->dep,
              root->chd[1]->dep)+1;
    return root;
  }
  vector<heap*> V;
  void build(){
    nullNd=new heap; nullNd->dep=0; nullNd->edge=new nd;
    fill(nullNd->chd,nullNd->chd+4,nullNd);
    while(not dfsQ.empty()){
      int u=dfsQ.front(); dfsQ.pop();
      if(!nxt[u]) head[u]=nullNd;
      else head[u]=head[nxt[u]->v];
      V.clear();
      for(auto&& e:g[u]){
        int v=e->v;
        if(dst[v]==-1) continue;
        e->d+=dst[v]-dst[u];
        if(nxt[u]!=e){
          heap* p=new heap;fill(p->chd,p->chd+4,nullNd);
          p->dep=1; p->edge=e; V.push_back(p);
        }
      }
      if(V.empty()) continue;
      make_heap(V.begin(),V.end(),cmp);
#define L(X) ((X<<1)+1)
#define R(X) ((X<<1)+2)
      for(size_t i=0;i<V.size();i++){
        if(L(i)<V.size()) V[i]->chd[2]=V[L(i)];
        else V[i]->chd[2]=nullNd;
        if(R(i)<V.size()) V[i]->chd[3]=V[R(i)];
        else V[i]->chd[3]=nullNd;
      }
      head[u]=merge(head[u],V.front());
    }
  }
  vector<ll> ans;
  void first_K(){
```

```
    ans.clear(); priority_queue<node> Q;
    if(dst[s]==-1) return;
    ans.push_back(dst[s]);
    if(head[s]!=nullNd)
      Q.push(node(head[s],dst[s]+head[s]->edge->d));
    for(int _=1;_<k and not Q.empty();_++){
      node p=Q.top(),q; Q.pop(); ans.push_back(p.d);
      if(head[p.H->edge->v]!=nullNd){
        q.H=head[p.H->edge->v]; q.d=p.d+q.H->edge->d;
        Q.push(q);
      }
      for(int i=0;i<4;i++)
        if(p.H->chd[i]!=nullNd){
          q.H=p.H->chd[i];
          q.d=p.d-p.H->edge->d+p.H->chd[i]->edge->d;
          Q.push(q);
  } }   }
  void solve(){ // ans[i] stores the i-th shortest path
    dijkstra(); build();
    first_K(); // ans.size() might less than k
  }
} solver;
```

7 Tree

7.1 Tree Isomorphism (Rooted Trees)

```
// Author: Gino
// Checks if 2 rooted trees are isomorphic
// Time: O(V log V)
// vector<vector<int>> G1, G2;
// int root_1, root_2;
map<vector<int>, int> dict;
int encode(const auto& G, int u, int pa = -1) {
  vector<int> codes;
  for (auto& v : G[u])
    if (v != pa)
      codes.emplace_back(encode(G, v, u));
  ranges::sort(codes);
  auto [it, _] = dict.try_emplace(codes, dict.size());
  return it->second;
}
bool isomorphic() {
  dict.clear();  dict[{}] = 0;
  return encode(G1, root_1) == encode(G2, root_2);
}
```

7.2 Tree Isomorphism (Unrooted Trees)

Find the centroid(s) of T_1, T_2.
Case 1: T_1, T_2 have different number of centroids $\rightarrow$ NO
Case 2: T_1 has centroid c_1, T_2 has centroid c_2
$\rightarrow rooted\_isomorphic(c_1, c_2)$
Case 3: T_1 has centroids c_1, c_1', T_2 has centroids c_2, c_2'
$\rightarrow rooted\_isomorphic(c_1, c_2)$ || $rooted\_isomorphic(c_1', c_2)$

8 String

8.1 Rolling Hash

```
const ll C = 27;
inline int id(char c) {return c-'a'+1;}
struct RollingHash {
    string s; int n; ll mod;
    vector<ll> Cexp, hs;
    RollingHash(string& _s, ll _mod):
        s(_s), n((int)_s.size()), mod(_mod)
    {
        Cexp.assign(n, 0);
        hs.assign(n, 0);
        Cexp[0] = 1;
        for (int i = 1; i < n; i++) {
            Cexp[i] = Cexp[i-1] * C;
            if (Cexp[i] >= mod) Cexp[i] %= mod;
        }
        hs[0] = id(s[0]);
        for (int i = 1; i < n; i++) {
            hs[i] = hs[i-1] * C + id(s[i]);
            if (hs[i] >= mod) hs[i] %= mod;
    } }
    inline ll query(int l, int r) {
        ll res = hs[r] - (l ? hs[l-1] * Cexp[r-l+1] : 0);
        res = (res % mod + mod) % mod;
        return res; }
};
```

8.2 Trie

```
struct node {
    int c[26]; ll cnt;
    node(): cnt(0) {memset(c, 0, sizeof(c));}
    node(ll x): cnt(x) {memset(c, 0, sizeof(c));}
};
struct Trie {
    vector<node> t;
    void init() {
        t.clear();
        t.emplace_back(node());
    }
    void insert(string s) { int ptr = 0;
        for (auto& i : s) {
            if (!t[ptr].c[i-'a']) {
                t.emplace_back(node());
                t[ptr].c[i-'a'] = (int)t.size()-1; }
            ptr = t[ptr].c[i-'a']; }
        t[ptr].cnt++; }
} trie;
```

8.3 KMP

```
int n, m;
string s, p;
vector<int> f;
void build() {
  f.clear(); f.resize(m, 0);
  int ptr = 0; for (int i = 1; i < m; i++) {
    while (ptr && p[i] != p[ptr]) ptr = f[ptr-1];
    if (p[i] == p[ptr]) ptr++;
    f[i] = ptr;
}}
void init() {
  cin >> s >> p;
  n = (int)s.size();
  m = (int)p.size();
  build(); }
void solve() {
  int ans = 0, pi = 0;
  for (int si = 0; si < n; si++) {
    while (pi && s[si] != p[pi]) pi = f[pi-1];
    if (s[si] == p[pi]) pi++;
    if (pi == m) ans++, pi = f[pi-1];
  }
cout << ans << endl; }
```

8.4 Z Value

```
string is, it, s;
int n; vector<int> z;
void init() {
    cin >> is >> it;
    s = it+'0'+is;
    n = (int)s.size();
    z.resize(n, 0); }
void solve() {
    int ans = 0; z[0] = n;
    for (int i = 1, l = 0, r = 0; i < n; i++) {
        if (i <= r) z[i] = min(z[i-l], r-i+1);
        while (i+z[i] < n && s[z[i]] == s[i+z[i]]) z[i]++;
        if (i+z[i]-1 > r) l = i, r = i+z[i]-1;
        if (z[i] == (int)it.size()) ans++;
    }
    cout << ans << endl; }
```

8.5 Manacher

```
int n; string S, s;
vector<int> m;
void manacher() {
s.clear(); s.resize(2*n+1, '.');
for (int i = 0, j = 1; i < n; i++, j += 2) s[j] = S[i];
m.clear(); m.resize(2*n+1, 0);
// m[i] := max k such that s[i-k, i+k] is palindrome
int mx = 0, mxk = 0;
for (int i = 1; i < 2*n+1; i++) {
  if (mx-(i-mx) >= 0) m[i] = min(m[mx-(i-mx)], mx+mxk-i);
  while (0 <= i-m[i]-1 && i+m[i]+1 < 2*n+1 &&
         s[i-m[i]-1] == s[i+m[i]+1]) m[i]++;
  if (i+m[i] > mx+mxk) mx = i, mxk = m[i];
} }
void init() { cin >> S; n = (int)S.size(); }
void solve() {
  manacher();
  int mx = 0, ptr = 0;
  for (int i = 0; i < 2*n+1; i++) if (mx < m[i])
    { mx = m[i]; ptr = i; }
  for (int i = ptr-mx; i <= ptr+mx; i++)
    if (s[i] != '.') cout << s[i];
cout << endl; }
```

8.6 Suffix Array

```
#define F first
#define S second
struct SuffixArray {  // don't forget s += "$";
    int n; string s;
    vector<int> suf, lcp, rk;
    vector<int> cnt, pos;
    vector<pair<pii, int> > buc[2];
```

```
    void init(string _s) {
        s = _s; n = (int)s.size();
// resize(n): suf, rk, cnt, pos, lcp, buc[0~1]
    }
    void radix_sort() {
        for (int t : {0, 1}) {
            fill(cnt.begin(), cnt.end(), 0);
            for (auto& i : buc[t]) cnt[ (t ? i.F.F :
i.F.S) ]++;
            for (int i = 0; i < n; i++)
                pos[i] = (!i ? 0 : pos[i-1] + cnt[i-1]);
            for (auto& i : buc[t])
                buc[t^1][pos[ (t ? i.F.F : i.F.S) ]++] = i;
    }}
    bool fill_suf() {
        bool end = true;
        for (int i = 0; i < n; i++) suf[i] = buc[0][i].S;
        rk[suf[0]] = 0;
        for (int i = 1; i < n; i++) {
            int dif = (buc[0][i].F != buc[0][i-1].F);
            end &= dif;
            rk[suf[i]] = rk[suf[i-1]] + dif;
        } return end;
    }
    void sa() {
        for (int i = 0; i < n; i++)
            buc[0][i] = make_pair(make_pair(s[i], s[i]), i);
        sort(buc[0].begin(), buc[0].end());
        if (fill_suf()) return;
        for (int k = 0; (1<<k) < n; k++) {
            for (int i = 0; i < n; i++)
                buc[0][i] = make_pair(make_pair(rk[i], rk[(i
+ (1<<k)) % n]), i);
            radix_sort();
            if (fill_suf()) return;
    }}
    void LCP() {  int k = 0;
        for (int i = 0; i < n-1; i++) {
            if (rk[i] == 0) continue;
            int pi = rk[i];
            int j = suf[pi-1];
            while (i+k < n && j+k < n && s[i+k] == s[j+k])
k++;
            lcp[pi] = k;
            k = max(k-1, 0);
    }}
};
SuffixArray suffixarray;
```

8.7 Suffix Automaton

```
// any path start from root forms a substring of S
// occurrence of P: iff SAM can run on input word P
// number of different substring: ds[1]-1
// total length of all different substring: dsl[1]
// max/min length of state i: mx[i]/mx[mom[i]]+1
// assume a run on input word P end at state i:
// number of occurrences of P: cnt[i]
// first occurrence position of P: fp[i]-|P|+1
// all position: !clone nodes in dfs from i through rmom
const int MXM=1000010;
struct SAM{
  int tot,root,lst,mom[MXM],mx[MXM]; // ind[MXM]
  int nxt[MXM][33]; // cnt[MXM],ds[MXM],dsl[MXM],fp[MXM]
  // bool v[MXM],clone[MXN]
  int newNode(){
    int res=++tot; fill(nxt[res],nxt[res]+33,0);
    mom[res]=mx[res]=0; // cnt=ds=dsl=fp=v=clone=0
    return res;
  }
  void init(){ tot=0;root=newNode();lst=root; }
  void push(int c){
    int p=lst,np=newNode(); // cnt[np]=1,clone[np]=0
    mx[np]=mx[p]+1; // fp[np]=mx[np]-1
    for(;p&&nxt[p][c]==0;p=mom[p]) nxt[p][c]=np;
    if(p==0) mom[np]=root;
    else{
      int q=nxt[p][c];
      if(mx[p]+1==mx[q]) mom[np]=q;
      else{
        int nq=newNode(); // fp[nq]=fp[q],clone[nq]=1
        mx[nq]=mx[p]+1;
        for(int i=0;i<33;i++) nxt[nq][i]=nxt[q][i];
        mom[nq]=mom[q]; mom[q]=nq; mom[np]=nq;
        for(;p&&nxt[p][c]==q;p=mom[p]) nxt[p][c]=nq;
      }
    }
    lst=np;
  }
  void calc(){
    calc(root); iota(ind,ind+tot,1);
    sort(ind,ind+tot,[&](int i,int j){return mx[i]<mx[j];});
    for(int i=tot-1;i>=0;i--)
      cnt[mom[ind[i]]]+=cnt[ind[i]];
  }
  void calc(int x){
    v[x]=ds[x]=1;dsl[x]=0; // rmom[mom[x]].push_back(x);
    for(int i=0;i<26;i++){
      if(nxt[x][i]){
        if(!v[nxt[x][i]]) calc(nxt[x][i]);
        ds[x]+=ds[nxt[x][i]];
        dsl[x]+=ds[nxt[x][i]]+dsl[nxt[x][i]];
  } } }
  void push(char *str){
    for(int i=0;str[i];i++) push(str[i]-'a');
  }
} sam;
```

8.8 SA-IS

```
const int N=300010;
struct SA{
#define REP(i,n) for(int i=0;i<int(n);i++)
#define REP1(i,a,b) for(int i=(a);i<=int(b);i++)
  bool _t[N*2]; int _s[N*2],_sa[N*2];
  int _c[N*2],x[N],_p[N],_q[N*2],hei[N],r[N];
  int operator [](int i){ return _sa[i]; }
  void build(int *s,int n,int m){
    memcpy(_s,s,sizeof(int)*n);
    sais(_s,_sa,_p,_q,_t,_c,n,m); mkhei(n);
  }
  void mkhei(int n){
    REP(i,n) r[_sa[i]]=i;
    hei[0]=0;
    REP(i,n) if(r[i]) {
      int ans=i>0?max(hei[r[i-1]]-1,0):0;
      while(_s[i+ans]==_s[_sa[r[i]-1]+ans]) ans++;
      hei[r[i]]=ans;
    }
  }
  void sais(int *s,int *sa,int *p,int *q,bool *t,int *c,int
n,int z){
    bool uniq=t[n-1]=true,neq;
    int nn=0,nmxz=-1,*nsa=sa+n,*ns=s+n,lst=-1;
#define MS0(x,n) memset((x),0,n*sizeof(*(x)))
#define MAGIC(XD) MS0(sa,n);\
memcpy(x,c,sizeof(int)*z); XD;\
memcpy(x+1,c,sizeof(int)*(z-1));\
REP(i,n) if(sa[i]&&!t[sa[i]-1]) sa[x[s[sa[i]-1]]++]=sa[i]-1;
\
memcpy(x,c,sizeof(int)*z);\
for(int i=n-1;i>=0;i--) if(sa[i]&&t[sa[i]-1]) sa[--
x[s[sa[i]-1]]]=sa[i]-1;
    MS0(c,z); REP(i,n) uniq&=++c[s[i]]<2;
    REP(i,z-1) c[i+1]+=c[i];
    if(uniq) { REP(i,n) sa[--c[s[i]]]=i; return; }
    for(int i=n-2;i>=0;i--)
      t[i]=(s[i]==s[i+1]?t[i+1]:s[i]<s[i+1]);
    MAGIC(REP1(i,1,n-1) if(t[i]&&!t[i-1]) sa[--
x[s[i]]]=p[q[i]=nn++]=i);
    REP(i,n) if(sa[i]&&t[sa[i]]&&!t[sa[i]-1]){
      neq=lst<0||memcmp(s+sa[i],s+lst,(p[q[sa[i]]+1]-
sa[i])*sizeof(int));
      ns[q[lst=sa[i]]]=nmxz+=neq;
    }
    sais(ns,nsa,p+nn,q+n,t+n,c+z,nn,nmxz+1);
    MAGIC(for(int i=nn-1;i>=0;i--) sa[--
x[s[p[nsa[i]]]]]=p[nsa[i]]);
  }
}sa;
int H[N],SA[N],RA[N];
void suffix_array(int* ip,int len){
  // should padding a zero in the back
  // ip is int array, len is array length
  // ip[0..n-1] != 0, and ip[len]=0
  ip[len++]=0; sa.build(ip,len,128);
  memcpy(H,sa.hei+1,len<<2); memcpy(SA,sa._sa+1,len<<2);
  for(int i=0;i<len;i++) RA[i]=sa.r[i]-1;
  // resulting height, sa array \in [0,len)
}
```

8.9 Minimum Rotation

```
// lexicographically minimal rotation
// rotate(begin(s), begin(s)+minRotation(s), end(s))
int minRotation(string s) {
int a = 0, n = s.size(); s += s;
for(int b = 0; b < n; b++) for(int k = 0; k < n; k++) {
    if(a + k == b || s[a + k] < s[b + k]) {
        b += max(0, k - 1);
        break; }
    if(s[a + k] > s[b + k]) {
```

```
        a = b;
        break;
    } }
return a; }
```

8.10 Aho Corasick

```
struct ACautomata{
  struct Node{
    int cnt;
    Node *go[26], *fail, *dic;
    Node (){
      cnt = 0; fail = 0; dic=0;
      memset(go,0,sizeof(go));
    }
  }pool[1048576],*root;
  int nMem;
  Node* new_Node(){
    pool[nMem] = Node();
    return &pool[nMem++];
  }
  void init() { nMem = 0; root = new_Node(); }
  void add(const string &str) { insert(root,str,0); }
  void insert(Node *cur, const string &str, int pos){
    for(int i=pos;i<str.size();i++){
      if(!cur->go[str[i]-'a'])
        cur->go[str[i]-'a'] = new_Node();
      cur=cur->go[str[i]-'a'];
    }
    cur->cnt++;
  }
  void make_fail(){
    queue<Node*> que;
    que.push(root);
    while (!que.empty()){
      Node* fr=que.front(); que.pop();
      for (int i=0; i<26; i++){
        if (fr->go[i]){
          Node *ptr = fr->fail;
          while (ptr && !ptr->go[i]) ptr = ptr->fail;
          fr->go[i]->fail=ptr=(ptr?ptr->go[i]:root);
          fr->go[i]->dic=(ptr->cnt?ptr:ptr->dic);
          que.push(fr->go[i]);
  } } } }
}AC;
```

9 Geometry

9.1 Template

```
// Author: Gino
typedef long long T;
// typedef long double T;
const long double eps = 1e-8;

short sgn(T x) {
    if (abs(x) < eps) return 0;
    return x < 0 ? -1 : 1;
}

struct Pt {
T x, y;
Pt(T _x=0, T _y=0):x(_x), y(_y) {}
Pt operator+(Pt a) { return Pt(x+a.x, y+a.y); }
Pt operator-(Pt a) { return Pt(x-a.x, y-a.y); }
Pt operator*(T a)  { return Pt(x*a, y*a); }
Pt operator/(T a)  { return Pt(x/a, y/a); }
T operator*(Pt a)  { return x*a.x + y*a.y; }
T operator^(Pt a)  { return x*a.y - y*a.x; }  // □□□□
bool operator<(Pt a)
    { return x < a.x || (x == a.x && y < a.y); }
//return sgn(x-a.x) < 0 || (sgn(x-a.x) == 0 && sgn(y-a.y) < 0); }
bool operator==(Pt a)
    { return sgn(x-a.x) == 0 && sgn(y-a.y) == 0; }
};

Pt mv(Pt a, Pt b) { return b-a; }
T len2(Pt a) { return a*a; }
T dis2(Pt a, Pt b) { return len2(b-a); }

short ori(Pt a, Pt b) { return ((a^b)>0) - ((a^b)<0); }
bool onseg(Pt p, Pt l1, Pt l2) {
    Pt a = mv(p, l1), b = mv(p, l2);
    return ((a^b) == 0) && ((a*b) <= 0);
}
```

9.2 Basic Operations

```
// Author: Gino
// Function: Check if a point P sits in a polygon (doesn't have to be convex hull)
// 0 = Bound, 1 = In, -1 = Out
short inPoly(Pt p) {
for (int i = 0; i < n; i++)
    if (onseg(p, E[i], E[(i+1)%n])) return 0;
int cnt = 0;
for (int i = 0; i < n; i++)
    if (banana(p, Pt(p.x+1, p.y+2e9), E[i], E[(i+1)%n]))
        cnt ^= 1;
return (cnt ? 1 : -1);
}
```

```
// Author: Gino
int ud(Pt a) {  // up or down half plane
    if (a.y > 0) return 0;
    if (a.y < 0) return 1;
    return (a.x >= 0 ? 0 : 1);
}
sort(ALL(E), [&](const Pt& a, const Pt& b){
    if (ud(a) != ud(b)) return ud(a) < ud(b);
    return (a^b) > 0;
});
```

```
// Author: Gino
// Function: check if (p1---p2) (q1---q2) banana
inline bool banana(Pt p1, Pt p2, Pt q1, Pt q2) {
if (onseg(p1, q1, q2) || onseg(p2, q1, q2) ||
    onseg(q1, p1, p2) || onseg(q2, p1, p2)) {
    return true;
}
Pt p = mv(p1, p2), q = mv(q1, q2);
return (ori(p, mv(p1, q1)) * ori(p, mv(p1, q2)) < 0 &&
        ori(q, mv(q1, p1)) * ori(q, mv(q1, p2)) < 0);
}
```

```
// Author: Gino
// T: long double
Pt bananaPoint(Pt p1, Pt p2, Pt q1, Pt q2) {
if (onseg(q1, p1, p2)) return q1;
if (onseg(q2, p1, p2)) return q2;
if (onseg(p1, q1, q2)) return p1;
if (onseg(p2, q1, q2)) return p2;
double s = abs(mv(p1, p2) ^ mv(p1, q1));
double t = abs(mv(p1, p2) ^ mv(p1, q2));
return q2 * (s/(s+t)) + q1 * (t/(s+t));
}
```

```
// Author: Gino
vector<Pt> hull;
void convexHull() {
hull.clear(); sort(E.begin(), E.end());
for (int t : {0, 1}) {
    int b = (int)hull.size();
    for (auto& ei : E) {
        while ((int)hull.size() - b >= 2 &&
                ori(mv(hull[(int)hull.size()-2],
 hull.back()),
                    mv(hull[(int)hull.size()-2], ei)) == -1)
 {
            hull.pop_back();
        }
        hull.emplace_back(ei);
    }
    hull.pop_back();
    reverse(E.begin(), E.end());
} }
```

```
// Author: Gino
// Function: Return doubled area of a polygon
T dbarea(vector<Pt>& e) {
ll res = 0;
for (int i = 0; i < (int)e.size(); i++)
    res += e[i]^e[(i+1)%SZ(e)];
return abs(res);
}
```

9.3 Lower Concave Hull

```
// Author: Unknown
struct Line {
  mutable ll m, b, p;
  bool operator<(const Line& o) const { return m < o.m; }
  bool operator<(ll x) const { return p < x; }
};

struct LineContainer : multiset<Line, less<>> {
  // (for doubles, use inf = 1/.0, div(a,b) = a/b)
  const ll inf = LLONG_MAX;
  ll div(ll a, ll b) { // floored division
    return a / b - ((a ^ b) < 0 && a % b); }
  bool isect(iterator x, iterator y) {
    if (y == end()) { x->p = inf; return false; }
    if (x->m == y->m) x->p = x->b > y->b ? inf : -inf;
    else x->p = div(y->b - x->b, x->m - y->m);
```

```
    return x->p >= y->p;
  }
  void add(ll m, ll b) {
    auto z = insert({m, b, 0}), y = z++, x = y;
    while (isect(y, z)) z = erase(z);
    if (x != begin() && isect(--x, y)) isect(x, y =
erase(y));
    while ((y = x) != begin() && (--x)->p >= y->p)
      isect(x, erase(y));
  }
  ll query(ll x) {
    assert(!empty());
    auto l = *lower_bound(x);
    return l.m * x + l.b;
  }
};
```

9.4 Pick's Theorem

Consider a polygon which vertices are all lattice points.

Let i = number of points inside the polygon.

Let b = number of points on the boundary of the polygon.

Then we have the following formula:

$$\text{Area} = i + \frac{b}{2} - 1$$

9.5 Minimum Enclosing Circle

```
// Author: Gino
// Function: Find Min Enclosing Circle using Randomized O(n)
Algorithm
Pt circumcenter(Pt A, Pt B, Pt C) {
// a1(x-A.x) + b1(y-A.y) = c1
// a2(x-A.x) + b2(y-A.y) = c2
// solve using Cramer's rule
T a1 = B.x-A.x, b1 = B.y-A.y, c1 = dis2(A, B)/2.0;
T a2 = C.x-A.x, b2 = C.y-A.y, c2 = dis2(A, C)/2.0;
T D  = Pt(a1, b1) ^ Pt(a2, b2);
T Dx = Pt(c1, b1) ^ Pt(c2, b2);
T Dy = Pt(a1, c1) ^ Pt(a2, c2);
if (D == 0) return Pt(-INF, -INF);
return A + Pt(Dx/D, Dy/D);
}
Pt center; T r2;

void minEncloseCircle() {
mt19937
gen(chrono::steady_clock::now().time_since_epoch().count());
shuffle(ALL(E), gen);
center = E[0], r2 = 0;

for (int i = 0; i < n; i++) {
    if (dis2(center, E[i]) <= r2) continue;
    center = E[i], r2 = 0;
    for (int j = 0; j < i; j++) {
        if (dis2(center, E[j]) <= r2) continue;
        center = (E[i] + E[j]) / 2.0;
        r2 = dis2(center, E[i]);
        for (int k = 0; k < j; k++) {
            if (dis2(center, E[k]) <= r2) continue;
            center = circumcenter(E[i], E[j], E[k]);
            r2 = dis2(center, E[i]);
        }
    }
} }
```

9.6 PolyUnion

```
// Author: Unknown
struct PY{
  int n; Pt pt[5]; double area;
  Pt& operator[](const int x){ return pt[x]; }
  void init(){ //n,pt[0~n-1] must be filled
    area=pt[n-1]^pt[0];
    for(int i=0;i<n-1;i++) area+=pt[i]^pt[i+1];
    if((area/=2)<0)reverse(pt,pt+n),area=-area;
  }
};
PY py[500]; pair<double,int> c[5000];
inline double segP(Pt &p,Pt &p1,Pt &p2){
  if(dcmp(p1.x-p2.x)==0) return (p.y-p1.y)/(p2.y-p1.y);
  return (p.x-p1.x)/(p2.x-p1.x);
}
double polyUnion(int n){ //py[0~n-1] must be filled
  int i,j,ii,jj,ta,tb,r,d; double z,w,s,sum=0,tc,td;
  for(i=0;i<n;i++) py[i][py[i].n]=py[i][0];
  for(i=0;i<n;i++){
    for(ii=0;ii<py[i].n;ii++){
      r=0;
      c[r++]=make_pair(0.0,0); c[r++]=make_pair(1.0,0);
      for(j=0;j<n;j++){
        if(i==j) continue;
        for(jj=0;jj<py[j].n;jj++){
          ta=dcmp(tri(py[i][ii],py[i][ii+1],py[j][jj]));
          tb=dcmp(tri(py[i][ii],py[i][ii+1],py[j][jj+1]));
          if(ta==0 && tb==0){
            if((py[j][jj+1]-py[j][jj])*(py[i][ii+1]-py[i]
[ii])>0&&j<i){
              c[r++]=make_pair(segP(py[j][jj],py[i]
[ii],py[i][ii+1]),1);
              c[r++]=make_pair(segP(py[j][jj+1],py[i]
[ii],py[i][ii+1]),-1);
            }
          }else if(ta>=0 && tb<0){
            tc=tri(py[j][jj],py[j][jj+1],py[i][ii]);
            td=tri(py[j][jj],py[j][jj+1],py[i][ii+1]);
            c[r++]=make_pair(tc/(tc-td),1);
          }else if(ta<0 && tb>=0){
            tc=tri(py[j][jj],py[j][jj+1],py[i][ii]);
            td=tri(py[j][jj],py[j][jj+1],py[i][ii+1]);
            c[r++]=make_pair(tc/(tc-td),-1);
      } } }
      sort(c,c+r);
      z=min(max(c[0].first,0.0),1.0); d=c[0].second; s=0;
      for(j=1;j<r;j++){
        w=min(max(c[j].first,0.0),1.0);
        if(!d) s+=w-z;
        d+=c[j].second; z=w;
      }
      sum+=(py[i][ii]^py[i][ii+1])*s;
    }
  }
  return sum/2;
}
```

9.7 Minkowski Sum

```
// Author: Unknown
/* convex hull Minkowski Sum*/
#define INF 100000000000000LL
int pos( const Pt& tp ){
  if( tp.Y == 0 ) return tp.X > 0 ? 0 : 1;
  return tp.Y > 0 ? 0 : 1;
}
#define N 300030
Pt pt[ N ], qt[ N ], rt[ N ];
LL Lx,Rx;
int dn,un;
inline bool cmp( Pt a, Pt b ){
  int pa=pos( a ),pb=pos( b );
  if(pa==pb) return (a^b)>0;
  return pa<pb;
}
int minkowskiSum(int n,int m){
  int i,j,r,p,q,fi,fj;
  for(i=1,p=0;i<n;i++){
    if( pt[i].Y<pt[p].Y ||
        (pt[i].Y==pt[p].Y && pt[i].X<pt[p].X) ) p=i; }
  for(i=1,q=0;i<m;i++){
    if( qt[i].Y<qt[q].Y ||
        (qt[i].Y==qt[q].Y && qt[i].X<qt[q].X) ) q=i; }
  rt[0]=pt[p]+qt[q];
  r=1; i=p; j=q; fi=fj=0;
  while(1){
    if((fj&&j==q) ||
       ( (!fi||i!=p) &&
         cmp(pt[(p+1)%n]-pt[p],qt[(q+1)%m]-qt[q]) ) ){
      rt[r]=rt[r-1]+pt[(p+1)%n]-pt[p];
      p=(p+1)%n;
      fi=1;
    }else{
      rt[r]=rt[r-1]+qt[(q+1)%m]-qt[q];
      q=(q+1)%m;
      fj=1;
    }
    if(r<=1 || ((rt[r]-rt[r-1])^(rt[r-1]-rt[r-2]))!=0) r++;
    else rt[r-1]=rt[r];
    if(i==p && j==q) break;
  }
  return r-1;
}
void initInConvex(int n){
  int i,p,q;
  LL Ly,Ry;
  Lx=INF; Rx=-INF;
  for(i=0;i<n;i++){
    if(pt[i].X<Lx) Lx=pt[i].X;
    if(pt[i].X>Rx) Rx=pt[i].X;
  }
```

```
  Ly=Ry=INF;
  for(i=0;i<n;i++){
    if(pt[i].X==Lx && pt[i].Y<Ly){ Ly=pt[i].Y; p=i; }
    if(pt[i].X==Rx && pt[i].Y<Ry){ Ry=pt[i].Y; q=i; }
  }
  for(dn=0,i=p;i!=q;i=(i+1)%n){ qt[dn++]=pt[i]; }
  qt[dn]=pt[q]; Ly=Ry=-INF;
  for(i=0;i<n;i++){
    if(pt[i].X==Lx && pt[i].Y>Ly){ Ly=pt[i].Y; p=i; }
    if(pt[i].X==Rx && pt[i].Y>Ry){ Ry=pt[i].Y; q=i; }
  }
  for(un=0,i=p;i!=q;i=(i+n-1)%n){ rt[un++]=pt[i]; }
  rt[un]=pt[q];
}
inline int inConvex(Pt p){
  int L,R,M;
  if(p.X<Lx || p.X>Rx) return 0;
  L=0;R=dn;
  while(L<R-1){ M=(L+R)/2;
    if(p.X<qt[M].X) R=M; else L=M; }
    if(tri(qt[L],qt[R],p)<0) return 0;
    L=0;R=un;
    while(L<R-1){ M=(L+R)/2;
      if(p.X<rt[M].X) R=M; else L=M; }
      if(tri(rt[L],rt[R],p)>0) return 0;
      return 1;
}
int main(){
  int n,m,i;
  Pt p;
  scanf("%d",&n);
  for(i=0;i<n;i++) scanf("%lld%lld",&pt[i].X,&pt[i].Y);
  scanf("%d",&m);
  for(i=0;i<m;i++) scanf("%lld%lld",&qt[i].X,&qt[i].Y);
  n=minkowskiSum(n,m);
  for(i=0;i<n;i++) pt[i]=rt[i];
  scanf("%d",&m);
  for(i=0;i<m;i++) scanf("%lld%lld",&qt[i].X,&qt[i].Y);
  n=minkowskiSum(n,m);
  for(i=0;i<n;i++) pt[i]=rt[i];
  initInConvex(n);
  scanf("%d",&m);
  for(i=0;i<m;i++){
    scanf("%lld %lld",&p.X,&p.Y);
    p.X*=3; p.Y*=3;
    puts(inConvex(p)?"YES":"NO");
  }
}
```

10 Number Theory

10.1 Prime Sieve and Defactor

```
// Author: Gino
const int maxc = 1e6 + 1;
vector<int> lpf;
vector<int> prime;

void seive() {
    prime.clear();
    lpf.resize(maxc, 1);
    for (int i = 2; i < maxc; i++) {
        if (lpf[i] == 1) {
            lpf[i] = i;
            prime.emplace_back(i);
        }
        for (auto& j : prime) {
            if (i * j >= maxc) break;
            lpf[i * j] = j;
            if (j == lpf[i]) break;
} } }
vector<pii> fac;
void defactor(int u) {
    fac.clear();
    while (u > 1) {
        int d = lpf[u];
        fac.emplace_back(make_pair(d, 0));
        while (u % d == 0) {
            u /= d;
            fac.back().second++;
} } }
```

10.2 Harmonic Series

```
// Author: Gino
// O(n log n)
for (int i = 1; i <= n; i++) {
    for (int j = i; j <= n; j += i) {
        // O(1) code
    }
}

// PIE
// given array a[0], a[1], ..., a[n - 1]
// calculate dp[x] = number of pairs (a[i], a[j]) such that
//                   gcd(a[i], a[j]) = x   // (i < j)
//
// idea: let mc(x) = # of y s.t. x|y
//            f(x) = # of pairs s.t. gcd(a[i], a[j]) >= x
//            f(x) = C(mc(x), 2)
//           dp[x] = f(x) - sum(dp[y], x < y and x|y)
const int maxc = 1e6;
vector<int> cnt(maxc + 1, 0), dp(maxc + 1, 0);
for (int i = 0; i < n; i++)
    cnt[a[i]]++;

for (int x = maxc; x >= 1; x--) {
    ll cnt_mul = 0;  // number of multiples of x
    for (int y = x; y <= maxc; y += x)
        cnt_mul += cnt[y];

    dp[x] = cnt_mul * (cnt_mul - 1) / 2;  // number of pairs that are divisible by x
    for (int y = x + x; y <= maxc; y += x)
        dp[x] -= dp[y];  // PIE: subtract all dp[y] for y > x and x|y
}
```

10.3 Count Number of Divisors

```
// Author: Gino
// Function: Count the number of divisors for all x <= 10^6 using harmonic series
const int maxc = 1e6;
vector<int> facs;

void find_all_divisors() {
    facs.clear(); facs.resize(maxc + 1, 0);
    for (int x = 1; x <= maxc; x++) {
        for (int y = x; y <= maxc; y += x) {
            facs[y]++;
        }
    }
}
```

10.4 ☒☒☒☒

```
// Author: Gino
/*
n = 17
  i:  1  2  3  4  5  6  7  8  9 10 11 12 13 14 15 16 17
n/i: 17  8  5  4  3  2  2  2  1  1  1  1  1  1  1  1  1
                        ^     ^
                    L(2)    R(2)

L(x) :=  left bound for n/i = x
R(x) := right bound for n/i = x

====== FORMULA ======
>>> R = n / (n/L) <<<
=====================

Example: L(2) = 6
         R(2) = 17 / (17 / 6)
              = 17 / 2
              = 8
*/
// ======= CODE ========

for (ll l = 1, r = 1, q = n; l <= n; l = r + 1) {
    q = n/l;
    r = n/q;
    // Process your code here
}
// q, l, r: 17 1 1
// q, l, r: 8 2 2
// q, l, r: 5 3 3
// q, l, r: 4 4 4
// q, l, r: 3 5 5
// q, l, r: 2 6 8
// q, l, r: 1 9 17
```

10.5 Pollard's rho

```
// Author: Unknown
// Function: Find a non-trivial factor of a big number in O(n^(1/4) log^2(n))

ll find_factor(ll number) {
    __int128 x = 2;
    for (__int128 cycle = 1; ; cycle++) {
        __int128 y = x;
        for (int i = 0; i < (1<<cycle); i++) {
            x = (x * x + 1) % number;
            __int128 factor = __gcd(x - y, number);
            if (factor > 1)
```

```
                return factor;
            }
        }
}
```

```
# Author: Unknown
# Function: Find a non-trivial factor of a big number in O(n^(1/4) log^2(n))
from itertools import count
from math import gcd
from sys import stdin

for s in stdin:
    number, x = int(s), 2
    brk = False
    for cycle in count(1):
        y = x
        if brk:
            break
        for i in range(1 << cycle):
            x = (x * x + 1) % number
            factor = gcd(x - y, number)
            if factor > 1:
                print(factor)
                brk = True
                break
```

10.6 Miller Rabin

```
// Author: Unknown, Modified by Gino
// Function: Check if a number is a prime in O(100 * log^2(n))
//      miller_rabin(): return 1 if prime, 0 otherwise
inline ll mul(ll x, ll y, ll mod) {
    return (__int128)(x) * y % mod;
}
ll mypow(ll a, ll b, ll mod) {
    ll r = 1;
    while (b > 0) {
        if (b & 1) r = mul(r, a, mod);
        a = mul(a, a, mod);
        b >>= 1;
    }
    return r;
}
bool witness(ll a, ll n, ll u, int t){
  ll x = mypow(a, u, n);
  for(int i = 0; i < t; i++) {
    ll nx = mul(x, x, n);
    if (nx == 1 && x != 1 && x != n-1) return true;
    x = nx;
  }
  return x != 1;
}
bool miller_rabin(ll n) {
    // if n >= 3,474,749,660,383
    // change {2, 3, 5, 7, 11, 13} to
    // {2, 325, 9375, 28178, 450775, 9780504, 1795265022}
  if (n < 2) return false;
  if(!(n & 1)) return n == 2;
  ll u = n - 1; int t = 0;
  while(!(u & 1)) u >>= 1, t++;
    for (ll a : {2, 3, 5, 7, 11, 13}) {
        if (a % n == 0) continue;
        if (witness(a, n, u, t)) return false;
    }
  return true;
}
// bases that make sure no pseudoprimes flee from test
// if WA, replace randll(n - 1) with these bases:
// n < 4,759,123,141        3 :  2, 7, 61
// n < 1,122,004,669,633    4 :  2, 13, 23, 1662803
// n < 3,474,749,660,383          6 :  pirmes <= 13
// n < 2^64                       7 :
// 2, 325, 9375, 28178, 450775, 9780504, 1795265022
```

10.7 Discrete Log

```
// Author: ckiseki
// find x^? = y (mod M)
// O(sqrt(M))
template<typename Int>
Int BSGS(Int x, Int y, Int M) {
  // x^? \equiv y (mod M)
  Int t = 1, c = 0, g = 1;
  for (Int M_ = M; M_ > 0; M_ >>= 1) g = g * x % M;
  for (g = gcd(g, M); t % g != 0; ++c) {
    if (t == y) return c;
    t = t * x % M;
  }
  if (y % g != 0) return -1;
  t /= g, y /= g, M /= g;
  Int h = 0, gs = 1;
  for (; h * h < M; ++h) gs = gs * x % M;
  unordered_map<Int, Int> bs;
  for (Int s = 0; s < h; bs[y] = ++s) y = y * x % M;
  for (Int s = 0; s < M; s += h) {
    t = t * gs % M;
    if (bs.count(t)) return c + s + h - bs[t];
  }
  return -1;
}
```

10.8 Discrete Sqrt

```
// Author: ckiseki
// find solution for x^2 = n (mod P)
// O(log^2 P)
int get_root(int n, int P) { // ensure 0 <= n < p
  if (P == 2 or n == 0) return n;
  auto check = [&](lld x) {
    return modpow(int(x), (P - 1) / 2, P); };
  if (check(n) != 1) return -1;
  mt19937 rnd(7122); lld z = 1, w;
  while (check(w = (z * z - n + P) % P) != P - 1)
    z = rnd() % P;
  const auto M = [P, w](auto &u, auto &v) {
    auto [a, b] = u; auto [c, d] = v;
    return make_pair((a * c + b * d % P * w) % P,
        (a * d + b * c) % P);
  };
  pair<lld, lld> r(1, 0), e(z, 1);
  for (int q = (P + 1) / 2; q; q >>= 1, e = M(e, e))
    if (q & 1) r = M(r, e);
  return int(r.first); // sqrt(n) mod P where P is prime
}
```

10.9 Fast Power

Note: $a^n \equiv a^{(n \bmod (p-1))} (\bmod p)$

10.10 Extend GCD

```
// Author: Gino
// [Usage]
// bezout(a, b, c):
//      find solution to ax + by = c
//      return {-LINF, -LINF} if no solution
// inv(a, p):
//      find modulo inverse of a under p
//      return -1 if not exist
// CRT(vector<ll>& a, vector<ll>& m)
//      find a solution pair (x, mod) satisfies all x = a[i] (mod m[i])
//      return {-LINF, -LINF} if no solution

const ll LINF = 4e18;
typedef pair<ll, ll> pll;
template<typename T1, typename T2>
T1 chmod(T1 a, T2 m) {
    return (a % m + m) % m;
}

ll GCD;
pll extgcd(ll a, ll b) {
    if (b == 0) {
        GCD = a;
        return pll{1, 0};
    }
    pll ans = extgcd(b, a % b);
    return pll{ans.second, ans.first - a/b * ans.second};
}
pll bezout(ll a, ll b, ll c) {
    bool negx = (a < 0), negy = (b < 0);
    pll ans = extgcd(abs(a), abs(b));
    if (c % GCD != 0) return pll{-LINF, -LINF};
    return pll{ans.first * c/GCD * (negx ? -1 : 1),
               ans.second * c/GCD * (negy ? -1 : 1)};
}
ll inv(ll a, ll p) {
    if (p == 1) return -1;
    pll ans = bezout(a % p, -p, 1);
    if (ans == pll{-LINF, -LINF}) return -1;
    return chmod(ans.first, p);
}
pll CRT(vector<ll>& a, vector<ll>& m) {
    for (int i = 0; i < (int)a.size(); i++)
        a[i] = chmod(a[i], m[i]);

    ll x = a[0], mod = m[0];
    for (int i = 1; i < (int)a.size(); i++) {
        pll sol = bezout(mod, m[i], a[i] - x);
        if (sol.first == -LINF) return pll{-LINF, -LINF};

        // prevent long long overflow
```

```
        ll p = chmod(sol.first, m[i] / GCD);
        ll lcm = mod / GCD * m[i];
        x = chmod((__int128)p * mod + x, lcm);
        mod = lcm;
    }
    return pll{x, mod};
}
```

10.11 Mu + Phi

```
// Author: Gino
const int maxn = 1e6 + 5;
ll f[maxn];
vector<int> lpf, prime;
void build() {
lpf.clear(); lpf.resize(maxn, 1);
prime.clear();
f[1] = ...;  /* mu[1] = 1, phi[1] = 1 */
for (int i = 2; i < maxn; i++) {
    if (lpf[i] == 1) {
        lpf[i] = i; prime.emplace_back(i);
        f[i] = ...;  /* mu[i] = 1, phi[i] = i-1 */
    }
    for (auto& j : prime) {
        if (i*j >= maxn) break;
        lpf[i*j] = j;
        if (i % j == 0) f[i*j] = ...;  /* 0, phi[i]*j */
        else f[i*j] = ...;  /* -mu[i], phi[i]*phi[j] */
        if (j >= lpf[i]) break;
} } }
```

10.12 Other Formulas

- Pisano Period: 𝑝 𝑀 𝜋(𝑀) 𝑀 = ∏ $p_i^{e_i}$ 𝜋(𝑀) = lcm(𝜋($p_i^{e_i}$))
- Inversion:
  $aa^{-1} \equiv 1 \pmod m$. a^{-1} exists iff $\gcd(a, m) = 1$.
- Linear inversion:
  $a^{-1} \equiv \left(m - \left\lfloor \frac{m}{a} \right\rfloor\right) \times (m \bmod a)^{-1} \pmod m$
- Fermat's little theorem:
  $a^p \equiv a \pmod p$ if p is prime.
- Euler function:
  $\varphi(n) = n \prod_{p|n} \frac{p-1}{p}$
- Euler theorem:
  $a^{\varphi(n)} \equiv 1 \pmod n$ if $\gcd(a, n) = 1$. If a, n are not coprime: 𝑛 = ∏ $p_i^{e_i}$ $p_i^{e_i}$ 𝑎 Fermat 0 CRT
- Extended Euclidean algorithm:
  $ax + by = \gcd(a, b) = \gcd(b, a \bmod b) = \gcd\left(b, a - \left\lfloor \frac{a}{b} \right\rfloor b\right) = bx_1 + \left(a - \left\lfloor \frac{a}{b} \right\rfloor b\right)y_1 = ay_1 + b\left(x_1 - \left\lfloor \frac{a}{b} \right\rfloor y_1\right)$
- Divisor function:
  $\sigma_x(n) = \sum_{d|n} d^x$. $n = \prod_{i=1}^{r} p_i^{a_i}$.
  $\sigma_x(n) = \prod_{i=1}^{r} \frac{p_i^{(a_i+1)x} - 1}{p_i^x - 1}$ if $x \neq 0$. $\sigma_0(n) = \prod_{i=1}^{r} (a_i + 1)$.
- Chinese remainder theorem (Coprime Moduli):
  $x \equiv a_i \pmod{m_i}$.
  $M = \prod m_i$. $M_i = \frac{M}{m_i}$. $t_i = M_i^{-1}$.
  $x = kM + \sum a_i t_i M_i$, $k \in \mathbb{Z}$.
- Chinese remainder theorem:
  $x \equiv a_1 \pmod{m_1}, x \equiv a_2 \pmod{m_2} \Rightarrow x = m_1 p + a_1 = m_2 q + a_2 \Rightarrow m_1 p - m_2 q = a_2 - a_1$
  Solve for (p, q) using ExtGCD.
  $x \equiv m_1 p + a_1 \equiv m_2 q + a_2 \pmod{\operatorname{lcm}(m_1, m_2)}$
- Avoiding Overflow: $ca \bmod cb = c(a \bmod b)$
- Dirichlet Convolution: $(f * g)(n) = \sum_{d|n} f(n) g\left(\frac{n}{d}\right)$
- Important Multiplicative Functions + Properties:
  1. $\varepsilon(n) = [n = 1]$
  2. $1(n) = 1$
  3. $id\ (n) = n$
  4. $\mu(n) = 0$ if n has squared prime factor
  5. $\mu(n) = (-1)^k$ if $n = p_1 p_2 \cdots p_k$
  6. $\varepsilon = \mu * 1$
  7. $\varphi = \mu * id$
  8. $[n = 1] = \sum_{d|n} \mu(d)$
  9. $[\gcd = 1] = \sum_{d|\gcd} \mu(d)$
- Möbius inversion: $f = g * 1 \Leftrightarrow g = f * \mu$

10.13 Polynomial

```
// Author: Gino
// Preparation: first set_mod(mod, g), then init_ntt()
// everytime you change modulus, you have to call init_ntt()
again
//
// [Usage]
// polynomial: vector<ll> a, b
// negation: -a
// add/subtract: a += b, a -= b
// convolution: a *= b
// in-place modulo: mod(a, b)
// in-place inversion under mod x^N: inv(ia, N)


const int maxk = 20;
const int maxn = 1<<maxk;

using u64 = unsigned long long;
using u128 = __uint128_t;

int g;
u64 MOD;
u64 BARRETT_IM; // ⌊ 2^64 / MOD ⌋

inline void set_mod(u64 m, int _g) {
    g = _g;
    MOD = m;
    BARRETT_IM = (u128(1) << 64) / m;
}
inline u64 chmod(u128 x) {
    u64 q = (u64)((x * BARRETT_IM) >> 64);
    u64 r = (u64)(x - (u128)q * MOD);
    if (r >= MOD) r -= MOD;
    return r;
}
inline u64 mmul(u64 a, u64 b) {
    return chmod((u128)a * b);
}
ll pw(ll a, ll n) {
    ll ret = 1;
    while (n > 0) {
        if (n & 1) ret = mmul(ret, a);
        a = mmul(a, a);
        n >>= 1;
    }
    return ret;
}

vector<ll> X, iX;
vector<int> rev;
void init_ntt() {
    X.assign(maxn, 1);  // x1 = g^((p-1)/n)
    iX.assign(maxn, 1);

    ll u = pw(g, (MOD-1)/maxn);
    ll iu = pw(u, MOD-2);
    for (int i = 1; i < maxn; i++) {
        X[i] = mmul(X[i - 1], u);
        iX[i] = mmul(iX[i - 1], iu);
    }

    if ((int)rev.size() == maxn) return;
    rev.assign(maxn, 0);
    for (int i = 1, hb = -1; i < maxn; i++) {
        if (!(i & (i-1))) hb++;
        rev[i] = rev[i ^ (1<<hb)] | (1<<(maxk-hb-1));
} }
template<typename T>
void NTT(vector<T>& a, bool inv=false) {
    int _n = (int)a.size();
    int k = __lg(_n) + ((1<<__lg(_n)) != _n);
    int n = 1<<k;
    a.resize(n, 0);

    short shift = maxk-k;
    for (int i = 0; i < n; i++)
        if (i > (rev[i]>>shift))
            swap(a[i], a[rev[i]>>shift]);
    for (int len = 2, half = 1, div = maxn>>1; len <= n; len<<=1, half<<=1, div>>=1) {
        for (int i = 0; i < n; i += len) {
            for (int j = 0; j < half; j++) {
                T u = a[i+j];
                T v = mmul(a[i+j+half], (inv ? iX[j*div] : X[j*div]));
                a[i+j] = (u+v >= MOD ? u+v-MOD : u+v);
                a[i+j+half] = (u-v < 0 ? u-v+MOD : u-v);
    } } }
    if (inv) {
        T dn = pw(n, MOD-2);
        for (auto& x : a) {
            x = mmul(x, dn);
} } }
template<typename T>
inline void shrink(vector<T>& a) {
    int cnt = (int)a.size();
```

```
    for (; cnt > 0; cnt--) if (a[cnt-1]) break;
    a.resize(max(cnt, 1));
}
template<typename T>
vector<T>& operator*=(vector<T>& a, vector<T> b) {
    int na = (int)a.size();
    int nb = (int)b.size();
    a.resize(na + nb - 1, 0);
    b.resize(na + nb - 1, 0);

    NTT(a); NTT(b);
    for (int i = 0; i < (int)a.size(); i++)
        a[i] = mmul(a[i], b[i]);
    NTT(a, true);

    shrink(a);
    return a;
}
inline ll crt(ll a0, ll a1, ll m1, ll m2, ll inv_m1_mod_m2){
    // x ≡ a0 (mod m1), x ≡ a1 (mod m2)
    // t = (a1 - a0) * inv(m1) mod m2
    // x = a0 + t * m1  (mod m1*m2)
    ll t = chmod(a1 - a0);
    if (t < 0) t += m2;
    t = (ll)((__int128)t * inv_m1_mod_m2 % m2);
    return a0 + (ll)((__int128)t * m1);
}
void mul_crt() {
    // a copy to a1, a2 | b copy to b1, b2
    ll M1 = 998244353, M2 = 1004535809;
    g = 3; set_mod(M1); init_ntt(); a1 *= b1;
    g = 3; set_mod(M2); init_ntt(); a2 *= b2;

    ll inv_m1_mod_m2 = pw(M1, M2 - 2);
    for (int i = 2; i <= 2 * k; i++)
        cout << crt(a1[i], a2[i], M1, M2, inv_m1_mod_m2) <<
' ';
    cout << endl;
}

/* P = r*2^k + 1
P                   r   k   g
998244353           119 23  3
1004535809          479 21  3

P                   r   k   g
3                   1   1   2
5                   1   2   2
17                  1   4   3
97                  3   5   5
193                 3   6   5
257                 1   8   3
7681                15  9   17
12289               3   12  11
40961               5   13  3
65537               1   16  3
786433              3   18  10
5767169             11  19  3
7340033             7   20  3
23068673            11  21  3
104857601           25  22  3
167772161           5   25  3
469762049           7   26  3
1004535809          479 21  3
2013265921          15  27  31
2281701377          17  27  3
3221225473          3   30  5
75161927681         35  31  3
77309411329         9   33  7
206158430209        3   36  22
2061584302081       15  37  7
2748779069441       5   39  3
6597069766657       3   41  5
39582418599937      9   42  5
79164837199873      9   43  5
263882790666241     15  44  7
1231453023109121    35  45  3
1337006139375617    19  46  3
3799912185593857    27  47  5
4222124650659841    15  48  19
7881299347898369    7   50  6
31525197391593473   7   52  3
180143985094819841  5   55  6
1945555039024054273 27  56  5
4179340454199820289 29  57  3
9097271247288401921 505 54  6 */
```

10.14 Counting Primes

```
// prime_count — #primes in [1..n] (O(n^{2/3}) time,
O(sqrt(n)) memory)

using u64 = unsigned long long;
static inline u64 prime_count(u64 n){
  if(n<=1) return 0;
  int v = (int)floor(sqrt((long double)n));
  int s = (v+1)>>1, pc = 0;
  vector<int> smalls(s), roughs(s), skip(v+1);
  vector<long long> larges(s);

  for(int i=0;i<s;++i){
    smalls[i]=i;
    roughs[i]=2*i+1;
    larges[i]=(long long)((n/roughs[i]-1)>>1);
  }

  for(int p=3;p<=v;p+=2) if(!skip[p]){
    int q = p*p;
    if(1LL*q*q > (long long)n) break;
    skip[p]=1;
    for(int i=q;i<=v;i+=2*p) skip[i]=1;

    int ns=0;
    for(int k=0;k<s;++k){
      int i = roughs[k];
      if(skip[i]) continue;
      u64 d = (u64)i * (u64)p;
      long long sub = (d <= (u64)v)
        ? larges[smalls[(int)(d>>1)] - pc]
        : smalls[(int)((n/d - 1) >> 1)];
      larges[ns] = larges[k] - sub + pc;
      roughs[ns++] = i;
    }
    s = ns;
    for(int i=(v-1)>>1, j=((v/p)-1)|1; j>=p; j-=2){
      int c = smalls[j>>1] - pc;
      for(int e=(j*p)>>1; i>=e; --i) smalls[i] -= c;
    }
    ++pc;
  }

  larges[0] += 1LL*(s + 2*(pc-1))*(s-1) >> 1;
  for(int k=1;k<s;++k) larges[0] -= larges[k];

  for(int l=1;l<s;++l){
    int q = roughs[l];
    u64 m = n / (u64)q;
    long long t = 0;
    int e = smalls[(int)((m/q - 1) >> 1)] - pc;
    if(e < l+1) break;
    for(int k=l+1;k<=e;++k) t += smalls[(int)((m/
(u64)roughs[k] - 1) >> 1)];
    larges[0] += t - 1LL*(e - l)*(pc + l - 1);
  }
  return (u64)(larges[0] + 1);
}
```

10.15 Linear Sieve for Other Number Theoretic Functions

```
// linear_sieve(n, primes, lp, phi, mu, d, sigma)
// Outputs over the index range 0..n (n >= 1):
//   primes : all primes in [2..n], increasing.
//   lp     : lowest prime factor; lp[1]=0, lp[x] is the
smallest prime dividing x.
//   phi    : Euler totient, phi[x] = |{1<=k<=x :
gcd(k,x)=1}|.  Multiplicative.
//   mu     : Möbius; mu[1]=1, mu[x]=0 if x has a squared
prime factor, else (-1)^{#distinct primes}.
//   d      : number of divisors; if x=∏ p_i^{e_i}, then
d[x]=∏(e_i+1).  Multiplicative.
//   sigma  : sum of divisors; if x=∏ p_i^{e_i}, then
sigma[x]=∏(1+p_i+...+p_i^{e_i}). (use ll)
//
// Complexity: O(n) time, O(n) memory.
// Notes: Arrays are resized inside; primes is cleared and
reserved. sigma uses ll to avoid 32-bit overflow.

static inline void linear_sieve(
  int n,
  std::vector<int> &primes,
  std::vector<int> &lp,
  std::vector<int> &phi,
  std::vector<int> &mu,
  std::vector<int> &d,
  std::vector<ll>  &sigma
) {
  lp.assign(n + 1, 0); phi.assign(n + 1, 0); mu.assign(n +
1, 0); d.assign(n + 1, 0); sigma.assign(n + 1, 0);
```

```
  primes.clear(); primes.reserve(n > 1 ? n / 10 : 0);
  std::vector<int> cnt(n + 1, 0), core(n + 1, 1);
  std::vector<ll>  p_pow(n + 1, 1), sum_p(n + 1, 1);
  phi[1] = mu[1] = d[1] = sigma[1] = 1;

  for (int i = 2; i <= n; ++i) {
    if (!lp[i]) {
      lp[i] = i; primes.push_back(i);
      phi[i] = i - 1; mu[i] = -1; d[i] = 2;
      cnt[i] = 1; p_pow[i] = i; core[i] = 1;
      sum_p[i] = 1 + (ll)i; sigma[i] = sum_p[i];
    }
    for (int p : primes) {
      long long ip = 1LL * i * p;
      if (ip > n) break;
      lp[ip] = p;
      if (p == lp[i]) {
        cnt[ip] = cnt[i] + 1; p_pow[ip] = p_pow[i] * p;
core[ip] = core[i];
        sum_p[ip] = sum_p[i] + p_pow[ip];
        phi[ip] = phi[i] * p; mu[ip] = 0;
        d[ip] = d[core[ip]] * (cnt[ip] + 1);
        sigma[ip] = sigma[core[ip]] * sum_p[ip];
        break; // critical for linear complexity
      } else {
        cnt[ip] = 1; p_pow[ip] = p; core[ip] = i;
        sum_p[ip] = 1 + (ll)p;
        phi[ip] = phi[i] * (p - 1); mu[ip] = -mu[i];
        d[ip] = d[i] * 2;
        sigma[ip] = sigma[i] * sum_p[ip];
      }
    }
  }
}

// Optional helper: factorize x in O(log x) using lp
(requires x in [2..n])
static inline std::vector<std::pair<int,int>> factorize(int
x, const std::vector<int>& lp) {
  std::vector<std::pair<int,int>> res;
  while (x > 1) {
    int p = lp[x], e = 0;
    do { x /= p; ++e; } while (x % p == 0);
    res.push_back({p, e});
  }
  return res;
}
```

11 Linear Algebra

11.1 Gaussian-Jordan Elimination

```
int n; vector<vector<ll> > v;
void gauss(vector<vector<ll>>& v) {
int r = 0;
for (int i = 0; i < n; i++) {
    bool ok = false;
    for (int j = r; j < n; j++) {
        if (v[j][i] == 0) continue;
        swap(v[j], v[r]);
        ok = true; break;
    }
    if (!ok) continue;
    ll div = inv(v[r][i]);
    for (int j = 0; j < n+1; j++) {
        v[r][j] *= div;
        if (v[r][j] >= MOD) v[r][j] %= MOD;
    }
    for (int j = 0; j < n; j++) {
        if (j == r) continue;
        ll t = v[j][i];
        for (int k = 0; k < n+1; k++) {
            v[j][k] -= v[r][k] * t % MOD;
            if (v[j][k] < 0) v[j][k] += MOD;
    } }
    r++;
} }
```

11.2 Determinant

1. Use GJ Elimination, if there's any row consists of only 0, then det = 0, otherwise det = product of diagonal elements.
2. Properties of det:
   - Transpose: Unchanged
   - Row Operation 1 - Swap 2 rows: $-$ det
   - Row Operation 2 - $k\vec{r}_i$: $k \times$ det
   - Row Operation 3 - $k\vec{r}_i$ add to $\vec{r}_j$: Unchanged

12 Matching

12.1 Bipartite Matching

```
// Author: Gino
// Function: Max Bipartite Matching in O(V sqrt(E))
// Usage:
// >>> init(nx, ny) -> add(x, y (+nx))
// >>> hk.max_matching() := the matching plan stores in mx,
my
// >>> hk.min_vertex_cover() := the vertex cover plan stores
in vcover
// (!) vertices are 0-based: X = [0, nx), Y = [nx, nx+ny)
#define pb emplace_back
struct HopcroftKarp {
  int n, nx, ny;
  vector<vector<int> > G;
  vector<int> mx, my;
  void init(int _nx, int _ny) {
    nx = _nx, ny = _ny;
    n = nx + ny;
    G.assign(n, vector<int>());
  }
  void add(int x, int y) { G[x].pb(y); G[y].pb(x); }
  int max_matching() {
    vector<int> dis, vis;
    mx.assign(n, -1); my.assign(n, -1);
    function<bool(int)> dfs = [&](int x) {
      vis[x] = 1;
      for (int y : G[x]) {
        int p = my[y];
        if (p == -1 || (dis[p] == dis[x] + 1 && !vis[p] &&
dfs(p)))
          return mx[x] = y, my[y] = x, true;
      }
      return false;
    };
    while (true) {
      dis.assign(n, -1);
      queue<int> q;
      for (int x = 0; x < nx; x++)
        if (mx[x] == -1) dis[x] = 0, q.push(x);
      while (!q.empty()) {
        int x = q.front(); q.pop();
        for (int y : G[x])
          if (my[y] != -1 && dis[my[y]] == -1)
            dis[my[y]] = dis[x] + 1, q.push(my[y]);
      }
      vis.assign(n, 0);
      bool found = false;
      for (int x = 0; x < nx; x++)
        if (mx[x] == -1 && dfs(x)) found = true;
      if (!found) break;
    }
    int ans = 0;
    for (int x = 0; x < nx; x++) if (mx[x] != -1) ans++;
    return ans;
  }
  vector<int> vcover;
  int min_vertex_cover() {
    int ans = max_matching();
    vector<int> vis(n, 0);
    function<void(int)> dfs = [&](int x) {
      vis[x] = true;
      for (int y : G[x]) {
        if (y == mx[x] || my[y] == -1 || vis[y]) continue;
        vis[y] = true;
        dfs(my[y]);
      }
    };
    for (int x = 0; x < nx; x++) if (mx[x] == -1) dfs(x);
    vcover.clear();
    for (int x = 0; x < nx; x++) if (!vis[x]) vcover.pb(x);
    for (int y = nx; y < nx + ny; y++) if (vis[y])
vcover.pb(y);
    return ans;
  }
} hk;
```

12.2 Bipartite Weighted Matching

```
// Author: ckiseki
// n = #(left vertices) = #(right vertices)
// left, right vertices labeled 1 ~ n separately
// 1. build 1-based matrix G of size (n + 1) * (n + 1)
//    G[u][v] := weight between (left u, right v)
//  <!> if not need perfect matching => set weights of all
negative edges to 0
// 2. constrcut (solve at same time): KM km(n, G);
// => km.ans (max perfect weight sum)
// => km.fl[u] (left u -> right v)
```

```cpp
// => km.fr[v] (right v -> left u)
// Time: O(V^3), Space: O(V^2)
// Test: V <= 500, 243ms
struct KM { // maximize, test @ UOJ 80
  int n, l, r; ll ans; // fl and fr are the match
  vector<ll> hl, hr; vector<int> fl, fr, pre, q;
  void bfs(const auto &w, int s) {
    vector<int> vl(n + 1), vr(n + 1); vector<ll> slk(n + 1, LINF);
    l = r = 0; vr[q[r++] = s] = true;
    auto check = [&](int x) -> bool {
      if (vl[x] || slk[x] > 0) return true;
      vl[x] = true; slk[x] = LINF;
      if (fl[x] != -1) return (vr[q[r++] = fl[x]] = true);
      while (x != -1) swap(x, fr[fl[x] = pre[x]]);
      return false;
    };
    while (true) {
      while (l < r)
        for (int x = 1, y = q[l++]; x <= n; ++x) if (!vl[x])
          if (ll val = hl[x] + hr[y] - w[x][y]; val < slk[x]) {
            slk[x] = val;
            if (pre[x] = y, !check(x)) return;
          }
      ll d = LINF;
      for (int x = 1; x <= n; ++x) d = min(d, slk[x]);
      for (int x = 1; x <= n; ++x)
        vl[x] ? hl[x] += d : slk[x] -= d;
      for (int x = 1; x <= n; ++x) if (vr[x]) hr[x] -= d;
      for (int x = 1; x <= n; ++x) if (!check(x)) return;
    }
  }
  KM(int n_, const auto &w) : n(n_), ans(0),
    hl(n + 1), hr(n + 1), fl(n + 1, -1), fr(fl), pre(n + 1), q(n + 1) {
    for (int i = 1; i <= n; ++i) {
      hl[i] = -LINF;
      for (int j = 1; j <= n; ++j) hl[i] = max(hl[i], (ll)w[i][j]);
    }
    for (int i = 1; i <= n; ++i) bfs(w, i);
    for (int i = 1; i <= n; ++i) ans += w[i][fl[i]];
  }
};
```

12.3 General Matching

```cpp
// Author: ckiseki
// 0. build 1-based graph vector<vector<int>> G(n + 1);
// 1. construct (solve at same time):
//      GeneralMatching M(G, n);  => M.ans
// status: M.match[x] (== -1 if not matched, 1 <= x <= n)
// Time: O(V^3), Space: O(V + E)
// Test: V <= 500, 11ms
struct GeneralMatching {
  queue<int> q; int ans, n;
  vector<int> fa, s, v, pre, match;
  int Find(int u) {
    return u == fa[u] ? u : fa[u] = Find(fa[u]); }
  int LCA(int x, int y) {
    static int tk = 0; tk++; x = Find(x); y = Find(y);
    for (;; swap(x, y)) if (x != 0) {
      if (v[x] == tk) return x;
      v[x] = tk;
      x = Find(pre[match[x]]);
    }
  }
  void Blossom(int x, int y, int l) {
    for (; Find(x) != l; x = pre[y]) {
      pre[x] = y, y = match[x];
      if (s[y] == 1) q.push(y), s[y] = 0;
      for (int z : {x, y}) if (fa[z] == z) fa[z] = l;
    }
  }
  bool Bfs(auto &&g, int r) {
    iota(all(fa), 0); ranges::fill(s, -1);
    q = queue<int>(); q.push(r); s[r] = 0;
    for (; !q.empty(); q.pop()) {
      for (int x = q.front(); int u : g[x])
        if (s[u] == -1) {
          if (pre[u] = x, s[u] = 1, match[u] == 0) {
            for (int a = u, b = x, last;
                 b != 0; a = last, b = pre[a])
              last = match[b], match[b] = a, match[a] = b;
            return true;
          }
          q.push(match[u]); s[match[u]] = 0;
        } else if (!s[u] && Find(u) != Find(x)) {
          int l = LCA(u, x);
          Blossom(x, u, l); Blossom(u, x, l);
        }
    }
    return false;
  }
  GeneralMatching(auto &&g, int n_) : ans(0), n(n_),
    fa(n + 1), s(n + 1), v(n + 1), pre(n + 1, 0), match(n + 1, 0) {
    for (int x = 1; x <= n; ++x)
      if (match[x] == 0) ans += Bfs(g, x);
    for (int x = 1; x <= n; ++x)
      if (match[x] == 0) match[x] = -1;
  }
}; // tested @ yosupo judge
```

12.4 General Weighted Matching

```cpp
// Author: ckiseki
// 1. GeneralWeightedMatching M(n);
//    (1-based, 1 <= u, v <= n)
// 2. add edges: M.set_edge(u, v, w);
// 3. auto [tot_weight, n_matches] = M.solve();
// 4. M.match[u] (== -1 if not matched, 1-based index if matched)
// Time: O(V^3), Space: O(V^2)
// Test: V <= 500, 369ms
struct GeneralWeightedMatching { // 1-based
  static const int inf = INT_MAX;
  struct edge { int u, v, w; }; int n, nx;
  vector<int> lab; vector<vector<edge>> g;
  vector<int> slack, match, st, pa, S, vis;
  vector<vector<int>> flo, flo_from; queue<int> q;
  GeneralWeightedMatching(int n_) : n(n_), nx(n * 2), lab(nx + 1),
    g(nx + 1, vector<edge>(nx + 1)), slack(nx + 1),
    flo(nx + 1), flo_from(nx + 1, vector(n + 1, 0)) {
    match = st = pa = S = vis = slack;
    REP(u, 1, n) REP(v, 1, n) g[u][v] = {u, v, 0};
  }
  int ED(edge e) {
    return lab[e.u] + lab[e.v] - g[e.u][e.v].w * 2; }
  void update_slack(int u, int x, int &s) {
    if (!s || ED(g[u][x]) < ED(g[s][x])) s = u; }
  void set_slack(int x) {
    slack[x] = 0;
    REP(u, 1, n)
      if (g[u][x].w > 0 && st[u] != x && S[st[u]] == 0)
        update_slack(u, x, slack[x]);
  }
  void q_push(int x) {
    if (x <= n) q.push(x);
    else for (int y : flo[x]) q_push(y);
  }
  void set_st(int x, int b) {
    st[x] = b;
    if (x > n) for (int y : flo[x]) set_st(y, b);
  }
  vector<int> split_flo(auto &f, int xr) {
    auto it = find(all(f), xr);
    if (auto pr = it - f.begin(); pr % 2 == 1)
      reverse(1 + all(f)), it = f.end() - pr;
    auto res = vector(f.begin(), it);
    return f.erase(f.begin(), it), res;
  }
  void set_match(int u, int v) {
    match[u] = g[u][v].v;
    if (u <= n) return;
    int xr = flo_from[u][g[u][v].u];
    auto &f = flo[u], z = split_flo(f, xr);
    REP(i, 0, int(z.size())-1) set_match(z[i], z[i ^ 1]);
    set_match(xr, v); f.insert(f.end(), all(z));
  }
  void augment(int u, int v) {
    for (;;) {
      int xnv = st[match[u]]; set_match(u, v);
      if (!xnv) return;
      set_match(v = xnv, u = st[pa[xnv]]);
    }
  }
/* SPLIT_HASH_HERE */
  int lca(int u, int v) {
    static int t = 0; ++t;
    for (++t; u || v; swap(u, v)) if (u) {
      if (vis[u] == t) return u;
      vis[u] = t; u = st[match[u]];
      if (u) u = st[pa[u]];
    }
    return 0;
  }
  void add_blossom(int u, int o, int v) {
    int b = int(find(n + 1 + all(st), 0) - begin(st));
```

```
    lab[b] = 0, S[b] = 0; match[b] = match[o];
    vector<int> f = {o};
    for (int x : {u, v}) {
      for (int y; x != o; x = st[pa[y]])
        f.pb(x), f.pb(y = st[match[x]]), q_push(y);
      reverse(1 + all(f));
    }
    flo[b] = f; set_st(b, b);
    REP(x, 1, nx) g[b][x].w = g[x][b].w = 0;
    REP(x, 1, n) flo_from[b][x] = 0;
    for (int xs : flo[b]) {
      REP(x, 1, nx)
        if (g[b][x].w == 0 || ED(g[xs][x]) < ED(g[b][x]))
          g[b][x] = g[xs][x], g[x][b] = g[x][xs];
      REP(x, 1, n)
        if (flo_from[xs][x]) flo_from[b][x] = xs;
    }
    set_slack(b);
  }
  void expand_blossom(int b) {
    for (int x : flo[b]) set_st(x, x);
    int xr = flo_from[b][g[b][pa[b]].u], xs = -1;
    for (int x : split_flo(flo[b], xr)) {
      if (xs == -1) { xs = x; continue; }
      pa[xs] = g[x][xs].u; S[xs] = 1, S[x] = 0;
      slack[xs] = 0; set_slack(x); q_push(x); xs = -1;
    }
    for (int x : flo[b])
      if (x == xr) S[x] = 1, pa[x] = pa[b];
      else S[x] = -1, set_slack(x);
    st[b] = 0;
  }
  bool on_found_edge(const edge &e) {
    if (int u = st[e.u], v = st[e.v]; S[v] == -1) {
      int nu = st[match[v]]; pa[v] = e.u; S[v] = 1;
      slack[v] = slack[nu] = 0; S[nu] = 0; q_push(nu);
    } else if (S[v] == 0) {
      if (int o = lca(u, v)) add_blossom(u, o, v);
      else return augment(u, v), augment(v, u), true;
    }
    return false;
  }
/* SPLIT_HASH_HERE */
  bool matching() {
    ranges::fill(S, -1); ranges::fill(slack, 0);
    q = queue<int>();
    REP(x, 1, nx) if (st[x] == x && !match[x])
      pa[x] = 0, S[x] = 0, q_push(x);
    if (q.empty()) return false;
    for (;;) {
      while (q.size()) {
        int u = q.front(); q.pop();
        if (S[st[u]] == 1) continue;
        REP(v, 1, n)
          if (g[u][v].w > 0 && st[u] != st[v]) {
            if (ED(g[u][v]) != 0)
              update_slack(u, st[v], slack[st[v]]);
            else if (on_found_edge(g[u][v])) return true;
          }
      }
      int d = inf;
      REP(b, n + 1, nx) if (st[b] == b && S[b] == 1)
        d = min(d, lab[b] / 2);
      REP(x, 1, nx)
        if (int s = slack[x]; st[x] == x && s && S[x] <= 0)
          d = min(d, ED(g[s][x]) / (S[x] + 2));
      REP(u, 1, n)
        if (S[st[u]] == 1) lab[u] += d;
        else if (S[st[u]] == 0) {
          if (lab[u] <= d) return false;
          lab[u] -= d;
        }
      REP(b, n + 1, nx) if (st[b] == b && S[b] >= 0)
        lab[b] += d * (2 - 4 * S[b]);
      REP(x, 1, nx)
        if (int s = slack[x]; st[x] == x &&
            s && st[s] != x && ED(g[s][x]) == 0)
          if (on_found_edge(g[s][x])) return true;
      REP(b, n + 1, nx)
        if (st[b] == b && S[b] == 1 && lab[b] == 0)
          expand_blossom(b);
    }
    return false;
  }
  pair<ll, int> solve() {
    ranges::fill(match, 0);
    REP(u, 0, n) st[u] = u, flo[u].clear();
    int w_max = 0;
    REP(u, 1, n) REP(v, 1, n) {
      flo_from[u][v] = (u == v ? u : 0);
      w_max = max(w_max, g[u][v].w);
    }
    REP(u, 1, n) lab[u] = w_max;
    int n_matches = 0; ll tot_weight = 0;
    while (matching()) ++n_matches;
    REP(u, 1, n) if (match[u] && match[u] < u)
      tot_weight += g[u][match[u]].w;
    REP(u, 1, n) if (match[u] == 0) match[u] = -1;
    return make_pair(tot_weight, n_matches);
  }
  void set_edge(int u, int v, int w) {
    g[u][v].w = g[v][u].w = w; }
};
```

13 Flow

13.1 Flow Methods

```
// Author: CRyptoGRapheR (some modified by Gino)
Maximize c^T x subject to Ax ≤ b, x ≥ 0;
with the corresponding symmetric dual problem,
Minimize b^T y subject to A^T y ≥ c, y ≥ 0.

Maximize c^T x subject to Ax ≤ b;
with the corresponding asymmetric dual problem,
Minimize b^T y subject to A^T y = c, y ≥ 0.

Maximize \sum x subject to x_i + x_j ≤ Aij, x ≥ 0;
=> Maximize \sum x subject to x_i + x_j ≤ A_ij;
=> Minimize A^T y = \sum A_ij y_ij subject to for all v,
\sum_{i=v or j=v} y_ij = 1, y_ij ≥ 0
=> possible optimal solution: y_ij = {0, 0.5, 1}
=> y'=2y: \sum_{i=v or j=v} y'_ij = 2, y'_ij = {0, 1, 2}
=> Minimum Bipartite perfect matching/2 (V1=X,V2=X,E=A)

General Graph:
|Max Ind. Set| + |Min Vertex Cover| = |V|
|Max Ind. Edge Set| + |Min Edge Cover| = |V|
Bipartite Graph:
|Max Ind. Set| = |Min Edge Cover|
|Max Ind. Edge Set| = |Min Vertex Cover|

To reconstruct the minimum vertex cover, dfs from each
unmatched vertex on the left side and with unused edges
only. Equivalently, dfs from source with unused edges
only and without visiting sink. Then, a vertex is
chosen iff. it is on the left side and without visited
or on the right side and visited through dfs.

Minimum Weighted Bipartite Edge Cover:
Construct new bipartite graph with n+m vertices on each
side:
for each vertex u, duplicate a vertex u' on the other side
for each edge (u,v,w), add edges (u,v,w) and (v',u',w)
for each vertex u, add edge (u,u',2w) where w is min edge
connects to u
then the answer is the minimum perfect matching of the new
graph (KM)

Maximum density subgraph ( \sum{W_e}+ \sum{W_v} ) / |V|
Binary search on answer:
For a fixed D, construct a Max flow model as follow:
Let S be Sum of all weight( or inf)
1. from source to each node with cap = S
2. For each (u,v,w) in E, (u->v,cap=w), (v->u,cap=w)
3. For each node v, from v to sink with cap = S + 2 * D -
deg[v] - 2 * (W of v)
where deg[v] = \sum weight of edge associated with v
If maxflow < S * |V|, D is an answer.

Requiring subgraph: all vertex can be reached from source
with
edge whose cap > 0.

Maximum closed subgraph
1. connect source with positive weighted
vertex(capacity=weight)
2. connect sink with negitive weighted vertex(capacity=-
weight)
3. make capacity of the original edges = inf
4. ans = sum(positive weighted vertex weight) - (max flow)

(Node-disjoint) Min DAG Path Cover（用最少路徑覆蓋所有點）
Node disjoint: 拆出來的路徑不能共用同一個點
將一個點 u 裂成 u+ 和 u-，代表進入和出去
對於一條邊 (u, v) 建邊 u- => v+
1. +點們和 -點們形成一張二分圖
2. 最差的答案是 n，代表每個點自己一個點就是一條路徑
3. 只要一組 (u-, v+) 匹配成功那對應到的答案恰好會 -1
>>> ans = n - 這張二分圖的最大匹配
```

```

General DAG Path Cover
□ Node-disjoint □□□□□□□□□□□□□□□□
□□□□ Node-disjoint □□□□□□□□□
Node-disjoint: u- => v+ □□□ (u, v) □□□□
      General: u- => v+ □ u □□□ v □□□□□

Dilworth Theorem
□□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□□□ = □□ General DAG Path Cover
```

13.2 Dinic

```cpp
// Author: Benson (Extensions by Gino)
// Function: Max Flow, O(V^2 E)
// Usage: Call init(n) first, then add(u, v, w) based on your model
// (!) vertices 0-based
// >>> flow() := return max flow
// >>> find_cut() := return min cut + store cut set in dinic.cut
// >>> find_matching() := return |M| + store matching plan in dinic.matching
// >>> flow_decomposition := return max flow + store decomposition in dinic.D
#define int long long
#define eb emplace_back
#define ALL(a) a.begin(), a.end()
struct Dinic {
  struct Edge {
    // t: to | C: original capacity | c: current capacity | r: residual edge | f: current flow
    int t, C, c, r, f;
    bool fw;  // is in forward-edge graph
    Edge() {}
    Edge(int _t, int _C, int _r, bool _fw, int _f=0):
      t(_t), C(_C), c(_C), r(_r), fw(_fw), f(_f) {}
  };
  vector<vector<Edge>> G;
  vector<int> dis, iter;
  int n, s, t;
  void init(int _n) {
    n = _n;
    G.resize(n), dis.resize(n), iter.resize(n);
    for(int i = 0; i < n; ++i)
      G[i].clear();
  }
  void add(int a, int b, int c) {
    G[a].eb(b, c, G[b].size(), true);
    G[b].eb(a, 0, G[a].size() - 1, false);
  }
  bool bfs() {
    fill(ALL(dis), -1);
    dis[s] = 0;
    queue<int> que;
    que.push(s);
    while(!que.empty()) {
      int u = que.front(); que.pop();
      for(auto& e : G[u]) {
        if(e.c > 0 && dis[e.t] == -1) {
          dis[e.t] = dis[u] + 1;
          que.push(e.t);
    } } }
    return dis[t] != -1;
  }
  int dfs(int u, int cur) {
    if(u == t) return cur;
    for(int &i = iter[u]; i < (int)G[u].size(); ++i) {
      auto& e = G[u][i];
      if(e.c > 0 && dis[u] + 1 == dis[e.t]) {
        int ans = dfs(e.t, min(cur, e.c));
        if(ans > 0) {
          G[e.t][e.r].c += ans;
          e.c -= ans;
          return ans;
    } } }
    return 0;
  }
// find max flow
  int flow(int a, int b) {
    s = a, t = b;
    int ans = 0;
    while(bfs()) {
      fill(ALL(iter), 0);
      int tmp;
      while((tmp = dfs(s, INF)) > 0)
        ans += tmp;
    }
    return ans;
  }
// min cut plan
  vector<pair<pair<int, int>, int>> cut;
  int find_cut(int a, int b) {
    int cut_sz = flow(a, b);
    vector<int> vis(n, 0);
    cut.clear();
    function<void(int)> dfs = [&](int u) {
      vis[u] = 1;
      for (auto& e : G[u])
        if (e.c > 0 && !vis[e.t])
          dfs(e.t);
    };
    dfs(a);
    for (int u = 0; u < n; u++)
      if (vis[u])
        for (auto& e : G[u])
          if (!vis[e.t])
            cut.eb(make_pair(make_pair(u, e.t), G[e.t][e.r].c));
    return cut_sz;
  }
// bipartite matching plan
  vector<pair<int, int>> matching;
  int find_matching(int Xstart, int Xend, int Ystart, int Yend, int a, int b) {
    int msz = flow(a, b);
    matching.clear();
    for (int x = Xstart; x <= Xend; x++)
      for (auto& e : G[x])
        if (e.c == 0 && Ystart <= e.t && e.t <= Yend)
          matching.emplace_back(make_pair(x, e.t));
    return msz;
  }
// flow decomposition
  vector<pair<int, vector<int>>> D; // (flow amount, [path p1 ... pk])
  int flow_decomposition(int a, int b) {
    int mxflow = flow(a, b);

    vector<vector<Edge>> fG(n); // graph consists of forward edges
    for (int u = 0; u < n; u++) {
      for (auto& e : G[u]) {
        if (e.fw) {
          e.f = e.C - e.c;
          if (e.f > 0) fG[u].eb(e);
    } } }

    vector<int> vis;
    function<int(int, int)> dfs = [&](int u, int cur) {
      if (u == b) {
        D.back().second.eb(u);
        return cur;
      }
      vis[u] = 1;
      for (auto& e : fG[u]) {
        if (e.f > 0 && !vis[e.t]) {
          int ans = dfs(e.t, min(cur, e.f));
          if (ans > 0) {
            e.f -= ans;
            D.back().second.eb(u);
            return ans;
      } } }
      return 0LL;
    };
    D.clear();
    int quota = mxflow;
    while (quota > 0) {
      D.emplace_back(make_pair(0, vector<int>()));
      vis.assign(n, 0);
      int f = dfs(a, INF);
      if (f == 0) break;
      reverse(D.back().second.begin(), D.back().second.end());
      D.back().first = f, quota -= f;
    }
    return mxflow;
  }
};
```

13.3 ISAP

```cpp
// Author: CRyptoGRapheR
// 1-based: vertices are numbered 1 ~ n
// 1. flow.init(n, s, t);
//    n = #vertices, s, t = source, sink
// 2. flow.addEdge(u, v, c);  // u, v in [1, n]
// 3. call: int ans = flow.flow();
// => ans = max flow value from s to t
// Time: O(V^2 * E) worst case, usually much faster in practice
```

```cpp
static const int MAXV=50010;
static const int INF =1000000;
struct Maxflow{
  struct Edge{
    int v,c,r;
    Edge(int _v,int _c,int _r):v(_v),c(_c),r(_r){}
  };
  int s,t; vector<Edge> G[MAXV];
  int iter[MAXV],d[MAXV],gap[MAXV],tot;
  void init(int n,int _s,int _t){
    tot=n,s=_s,t=_t;
    for(int i=1;i<=tot;i++){
      G[i].clear(); iter[i]=d[i]=gap[i]=0;
    }
  }
  void addEdge(int u,int v,int c){
    G[u].push_back(Edge(v,c,SZ(G[v])));
    G[v].push_back(Edge(u,0,SZ(G[u])-1));
  }
  int DFS(int p,int flow){
    if(p==t) return flow;
    for(int &i=iter[p];i<SZ(G[p]);i++){
      Edge &e=G[p][i];
      if(e.c>0&&d[p]==d[e.v]+1){
        int f=DFS(e.v,min(flow,e.c));
        if(f){ e.c-=f; G[e.v][e.r].c+=f; return f; }
      }
    }
    if((--gap[d[p]])==0) d[s]=tot;
    else{ d[p]++; iter[p]=0; ++gap[d[p]]; }
    return 0;
  }
  int flow(){
    int res=0;
    for(res=0,gap[0]=tot;d[s]<tot;res+=DFS(s,INF));
    return res;
  }
  void reset(){
    for(int i=1;i<=tot;i++) iter[i]=d[i]=gap[i]=0;
  }
} flow;
```

13.4 Bounded Max Flow

```cpp
// Author: CRyptoGRapheR
// Max flow with lower/upper bound on edges (source-sink version)
// <!> 1-based: original vertices are numbered 1 ~ n.
//     Super source, sink: n+1, n+2 respectively.
// <!> dependency: ISAP.cpp
// 1. n = #vertices (1 ~ n), m = #edges
//    s, t = original source, sink (both in [1, n])
// 2. l[i], r[i]  := edge i goes from l[i] -> r[i]   (l[i], r[i] in [1, n])
// 3. a[i], b[i]  := flow on edge i must lie in [a[i], b[i]]
// 4. int ans = solve(n, m, s, t);
// => ans == -1 : no feasible flow exists
// => ans       : feasible max flow value
// <!> N, M must be large enough for original graph + 2 super nodes
// Time: O(V^2 E), Space: O(V + E)
int in[N], out[N], l[M], r[M], a[M], b[M];
int solve(int n, int m, int s, int t){
  flow.init(n+2, n+1, n+2); // super source = n+1, super sink = n+2
  for(int i = 0; i < m; i++){
    in[r[i]] += a[i]; out[l[i]] += a[i];
    flow.addEdge(l[i], r[i], b[i] - a[i]);
    // flow from l[i] to r[i] must lie in [a[i], b[i]]
  }
  int nd = 0;
  for(int i = 1; i <= n; i++){
    if(in[i] < out[i]){
      flow.addEdge(i, flow.t, out[i] - in[i]);
      nd += out[i] - in[i];
    }
    if(out[i] < in[i])
      flow.addEdge(flow.s, i, in[i] - out[i]);
  }
  flow.addEdge(t, s, INF); // original sink -> source
  if(flow.flow() != nd) return -1; // infeasible
  int ans = flow.G[s].back().c; // t->s edge's current flow = feasible flow s->t
  flow.G[s].back().c = flow.G[t].back().c = 0;
  for(size_t i = 0; i < flow.G[flow.s].size(); i++){
    Maxflow::Edge &e = flow.G[flow.s][i];
    flow.G[flow.s][i].c = 0; flow.G[e.v][e.r].c = 0;
  }
  for(size_t i = 0; i < flow.G[flow.t].size(); i++){
    Maxflow::Edge &e = flow.G[flow.t][i];
    flow.G[flow.t][i].c = 0; flow.G[e.v][e.r].c = 0;
  }
  flow.addEdge(flow.s, s, INF); flow.addEdge(t, flow.t, INF);
  flow.reset(); // keeps G[] intact, only resets search state
  return ans + flow.flow();
}
```

13.5 MCMF

```cpp
// Author: CRyptoGRapheR
// MCMF (supports negative edges without negative cycles)
// <!> 1-based: vertices are numbered 1 ~ n.
// 1. MCMF.init(n);   // n = #vertices (1 ~ n)
// 2. MCMF.add(u, v, cap, cost);
// 3. auto [max_flow, min_cost] = MCMF.flow(s, t); // s, t in [1, n]
// Time: O(F * E), Space: O(V + E)
typedef int Tcost;
const int MAXV = 20010;
const int INFf = 1000000;
const Tcost INFc  = 1e9;
struct MCMF {
  struct Edge{
    int v, cap;
    Tcost w;
    int rev;
    bool fw;
    Edge(){}
    Edge(int t2, int t3, Tcost t4, int t5, bool t6)
    : v(t2), cap(t3), w(t4), rev(t5), fw(t6) {}
  };
  int V, s, t;
  vector<Edge> G[MAXV];
  void init(int n){
    V = n;
    for(int i = 0; i <= V; i++) G[i].clear();
  }
  void add(int a, int b, int cap, Tcost w){
    G[a].push_back(Edge(b, cap, w, (int)G[b].size(), true));
    G[b].push_back(Edge(a, 0, -w, (int)G[a].size()-1, false));
  }
  Tcost d[MAXV];
  int id[MAXV], mom[MAXV];
  bool inqu[MAXV];
  queue<int> q;
  pair<int, Tcost> flow(int _s, int _t){
    s = _s, t = _t;
    int mxf = 0; Tcost mnc = 0;
    while(1){
      fill(d, d+1+V, INFc); // need to use type cast
      fill(inqu, inqu+1+V, 0);
      fill(mom, mom+1+V, -1);
      mom[s] = s;
      d[s] = 0;
      q.push(s); inqu[s] = 1;
      while(q.size()){
        int u = q.front(); q.pop();
        inqu[u] = 0;
        for(int i = 0; i < (int) G[u].size(); i++){
          Edge &e = G[u][i];
          int v = e.v;
          if(e.cap > 0 && d[v] > d[u]+e.w){
            d[v] = d[u]+e.w;
            mom[v] = u;
            id[v] = i;
            if(!inqu[v]) q.push(v), inqu[v] = 1;
          }
        }
      }
      if(mom[t] == -1) break ;
      int df = INFf;
      for(int u = t; u != s; u = mom[u])
        df = min(df, G[mom[u]][id[u]].cap);
      for(int u = t; u != s; u = mom[u]){
        Edge &e = G[mom[u]][id[u]];
        e.cap -= df;
        G[e.v][e.rev].cap += df;
      }
      mxf += df;
      mnc += df*d[t];
    }
    return make_pair(mxf, mnc);
  }
};
```

13.6 Push-Relabel

```cpp
// Author: Simon Lindholm (kactl)
```

```cpp
// 0-based: vertices are numbered 0 ~ n-1
// 1. PushRelabel pr(n);    // n = #vertices
// 2. pr.addEdge(u, v, c);  // u, v in [0, n-1]
// 3. ll ans = pr.calc(s, t);
// => ans = max flow value from s to t
// To obtain actual flow:
// for (int u = 0; u < n; u++)
//   for (auto& e : pr.g[u])
//     if (e.f > 0) => (u, e.dest, e.f)
// Time: O(V^2 * sqrt(E)), better on dense graph
struct PushRelabel {
  struct Edge { int dest, back; ll f, c; };
  vector<vector<Edge>> g;
  vector<ll> ec;
  vector<Edge*> cur;
  vector<vi> hs; vi H;
  PushRelabel(int n) : g(n), ec(n), cur(n), hs(2*n), H(n) {}

  void addEdge(int s, int t, ll cap, ll rcap=0) {
    if (s == t) return;
    g[s].push_back({t, sz(g[t]), 0, cap});
    g[t].push_back({s, sz(g[s])-1, 0, rcap});
  }
  void addFlow(Edge& e, ll f) {
    Edge &back = g[e.dest][e.back];
    if (!ec[e.dest] && f) hs[H[e.dest]].push_back(e.dest);
    e.f += f; e.c -= f; ec[e.dest] += f;
    back.f -= f; back.c += f; ec[back.dest] -= f;
  }
  ll calc(int s, int t) {
    int v = sz(g); H[s] = v; ec[t] = 1;
    vi co(2*v); co[0] = v-1;
    rep(i,0,v) cur[i] = g[i].data();
    for (Edge& e : g[s]) addFlow(e, e.c);

    for (int hi = 0;;) {
      while (hs[hi].empty()) if (!hi--) return -ec[s];
      int u = hs[hi].back(); hs[hi].pop_back();
      while (ec[u] > 0)  // discharge u
        if (cur[u] == g[u].data() + sz(g[u])) {
          H[u] = 1e9;
          for (Edge& e : g[u]) if (e.c && H[u] >
H[e.dest]+1)
            H[u] = H[e.dest]+1, cur[u] = &e;
          if (++co[H[u]], !--co[hi] && hi < v)
            rep(i,0,v) if (hi < H[i] && H[i] < v)
              --co[H[i]], H[i] = v + 1;
          hi = H[u];
        } else if (cur[u]->c && H[u] == H[cur[u]->dest]+1)
          addFlow(*cur[u], min(ec[u], cur[u]->c));
        else ++cur[u];
    }
  }
  bool leftOfMinCut(int a) { return H[a] >= sz(g); }
};
```

13.7 Gomory-Hu Tree

```cpp
// Author: chilli, Takanori MAEHARA (kactl)
// <!> Dependency: PushRelabel.cpp
// Given a list of edges representing an undirected flow
graph,
// returns edges of the Gomory-Hu tree.
// maxflow / mincut of (u, v) => min edge from u to v on
Gomory-Hu tree
// Time: O(V) * O(PushRelabel)
typedef array<ll, 3> Edge; // (u, v, w)
vector<Edge> gomoryHu(int N, vector<Edge> ed) {
  vector<Edge> tree;
  vi par(N);
  rep(i,1,N) {
    PushRelabel D(N); // Dinic also works
    for (Edge t : ed) D.addEdge(t[0], t[1], t[2], t[2]);
    tree.push_back({i, par[i], D.calc(i, par[i])});
    rep(j,i+1,N)
      if (par[j] == par[i] && D.leftOfMinCut(j)) par[j] = i;
  }
  return tree;
}
```

13.8 Global Min Cut

```cpp
// Author: ckiseki
// 1-based: vertices are numbered 1 ~ n
// 1. vector<vector<ll>> G(n + 1, vector<ll>(n + 1, 0));
// 2. add_edge(G, u, v, c);  // add undirected edge u-v with
weight c, u,v in [1,n]
// 3. ll ans = mincut(G, n); // n = #vertices
// => ans = global min cut value
// Time: O(V^3)
void add_edge(auto &w, int u, int v, int c) {
  w[u][v] += c; w[v][u] += c; }
auto phase(const auto &w, int n, vector<int> id) {
  vector<ll> g(n + 1); int s = -1, t = -1;
  while (!id.empty()) {
    int c = -1;
    for (int i : id) if (c == -1 || g[i] > g[c]) c = i;
    s = t; t = c;
    id.erase(ranges::find(id, c));
    for (int i : id) g[i] += w[c][i];
  }
  return tuple{s, t, g[t]};
}
ll mincut(auto w, int n) {
  ll cut = numeric_limits<ll>::max();
  vector<int> id(n); iota(all(id), 1);
  for (int i = 0; i < n - 1; ++i) {
    auto [s, t, gt] = phase(w, n, id);
    id.erase(ranges::find(id, t));
    cut = min(cut, gt);
    for (int j = 1; j <= n; ++j)
      w[s][j] += w[t][j], w[j][s] += w[j][t];
  }
  return cut;
}
```

14 Combinatorics

14.1 Catalan Number

$$C_0 = 1, C_n = \sum_{i=0}^{n-1} C_i C_{n-1-i}, C_n = C_n^{2n} - C_{n-1}^{2n}$$

0	1	1	2	5
4	14	42	132	429
8	1430	4862	16796	58786
12	208012	742900	2674440	9694845

14.2 Bertrand's Ballot Theorem

- A always $>$ B: $C(p+q,p) - 2C(p+q-1,p)$
- A always $>=$ B: $C(p+q,p) \times \frac{p+1-q}{p+1}$

14.3 Burnside's Lemma

Let X be the original set.

Let G be the group of operations acting on X.

Let X^g be the set of x not affected by g.

Let X/G be the set of orbits.

Then the following equation holds:

$$|X/G| = \frac{1}{|G|} \sum_{g \in G} |X^g|$$

15 Special Numbers

15.1 Fibonacci Series

1	1	1	2	3
5	5	8	13	21
9	34	55	89	144
13	233	377	610	987
17	1597	2584	4181	6765
21	10946	17711	28657	46368
25	75025	121393	196418	317811
29	514229	832040	1346269	2178309
33	3524578	5702887	9227465	14930352

$f(45) \approx 10^9, f(88) \approx 10^{18}$

15.2 Prime Numbers

- $\pi(n) \equiv$ Number of primes $\leq n \approx \frac{n}{(\ln n)-1}$
  $\pi(100) = 25, \pi(200) = 46$
  $\pi(500) = 95, \pi(1000) = 168$
  $\pi(2000) = 303, \pi(4000) = 550$
  $\pi(10^4) = 1229, \pi(10^5) = 9592$
  $\pi(10^6) = 78498, \pi(10^7) = 664579$