

Student 13 **Kondam Bhaskar Tharunika** 192525276RC

4 / 4 submitted

Q1. Intelligent Customer Feedback Analysis

CODE

```
def preprocess(text):
    text = text.lower().strip()
    for ch in ".,!?:-":
        text = text.replace(ch, "")
    return text

def analyze(text):
    positive = ["good", "excellent", "great", "fast", "happy", "love"]
    negative = ["bad", "poor", "slow", "worst", "hate", "delay"]

    words = text.split()
    pos = 0
    neg = 0

    for word in words:
        if word in positive:
            pos += 1
        elif word in negative:
            neg += 1

    if pos > neg:
        sentiment = "Positive"
    elif neg > pos:
        sentiment = "Negative"
    else:
        sentiment = "Neutral"

    return pos, neg, sentiment

n = int(input())

for i in range(n):
    feedback = input()
    feedback = preprocess(feedback)
    pos, neg, sentiment = analyze(feedback)

    print("Positive Keywords:", pos)
    print("Negative Keywords:", neg)
    print("Sentiment:", sentiment)
```

INPUT

```
3
The product is Excellent and Fast!!
Very bad service, worst delivery.
Good quality but slow response.
```

OUTPUT

```
Positive Keywords: 2
Negative Keywords: 0
Sentiment: Positive
Positive Keywords: 0
Negative Keywords: 2
Sentiment: Negative
Positive Keywords: 1
Negative Keywords: 1
Sentiment: Neutral
```

7/29/26, 8:35 PM

Student Submissions — Scenario Based Program Writing

SIMATS Engineering • CSE • CSA0802 — Python Programming • 29-07-2026 • Category: Scenario Based Program Writing • Student Submissions Report

Q2. Comprehensive Password Strength Checker

CODE

```
def check_password(password):
    upper = lower = digit = special = 0

    for ch in password:
        if ch.isupper():
            upper += 1
        elif ch.islower():
            lower += 1
        elif ch.isdigit():
            digit += 1
        else:
            special += 1

    score = 0

    if len(password) >= 8:
        score += 1
    if upper:
        score += 1
    if lower:
        score += 1
    if digit:
        score += 1
    if special:
        score += 1

    if score <= 2:
        strength = "Weak"
    elif score == 3:
        strength = "Moderate"
    elif score == 4:
        strength = "Strong"
    else:
        strength = "Very Strong"

    print("Password Strength:", strength)

    if len(password) < 8:
        print("Use at least 8 characters.")
    if not upper:
        print("Add uppercase letters.")
    if not lower:
        print("Add lowercase letters.")
    if not digit:
        print("Add digits.")
    if not special:
        print("Add special characters.")

password = input()
check_password(password)
```

INPUT

Abc@1234

OUTPUT

(no output)

7/29/26, 8:35 PM

Student Submissions — Scenario Based Program Writing

SIMATS Engineering • CSE • CSA0802 — Python Programming • 29-07-2026 • Category: Scenario Based Program Writing • Student Submissions Report

Q3. Structured Server Log Error Analyser

CODE

```
def analyze_logs(logs):  
    errors = []  
    seen = set()  
  
    for log in logs:  
        if "error" in log.lower():  
            if log not in seen:  
                errors.append(log)  
                seen.add(log)  
  
    print("Unique Error Messages:")  
    for e in errors:  
        print(e)  
  
    print("Total Errors:", len(errors))  
  
n = int(input())  
  
logs = []  
for i in range(n):  
    logs.append(input())  
  
analyze_logs(logs)
```

INPUT

```
5  
INFO Server Started  
ERROR Disk Full  
Warning Memory Low  
ERROR Disk Full  
ERROR Network Failure
```

OUTPUT

(no output)

7/29/26, 8:35 PM

Student Submissions — Scenario Based Program Writing

SIMATS Engineering • CSE • CSA0802 — Python Programming • 29-07-2026 • Category: Scenario Based Program Writing • Student Submissions Report

Q4. Email Domain Frequency Analyser

CODE

```
def domain_frequency(emails):
    freq = {}

    for email in emails:
        if "@" in email:
            domain = email.split("@")[1]
            if domain in freq:
                freq[domain] += 1
            else:
                freq[domain] = 1

    if not freq:
        print("No valid email addresses")
        return

    print("Domain Frequencies:")
    for domain in freq:
        print(domain, ":", freq[domain])

    max_domain = max(freq, key=freq.get)
    print("Most Frequent Domain:", max_domain)

n = int(input())

emails = []
for i in range(n):
    emails.append(input())

domain_frequency(emails)
```

INPUT

```
5
abc@gmail.com
xyz@yahoo.com
test@gmail.com
hello@gmail.com
user@yahoo.com
```

OUTPUT

(no output)