



A Sleep Tracking App for a Better Night's Rest


Project Based Experiential Learning Program

A Sleep Tracking App for a Better Night's Rest

A project that demonstrates the use of Android Jetpack Compose to build a UI for a sleep tracking app. The app allows users to track their sleep. With the "Sleep Tracker" app, you can assess the quality of sleep they have had in a day. It has been time and again proven that a good quality sleep is pretty essential for effective functioning of both mind and body.

"Sleep Tracker" application enables you to start the timer when they are in the bed and about to fall asleep. The timer will keep running in the background until it is stopped, whenever the user wakes up. Based on the sleep experience, you can rate your sleep quality. Finally, the app will display an analysis of the kind of sleep, you had the previous night.

Architecture



Learning Outcomes:

By end of this project:

- You'll be able to work on Android studio and build an app.
- You'll be able to integrate the database accordingly.

Project Workflow:

- Users register into the application.
- After registration, user logins into the application.
- User enters into the main page
- User can track the sleep timing and he record the time

Tasks:

- 1.Required initial steps
- 2.Creating a new project.
- 3. Adding required dependencies.
- 4. Creating the database classes.
- 5. Building application UI and connecting to database.
- 6.Using AndroidManifest.xml
- 7. Running the application.

Task 1:

Required initial steps:


https://developer.android.com/studio/install

Task 2:

Creating a new project.

Step 1 : Android studio > File > New > New Project > Empty Compose Activity


Step 2 : Click on Next button.



Step 3 : Give name to the new project.

Step 4: Give the Minimum SDK value

Step 5: Click Finish



Main activity file

```
| SeepTracking | Seep | See | SeepTracking | SeepTracking | Color | SeepTracking | Color | SeepTracking | SeepT
```

Task 3:

Adding required dependencies.

Step 1 : Gradle scripts > build.gradle(Module :app)

```
## Android * ② I + 4 - ** build grade (app) **

Grade files have changed since last project sync. A project sync may be necessary for the IDE to work properly.

## Debut grade (Modes App) (Product Frage)

## prograd-that per OPCOLART File

## gradie-warper properties (OPC Country)

## setting gradie (Modes Apper) (Project Statish)

## dependention and or in an and or idea. Compose out of the IDE to work properly.

## dependention and or idea (Project Statish)

## dependention and or idea (Project Statish)
```

Step 2 : Adding room dependencies. Add the below code in dependencies

```
implementation("androidx.core:core-ktx:1.9.0")
implementation("androidx.lifecycle:lifecycle-runtime-ktx:2.6.1")
implementation("androidx.activity:activity-compose:1.7.2")
implementation(platform("androidx.compose:compose-bom:2023.03.00"))
implementation("androidx.compose.ui:ui")
implementation("androidx.compose.ui:ui-graphics")
implementation("androidx.compose.ui:ut-tooling-preview")
implementation("androidx.compose.material3:material3")
testImplementation("indirijunit:ijunit:4.13.2")
androidTestImplementation("androidx.test.ext;junit:1.1.5")
androidTestImplementation("androidx.test.expresso:espresso-core:3.5.1")
androidTestImplementation(platform("androidx.compose.vi:ui-test-junit4")
debugImplementation("androidx.compose.vi:ui-test-manifest")
}
```

Step 3: Click on Sync now


Task 4:


Creating the database classes.

In this project we will be having two databases, one is for user registration and login and other is for tracking the sleep of the user.

Database 1


Step 1 : Create User data class






User class code:


Step 2 : Create an UserDao interface






UserDao interface code:

Step 3 : Create an UserDatabase class







UserDatabase class code:

https://github.com/kondasivaprasad/Sleep-Tracker/blob/master/app/src/main/java/com/example/sleeptracking/UserDatabase.kt

Step 4 : Create an UserDatabaseHelper class






UserDatabaseHelper class code :


https://github.com/kondasivaprasad/Sleep-

Tracker/blob/master/app/src/main/java/com/example/sleeptracking/UserDatabas eHelper.kt

Database 2


Step 1 : Create TimeLog data class






TimeLog data class code: https://github.com/kondasivaprasad/Sleep-
Tracker/blob/master/app/src/main/java/com/example/sleeptracking/TimeLog.kt


Step 2 : Create an TimeLogDao interface






TimeLogDao interface code: https://github.com/kondasivaprasad/Sleep-
https://github.com/kondasivaprasad/Sleep-
https://github.com/kondasivaprasad/Sleep-
https://github.com/kondasivaprasad/Sleep-

Step 3: Create an AppDatabase class







AppDatabase class code:

https://github.com/kondasivaprasad/Sleep-Tracker/blob/master/app/src/main/java/com/example/sleeptracking/UserDatabas e.kt

Step 4 : Create an TimeDatabaseHelper class





TimeDatabaseHelper class code:


https://github.com/kondasivaprasad/Sleep-


Tracker/blob/master/app/src/main/java/com/example/sleeptracking/UserDatabaseHelper.kt

Task 5:

Building application UI and connecting to database.

Step 1: Creating LoginActivity.kt with database





Database connection in LoginActivity.kt:


```
class LoginActivity : ComponentActivity() {
   private lateinit var databaseHelper: UserDatabaseHelper
   override fun onCreate(savedInstanceState: Bundle?) {
       super.onCreate(savedInstanceState)
       databaseHelper = UserDatabaseHelper( context: this)
       setContent {
           ProjectOneTheme {
                Surface(
                   modifier = Modifier.fillMaxSize(),
                   color = MaterialTheme.colors.background
                   LoginScreen(context: this, databaseHelper)
@Composable
fun LoginScreen(context: Context, databaseHelper: UserDatabaseHelper) {
   var username by remember { mutableStateOf( value: "") }
   var password by remember { mutableStateOf( value: "") }
   var error by remember { mutableStateOf( value: "") }
   val imageModifier = Modifier
```


Complete code in below link:

https://github.com/kondasivaprasad/Sleep-

Tracker/blob/master/app/src/main/java/com/example/sleeptracking/LoginActivity.kt

Step 2 : Creating RegistrationActivity.kt with database





Database connection in RegistrationActivity.kt

```
class MainActivity2 : ComponentActivity() {
   private lateinit var databaseHelper: UserDatabaseHelper
       super.onCreate(savedInstanceState)
       databaseHelper = UserDatabaseHelper(this)
       setContent {
           ProjectOneTheme {
               Surface(
                   modifier = Modifier.fillMaxSize(),
                   color = MaterialTheme.colors.background
                   RegistrationScreen(this,databaseHelper)
fun RegistrationScreen(context: Context, databaseHelper: UserDatabaseHelper) {
   var username by remember { mutableStateOf("") }
   var password by remember { mutableStateOf("") }
   var email by remember { mutableStateOf("") }
   var error by remember { mutableStateOf("") }
   val imageModifier = Modifier
       painterResource(id = R.drawable.sleeptracking),
       contentScale = ContentScale.FillHeight,
       contentDescription = "",
```

Complete code in below link:


https://github.com/kondasivaprasad/Sleep-

Tracker/blob/master/app/src/main/java/com/example/sleeptracking/RegistrationActivity.kt

Step 3: Creating MainActivity.kt file

In MainActivity.kt file the main application is developed

• Before creating UI we need to add some images in drawables which are in res



Download the required drawable from the code: https://github.com/kondasivaprasad/Sleep-
Tracker/tree/master/app/src/main/res/drawable

Required drawables

```
res

drawable

ic_launcher_background.xml

ic_launcher_foreground.xml (v24)

sleep.png (nodpi)

sleepicon.png (nodpi)

sleeptracking.jpg (nodpi)

mipmap

values

xml
```

MainActivity.kt


```
class MainActivity : ComponentActivity() {
   private lateinit var databaseHelper: TimeLogDatabaseHelper
   override fun onCreate(savedInstanceState: Bundle?) {
       super.onCreate(savedInstanceState)
       databaseHelper = TimeLogDatabaseHelper(this)
       databaseHelper.deleteAllData()
       setContent {
           ProjectOneTheme {
                  modifier = Modifier.fillMaxSize(),
                  color = MaterialTheme.colors.background
                   MyScreen(this,databaseHelper)
fun MyScreen(context: Context, databaseHelper: TimeLogDatabaseHelper) {
   var startTime by remember { mutableStateOf(0L) }
   var elapsedTime by remember { mutableStateOf(0L) }
   var isRunning by remember { mutableStateOf(false) }
    val imageModifier = Modifier
   Image(
       painterResource(id = R.drawable.sleeptracking),
       contentScale = ContentScale.FillHeight,
       contentDescription = "",
       modifier = imageModifier
            .alpha(0.3F)
```


Complete code in below link:

https://github.com/kondasivaprasad/Sleep-

Tracker/blob/master/app/src/main/java/com/example/sleeptracking/MainActivity.kt

Step 4 : Creating TrackActivity.kt file





Database connection and fetching in TrackActivity.kt

```
class TrackActivity : ComponentActivity() {
   private lateinit var databaseHelper: TimeLogDatabaseHelper
   override fun onCreate(savedInstanceState: Bundle?) {
       super.onCreate(savedInstanceState)
       databaseHelper = TimeLogDatabaseHelper(this)
       setContent {
           ProjectOneTheme {
               Surface(
                   modifier = Modifier.fillMaxSize(),
                   color = MaterialTheme.colors.background
                   val data=databaseHelper.getTimeLogs();
                   Log.d("Sandeep" ,data.toString())
                   val timeLogs = databaseHelper.getTimeLogs()
                   ListListScopeSample(timeLogs)
fun ListListScopeSample(timeLogs: List<TimeLogDatabaseHelper.TimeLog>) {
   val imageModifier = Modifier
```

Complete code in below link:

https://github.com/kondasivaprasad/Sleep-Tracker/blob/master/app/src/main/java/com/example/sleeptracking/TrackActivity.kt

Task 6:

Modifying AndroidManifest.xml

```
<?xml version="1.0" encoding="utf-8"?>
<manifest xmlns:android="http://schemas.android.com/apk/res/android"</pre>
    xmlns:tools="http://schemas.android.com/tools">
   <application</pre>
       android:allowBackup="true"
       android:dataExtractionRules="@xml/data extraction rules"
       android:fullBackupContent="@xml/backup_rules"
       android:icon="@mipmap/ic_launcher"
       android:label="@string/app_name"
       android:supportsRtl="true
       android:theme="@style/Theme.SleepTracking"
       tools:targetApi="31">
           android:name=".TrackActivity"
           android:exported="false"
           android:label="@string/title_activity_track"
           android:theme="@style/Theme.SleepTracking" />
           android:name=".MainActivity"
           android:exported="false"
           android:label="@string/app_name"
           android:theme="@style/Theme.SleepTracking" />
           android:name=".MainActivity2"
           android:label="RegistrationActivity"
           android:theme="@style/Theme.SleepTracking" />
```

When we run the app we will get the MainActivity.kt file as our first screen, but we want LoginActivity.kt, So we need to change in AndroidManifest.xml.

Changed AndroidManifest.xml.

```
<activity €
       android:name=".TrackActivity"
       android:exported="false"
       android:label="@string/title_activity_track"
       android:theme="@style/Theme.SleepTracking" />
   <activity</a>
      android:name=".MainActivity"
       android:exported="false"
       android:label="@string/app name"
       android:theme="@style/Theme.SleepTracking" />
   <activity €
       android:name=".MainActivity2"
       android:exported="false"
       android:label="RegistrationActivity"
       android:theme="@style/Theme.SleepTracking" />
   <activity
       android:name=".LoginActivity"
       android:exported="true"
       android:label="@string/app_name"
       android:theme="@style/Theme.SleepTracking">
       <intent-filter>
           <action android:name="android.intent.action.MAIN" />
           <category android:name="android.intent.category.LAUNCHER" />
       </intent-filter>
   </activity>
</application>
```


Complete AndroidManifest.xml code: https://github.com/kondasivaprasad/Sleep-Tracker/blob/master/app/src/main/AndroidManifest.xml

Task 7:

Running the application.

Step 1: Run apps on a hardware device https://developer.android.com/studio/run/device


Step 2: Run the application in Mobile




Complete Project Link: https://github.com/kondasivaprasad/Sleep-Tracker

Final Output of the Application:


Login Page:



Registration Page:



Main Page:



Track Sleep Page:



Submitted by:

Team ID: LTVIP2023TMID04297

Team Size: 4

Team Leader: Konda Sivaprasad

Team Member: Kolli Supraja

Team Member: Kolimi Lalusab

Team member: Kamireddy Pavankumarreddy