

CONTROL STATEMENTS

1)Write a program which asks the user for his login and password. Both must be strings. After 3 wrong attempts, the user will be rejected.

```
using System;
class Program
{
    static void Main()
    {
        string username = "admin";
        string password = "1234";
        for (int attempt = 1; attempt <= 3; attempt++)
        {
            Console.Write("Enter Username: ");
            string user = Console.ReadLine();
            Console.Write("Enter Password: ");
            string pass = Console.ReadLine();
            if (user.Equals(username) && pass.Equals(password))
            {
                Console.WriteLine("Login Successful");
                break;
            }
            else
            {
```

```

        Console.WriteLine("Invalid Username or Password");
        if (attempt == 3)
            Console.WriteLine("User Rejected");
    }
}
}
}
}

```

OUTPUT

```

Enter Username: abcd
Enter Password: 1234
Invalid Username or Password
Enter Username: efgh
Enter Password: 5678
Invalid Username or Password
Enter Username: ijkl
Enter Password: 9012
Invalid Username or Password
User Rejected

```

2)Write a program that accepts 2 numbers and prints whether the 2nd number is in unit's, ten's, hundreds or thousands place in the 1st number.

```

using System;
class Program
{

```

```
static void Main()
{
    Console.Write("Enter first number: ");
    int num1 = int.Parse(Console.ReadLine());
    Console.Write("Enter second number: ");
    int num2 = int.Parse(Console.ReadLine());
    string[] place = { "Unit's", "Ten's", "Hundred's",
"Thousand's" };
    bool found = false;
    for (int i = 0; i < 4; i++)
    {
        if (num1 % 10 == num2)
        {
            Console.WriteLine("Second number is in " + place[i] + "
place");
            found = true;
            break;
        }
        num1 = num1 / 10;
    }
    if (!found)
        Console.WriteLine("Number not found");
}
}
```

OUTPUT

Enter first number: 6988

Enter second number: 9

Second number is in Hundred's place