


Design Flow & Architecture Diagrams

This document provides visual representations of the system's design, data flow, and decision-making processes.

1. System Overview





📋 Process Flow

Step	Action	Details
1 Launch	User runs <code>npm start</code>	Single command execution
2 Auth	GitHub OAuth authentication	Device flow, token saved to <code>.github-token</code>
3 Collect	Fetch GitHub data	Repos, commits, PRs, languages (paginated)
4 Download	Get Topcoder skills	~10,000 skills in one API call
5 Index	Build search index	Creates 3 maps: <code>byName</code> , <code>byLowerName</code> , <code>byKeyword</code>
6 Match	Run algorithm(s)	100% local matching, zero additional API calls
7 Display	Show results	Ranked skills with confidence scores + evidence


🎯 Key Benefits

- ⚡ **Fast:** 2-5 seconds total (vs 30-60s with API-based matching)
- 🔒 **Secure:** OAuth token stored locally, reused for future runs
- 📊 **Evidence-Based:** Every skill includes verifiable GitHub links
- 🔄 **Flexible:** 6+ matching algorithms to choose from







3. Matcher Selection Decision Tree





4. Language Matcher Algorithm






5. Hybrid Matcher Weighted Combination





6. Skill Index Lookup Performance




Performance Comparison:


Approach	API Calls	Time	Reliability
Old (API-based)	100+ per user	30-60s	Low (network dependent)

Approach	API Calls	Time	Reliability
New (Index-based)	1 per session	2-5s	High (local lookup)


7. Confidence Score Calculation




8. Evidence Collection Process




9. Error Handling & Retry Logic




10. CLI Execution Flow






11. Plugin Architecture




Adding a new matcher: 1. Create class implementing `ISkillsMatcher` 2. Add to CLI switch statement 3. Optionally add to `HybridMatcher` 4. Done! No other code changes needed.

12. Rate Limiting Strategy




13. Memory & Performance



Performance Targets: - Full analysis: 2-5 seconds - Memory usage: <50 MB - API calls: 10-50 (depending on repo count) - Output generation: <100ms

14. Future Enhancements



Summary

This system is designed for: - **✓ Speed:** Local matching with O(1) lookups - **✓ Accuracy:** Multiple specialized matchers - **✓ Extensibility:** Plug-and-play architecture - **✓ Evidence:** Traceable recommendations - **✓ Flexibility:** CLI flags for customization

See [ARCHITECTURE.md](#) for detailed component documentation.