













Every location, every modality: pixel error of each donor in units of the dataset mean

Real anatomy from another image or person

Averages of other people

	Mean anatomy	Another photo or scan	Mirror side	Sibling	Stranger	16 look-alikes	Same sex and age	Dataset mean (V, own scale)
Faces CelebA		 1.30 × mean [1.26, 1.34]	 0.99 × mean [0.94, 1.03]	not available	 2.02 × mean [2.00, 2.04]	 0.54 × mean [0.53, 0.55]	 0.96 × mean [0.95, 0.96]	 1 × mean
Faces IMDb-WIKI		 1.40 × mean [1.36, 1.44]	 1.10 × mean [1.04, 1.15]	 1.73 × mean [1.66, 1.80]	 2.02 × mean [2.00, 2.05]	 0.56 × mean [0.56, 0.57]	 0.98 × mean [0.97, 0.98]	 1 × mean
Brain MRI QTIM axial z = 10 mm		 0.29 × mean	 1.56 × mean	 1.85 × mean	 1.99 × mean	 0.74 × mean	 1.01 × mean	 1 × mean
Fundus GRAPE (P8)		 0.49 × mean [0.40, 0.58]	 1.33 × mean [1.22, 1.44]	not available	 2.01 × mean [1.90, 2.14]	 0.86 × mean [0.83, 0.88]	 1.05 × mean [1.02, 1.08]	 1 × mean
Fundus PAPILA (P9)		not available	 1.47 × mean [1.42, 1.51]	not available	 1.99 × mean [1.94, 2.05]	 0.94 × mean [0.91, 0.95]	 1.02 × mean [1.02, 1.03]	 1 × mean



error of the donor / error of the dataset mean (blue: beats the mean, white: = mean, red: 2 = stranger)

Pre-QC. Faces v6f, 16 px Gaussian window; brain QTIM session 1, affine to MNI, 16 mm box window (brain maps not yet switched to the Gaussian), look-alikes on an 8 mm grid; fundus frame only (Amendment 9.13), 16 px Gaussian window. Persons left out of their own pools. Mirror side: the other face half, hemisphere or eye.