

Faces, every location: pixel error against the dataset mean (pre-QC)

Mean face	Another photo	Mirror side	Sibling	Stranger	16 look-alikes*	Same sex and age	Dataset mean
							
CelebA (pool mean, no person)	MSE = 1.38 x mean [1.32, 1.45] split-half r 0.75 n = 423	MSE = 1.00 x mean [0.94, 1.07] split-half r 0.92 n = 423		MSE = 2.03 x mean [2.00, 2.07] split-half r 0.05 n = 423	MSE = 0.57 x mean [0.56, 0.58] split-half r 0.92 n = 423	MSE = 0.95 x mean [0.94, 0.95] split-half r 0.92 n = 423	MSE = 1 x mean (shown: V, z units)
							
IMDb-WIKI (pool mean, no person)	MSE = 1.51 x mean [1.45, 1.58] split-half r 0.61 n = 362	MSE = 1.32 x mean [1.24, 1.40] split-half r 0.95 n = 362	MSE = 1.82 x mean [1.69, 1.94] split-half r 0.12 n = 97	MSE = 2.01 x mean [1.98, 2.05] split-half r 0.20 n = 362	MSE = 0.57 x mean [0.56, 0.58] split-half r 0.96 n = 362	MSE = 0.99 x mean [0.98, 1.00] split-half r 0.59 n = 323	MSE = 1 x mean (shown: V, z units)

One scale: 1 = dataset mean (white), 2 = stranger; blue beats the mean. * neighbours chosen on a 4 px grid by the 8 px ring around the 16 px window; mirror side excludes the midline. 128 px frame, 16 px window, |yaw|, |pitch| < 10 deg.