


Faces, every location: pixel error against the dataset mean (pre-QC)

Mean face	Another photo	Mirror side	Sibling	Stranger	16 look-alikes*	Same sex and age	Dataset mean
							
CelebA (pool mean, no person)	MSE = 1.39 x mean [1.32, 1.45] split-half r 0.77 n = 421	MSE = 1.03 x mean [0.96, 1.11] split-half r 0.97 n = 421		MSE = 2.02 x mean [1.99, 2.06] split-half r 0.28 n = 421	MSE = 0.57 x mean [0.56, 0.58] split-half r 0.95 n = 421	MSE = 0.95 x mean [0.94, 0.95] split-half r 0.96 n = 421	MSE = 1 x mean (shown: V, z units)
							
IMDb-WIKI (pool mean, no person)	MSE = 1.49 x mean [1.42, 1.56] split-half r 0.59 n = 348	MSE = 1.35 x mean [1.26, 1.45] split-half r 0.96 n = 348	MSE = 1.84 x mean [1.70, 1.99] split-half r 0.11 n = 87	MSE = 2.02 x mean [1.98, 2.06] split-half r 0.23 n = 348	MSE = 0.57 x mean [0.56, 0.59] split-half r 0.93 n = 348	MSE = 0.99 x mean [0.98, 1.00] split-half r 0.74 n = 312	MSE = 1 x mean (shown: V, z units)

One scale: 1 = dataset mean (white), 2 = stranger; blue beats the mean. * neighbours chosen on a 4 px grid by the 8 px ring around the 16 px window; mirror side excludes the midline. 128 px frame, 16 px window, |yaw|, |pitch| < 10 deg.