


Faces, every location: pixel error against the dataset mean (pre-QC)

Mean face	Another photo	Mirror side	Sibling	Stranger	16 look-alikes*	Same sex and age	Dataset mean
							
CelebA (pool mean, no person)	MSE = 1.32 x mean [1.28, 1.36] split-half r 0.82 n = 923	MSE = 1.00 x mean [0.96, 1.05] split-half r 0.98 n = 923		MSE = 2.02 x mean [2.00, 2.05] split-half r 0.22 n = 923	MSE = 0.56 x mean [0.56, 0.57] split-half r 0.95 n = 923	MSE = 0.96 x mean [0.95, 0.96] split-half r 0.90 n = 923	MSE = 1 x mean (shown: V, z units)
							
IMDb-WIKI (pool mean, no person)	MSE = 1.40 x mean [1.36, 1.44] split-half r 0.70 n = 681	MSE = 1.11 x mean [1.06, 1.16] split-half r 0.97 n = 681	MSE = 1.74 x mean [1.67, 1.80] split-half r 0.29 n = 246	MSE = 2.01 x mean [1.98, 2.04] split-half r 0.33 n = 681	MSE = 0.58 x mean [0.58, 0.59] split-half r 0.91 n = 681	MSE = 0.98 x mean [0.97, 0.98] split-half r 0.85 n = 646	MSE = 1 x mean (shown: V, z units)

One scale: 1 = dataset mean (white), 2 = stranger; blue beats the mean. * neighbours chosen on a 4 px grid by the 8 px ring around the 16 px window; mirror side excludes the midline. 128 px frame, 16 px window, |yaw|, |pitch| < 10 deg.