



Faces, every location: pixel error against the dataset mean (pre-QC)

Mean face	Another photo	Mirror side	Sibling	Stranger	16 look-alikes*	Same sex and age	Dataset mean
							
CelebA (pool mean, no person)	MSE = 1.29 x mean [1.25, 1.33] split-half r 0.92 n = 925	MSE = 0.96 x mean [0.91, 1.00] split-half r 0.99 n = 925		MSE = 2.03 x mean [2.00, 2.05] split-half r 0.17 n = 925	MSE = 0.55 x mean [0.54, 0.56] split-half r 0.96 n = 925	MSE = 0.96 x mean [0.95, 0.96] split-half r 0.95 n = 925	MSE = 1 x mean (shown: V, z units)
							
IMDb-WIKI (pool mean, no person)	MSE = 1.39 x mean [1.34, 1.43] split-half r 0.82 n = 682	MSE = 1.06 x mean [1.00, 1.11] split-half r 0.99 n = 682	MSE = 1.73 x mean [1.67, 1.80] split-half r 0.47 n = 249	MSE = 2.02 x mean [2.00, 2.04] split-half r 0.38 n = 682	MSE = 0.58 x mean [0.57, 0.59] split-half r 0.96 n = 682	MSE = 0.97 x mean [0.97, 0.98] split-half r 0.88 n = 646	MSE = 1 x mean (shown: V, z units)

One scale: 1 = dataset mean (white), 2 = stranger; blue beats the mean. * neighbours chosen on a 4 px grid by the 8 px ring around the 16 px window; mirror side excludes the midline. 128 px frame, 16 px window, |yaw|, |pitch| < 10 deg.