# Some very important research

Student: John Doe

Research Advisor: Some very smart professor

Novosibirsk, 2015

# Outline

Introduction

Section 1

Section 2

Conclusion

## Some very important research

Section 1
Section 2
Conclusion

Outline

 $\square$ Outline

# Magnetotellurics

The magnetotelluric (MT) method uses surface measurements of natural electromagnetic fields to investigate the conductivity distribution of the Earth

- One of the most important tools in deep Earth research (typical in the range of 500m to 10000m)
- Measurings have to be done for hours at each station in order to get good signal to ensure high-quality data



#### Some very important research Introduction

#### -Magnetotellurics


The magnetotelluric (MT) method uses surface measurements of natural electromagnetic fields to investigate the conductivity distribution of the Earth

- . One of the most important tools in deep Earth research (typical in
- the range of 500m to 10000m) · Measurings have to be done for hours at each station in order to



# System of linear equations

- Most of the elements are zero
- Iterative methods, such as conjugate gradient method and GMRES utilize fast computations of matrix-vector products
- One of the best methods to solve complex-valued sparse systems of linear equations is COCR method



# Some very important research Section 1

#### $ldsymbol{oxdot}$ System of linear equations

Most of the elements are zero
 Iterative methods, such as
 conjugate gradient method and
 GMRES utilize fast
 computations of matrix-vector
 products
 One of the best methods to
 solve complex-valued sparse

systems of linear equations is



### Acceleration methods

#### Method 1

#### Method 1-1

$$x = \frac{1+y}{1+2z^2}$$

#### Method 1-2

$$\int_0^\infty e^{-x^2} dx = \frac{\sqrt{\pi}}{2}$$

#### Method 2

$$x_1 = a + b$$


$$x_2 = a - b$$

#### Method 3


Some very important research
Section 1
Acceleration methods

Acceleration methods  $\begin{array}{ll} \text{Method 1} \\ \text{Method 1-1} \\ x = \frac{1}{1+a} & \int_{a}^{b} e^{-s^2} ds = \frac{a\pi}{2} \end{array}$   $\begin{array}{ll} \text{Method 2} \\ x_1 = a + b & x_2 = a - b \end{array}$   $\begin{array}{ll} \text{Method 2} \\ \text{Method 3} \end{array}$ 

# Experimental



\_\_Experimental



#### Conclusion

Some very important research Conclusion Conclusion

#### Conclusion

Lorem ispure door at annet, consecuteur adjoicing ellt. Uty mure die, verstübund en, Elporat Ex, adjoicing viete, filic Carabber dictum grands maueri. Bean acus Been, noumeny august en neuer. Peters de la marchine de la carabber dictum grands maueri. Bean acus leine, noumeny august en neuer, Peters de la marchine de la carabber de la

Conclusion