Project AI created Software in C and Raylib.

Author:

Konrad Skoczylas

Javier Reyes

06/Oct/2026

Konrad and Javier created a group call Big League

The project that was chosen was Smart Building Controller

Konrad looked up in Claude ai what are the implications of this project

We are still implementing a plan which has not been finalized as of now.

Konrad has created a github repository called Smart-Building-Controller

07/Oct/2026

We have successfully set up git and github in our terminals. This will allow for better workflow between us when we push, commit and pull code.

We are discussing which approach should be used to engineer this project.

Agile approach will be implemented, because we think it's the most optimal way to carry out this project since it's only the two of us working together. Any changes can be ratified quicker.

We installed raylib on both of our machines. Still trying to figure out how it works

Who does what:

Person A: Simulation and controller
Person B: Interface and infrastructure

Week 1: Build Skeleton: repo builds, window opens, one room with fake fixed values drawn on screen, building.h agreed

Konrad is working on README.md

13/Oct/2026

We have started the skeleton structure.
We had a problem with git pull. We tried to commit inside src file instead of the root file, therefore we had conflicting merge issues.

We have created two files, building.h and main.c

Building.h is our skeleton and main.c is testing our raylib
Created a Makefile.
Updated our repository

10/14/26
Javier and Myself , we have come up with a camera dashboard style where you can switch between rooms , and in each room it shows temperature , sensor states and motion , with possibly the option to flick on lights , door locks or turn the heating on , we've so far set up our building.h we also split the code into separate classes which includes simulations and UI and the main files , we've gotten a starter code running for the dashboard and also for the rooms , myself (konrad)im still fixing errors to get the first version running

10/16/26
We have made changes to the makefile since konrad machine is Mac and Javiers is arch linux, therefore whenever javier ran the command ‘make’, the compiler would crash.
Makefile has been updated to support me and javier's systems , we have now decided to make the project a lot more advanced getting inspiration from five nights at freddies improved the 3d design added more room functionalities and things to interact with , now planning ansd working on design to make the theme feel more scary we've added a villain character thats walks around rooms and if caught you lose

20/oct/2026

We have resolved git conflicts.
We have already merged feature/atmosphere branches into origin/main.
Already working on a new feature called “feature/nights”: It makes objects interactive on a click of a button, adds “eerieness” to the environment we've also implemented more aspects to when a user interacts with buttons/environment this includes animations to objects not relevant to the smart building controller and a jump scare when you lose the game .
We are working on a feature to add 5 graphs: network speed, room temperature, motion sensor, ventilation. We want to implement a graph that compares the temperature with the vents…) this is to continue with the original idea of the “Smart Building Controller” essentially adding smart home features to our system.

21/oct/2026
We further verified that the ui and features we implemented were working correctly and playing the “the game/smart home controller ” we tested that the graphs showed up to date updates (for example opening the vent) making sure its updating in realtime .issues we found is the game drags out and seems not end until the % bar hits 0 , which it shouldn't be like that it .

27/oct/2026
We Added a lighting system: point lights, fog and shiny wet floors. Post-processing gives glow, film grain and a vignette. The G key turns it off for machines.
Added soft-sprite effects for flames, smoke, sprinkler spray and dust.

We Added a help screen (H) that opens when you start the game. There's a pause key (P) hover hints on every object and button and one-time coaching tips for your fire first villain, first power drop and more.
Built the building overview screen (B). It shows a floor plan, with temperatures, status chips, doors, power/water/network meters, active alarms and the thermostat schedule.
Reorganised the control panel (SPACE) into Room, Scenes, Auto, Utility and Log tabs.
We Added the fire model: grease and electrical fires. Added heat-activated sprinklers sharing one tank, flashover and backdraft.
Added five villains, events, seven automation rules and four one-click scenes.
Added smart-home details: weather, night and morning tariffs, energy cost, CO2 and circuit breakers.

30/oct/2026
Added generator, weather and a quit button. To see more changes see below

What Changed

Generator (building.h, simulation.c): The generator now has a 5-second warm-up period, after which it adds 0.30% per second to the battery. Its 100-unit fuel tank lasts roughly 3.7 minutes, so it cannot sustain a full night. Once the battery reaches 5%, the generator also restores power from a blackout. Start and stop actions are routed through building_set_generator, consistent with the existing API.

Weather (simulation.c): Three types of weather front—cold snap, warm spell, and storm—arrive every couple of minutes, each shifting the outside temperature. Sealed rooms partially follow the outdoor change, HVAC load increases accordingly, and storms trip breakers and drop the internet connection at a higher rate. The existing OUTSIDE readout already displays the current value without further changes.

Quit Button (panel.c, main.c): Pressing SPACE opens the control panel, which now includes a SITE tab housing the generator, weather, and quit controls. Quitting requires two clicks to prevent accidental exits. A QUIT button also appears on the end-of-night screen, since the panel is not reachable from that state. Esc still functions as before.

Advisor: The advisor now suggests starting the generator during a blackout.

Things to Know

- Pause bug fix (main.c): The simulation is now called with dt = 0 while paused or while help is open. Previously, pressing P only froze the UI while the world kept running. Let your collaborator know about this so it isn't a surprise.
- Weather testing: To test weather without waiting, temporarily set WEATHER_FIRST_MIN to 5 in simulation.c, then restore it afterward.
- Hardcoded value: The SITE tab text hardcodes the generator output as 0.30f, duplicating GEN_OUTPUT in simulation.c. If you change one, change the other—or add a getter.
- Difficulty tuning: The generator makes blackouts less threatening. If it feels too easy, reduce the fuel capacity or the output rate; both are #defines at the top of simulation.c.