

Scan Report

September 2, 2026

Summary

This document reports on the results of an automatic security scan. All dates are displayed using the timezone “Coordinated Universal Time”, which is abbreviated “UTC”. The task was “window 11”. The scan started at Wed Sep 2 08:24:18 2026 UTC and ended at Wed Sep 2 09:16:59 2026 UTC. The report first summarises the results found. Then, for each host, the report describes every issue found. Please consider the advice given in each description, in order to rectify the issue.

Contents

1	Result Overview	2
2	Results per Host	2
2.1	192.168.1.71	2
2.1.1	Log 80/tcp	2
2.1.2	Log general/tcp	4
2.1.3	Log 443/tcp	7

1 Result Overview

Host	Critical	High	Medium	Low	Log	False P.
192.168.1.71	0	0	0	0	31	0
Total: 1	0	0	0	0	31	0

Vendor security updates are not trusted.

Overrides are off. Even when a result has an override, this report uses the actual threat of the result.

Information on overrides is included in the report.

Notes are included in the report.

This report might not show details of all issues that were found.

Issues with the threat level "Critical" are not shown.

Issues with the threat level "High" are not shown.

Issues with the threat level "Medium" are not shown.

Issues with the threat level "Low" are not shown.

Issues with the threat level "Log" are not shown.

Issues with the threat level "Debug" are not shown.

Issues with the threat level "False Positive" are not shown.

Only results with a minimum QoD of 70 are shown.

This report contains all 31 results selected by the filtering described above. Before filtering there were 31 results.

2 Results per Host

2.1 192.168.1.71

Host scan start Wed Sep 2 08:27:35 2026 UTC

Host scan end

Service (Port)	Threat Level
80/tcp	Log
general/tcp	Log
443/tcp	Log

2.1.1 Log 80/tcp

Log (CVSS: 0.0)
NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A web server is running on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 ...continues on next page ...

Version used: 2025-03-05T05:38:53Z	...continued from previous page ...
------------------------------------	-------------------------------------

Log (CVSS: 0.0) NVT: Response Time / No 404 Error Code Check
Summary This VT tests if the remote web server does not reply with a 404 error code and checks if it is replying to the scanners requests in a reasonable amount of time.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The host returns a 30x (e.g. 301) error code when a non-existent file is requested. Some HTTP-related checks have been disabled.
Solution:
Vulnerability Insight This web server might show the following issues: - it is [mis]configured in that it does not return '404 Not Found' error codes when a non-existent file is requested, perhaps returning a site map, search page, authentication page or redirect instead. The Scanner might enabled some counter measures for that, however they might be insufficient. If a great number of security issues are reported for this port, they might not all be accurate. - it doesn't response in a reasonable amount of time to various HTTP requests sent by this VT. In order to keep the scan total time to a reasonable amount, the remote web server might not be tested. If the remote server should be tested it has to be fixed to have it reply to the scanners requests in a reasonable amount of time. Alternatively the 'Maximum response time (in seconds)' preference could be raised to a higher value if longer scan times are accepted.
Log Method Details: Response Time / No 404 Error Code Check OID:1.3.6.1.4.1.25623.1.0.10386 Version used: 2025-04-11T15:45:04Z

Log (CVSS: 0.0) NVT: HTTP Server Banner Enumeration
Summary This script tries to detect / enumerate different HTTP server banner (e.g. from a frontend, backend or proxy server) by sending various different HTTP requests (valid and invalid ones).
Quality of Detection (QoD): 80%
Vulnerability Detection Result It was possible to enumerate the following HTTP server banner(s): Server banner Enumeration technique ----- Server: nginx Invalid HTTP 00.5 GET request (non-existent HTTP version) to '/'
Solution:
Log Method Details: HTTP Server Banner Enumeration OID:1.3.6.1.4.1.25623.1.0.108708 Version used: 2025-01-31T15:39:24Z

Log (CVSS: 0.0)
NVT: Web Application Scanning Consolidation / Info Reporting
Summary The script consolidates and reports various information for web application (formerly called 'CGI') scanning. This information is based on the following scripts / settings: - HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034) - No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386) - Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662) - Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032) - The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use - The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use If you think any of this information is wrong please report it to the referenced community forum.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The Hostname/IP "192.168.1.71" was used to access the remote host. Generic web application scanning is disabled for this host via the "Enable generic web application scanning" option within the "Global variable settings" of the scan config in use. Requests to this service are done via HTTP/1.1. This service seems to be able to host PHP scripts. This service seems to be able to host ASP scripts. The User-Agent "Mozilla/5.0 [en] (X11; U; Greenbone OS <version replaced>)" was used to access the remote host. Historic /scripts and /cgi-bin are not added to the directories used for web application scanning. You can enable this again with the "Add historic /scripts and /cgi-bin to directories for CGI scanning" option within the "Global variable settings" of the scan config in use. The following directories were used for web application scanning: http://192.168.1.71/ While this is not, in and of itself, a bug, you should manually inspect these directories to ensure that they are in compliance with company security standards
Solution:
Log Method Details: Web Application Scanning Consolidation / Info Reporting OID:1.3.6.1.4.1.25623.1.0.111038 Version used: 2026-02-24T05:57:09Z
References url: https://forum.greenbone.net/c/vulnerability-tests/7

[return to 192.168.1.71]

2.1.2 Log general/tcp

Log (CVSS: 0.0)
NVT: SSL/TLS: Hostname discovery from server certificate
Summary It was possible to discover an additional hostname of this server from its certificate Common or Subject Alt Name.
Quality of Detection (QoD): 98%
Vulnerability Detection Result The following additional and resolvable hostnames pointing to a different host were detected: greenbone-os.gbuser.net ... continues on next page ...

...continued from previous page ...
Solution:
Log Method Details: SSL/TLS: Hostname discovery from server certificate OID:1.3.6.1.4.1.25623.1.0.111010 Version used: 2021-11-22T15:32:39Z

Log (CVSS: 0.0)
NVT: OPENVAS SCAN / Greenbone Enterprise Appliance (GEA) / Greenbone Security Manager (GSM) / Greenbone OS (GOS) Detection Consolidation
Summary Consolidation of OPENVAS SCAN / Greenbone Enterprise Appliance (GEA) / Greenbone Security Manager (GSM) / Greenbone OS (GOS) detections.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected Greenbone OS (GOS) Version: 25.0.5 Location: / CPE: cpe:/o:greenbone:greenbone_os:25.0.5 Detected OPENVAS SCAN / Greenbone Enterprise Appliance (GEA) / Greenbone Security Manager (GSM) FREE Location: / CPE: cpe:/a:greenbone:gsm_free Detection methods: - HTTP(s) on port 443/tcp Concluded from version/product identification result: vendorVersion: 'Greenbone OS 25.0.5', vendorLabel: 'free.svg', Concluded from version/product identification location: https://192.168.1.71/login https://192.168.1.71/config.js
Solution:
Log Method Details: OPENVAS SCAN / Greenbone Enterprise Appliance (GEA) / Greenbone Security Manager (GSM) ↔.. OID:1.3.6.1.4.1.25623.1.0.103220 Version used: 2026-06-23T06:54:08Z
References url: https://www.greenbone.net/en/products/

Log (CVSS: 0.0)
NVT: OS Detection Consolidation and Reporting
Summary This script consolidates the OS information detected by several VTs and tries to find the best matching OS. Furthermore it reports all previously collected information leading to this best matching OS. It also reports possible additional information which might help to improve the OS detection. If any of this information is wrong or could be improved please consider to report these to the referenced community forum.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Best matching OS: OS: Greenbone OS (GOS) 25.0.5 ...continues on next page ...

...continued from previous page ...	
Version:	25.0.5
CPE:	cpe:/o:greenbone:greenbone_os:25.0.5
Found by VT:	1.3.6.1.4.1.25623.1.0.103220 (OPENVAS SCAN / Greenbone Enterprise ↪Appliance (GEA) / Greenbone Security Manager (GSM) / Greenbone OS (GOS) Detect ↪ion Consolidation)
Setting key "Host/runs_unixoide" based on this information	
Other OS detections (in order of reliability):	
OS:	Linux/Unix
CPE:	cpe:/o:linux:kernel
Found by VT:	1.3.6.1.4.1.25623.1.0.103841 (Greenbone Security Assistant (GSA) D ↪etection (HTTP))
Solution:	
Log Method Details: OS Detection Consolidation and Reporting OID:1.3.6.1.4.1.25623.1.0.105937 Version used: 2026-07-01T07:03:20Z	
References url: https://forum.greenbone.net/c/vulnerability-tests/7	

Log (CVSS: 0.0)	
NVT: nginx Detection Consolidation	
Summary Consolidation of Nginx detections.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Detected Nginx Version: unknown Location: 443/tcp CPE: cpe:/a:nginx:nginx Concluded from version/product identification result: Server: nginx Detected Nginx Version: unknown Location: 80/tcp CPE: cpe:/a:nginx:nginx Concluded from version/product identification result: Server: nginx <center>nginx</center> Concluded from version/product identification location: http://192.168.1.71/	
Solution:	
Log Method Details: nginx Detection Consolidation OID:1.3.6.1.4.1.25623.1.0.113787 Version used: 2026-06-18T07:15:20Z	
References url: https://nginx.org url: https://www.f5.com/products/nginx	

Log (CVSS: 0.0)	
NVT: Traceroute	
Summary ... continues on next page ...	

...continued from previous page ...
Collect information about the network route and network distance between the scanner host and the target host.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Network route from scanner (192.168.1.71) to target (192.168.1.71): 192.168.1.71 Network distance between scanner and target: 1
Solution:
Vulnerability Insight For internal networks, the distances are usually small, often less than 4 hosts between scanner and target. For public targets the distance is greater and might be 10 hosts or more.
Log Method A combination of the protocols ICMP and TCP is used to determine the route. This method is applicable for IPv4 only and it is also known as 'traceroute'. Details: Traceroute OID:1.3.6.1.4.1.25623.1.0.51662 Version used: 2022-10-17T11:13:19Z

[\[return to 192.168.1.71 \]](#)

2.1.3 Log 443/tcp

Log (CVSS: 0.0)
NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A TLScustom server answered on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T05:38:53Z

Log (CVSS: 0.0)
NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A web server is running on this port through SSL/TLS
...continues on next page ...

...continued from previous page ...
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T05:38:53Z

Log (CVSS: 0.0)
NVT: SSL/TLS: Version Detection
Summary Enumeration and reporting of SSL/TLS protocol versions supported by a remote service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote SSL/TLS service supports the following SSL/TLS protocol version(s): TLSv1.2 TLSv1.3
Solution:
Log Method Sends multiple SSL/TLS client hello messages to the remote service and attempts to determine the SSL/TLS protocol versions supported by the service from the received SSL/TLS server hello message. Notes: - The supported SSL/TLS protocol versions included in the report of this VT are reported independently from the allowed / supported SSL/TLS ciphers. - Additional debug logging can be enabled by setting the preferences 'Log verbosity' to 'Debug' and 'Debug level' to '1' within the VT 'Global variable settings' (OID: 1.3.6.1.4.1.25623.1.0.12288). The relevant logs will end up in the scanner log file. Details: SSL/TLS: Version Detection OID:1.3.6.1.4.1.25623.1.0.105782 Version used: 2026-05-22T06:54:41Z

Log (CVSS: 0.0)
NVT: SSL/TLS: Collect and Report Certificate Details
Summary This script collects and reports the details of all SSL/TLS certificates. This data will be used by other tests to verify server certificates.
Quality of Detection (QoD): 98%
Vulnerability Detection Result The following certificate details of the remote service were collected. Certificate details: fingerprint (SHA-1) EF2D4E70FF63EFBB653C94BF72105C17347A6F40 fingerprint (SHA-256) 51F208771E9DDB79E928F22FBC272BA7DE6DA5DA8BD639 ↪5C6B32CA325B1933F0 issued by CN=greenbone-os.gbuser.net,OU=Vulnerability Ma ↪nagement Team,O=Greenbone AG Customer,L=Osnabrueck,ST=Niedersachsen,C=DE public key algorithm RSA public key size (bits) 3072 serial 10EB9DDAC4458BBA316C37E0C5CAC2044E80945F signature algorithm sha256WithRSAEncryption subject CN=greenbone-os.gbuser.net,OU=Vulnerability Ma
...continues on next page ...

...continued from previous page ...	
↔management Team,O=Greenbone AG Customer,L=Osnabrueck,ST=Wiedersachsen,C=DE	
subject alternative names (SAN) greenbone-os.gbuser.net	
valid from 2026-07-02 11:42:57 UTC	
valid until 2028-07-01 11:42:57 UTC	
Solution:	
Log Method Details: SSL/TLS: Collect and Report Certificate Details OID:1.3.6.1.4.1.25623.1.0.103692 Version used: 2026-04-17T15:51:27Z	

Log (CVSS: 0.0)
NVT: Response Time / No 404 Error Code Check
Summary This VT tests if the remote web server does not reply with a 404 error code and checks if it is replying to the scanners requests in a reasonable amount of time.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The service is responding with a 200 HTTP status code to non-existent files/urls ↔. The following pattern is used to work around possible false detections: ----- OPENVAS SCAN -----
Solution:
Vulnerability Insight This web server might show the following issues: - it is [mis]configured in that it does not return '404 Not Found' error codes when a non-existent file is requested, perhaps returning a site map, search page, authentication page or redirect instead. The Scanner might enabled some counter measures for that, however they might be insufficient. If a great number of security issues are reported for this port, they might not all be accurate. - it doesn't response in a reasonable amount of time to various HTTP requests sent by this VT. In order to keep the scan total time to a reasonable amount, the remote web server might not be tested. If the remote server should be tested it has to be fixed to have it reply to the scanners requests in a reasonable amount of time. Alternatively the 'Maximum response time (in seconds)' preference could be raised to a higher value if longer scan times are accepted.
Log Method Details: Response Time / No 404 Error Code Check OID:1.3.6.1.4.1.25623.1.0.10386 Version used: 2025-04-11T15:45:04Z

Log (CVSS: 0.0)
NVT: Greenbone Security Assistant (GSA) Detection (HTTP)
Summary HTTP based detection of the Greenbone Security Assistant (GSA).
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected Greenbone Security Assistant (GSA) Version: unknown Location: / CPE: cpe:/a:greenbone:greenbone_security_assistant Concluded from version/product identification result: <title>OPENVAS SCAN</title>
...continues on next page ...

...continued from previous page ...
Concluded from version/product identification location: https://192.168.1.71/login
Solution:
Log Method Details: Greenbone Security Assistant (GSA) Detection (HTTP) OID:1.3.6.1.4.1.25623.1.0.103841 Version used: 2025-10-15T05:39:06Z
References url: https://github.com/greenbone/gsa

Log (CVSS: 0.0)
NVT: SSL/TLS: Certificate - Self-Signed Certificate Detection
Summary The SSL/TLS certificate on this port is self-signed.
Quality of Detection (QoD): 98%
Vulnerability Detection Result The certificate of the remote service is self signed. Certificate details: fingerprint (SHA-1) EF2D4E70FF63EFBB653C94BF72105C17347A6F40 fingerprint (SHA-256) 51F208771E9DDB79E928F22FBC272BA7DE6DA5DA8BD639 ↪5C6B32CA325B1933F0 issued by CN=greenbone-os.gbuser.net,OU=Vulnerability Ma ↪nagement Team,O=Greenbone AG Customer,L=Osnabrueck,ST=Niedersachsen,C=DE public key algorithm RSA public key size (bits) 3072 serial 10EB9DDAC4458BBA316C37E0C5CAC2044E80945F signature algorithm sha256WithRSAEncryption subject CN=greenbone-os.gbuser.net,OU=Vulnerability Ma ↪nagement Team,O=Greenbone AG Customer,L=Osnabrueck,ST=Niedersachsen,C=DE subject alternative names (SAN) greenbone-os.gbuser.net valid from 2026-07-02 11:42:57 UTC valid until 2028-07-01 11:42:57 UTC
Solution:
Log Method Detects and reports if the issuer's distinguished name of the certificate is exactly the same as the subject's distinguished name. Details: SSL/TLS: Certificate - Self-Signed Certificate Detection OID:1.3.6.1.4.1.25623.1.0.103140 Version used: 2026-03-13T05:54:58Z
References url: http://en.wikipedia.org/wiki/Self-signed_certificate url: https://datatracker.ietf.org/doc/html/rfc5280#appendix-C.1

Log (CVSS: 0.0)
NVT: SSL/TLS: HTTP Public Key Pinning (HPKP) Missing
Summary The remote web server is not enforcing HTTP Public Key Pinning (HPKP). Note: Most major browsers have dropped / deprecated support for this header in 2020.
Quality of Detection (QoD): 80%
Vulnerability Detection Result ...continues on next page ...

...continued from previous page ...	
The remote web server is not enforcing HPKP. <pre> HTTP-Banner: HTTP/1.1 200 OK Server: nginx Date: ***replaced*** Content-Type: text/html; charset=utf-8 Content-Length: ***replaced*** Connection: close Last-Modified: ***replaced*** Expires: ***replaced*** Cache-Control: no-cache, no-store Pragma: no-cache X-Frame-Options: SAMEORIGIN Content-Security-Policy: default-src 'none'; object-src 'none'; base-uri 'none'; ↳ connect-src 'self'; script-src 'self'; script-src-elem 'self' 'unsafe-inline' ↳;frame-ancestors 'none'; form-action 'self'; style-src-elem 'self' 'unsafe-inl ↳ine'; style-src 'self' 'unsafe-inline'; font-src 'self';img-src 'self' blob: d ↳ata;; Access-Control-Allow-Origin: greenbone-os.gbuser.net Access-Control-Allow-Credentials: true Access-Control-Allow-Headers: content-type X-Content-Type-Options: nosniff X-XSS-Protection: 1; mode=block X-Frame-Options: DENY </pre>	
Solution: Solution type: Workaround Enable HPKP or add / configure the required directives correctly following the guides linked in the references. Note: Some web servers are not sending headers on specific status codes by default. Please review your web server or application configuration to always send these headers on every response independently from the status code. - Apache: Use 'Header always set' instead of 'Header set'. - nginx: Append the 'always' keyword to each 'add_header' directive. For different applications or web servers please refer to the related documentation for a similar configuration possibility.	
Log Method Details: SSL/TLS: HTTP Public Key Pinning (HPKP) Missing OID:1.3.6.1.4.1.25623.1.0.108247 Version used: 2025-03-21T15:40:43Z	
References url: https://owasp.org/www-project-secure-headers/ url: https://owasp.org/www-project-secure-headers/#public-key-pinning-extension-for-http-hpkp url: https://tools.ietf.org/html/rfc7469 url: https://securityheaders.io/ url: https://httpd.apache.org/docs/current/mod/mod_headers.html#header url: https://nginx.org/en/docs/http/nginx_headers_module.html#add_header	
Log (CVSS: 0.0)	
NVT: SSL/TLS: HTTP Strict Transport Security (HSTS) Missing	
Summary The remote web server is not enforcing HTTP Strict Transport Security (HSTS).	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result The remote web server is not enforcing HSTS. <pre> HTTP-Banner: HTTP/1.1 200 OK Server: nginx Date: ***replaced*** Content-Type: text/html; charset=utf-8 Content-Length: ***replaced*** Connection: close Last-Modified: ***replaced*** Expires: ***replaced*** Cache-Control: no-cache, no-store </pre>	
...continues on next page ...	

...continued from previous page ...	
<pre> Pragma: no-cache X-Frame-Options: SAMEORIGIN Content-Security-Policy: default-src 'none'; object-src 'none'; base-uri 'none'; ↳ connect-src 'self'; script-src 'self'; script-src-elem 'self' 'unsafe-inline' ↳;frame-ancestors 'none'; form-action 'self'; style-src-elem 'self' 'unsafe-inl ↳;ine'; style-src 'self' 'unsafe-inline'; font-src 'self';img-src 'self' blob: d ↳ata:; Access-Control-Allow-Origin: greenbone-os.gbuser.net Access-Control-Allow-Credentials: true Access-Control-Allow-Headers: content-type X-Content-Type-Options: nosniff X-XSS-Protection: 1; mode=block X-Frame-Options: DENY </pre>	
Solution: Solution type: Workaround Enable HSTS or add / configure the required directives correctly following the guides linked in the references. Note: Some web servers are not sending headers on specific status codes by default. Please review your web server or application configuration to always send these headers on every response independently from the status code. - Apache: Use 'Header always set' instead of 'Header set'. - nginx: Append the 'always' keyword to each 'add_header' directive. For different applications or web servers please refer to the related documentation for a similar configuration possibility.	
Log Method Details: SSL/TLS: HTTP Strict Transport Security (HSTS) Missing OID:1.3.6.1.4.1.25623.1.0.105879 Version used: 2025-03-21T15:40:43Z	
References url: https://owasp.org/www-project-secure-headers/ url: https://owasp.org/www-project-secure-headers/cheatsheets/HTTP_Strict_Transport_Security_Cheat_Sheet.html url: https://owasp.org/www-project-secure-headers/#http-strict-transport-security-hsts url: https://tools.ietf.org/html/rfc6797 url: https://securityheaders.io/ url: https://httpd.apache.org/docs/current/mod/mod_headers.html#header url: https://nginx.org/en/docs/http/nginx_headers_module.html#add_header	

Log (CVSS: 0.0)	
NVT: SSL/TLS: Report Perfect Forward Secrecy (PFS) Cipher Suites	
Summary This routine reports all SSL/TLS cipher suites accepted by a service which are supporting Perfect Forward Secrecy (PFS).	
Quality of Detection (QoD): 98%	
Vulnerability Detection Result Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this service via the TLSv1.3 protocol: TLS_AES_128_GCM_SHA256 TLS_AES_256_GCM_SHA384 TLS_CHACHA20_POLY1305_SHA256	
Solution:	
Log Method Details: SSL/TLS: Report Perfect Forward Secrecy (PFS) Cipher Suites OID:1.3.6.1.4.1.25623.1.0.105018 Version used: 2026-03-13T05:54:58Z	

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Medium Cipher Suites
Summary This routine reports all Medium SSL/TLS cipher suites accepted by a service.
Quality of Detection (QoD): 98%
Vulnerability Detection Result 'Medium' cipher suites accepted by this service via the TLSv1.2 protocol: TLS_RSA_WITH_AES_128_CBC_SHA256 TLS_RSA_WITH_AES_256_CBC_SHA256 TLS_RSA_WITH_AES_256_GCM_SHA384 'Medium' cipher suites accepted by this service via the TLSv1.3 protocol: TLS_AES_128_GCM_SHA256
Solution:
Vulnerability Insight Any cipher suite considered to be secure for only the next 10 years is considered as medium.
Log Method Details: SSL/TLS: Report Medium Cipher Suites OID:1.3.6.1.4.1.25623.1.0.902816 Version used: 2024-09-27T05:05:23Z

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Non Weak Cipher Suites
Summary This routine reports all Non Weak SSL/TLS cipher suites accepted by a service.
Quality of Detection (QoD): 98%
Vulnerability Detection Result 'Non Weak' cipher suites accepted by this service via the TLSv1.2 protocol: TLS_RSA_WITH_AES_128_CBC_SHA256 TLS_RSA_WITH_AES_256_CBC_SHA256 TLS_RSA_WITH_AES_256_GCM_SHA384 'Non Weak' cipher suites accepted by this service via the TLSv1.3 protocol: TLS_AES_128_GCM_SHA256 TLS_AES_256_GCM_SHA384 TLS_CHACHA20_POLY1305_SHA256
Solution:
Log Method Details: SSL/TLS: Report Non Weak Cipher Suites OID:1.3.6.1.4.1.25623.1.0.103441 Version used: 2024-09-27T05:05:23Z

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Supported Cipher Suites
Summary This routine reports all SSL/TLS cipher suites accepted by a service.
Quality of Detection (QoD): 98%
Vulnerability Detection Result No 'Strong' cipher suites accepted by this service via the TLSv1.2 protocol. 'Medium' cipher suites accepted by this service via the TLSv1.2 protocol: ...continues on next page ...

...continued from previous page ... <pre> TLS_RSA_WITH_AES_128_CBC_SHA256 TLS_RSA_WITH_AES_256_CBC_SHA256 TLS_RSA_WITH_AES_256_GCM_SHA384 No 'Weak' cipher suites accepted by this service via the TLSv1.2 protocol. No 'Null' cipher suites accepted by this service via the TLSv1.2 protocol. No 'Anonymous' cipher suites accepted by this service via the TLSv1.2 protocol. 'Strong' cipher suites accepted by this service via the TLSv1.3 protocol: KEX groups: ffdhe2048, ffdhe3072, secp256r1 (NIST P-256), secp384r1 (NIST P-384) ↔, secp521r1 (NIST P-521), x25519, X25519MLKEM768 (PQC), x448 PQC KEX groups: X25519MLKEM768 TLS_AES_256_GCM_SHA384 TLS_CHACHA20_POLY1305_SHA256 'Medium' cipher suites accepted by this service via the TLSv1.3 protocol: TLS_AES_128_GCM_SHA256 No 'Weak' cipher suites accepted by this service via the TLSv1.3 protocol. No 'Null' cipher suites accepted by this service via the TLSv1.3 protocol. No 'Anonymous' cipher suites accepted by this service via the TLSv1.3 protocol. Server Key Exchange Group(s): TLSv1.3 112 bits ffdhe2048 TLSv1.3 128 bits ffdhe3072 TLSv1.3 128 bits secp256r1 (NIST P-256) TLSv1.3 192 bits secp384r1 (NIST P-384) TLSv1.3 256 bits secp521r1 (NIST P-521) TLSv1.3 128 bits x25519 TLSv1.3 192 bits X25519MLKEM768 TLSv1.3 224 bits x448 PQC KEX group(s): TLSv1.3 X25519MLKEM768 Post Quantum Key Exchange algorithms: TLSv1.3 192 bits X25519MLKEM768 </pre>
Solution:
Vulnerability Insight Notes: - As the VT 'SSL/TLS: Check Supported Cipher Suites' (OID: 1.3.6.1.4.1.25623.1.0.900234) might run into a timeout the actual reporting of all accepted cipher suites takes place in this VT instead. - SSLv2 ciphers are not getting reported as the protocol itself is deprecated, needs to be considered as weak and is reported separately as deprecated.
Log Method Details: SSL/TLS: Report Supported Cipher Suites OID:1.3.6.1.4.1.25623.1.0.802067 Version used: 2026-03-13T05:54:58Z

Log (CVSS: 0.0)
NVT: SSL/TLS: Safe/Secure Renegotiation Support Status
Summary Checks and reports if a remote SSL/TLS service supports safe/secure renegotiation.
Quality of Detection (QoD): 98%
Vulnerability Detection Result Protocol Version Safe/Secure Renegotiation Support Status <pre> ----- ↔----- ↔----- SSLv3 Unknown, Reason: Scanner failed to negotiate an SSL/TLS conne ↔ction (Either the scanner or the remote host is probably not supporting / acce ↔pting this SSL/TLS protocol version). TLSv1.0 Unknown, Reason: Scanner failed to negotiate an SSL/TLS conne ↔ction (Either the scanner or the remote host is probably not supporting / acce ↔pting this SSL/TLS protocol version). TLSv1.1 Unknown, Reason: Scanner failed to negotiate an SSL/TLS conne ↔ction (Either the scanner or the remote host is probably not supporting / acce ↔pting this SSL/TLS protocol version). TLSv1.2 Enabled, Note: While the remote service announces the support </pre> ...continues on next page ...

...continued from previous page ...
↳ of safe/secure renegotiation it still might not support / accept renegotiation ↳ at all. TLSv1.3 Disabled (The TLSv1.3 protocol generally doesn't support renegotiation so this is always reported as 'Disabled')
Solution:
Log Method Details: SSL/TLS: Safe/Secure Renegotiation Support Status OID:1.3.6.1.4.1.25623.1.0.117757 Version used: 2026-03-13T05:54:58Z
References url: https://www.gnutls.org/manual/html_node/Safe-renegotiation.html url: https://wiki.openssl.org/index.php/TLS1.3#Renegotiation url: https://datatracker.ietf.org/doc/html/rfc5746

Log (CVSS: 0.0)
NVT: SSL/TLS: Untrusted Certificate Detection
Summary Checks and reports if a remote SSL/TLS service is using a certificate which is untrusted / the verification against the system wide trust store has failed.
Quality of Detection (QoD): 98%
Vulnerability Detection Result The remote SSL/TLS server is using the following certificate(s) which failed the ↳ verification against the system wide trust store (serial:issuer): 10EB9DDAC4458BBA316C37E0C5CAC2044E80945F:CN=greenbone-os.gbuser.net,OU=Vulnerability Management Team,O=Greenbone AG Customer,L=Osnabrueck,ST=Niedersachsen,C=DE ↳E (Server certificate)
Solution:
Log Method Details: SSL/TLS: Untrusted Certificate Detection OID:1.3.6.1.4.1.25623.1.0.117764 Version used: 2026-03-13T05:54:58Z

Log (CVSS: 0.0)
NVT: SSL/TLS: NPN / ALPN Extension and Protocol Support Detection
Summary This routine identifies services supporting the following extensions to TLS: - Application-Layer Protocol Negotiation (ALPN) - Next Protocol Negotiation (NPN). Based on the availability of these extensions the supported Network Protocols by this service are gathered and reported.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote service advertises support for the following Network Protocol(s) via ↳ the ALPN extension: SSL/TLS Protocol:Network Protocol TLSv1.2:HTTP/1.1
Solution:
Log Method Details: SSL/TLS: NPN / ALPN Extension and Protocol Support Detection ...continues on next page ...

OID:1.3.6.1.4.1.25623.1.0.108099 Version used: 2024-09-27T05:05:23Z	...continued from previous page ...
References url: https://tools.ietf.org/html/rfc7301 url: https://tools.ietf.org/html/draft-agl-tls-nextprotoneg-04	

Log (CVSS: 0.0) NVT: HTTP Server type and version
Summary This script detects and reports the HTTP Server's banner which might provide the type and version of it.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote HTTP Server banner is: Server: nginx
Solution:
Log Method Details: HTTP Server type and version OID:1.3.6.1.4.1.25623.1.0.10107 Version used: 2023-08-01T13:29:10Z

Log (CVSS: 0.0) NVT: HTTP Server Banner Enumeration
Summary This script tries to detect / enumerate different HTTP server banner (e.g. from a frontend, backend or proxy server) by sending various different HTTP requests (valid and invalid ones).
Quality of Detection (QoD): 80%
Vulnerability Detection Result It was possible to enumerate the following HTTP server banner(s): Server banner Enumeration technique ----- Server: nginx Invalid HTTP 00.5 GET request (non-existent HTTP version) to '/'
Solution:
Log Method Details: HTTP Server Banner Enumeration OID:1.3.6.1.4.1.25623.1.0.108708 Version used: 2025-01-31T15:39:24Z

Log (CVSS: 0.0) NVT: HTTP Security Headers Detection
Summary All known security headers are being checked on the remote web server. On completion a report will hand back whether a specific security header has been implemented (including its value and if it is deprecated) or is missing on the target.
Quality of Detection (QoD): 80%
...continues on next page ...

...continued from previous page ...

Vulnerability Detection Result

Header Name | Header Value

```

-----
Content-Security-Policy | default-src 'none'; object-src 'none'; base-uri 'none'
↳; connect-src 'self'; script-src 'self'; script-src-elem 'self' 'unsafe-inline'
↳; frame-ancestors 'none'; form-action 'self'; style-src-elem 'self' 'unsafe-in
↳line'; style-src 'self' 'unsafe-inline'; font-src 'self'; img-src 'self' blob:
↳data;;
X-Content-Type-Options | nosniff
X-Frame-Options | SAMEORIGIN<newline>: DENY
X-XSS-Protection | 1; mode=block
Missing Headers | More Information
-----
Cross-Origin-Embedder-Policy | https://scotthelme.co.uk/coop-and-coep/, Not
↳e: This is an upcoming header
Cross-Origin-Opener-Policy | https://scotthelme.co.uk/coop-and-coep/, Not
↳e: This is an upcoming header
Cross-Origin-Resource-Policy | https://scotthelme.co.uk/coop-and-coep/, Not
↳e: This is an upcoming header
Document-Policy | https://w3c.github.io/webappsec-feature-poli
↳cy/document-policy#document-policy-http-header
Expect-CT | https://owasp.org/www-project-secure-headers
↳/#expect-ct, Note: This is an upcoming header
Feature-Policy | https://owasp.org/www-project-secure-headers
↳/#feature-policy, Note: The Feature Policy header has been renamed to Permissi
↳ons Policy
Permissions-Policy | https://w3c.github.io/webappsec-feature-poli
↳cy/#permissions-policy-http-header-field
Public-Key-Pins | Please check the output of the VTs including
↳ 'SSL/TLS:' and 'HPKP' in their name for more information and configuration he
↳lp. Note: Most major browsers have dropped / deprecated support for this heade
↳r in 2020.
Referrer-Policy | https://owasp.org/www-project-secure-headers
↳/#referrer-policy
Sec-Fetch-Dest | https://developer.mozilla.org/en-US/docs/Web
↳/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↳rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-Mode | https://developer.mozilla.org/en-US/docs/Web
↳/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↳rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-Site | https://developer.mozilla.org/en-US/docs/Web
↳/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↳rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-User | https://developer.mozilla.org/en-US/docs/Web
↳/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↳rted only in newer browsers like e.g. Firefox 90
Strict-Transport-Security | Please check the output of the VTs including
↳ 'SSL/TLS:' and 'HSTS' in their name for more information and configuration he
↳lp.
X-Permitted-Cross-Domain-Policies | https://owasp.org/www-project-secure-headers
↳/#x-permitted-cross-domain-policies

```

Solution:**Log Method**

Details: HTTP Security Headers Detection
 OID:1.3.6.1.4.1.25623.1.0.112081
 Version used: 2025-03-21T15:40:43Z

References

url: <https://owasp.org/www-project-secure-headers/>
 url: <https://owasp.org/www-project-secure-headers/#div-headers>
 url: <https://securityheaders.com/>

Log (CVSS: 0.0)
NVT: Web Application Scanning Consolidation / Info Reporting
Summary The script consolidates and reports various information for web application (formerly called 'CGI') scanning. This information is based on the following scripts / settings: - HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034) - No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386) - Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662) - Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032) - The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use - The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use If you think any of this information is wrong please report it to the referenced community forum.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The Hostname/IP "192.168.1.71" was used to access the remote host. Generic web application scanning is disabled for this host via the "Enable generic web application scanning" option within the "Global variable settings" of the scan config in use. The service is responding with a 200 HTTP status code to non-existent files/urls ↳ The following pattern is used to work around possible false detections: ----- OPENVAS SCAN ----- Requests to this service are done via HTTP/1.1. This service seems to be able to host PHP scripts. This service seems to be able to host ASP scripts. The User-Agent "Mozilla/5.0 [en] (X11; U; Greenbone OS <version replaced>)" was used to access the remote host. Historic /scripts and /cgi-bin are not added to the directories used for web application scanning. You can enable this again with the "Add historic /scripts and /cgi-bin to directories for CGI scanning" option within the "Global variable settings" of the scan config in use. The following directories were used for web application scanning: https://192.168.1.71/ https://192.168.1.71/assets While this is not, in and of itself, a bug, you should manually inspect these directories to ensure that they are in compliance with company security standards ↳ The following directories were excluded from web application scanning because the "Regex pattern to exclude directories from CGI scanning" setting of the VT "Global variable settings" (OID: 1.3.6.1.4.1.25623.1.0.12288) for this scan was used: "/(index\.php image img css js\$ js/ javascript style theme icon jquery graphic grafik picture bilder thumbnail media/ skins?/)" https://192.168.1.71/img
Solution:
Log Method Details: Web Application Scanning Consolidation / Info Reporting OID:1.3.6.1.4.1.25623.1.0.111038 Version used: 2026-02-24T05:57:09Z
References url: https://forum.greenbone.net/c/vulnerability-tests/7

Log (CVSS: 0.0)
NVT: robot.txt / robots.txt exists on the Web Server (HTTP)
Summary Web Servers can use a file called /robot(s).txt to ask search engines to ignore certain files and directories. By nature this file can not be used to protect private files from public read access.
...continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result The file 'https://192.168.1.71/robots.txt' contains the following: User-agent: * Disallow: /
Solution: Solution type: Mitigation Review the content of the /robot(s).txt file and consider removing the files from the server or protect them in other ways in case you actually intended non-public availability.
Vulnerability Insight Any serious web search engine will honor the /robot(s).txt file and not scan the files and directories listed there. Any entries listed in this file are not even hidden anymore.
Log Method Details: robot.txt / robots.txt exists on the Web Server (HTTP) OID:1.3.6.1.4.1.25623.1.0.10302 Version used: 2024-02-26T14:36:40Z
References url: https://www.robotstxt.org/ url: https://www.robotstxt.org/norobots-rfc.txt

Log (CVSS: 0.0)
NVT: Allowed HTTP Methods Enumeration
Summary Enumerates which HTTP methods are allowed.
Quality of Detection (QoD): 70%
Vulnerability Detection Result The following list contains the URLs and corresponding supported HTTP methods. URL HTTP Methods ----- https://192.168.1.71/ GET
Solution:
Vulnerability Insight - Basic HTTP methods: GET, HEAD, POST, PUT, DELETE, CONNECT, OPTIONS, TRACE - Extended HTTP methods: ACL, BASELINE-CONTROL, BIND, CHECKIN, CHECKOUT, COPY, LABEL, LINK, LOCK, MERGE, MKACTIVITY, MKCALENDAR, MKCOL, MKREDIRECTREF, MKWORKSPACE, MOVE, ORDERPATCH, PATCH, PRI, PROPFIND, PROPPATCH, REBIND, REPORT, SEARCH, UNBIND, UNCHECKOUT, UNLINK, UNLOCK, UPDATE, UPDATEREDIRECTREF, VERSION-CONTROL
Log Method Sends multiple HTTP requests and checks the responses. Disclaimer: - This enumeration script is provided 'as is' (means no support is given) and only providing rudimentary information about the possible enabled methods - This script doesn't guarantee completeness or full reliability For more reliable determination of the enabled HTTP methods please inspect the configuration of the web server manually and directly on the target host. Details: Allowed HTTP Methods Enumeration OID:1.3.6.1.4.1.25623.1.0.153974 Version used: 2025-02-28T05:38:49Z

[\[return to 192.168.1.71 \]](#)