







幾何體	表面積公式(S) $S = S_{\text{底}} + S_{\text{側}}$	體積公式(V) $V = S_{\text{底}} \cdot h$	正三角形面積： $\frac{\sqrt{3}}{4}a^2$
正棱柱 	$S_{\text{正棱柱}} = 2S_{\text{底}} + C \cdot h$	$V_{\text{正棱柱}} = S_{\text{底}} \cdot h$	$S_{\text{底}}$ ：底面面積； h ：側棱(高) C ：底面周長
圓柱 	$S_{\text{圓柱}} = 2\pi r^2 + 2\pi r \cdot h$	$V_{\text{圓柱}} = \pi r^2 \cdot h$	r ：半徑； h ：母線(高)
正棱錐 	$S_{\text{正棱錐}} = S_{\text{底}} + \frac{C \cdot l}{2}$	$V_{\text{正棱錐}} = \frac{1}{3} \cdot S_{\text{底}} \cdot h$	C ：底面周長 $S_{\text{底}}$ ：底面面積 h ：高 l ：斜高 - $l = \sqrt{r^2 + h^2}$

圓錐 	$S_{\text{圓錐}} = \pi r^2 + \pi r l$	$V_{\text{圓錐}} = \frac{1}{3} \cdot \pi r^2 \cdot h$	$l = \sqrt{r^2 + h^2}$ r : 半徑 h : 高 l : 母線
正棱台 	$S_{\text{正四棱台}} = S_1 + S_2 + \frac{1}{2} \cdot (C_1 + C_2) \cdot h'_{\text{斜高}}$	$V_{\text{正棱台}} = \frac{1}{3} \cdot (S_1 + S_2 + \sqrt{S_1 S_2}) \cdot h$	S_1 : 上底面面積 S_2 : 下底面面積 C_1 : 上底面周長 C_2 : 下底面周長 h : 高 $h'_{\text{斜高}}$: 斜高 $h'_{\text{斜高}} = \sqrt{\left(\frac{a_2 - a_1}{2}\right)^2 + h^2}$
圓台 	$S_{\text{圓台}} = \pi(R^2 + r^2) + \pi(R + r)l$	$V_{\text{圓台}} = \frac{1}{3} \cdot \pi h(R^2 + Rr + r^2)$	r : 上底面圓半徑 R : 下底面圓半徑 l : 斜高(側母線長) h : 高 $l = \sqrt{(R - r)^2 + h^2}$

