

STERAS Final FR

需要修改的地方 - Team Change Notes

按 Module 整理 | 华语说明 + Suggested English FR

这份 document 的目的

我觉得我们现在的 FR scope

基本上已经稳定了。这份不是要再加一堆新功能，而是把已经决定的逻辑写清楚，避免 M1-M5 integration 时每个人有不同 interpretation。内容可以直接拿去 team discussion。

我们已经确认的 decisions

- MiniMax / AI 是 advisory ; AI proposal 不能自己变成 official authority decision。
- 如果 application 有问题需要改，当前 version 会被 Rejected ; organiser 修改后以新 version resubmit。
- Withdraw 代表 event 在开始前取消：public content 撤下、pending work 关闭、历史保留给 audit。
- 统一使用 organiser，不混用 organizer。
- Application status 统一使用 Pending Review ; Submitted 是提交动作和 version timestamp，不是另一个同时存在的 status。

一句话结论

M1 负责 application/event master state，M2 负责 advisory assessment + deterministic calculation，M3 负责 human review/decision/control，M4 负责 incident truth and investigation outcome，M5 只读 reporting。

Prepared for team review - 11 August 2026

先统一 status ，不然后面的 FR 会一直撞名

现在的 “Submitted and Pending Review” 很像两个 status。建议我们只保留一个 application status vocabulary ，然后把 submission 当成 action/version record。

Editing	Draft	Organiser 可以编辑。
Submitted	Pending Review	已提交，Admin 尚未开始 review。
Initial review	Under Initial Review	Admin initial review 已开始。
Officer review	Under Authority Review	已分配给 authority officers。
Final review	Under Second Review	所有 officer review 完成，Admin finalises。
Terminal	Approved / Rejected / Withdrawn	终止状态；history 不删除。

Correction flow

我们不需要 Correction Required status。流程是 Rejected -> organiser creates/reopens editable new version -> Pending Review。旧的 rejected version、reason 和 suggestion 全部保留。

Manual Review Required

建议把它当作 assessment/review flag，不要当作 application status。Application 仍然可以是 Pending Review；只是 Admin 会看到 Manual Review Required 并完成 manual assessment。

User and Event Management

Account/profile, application versions, venue selection, application status and public calendar.

1. FR-M1-03 - authority profile 要有 coverage state

M3 要根据 venue state default-select officer，就一定要有一个地方保存 officer 负责哪些 state。这个资料属于 user/authority profile，所以放 M1 最合理，不要从 M4 authority contact directory 猜。

我们需要做：扩充 FR-M1-03，加入 authority type、covered states 和 active/inactive status。

Replace FR-M1-03

The system shall restrict the creation of authority-user and administrator accounts to authorised administrators, and shall allow authorised administrators to maintain each authority user's authority type, covered state or states, and active or inactive status.

2. FR-M1-04 / FR-M1-05 - 不要重复 create application

两个 FR 现在都写 selecting template + create application。可以保留两个 ID，但把 responsibility 分开。

我们需要做：FR-M1-04 只负责 browse/select template；FR-M1-05 才负责 create Draft。

Replace FR-M1-04

The system shall allow an organiser to view the available event application templates and select the template appropriate to the event type.

Replace FR-M1-05

The system shall create a new event application in Draft status from the selected template, and shall allow the organiser to save, reopen, and continue editing the Draft application before submission.

3. FR-M1-12 / 13 / 14 - 统一 Pending Review

Submitted 是 action；Pending Review 是 status。不要再写“Submitted and Pending Review”，否则 implementation 会不知道是一个 enum 还是两个 flags。

我们需要做：FR-M1-12 改成 status = Pending Review；FR-M1-13 和 14 都引用 Pending Review。

Replace the first sentence of FR-M1-12

The system shall submit a valid application, create and preserve an immutable submitted version, and change the application status to Pending Review.

User and Event Management - continued

Withdrawal, rejected resubmission and wording cleanup.

4. FR-M1-15 + FR-M1-17 - combine withdrawal

两个 FR 都是 organiser withdraw，只是 review 有没有开始。我们已经决定，只要 event 还没开始而且 application eligible，就可以 withdraw。

我们需要做：把完整规则放进 FR-M1-15，删除 FR-M1-17；之后要同步更新 traceability 和所有旧 FR reference。

Replace FR-M1-15; merge and remove FR-M1-17

The system shall allow an organiser to withdraw an eligible application at any time before the event begins, including after administrator review has started, shall change the application status to Withdrawn, and shall preserve the previous status, submitted versions, withdrawal time, and application history for audit purposes.

5. FR-M1-16 - M1 只做自己拥有的 withdrawal work

M1 不应该自己关 M3 control activities 或 M4 incident workflow。M1 要改变 master state、移除 public calendar，然后通知 downstream modules。

我们需要做：把 control/incident cleanup 移到 M3 和 M4。M1 发布 withdrawal event/handoff。

Replace FR-M1-16

When an application is withdrawn, the system shall remove the event from the public event calendar, retain the application and withdrawal history for audit purposes, and publish the withdrawal status to the Authority Approval and Notification Module and the Incident Reporting Module for downstream closure and access enforcement.

6. FR-M1-18 - correction 改成 rejected resubmission

我们的 assumption 是：有问题就 reject 当前 version，organiser 根据 reason/suggestion 修改，再交一个新 version。不是同一个 review 中的 Correction Requested。

我们需要做：删掉 “when correction is requested”，明确 Rejected -> editable new version -> Pending Review。

Replace FR-M1-18

The system shall allow an organiser to revise a Rejected application or template based on the recorded rejection reason and suggestion, review the corrected information, and submit a new application version for review while preserving the previously rejected version and review history.

M1 wording cleanup

- 删除 FR-M1-08 后面单独出现的句号。
- 整个 document 统一使用 organiser。

Smart Risk Assessment and Safety Resource Recommendation

Context evidence, advisory AI, deterministic calculation and resource recommendations.

先解释：什么是 assessment-eligible incident？

原本那句话的意思是：不是每一条 incident report 都应该拿去影响未来 event 的 risk assessment。例如 duplicate report、后来证明不成立的 report、资料不完整的 report，都不应该被 M2 当成真实历史风险。

不过我们不一定需要额外做一个复杂的 eligible/ineligible manual classification。比较简单的做法是：M4 只把 Closed + Verified 的 incident 给 M2，并排除 Duplicate、Dismissed、Incomplete 和 Unverified records。M2 不负责判断 incident 真不真实。

1. FR-M2-01 - 用容易理解的 closed + verified wording

把 assessment-eligible jargon 拿掉，直接讲资料来源和最低条件。

我们需要做：M2 只能消费 M4 已经确认并关闭的 incident outcome。

Replace the incident portion of FR-M2-01

The system shall retrieve weather, public-holiday, venue, calendar, historical-event outcome, and closed and verified incident information supplied by the Incident Reporting Module that is relevant to the submitted event application.

2. FR-M2-07 - AI advisory，所以先是 provisional，再由 human confirmation 变 official

现在 FR-M2-05 让 MiniMax propose likelihood/severity，FR-M2-07 又直接算 overall risk。如果没有 human confirmation，AI 实际上就不是 advisory。

我们需要做：保留 deterministic formula，但区分 provisional AI-assisted result 和 authority-confirmed official result。

Replace FR-M2-07

The system shall apply configured hard-rule constraints and deterministically calculate a provisional category and overall risk result from the validated AI-proposed likelihood and severity scores. After receiving authority-confirmed or overridden scores from the Authority Approval and Notification Module, the system shall deterministically recalculate and store the official category and overall risk result using the active formula, weights, thresholds, and guideline checks.

3. FR-M2-09 / FR-M2-13 - audit 和 display 要分清 provisional / official

M2 要保留 AI original proposal、officer confirmation/override、override reason 和最终 official result，不能只覆盖旧值。Organiser-safe summary 只显示 permitted official output，不显示 internal prompt/private evidence。

我们需要做：补充 record fields，并把 M2-13 的 calculated risk 标示为 provisional 或 official。

Add to FR-M2-09

The auditable assessment record shall retain the original AI-proposed scores, the provisional calculated result, each authority confirmation or override, the override reason, the confirming authority user, and the final official recalculated result without overwriting the original values.

M2-10 不需要改方向

MiniMax unavailable 时，M2 标记 AI analysis unavailable/retryable，并交给 M3 Manual Review Required；M2 不 fabricate score。这个方向符合 advisory AI。

Authority Approval and Notification

Human review, score confirmation, assignment, event controls, publication and notifications.

1. FR-M3-01 - withdrawal downstream action

M1 发出 Withdrawn 状态后，M3 才负责关 review/control、撤 public control，并通知相关人员。

我们需要做：保留 audit，不删除旧 review 或 control record。

Replace FR-M3-01

When an event application becomes Withdrawn, the system shall close all pending administrator and authority reviews, close all pending event-control activities, unpublish all published event-control items and public-safe control documentation, notify the administrator and assigned authority officers, and retain all existing records for audit purposes.

2. FR-M3-09 - rejection feedback 就是 resubmission input

我们不新增 correction request。Admin reject 时给 reason + suggestion；organiser 在 M1 用这些资料修改并交新 version。

我们需要做：FR-M3-09 可以补一句 whether resubmission is allowed，避免 organiser 不知道还能不能重交。

Replace FR-M3-09

The system shall notify the event organiser of a rejection decision, the recorded reason and suggestion, the review stage at which the application was rejected, and whether submission of a revised application version is permitted.

3. FR-M3-10 / FR-M3-11 - active authorised officers + coverage state

Authenticated 只是“现在登录成功”，不代表账号 active 或有资格被 assign。Coverage state 来自 M1 authority-user profile；venue state 来自 M1 venue database/custom venue。

我们需要做：改成 active authorised officers，并按 configured covered states default-select。

Replace FR-M3-10

The system shall list active authorised authority officers who are eligible for assignment.

Replace FR-M3-11

The system shall default-select active authorised authority officers whose configured covered state or states include the state of the event venue.

4. AI 是 advisory - M3 必须有人 confirm/override scores

M2 会先产生 provisional result。Assigned officers review evidence 和 AI rationale 后，confirm 或 propose override；Admin second review 解决冲突并确认 final scores，再让 M2 deterministic recalculate official result。

我们需要做：在 FR-M3-15 后增加 score confirmation/override；在 FR-M3-18 second review 增加 final resolution。

Add after FR-M3-15

The system shall allow each assigned authority officer to confirm or propose an override to the AI-proposed likelihood and severity score for each applicable assessment category, shall require a reason for every proposed override, and shall retain the original proposal, officer input, officer identity, authority, date, and time for audit purposes.

Add to or after FR-M3-18

During the second review, the system shall allow the administrator to resolve conflicting authority-officer score recommendations, confirm the final category likelihood and severity scores, and return the confirmed scores to the Smart Risk Assessment module for deterministic recalculation of the official risk result.

Authority Approval and Notification - continued

Public controls, Use Previous and Stage 2 dispute handling.

5. FR-M3-22 / FR-M3-28 - 一个负责 sanitise , 一个负责 publish

现在两个 FR 都像是在 publish public control。为了保留 ID , 不需要删除其中一个 ; 把 responsibility 分开就可以。

我们需要做 : FR-M3-22 只建立 public-safe version ; FR-M3-28 才让 Admin publish/unpublish selected approved items。

Replace FR-M3-22

The system shall sanitise approved event-control documentation uploaded by the event organiser and create a public-safe version that excludes personal information, private evidence, internal review notes, and other restricted content.

Replace FR-M3-28

The system shall allow the administrator to select and publish or unpublish approved event-control items together with their permitted public-safe documentation.

6. FR-M3-27 - Use Previous 不是 exemption

Use Previous 的意思应该是 : 这个 control 还是 required , 只是 organiser 已经有一份之前被批准的 evidence , 所以不用重新 upload。它不是“免做 control”。如果系统里没有旧 evidence , 只让 organiser 点一下就通过 , 会变成无法验证的 self-declaration。

我们需要做 : 只有存在 eligible previously approved evidence 时才显示/允许 Use Previous , 并 link 原 record 和 provenance。

Replace FR-M3-27

The system shall allow an event organiser to select Use Previous for a Stage 1 control item only when an eligible previously approved document exists, and shall link the previous document and its provenance to the current control item without requiring a new upload.

7. FR-M3-31 / 32 / 33 - M3 发 case , M4 判断 , M3 更新 control

现在 M3 把 inaccurate report 送 M4 , 但 M4 没有 classify and return outcome。需要把 round trip 写完整。

我们需要做 : M3 创建 linked case 并把 control 标为 Under Investigation ; 收到 M4 outcome 后才要求 resubmit 或恢复 Approved。

Replace FR-M3-31

When a registered public viewer reports a published Stage 2 image as inaccurate, the system shall create a linked Stage 2 accuracy-review case in the Incident Reporting Module and change the related event-control documentation status to Under Investigation.

Replace FR-M3-32

After receiving a Confirmed True outcome from the Incident Reporting Module, the system shall change the related control status to Resubmission Required and require the event organiser to submit replacement documentation.

Replace FR-M3-33

After receiving a Dismissed False outcome from the Incident Reporting Module, the system shall restore the related event-control documentation status to Approved and retain the review outcome for audit purposes.

Incident Reporting Module

Incident submission, investigation truth, Stage 2 dispute outcome and historical evidence feed.

1. Withdrawn event 不接受新的 incident submission

我们的 assumption 是 withdraw 发生在 event 开始前，所以正常情况下不会已经有 incident。M4 仍然需要一个 guard，避免 withdrawn event 还出现在 incident form。

我们需要做：在 FR-M4-01 eligibility 或新增 FR 中排除 Withdrawn。

Add to FR-M4-01 or add a new M4 requirement

The system shall not allow a new incident report to be submitted for an event whose application status is Withdrawn or Cancelled.

2. M4 要处理 M3 Stage 2 accuracy-review case

这不是普通 organiser incident flow，而是 M3 control dispute 的 investigation outcome。M4 负责判断事实，M3 负责更新 control document。

我们需要做：增加 authorised reviewer classify + reason/evidence + return outcome。

Add a new M4 requirement

The system shall allow an authorised incident reviewer to assess a Stage 2 accuracy-review case referred by the Authority Approval and Notification Module, classify the report as Confirmed True or Dismissed False, record the evidence, reason, reviewer identity, date, and time, and return the outcome to the referring event-control process.

3. M4 给 M2 的 incident feed - 简化版

这里就是前面 assessment-eligible 的白话版本：M2 只能拿已经查清楚并 close 的真实 incident。Duplicate、Dismissed、Incomplete、Unverified 都不能影响未来 risk assessment。

我们需要做：M4 负责 filtering，并保留 outcome/provenance；M2 只消费结果。

Add a new M4 requirement

The system shall provide the Smart Risk Assessment module with only closed and verified incident records, including the verified incident outcome and provenance, and shall exclude duplicate, dismissed, incomplete, and unverified reports from assessment evidence.

不用另外做复杂的 manual eligibility screen

如果 team 不想增加一个 incident eligible/ineligible UI，可以用 configured rule 自动过滤：status = Closed、investigation outcome = Verified/Confirmed、not duplicate、not dismissed、required provenance exists。这样已经足够支持 M2。

Analytics and Reporting

Read-only, privacy-safe reporting from latest valid module records.

1. FR-M5-13 - 不要把 Use Previous 写成 exempted

Exempted 表示这个 control 不需要完成；Use Previous 表示 control 已经用之前批准的 evidence 满足。两个意思不同，会影响 compliance percentage。

我们需要做：把 exempted through Use Previous 改成 satisfied using previously approved evidence。

Replace FR-M5-13

The system shall generate an Event Control Compliance Analysis Report presenting the counts and percentages of control items that are pending submission, pending verification, verified, rejected with resubmission required, or satisfied using previously approved evidence through Use Previous.

M5 其余方向

- M5 保持 Admin-only、read-only、privacy-safe。
- Unavailable data 显示 Data Not Available，不当作 zero，这个保持不变。
- M5 的 status metrics 必须使用前面统一后的 canonical statuses。

M5 不负责修 source data

如果 M3 的 control state 或 M4 的 incident outcome 不完整，M5 只能显示 Data Not Available，不能自己推断或补值。

最后给 team 的 action list

我建议我们按照这个顺序改，比较不会 reference 全乱掉：

1	Lock decisions	确认 AI advisory、rejection-resubmit、withdrawal ownership、Use Previous reuse model。

2	Edit M1	Coverage states、status naming、withdrawal merge、rejected resubmission、typo/organiser。
3	Edit M2/M3	Provisional vs official risk、human score confirmation/override、publication split。
4	Edit M3/M4	Stage 2 case round trip、withdrawn incident guard、closed verified incident feed。
5	Edit M5	Use Previous metric wording + canonical statuses。
6	Update references	FR IDs、traceability matrix、use case descriptions、use case diagrams、architecture/module contracts。
7	Final consistency pass	organiser、administrator/Admin、authority officer、status capitalization、module names。

我觉得做到这里就可以 freeze

这些更改完成后，FR 的 module boundary、status flow、AI responsibility、withdrawal behaviour、Stage 2 investigation 和 analytics meaning 都会对得上。之后如果只是 grammar 或 numbering，就不算新的 functional scope。

Important: 如果删除或合并 FR-M1-17，记得一次过更新所有 downstream references；不要只改 FR list，use case traceability 还留旧编号。