Ivan19871001

我就是那幸福路上的小跳蚤,就这么一路蹦啊跳啊...

随笔 - 21, 文章 - 0, 评论 - 0, 引用 - 0

```
导航
                          在windows下安装mysql2 的问题解决
博客园
首页
                          今天向在自己的win7上配置ruby on rails 环境,结果被mysql2 和 gcc 的问
新随笔
                          题给卡住了
联系
订 阅
      XML
                          我的环境
管 理
                          Ruby 1.9.2 and Rails 3.1.0 on Windows7
      2011年9月
                          先看错误提示
日一二三四五
28 29 30 31 1 2
                          bundle install
4 5 6 7
             <u>8</u> <u>9</u> 10
11 12 13 14 15 <u>16</u> 17
                          Errors:
18 19 20 21 <u>22</u> 23 24
25 26 27 <u>28</u> <u>29</u> 30
2 3 4 5 6 7
                          Using jquery-rails (1.0.13)
                           Installing mysql2 (0.3.7)
公告
                           C:/Ruby192/lib/ruby/site_ruby/1.9.1/rubygems/defaults/
昵称: Ivan19871001
                           operating_system.rb:9:in `block in <top (required)>': The
园龄: 1年
                           'mysql2' native gem re
粉丝: 0
关注: 3
                           quires installed build tools. (Gem::InstallError)
搜索
                           Please update your PATH to include build tools or
                           download the DevKit
                          from 'http://rubyinstaller.org/downloads' and follow the
常用链接
                           instructions
我的随笔
我的空间
                           'http://github.com/oneclick/rubyinstaller/wiki/Development-
我的短信
我的评论
                          Kit'
更多链接
                                   from
我的标签
                          C:/Ruby192/lib/ruby/site_ruby/1.9.1/rubygems/installer.rb:141:in
ruby(3)
                          `c
ror(1)
                          all'
rails c(1)
注册(1)
序列号(1)
破解(1)
```

找了不少方法,有copy mysql2.dll的,有安装gcc的,下面是从google翻

出来的东西, 经过实践, 完美解决问题

1. Download Development Kit

http://www.cnblogs.com/ilazysoft/archive/2011/09/08/2171209.html[2011/10/9 14:13:43]

数组(1)

子集(1) 元素(1) rails(1)

更多

随笔分类

Github Source(rss)

Linux(6)(rss)

Mysql(1)(rss)

Opentaps(1)(rss)

Powerdesigner(2)(rss)

Ruby On Rails(12)(rss)

Sqlite(rss)

Tools(2)(rss)

随笔档案

2011年9月 (13)

2011年8月 (8)

最新评论

阅读排行榜

- 1. win7 安装Opentaps 1.5(1 23)
- 2. 在windows下安装mysql2 的问题解决(102)
- 3. MySQL数据库备份和还原的常用命令(77)
- 4. 将.sql文件的数据库结构导入powerdesigner(47)
- 5. 在rails c下执行sql语句(38)

评论排行榜

- 1. 【转载】 让 PowerDesign er 支持 SQLite!(0)
- 2. CentOS 设置静态IP, 无法正确获取网关的问题解决(0)
- 3. CentOS6 部署ruby on rail s 环境(0)
- 4. centos6 更新数据源(0)
- 5. CentOS6 更新数据源遇到 的问题(0)

gem install mysql2 -- '--with-mysql-lib="C:\Program Files \MySQL\MySQL Server 5.5 \lib" --with-mysql-include="C:\Program Files\MySQL \MySQL Server 5.5\include"

"http://github.com/downloads/oneclick/rubyinstaller/DevKit-tdm-32-4.5.1-20101214-1400-sfx.exe" from http://rubyinstaller.org/downloads/

2. Followed the instructions given on

linkhttps://github.com/oneclick/rubyinstaller/wiki/Development-Kit

- 3. Extracted the downloaded DevKit.
- 4. cd <DEVKIT INSTALL DIR>
- 5. run ruby dk.rb init.

C:\Users\ritesh\Downloads\DevKit-tdm-32-4.5.1-20101214-1400-sfx>ruby dk.rb init

[INFO] found RubyInstaller v1.9.2 at C:/Ruby192

[INFO] found RubyInstaller v1.8.7 at C:/Ruby187

Initialization complete! Please review and modify the auto-generated 'config.yml' file to ensure it contains the root directories to all

of the installed Rubies you want enhanced by the DevKit.

- 6. edit the generated config.yml file as per your system available Rubies version if required
- 7. [optional] ruby dk.rb review to verify the changes you made to it are correct.
- 8. finally, ruby dk.rb install to DevKit enhance your installed Rubies.

C:\Users\ritesh\Downloads\DevKit-tdm-32-4.5.1-20101214-1400-sfx>ruby dk.rb install

[INFO] Updating convenience notice gem override for 'C:/Ruby192'

[INFO] Installing 'C:/Ruby192/lib/ruby/site_ruby/devkit.rb'

[INFO] Skipping existing gem override for 'C:/Ruby187'

[WARN] Skipping existing DevKit helper library for 'C:/Ruby187'

- 9. You have successfully installed the DevKit, and now comes the step to install mysql2 gem, most important one for which we took so many steps. Make sure you are using Ruby 1.9.2 version.
- 10. Run gem install myql2 with parameters that I have passed, path can differ for you so make changes accordingly.

>gem install mysql2 -- '--with-mysql-lib="c:\Program Files\MySQL\MySQL Server 5.5\lib\opt" --with-mysql-include="c:\Program Files\MySQL\MySQL Server 5.5\include"'

```
Temporarily enhancing PATH to include DevKit...
Building native extensions. This could take a while...
Successfully installed mysql2-0.2.7
1 gem installed
Installing ri documentation for mysql2-0.2.7...
Enclosing class/module 'mMysql2' for class Client not known
Installing RDoc documentation for mysql2-0.2.7...
Enclosing class/module 'mMysql2' for class Client not known
注意,上面的命令中, MySQL Server 5.5是我的mysql版本, 需要视情况
个人自己替换。
然而我们没有那么顺利, 上面的命令行出错了, 如下:
C:\Users\Ivan\Downloads\dev>gem install mysql2 -- '--
with-mysql-lib="c:\Program
 Files\MySQL\MySQL Server 5.5\lib\opt" --with-mysql-
include="c:\Program Files\MyS
QL\MySQL Server 5.5\include"'
Temporarily enhancing PATH to include DevKit...
Building native extensions. This could take a while...
 ERROR: Error installing mysql2:
         ERROR: Failed to build gem native extension.
         C:/Ruby192/bin/ruby.exe extconf.rb --with-mysql-
 lib="c:\Program Files\My
SQL\MySQL Server 5.5\lib\opt" --with-mysql-
include="c:\Program Files\MySQL\MySQL
  Server 5.5\include"
 checking for rb_thread_blocking_region()... yes
 checking for main() in -llibmysql... no
 *** extconf.rb failed ***
Could not create Makefile due to some reason, probably
lack of
 necessary libraries and/or headers. Check the mkmf.log
file for more
 details. You may need configuration options.
Provided configuration options:
         --with-opt-dir
         --without-opt-dir
         --with-opt-include
```

```
--without-opt-include=${opt-dir}/include
        --with-opt-lib
        --without-opt-lib=${opt-dir}/lib
        --with-make-prog
        --without-make-prog
        --srcdir=.
        --curdir
        --ruby=C:/Ruby192/bin/ruby
        --with-mysql-dir
        --without-mysql-dir
        --with-mysql-include=${mysql-dir}/include
        --with-mysql-lib=${mysql-dir}/lib
        --with-libmysqllib
        --without-libmysqllib
Gem files will remain installed in
C:/Ruby192/lib/ruby/gems/1.9.1/gems/mysql2-0.
3.7 for inspection.
Results logged to
C:/Ruby192/lib/ruby/gems/1.9.1/gems/mysql2-0.3.7/ext/mysql2/ge
m_make.out
哈哈,不用担心,经验是要分享的,翻遍了google终于发现了有用的命令,
如下
subst X: "C:\Program Files\MySQL\MySQL Server 5.5"
gem install mysql2 --platform=ruby -- --with-mysql-
dir=X: --with-mysql-lib=X:\lib\opt
subst X: /D
如果是想指定版本号的话,加个参数 -v=0.2.13
gem install mysql2 -v=0.2.13 --platform=ruby -- --with-
mysql-dir=X: --with-mysql-lib=X:\lib\opt
subst X: /D
安装成功
```

C:\Users\Ivan\RubymineProjects\eco_apps_test\pet>gem
install mysq12 --platform=r

uby -- --with-mysql-dir=X: --with-mysql-lib=X:\lib\opt

Temporarily enhancing PATH to include DevKit...

Building native extensions. This could take a while...

Successfully installed mysql2-0.3.7

1 gem installed

Installing ri documentation for mysql2-0.3.7...

Enclosing class/module 'mMysql2' for class Client not
known

Installing RDoc documentation for mysql2-0.3.7...

Enclosing class/module 'mMysq12' for class Client not
known

搞定, 收工, 折腾了一个上午.

Thanks, Ivan

标签: ruby, rails, 问题, mysql2, error

posted on 2011-09-08 12:14 Ivan19871001 阅读(103) 评论(0) 编辑 收藏

□ 注册用户登录后才能发表评论,请 登录 或 注册,返回博客园首页。 简洁阅读版式

不3k就业不给1分学费(java, .net, php, android) 首页 博问 闪存 新闻 园子 招聘 知识库

最新IT新闻:

- ·开心网力推"照片社交"功能
- · 西班牙电信携Bluevia开发者计划11日登陆中国
- · CNET: 乔布斯留给我们的12条宝贵经验
- ·Rackspace将把OpenStack委托给基金会
- ·浏览器启动Linux现在支持永久储存
- » 更多新闻...

最新知识库文章:

- · 你这不是测试驱动开发
- · 持续集成之"自动化部署"
- · 敏捷软件测试的七个关键成功要素
- · 敏捷软件开发 Agile Software Development
- ·MySQL数据库新特性之存储过程入门教程
- » 更多知识库文章...



China-pub 2011秋季教材巡展 China-Pub 计算机绝版图书按需印刷服务

Powered by:

博客园

Copyright © Ivan19871001