

会飞的鱼

永久域名 <http://oryx.javaeye.com>



lujar

浏览: 69179 次

性别:

来自: 杭州

我现在离线

[详细资料](#)

[留言簿](#)

搜索本博客

最近访客 [>>更多访客](#)



[osssd](#) 小羊



[Rainbow70](#)



[workflow](#)



[yanlp](#)

博客分类

- [全部博客 \(623\)](#)
- [JAVA \(24\)](#)
- [Web \(2\)](#)
- [Hibernate \(2\)](#)
- [Struts \(5\)](#)
- [Ajax \(1\)](#)
- [Delphi \(12\)](#)
- [DOS \(0\)](#)

我的留言簿 [>>更多留言](#)

- `<listener> <listener-`
`class> ...`
-- by [dj861212](#)
- `</param-name> <param-`
`value&g ...`

2006-06-08

[JavaScript高级应用：文件操作篇](#)

| [2004年9月21日，我记录了网路上的第一个日...](#)

[AutoCRUD - PHP 下的透明持久层](#)

AutoCRUD是一个php下的持久层，虽然它目前只支持MySQL数据库，但是它无需配置，也很方便实用。

已建立下面几个表为例

```
CREATE TABLE `article` (
  `articleid` smallint(5) UNSIGNED NOT NULL AUTO_INCREMENT,
  `title` varchar(255) NOT NULL DEFAULT "",
  `content` text,
  `datetimestamp` int(10) UNSIGNED NOT NULL DEFAULT '0',
  PRIMARY KEY (`articleid`)
) TYPE=MyISAM AUTO_INCREMENT=1;
```

```
CREATE TABLE `article2category` (
  `article` smallint(5) UNSIGNED NOT NULL DEFAULT '0',
  `category` smallint(5) UNSIGNED NOT NULL DEFAULT '0',
  PRIMARY KEY (`article`, `category`)
) TYPE=MyISAM;
```

```
CREATE TABLE `category` (
  `categoryid` smallint(5) UNSIGNED NOT NULL AUTO_INCREMENT,
  `title` varchar(255) NOT NULL DEFAULT "",
  `parent` smallint(5) UNSIGNED DEFAULT '0',
  PRIMARY KEY (`categoryid`)
) TYPE=MyISAM AUTO_INCREMENT=1;
```

```
CREATE TABLE `comment` (
  `commentid` bigint(20) UNSIGNED NOT NULL AUTO_INCREMENT,
  `title` varchar(25) DEFAULT "",
  `author` varchar(255) DEFAULT NULL,
  `article` smallint(6) NOT NULL DEFAULT '0',
  PRIMARY KEY (`commentid`),
  KEY `article` (`article`)
) TYPE=MyISAM AUTO_INCREMENT=1;
```

```
CREATE TABLE `user` (
  `userid` smallint(5) UNSIGNED NOT NULL AUTO_INCREMENT,
  `username` varchar(255) NOT NULL DEFAULT "",
  `password` varchar(255) DEFAULT "",
  PRIMARY KEY (`userid`),
  UNIQUE KEY `username` (`username`)
) TYPE=MyISAM AUTO_INCREMENT=1;
```

基本操作

1 初始化

```
<?php
include ('autocrud/autocrud.php');
```

```
$crud = new AutoCRUD;
$result = $crud->connect ('sa', '', 'demo');
if (autocrud_is_error($result) == true) {
    // error occured, find out what error
    echo $result->getCode() . ': ' . $result->getMessage();
    die();
}
$crud->generate(); // 该函数会自动生成一些存取数据所用的代码到数据库里面
?>
2 插入纪录
<?php
// ...
```

-- by [dj861212](#)

- 你好，看了你的博客，关于Chain的Web 设置，我怎么
- 做都是不对的？不知道您做实

...

-- by [dj861212](#)

其他分类

- [我的收藏](#) (10)
- [我的论坛主题贴](#) (0)
- [我的所有论坛贴](#) (112)
- [我的精华良好贴](#) (0)

最近加入圈子

存档

- [2008-05](#) (9)
- [2008-04](#) (1)
- [2008-03](#) (2)
- [更多存档...](#)

最新评论

- [JavaScript高级应用：例外](#)


...

exception handlers 译成

例外处理 倒是第一次听说。我们通常好 ...

-- by [peanut sei](#)

评论排行榜



[\[什么是RSS?\]](#)

// setup AutoCRUD

// ...

```
$new_row = array('title' => 'My article', 'content' => 'Article content goes here', 'datetimestamp' => time());
$result = $crud->article->insert ($new_row);
if (autocrud_is_error($result) == true) {
    // error occured, find out what error
    echo $result->getCode() . ' : ' . $result->getMessage();
    die();
}
```

echo 'Row inserted';

?>

3 更新纪录

<?php

```
$row = array('title' => 'New title 2', 'content' => 'New Article content goes here', 'datetimestamp' => time());
```

```
$id = '1';
```

```
$crud->article->where = "articleid = " . $crud->quote($id);
```

```
$result = $crud->article->update ($row);
```

// we left out the title, so error should be returned

```
if (autocrud_is_error($result) == true) {
```

// error occured, find out what error

```
echo $result->getCode() . ' : ' . $result->getMessage();
```

```
die();
```

```
}
```

```
echo 'Record updated';
```

?>

4 删除纪录

<?php

// ...

// setup AutoCRUD

// ...

```
$crud->article->delete(1);
```

```
echo 'Record delete';
```

?>

5 选择纪录

<?php

// ...

// setup AutoCRUD

// ...

// Get a list of articles

```
$list = $crud->article->select();
```

```
echo 'Number of records: ' . count($list) . ";
```

```
foreach ($list as $article) {
```

```
echo $article['title'] . ";
```

```
}
```

?>

<?php

// Specify WHERE and ORDER BY

```
$crud->article->where = "articleid != 6";
```

```
$crud->article->orderby = "title DESC";
```

// Get a list of articles

```
$list = $crud->article->select();
```

```
echo 'Number of records: ' . count($list) . ";
```

```
foreach ($list as $article) {
```

```
echo $article['title'] . ";
```

```
}
```

?>

翻页处理

<?php

// Do paging

```
$crud->article->paging = true; # Enable paging
```

```

$crud->article->perpage = 2; # Set number of records to show per page
$crud->article->currentpage = (empty($_GET['page'])) ? 1 : $_GET['page']; # Set current page

// Get a list of articles
$list = $crud->article->select();
echo 'Number of records: ' . count($list) . ' ';
foreach ($list as $article) {
    echo $article['title'] . ' ';
}
if ($crud->article->currentpage > 1) {
    echo '<a href="?page=' . ($crud->article->currentpage-1) . '">Previous Page</a>&nbsp;';
}
if ($crud->article->currentpage < $crud->article->totalpages) {
    echo '&nbsp;<a href="?page=' . ($crud->article->currentpage+1) . '">Next Page</a>';
}
?>
<?php
// Get article #5
$article = $crud->article->get(5);

if ($article == false) {
    echo 'Article doesn\'t exist';
}
echo '<pre>';
print_r ($article);
echo '</pre>';
?>
6 处理多表连接
<?php
// Setup relationship
$crud->comment->addRelationship ($crud->article, 'article', 'articleid', 'many-to-one');

// Get articles and their comments
$crud->article->join ('comment');
$articles = $crud->article->select();
echo '<pre>';
print_r ($articles);
echo '</pre>';
?>
<?php
// Setup relationship
$crud->comment->addRelationship ($crud->article, 'article', 'articleid', 'many-to-one');

// Get comments and their article
$crud->comment->join ('article');
$comments = $crud->comment->select();
echo '<pre>';
print_r ($comments);
echo '</pre>';
?>
<?php
// Setup relationship
$crud->article2category->addRelationship ($crud->category, 'category', 'categoryid', 'many-to-many');
$crud->article2category->addRelationship ($crud->article, 'article', 'articleid', 'many-to-many');

// Get articles and the categories they belong to
$crud->article->join ('category');
$articles = $crud->article->select();
echo '<pre>';
print_r ($articles);
echo '</pre>';
?>

```



凯育·意桥 专业意大利语学习
罗马三大I.T考试认证考点 零基础保过A2

评论

发表评论

表情图标

😊😏😞😬

😡😏😏😎

😏😏😏😏

😈😈😏😏

😘👍👍👎

字体颜色: 字体大小: 对齐:

提示: 选择您需要装饰的文字, 按上列按钮即可添加上相应的标签

您还没有登录, 请[登录](#)后发表评论(快捷键 Alt+S / Ctrl+Enter)

声明: JavaEye文章版权属于作者, 受法律保护。没有作者书面许可不得转载。若作者同意转载, 必须以超链接形式标明文章原始出处和作者。
© 2003-2010 JavaEye.com. All rights reserved. 上海炯耐计算机软件有限公司 [沪ICP备05023328号]