银河

SKYIV STUDIO

博客园:: 首页:: :: 订阅 XML :: 管理::



148 随笔:: 2 文章:: 1141 评论:: 48 引用

<		200	>			
Ħ			\equiv	四	五	$\overrightarrow{\nearrow}$
29	30	1	2	3	4	<u>5</u>
6	7	8	9	10	11	12
<u>13</u>	14	15	16	17	<u>18</u>	19
20	<u>21</u>	<u>22</u>	<u>23</u>	<u>24</u>	<u>25</u>	26
27	28	29	30	31	1	2
3	4	5	6	7	8	9

公告

我的主页 个人资料 我的闪存 发短消息

搜索

常用链接

我的随笔 我的短间 我的短信 我的短信 我的短信 更多链接

我参与的团队

Windows Mobile 应用开发(0/0) CLR基础研究团队(0/0)

随笔分类(146)

.NET Compact Framework(25) (rss)
.NET Framework(15) (rss)
ADO.NET(4) (rss)
ASP.NET(1) (rss)
C# Base(26) (rss)
Linux(8) (rss)
Windows Form(4) (rss)

在 Ubuntu 9.10 操作系统中安装 mono 2.6

我们知道,在 2009-10-29 发布的 Ubuntu 9.10 操作系统中已经内置 mono 2.4.2.3 版本了。到了 2009-12-08, mono 2.4.3 版本发布了。随后,在 2009-12-14 日,又发布了 mono 2.6 版本。而 Patric 又在 2009-11-29 日发表了 Mono 2.6 parallel environment on Ubuntu 9.10 ,如下所示:

Mono 2.6 parallel environment on Ubuntu 9.10

This is a simple work in progress to make the process a bit easier. There are many good reasons not to follow various scripts on the internet that install mono over the top of your packaged distribution install. The fact the Mono 2.6 isn't released yet is an overriding one because any application depending on mono might stop working, Banshee, Tomboy, F-Spot, etc

At the moment this scripts only supports Mono 2.6 + Ubuntu 9.10, see the TODOs! It will install mono into /opt/mono-2.6 and checkout & build in ~/mono-src/mono-2.6. Run it again to update your working copy and rebuild/install.

Please let me know if you like/hate/improve the script ⁽¹⁾

Download script here http://patrick.gmtech.net/downloads/mono_parallel.sh

You will need these packages installed: build-essential automake libtool mono-complete gendarme subversion libpng-dev libtiff-dev libgif-dev libjpeg-dev libxul-dev libexif-dev autoconf automake bison flex libcairo-dev libpango-dev

在上述文章最后提到了软件包中, automake 出现了两次, 只需要保留一次。libpango-dev 应该用 libpango1.0-dev 代替。而 libxul-dev 会和 firefox 冲突, 我决定不安装 libxul-dev 。于是, 就执行以下命令来安装 mono-2.6:

\$ sudo apt-get install build-essential automake libtool mono-complete gendarme subversion libpng-dev libtiff-dev libgif-dev libjpeg-dev libexif-dev autoconf bison flex libcairo-dev libpango1.0-dev

\$ wget http://patrick.qmtech.net/downloads/mono_parallel.sh

\$. mono_parallel.sh

经过漫长的等待, 终于安装好了 mono 2.6:

ben@ben-m4000t:~\$ cat /usr/local/bin/mono-2.6

```
其他(8) (rss)
设计模式(2) (rss)
算法(53) (rss)
```

随笔档案(146) 2009年12月 (9) 2009年11月 (3) 2009年10月 (1) 2009年6月 (2) 2009年5月(5) 2009年4月 (5) 2009年3月(4) 2009年2月 (2) 2008年12月 (10) 2008年8月 (1) 2008年7月 (14) 2008年6月 (14) 2008年4月 (1) 2007年11月 (1) 2007年10月 (12) 2007年9月 (7) 2007年8月 (11) 2007年1月 (1) 2006年12月 (1) 2006年9月 (23) 2005年11月 (1) 2005年10月 (10) 2005年9月 (6)

文章分类(2) C# Base(1) (rss)

2005年8月(2)

Other(1) (rss)

相册

我的家庭

收藏夹(19) ASP.NET(5) (rss) C# Base(7) (rss) 工具软件(7) (rss)

.NET BigInteger(C#)

CodeKeep Downloads ICSharpZipLib Mono for Debian MSDN for VS2005 MSDN Library MSDN 开发中心

```
#!/bin/bash
MONO_PREFIX=/opt/mono-2.6
GNOME PREFIX=/opt/gnome
export DYLD_LIBRARY_PATH=/opt/mono-2.6/lib:
export LD_LIBRARY_PATH=/opt/mono-2.6/lib:
export C_INCLUDE_PATH=/opt/mono-2.6/include:/include
export ACLOCAL PATH=/opt/mono-2.6/share/aclocal
export PKG_CONFIG_PATH=/opt/mono-2.6/lib/pkgconfig:/lib/pkgconfig
PATH=/opt/mono-
2.6/bin:/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/bin:/usr/games
exec "$@"
ben@ben-m4000t:~$
ben@ben-m4000t:~$ mono-2.6 mono --version
Mono JIT compiler version 2.6.1 (/branches/mono-2-6/mono r148738 2009年 12月 18日 星期五
09:50:50 CST)
Copyright (C) 2002-2008 Novell, Inc and Contributors. www.mono-project.com
        TLS:
                       __thread
        GC:
                       Included Boehm (with typed GC and Parallel Mark)
        SIGSEGV:
                       altstack
        Notifications: epoll
                       amd64
        Architecture:
        Disabled:
                       none
ben@ben-m4000t:~$
ben@ben-m4000t:~$ du -hs mono-src /opt/mono-2.6
1.4G
        mono-src
134M
        /opt/mono-2.6
ben@ben-m4000t:~$
```

从上面可以看到, mono 2.6 的源程序占用 1.4GB 的磁盘空间, mono 2.6 目标程序占用 134MB 的磁盘空间。实际上, 安装完成后, mono 2.6 的源程序就可以使用 rm -rf mono-src 命令删除了。

附: mono_parallel.sh:

```
#!/bin/bash
# Version 0.1
# Version 0.1
# This script is to install a parallel mono environment with ease
# It only checks out/installs mono 2.6 branch on Ubuntu 9.10 atm
# Copyright 2009 (c) QMTech Ltd (http://www.qmtech.net)
# Authors: Patrick McEvoy (firegrass) patrick@qmtech.net
# This is free script under GNU GPL version 3.
# config
# TODO: Allow opt or home install option (hence sudo/no sudo)
# TODO: Allow have 2.6 or trunk
VERSION=2.6
# MONO PREFIX=/opt/mono-$VERSION
```

NAnt NDoc P/Invoke VS2005 Home

Blogs

Allen Lee Anders Cui Matrix67 Michelle Sumtec 博客堂 花开花落 空间/IV

Database

ODP.NET Download Oracle .NET 开发人员中心 Oracle Database 10g Downloads Oracle Home Oracle 数据库管理员备忘录 PostgreSQL 中文网 SharpHSQL SQLite Home

Java

Thinking in Java

Linux

ChinaUnix Debian Home GIMP LinuxSir 中国Linux公社

Other

7-Zip DOS insidewindows Scilab Home 数学研发网 维基百科

Python

Dive Into Python Iron Python IronPython Workspace Python - 中文Zope用户组 Python Home Python中文社区

XHTML

```
016 #GNOME PREFIX=/opt/gnome-2.6
017 WORKING DIR=~/mono-src/mono-$VERSION
018 # TODO: webserver/server/workstation (+mod mono,-gnome,-mono-tools/-gnome,-mono-tools/-
     mod mono)
019 MODE=server
020 # TODO: Option to hide all output
021 DEBUG=
022 #1>&2
023
024
     echo "MI: This script will download/checkout mono and install in a parallel environment."
     echo "MI: Report bugs to patrick@gmtech.net, firegrass on twitter, carrier pidgeon etc"
026
027
028 if [ $MODE = "workstation" ] && [ "$(id -u)" = "0" ]; then
             echo "MI ERROR: This script should not be run as root" 1>&2
029
030
             exit 1
031 fi
032
033
     echo "MI: Installing mono version $VERSION, building in $WORKING DIR"
     echo "MI: I need sudo access to install mono to /opt and mono-$VERSION in /usr/local/bin"
035 sudo echo "MI: If the sudo time limit is reached you will need to enter you password again."
036 # making a dir to work from
037
     mkdir -p $WORKING DIR
038
     cd $WORKING DIR
039
    # svn checkouts
040
     SVN BASE=http://anonsvn.mono-project.com/source/branches/mono-2-6
    # modules - hardcoded to branch 2.6
043
     SVN MODULES="libgdiplus mono mcs mono-tools mod mono xsp"
044
045
     for mod in $SVN MODULES; do
046
047
            if [ -d $mod ]; then
                    echo "MI: Updating $mod"
048
                    svn up -q $mod || { echo "MI ERROR: Updating $mod failed"; exit 1; }
049
050
             else
                    echo "MI: Checking out $mod ($SVN BASE/$mod)"
051
052
                    svn co -q $SVN BASE/$mod || { echo "MI ERROR: Checking out $mod failed"; exit
     1; }
053
            fi
054
     done
055
056 # create environment files
057 cat > "mono-$VERSION-environment" <<EOF
058 | #!/bin/bash
059 MONO PREFIX=$MONO PREFIX
060 GNOME PREFIX=/opt/gnome
     export DYLD LIBRARY PATH=$MONO PREFIX/lib:$DYLD LIBRARY PATH
061
     export LD LIBRARY PATH=$MONO PREFIX/lib:$LD LIBRARY PATH
062
     export C INCLUDE PATH=$MONO PREFIX/include:$GNOME PREFIX/include
063
064
     export ACLOCAL PATH=$MONO PREFIX/share/aclocal
     export PKG CONFIG PATH=$MONO PREFIX/lib/pkgconfig:$GNOME PREFIX/lib/pkgconfig
065
    PATH=$MONO PREFIX/bin:$PATH
066
067
    PS1="[mono] \w @ "
     EOF
068
069
```

网页设计师

积分与排名

积分 - 303104

排名 - 163

最新评论 XML

1. Re:在 Ubuntu 9.10 操作系统 中安装 MonoDevelop 2.2

觉得mono不行,完全可以部署到w indows下嘛。

--凡客诚品羽绒服

2. Re:在 Ubuntu 9.10 操作系统 中安装 MonoDevelop 2.2 很牛X啊,呵呵

--canbeing

3. Re:在 Ubuntu 9.10 操作系统 中安装 MonoDevelop 2.2 不错、期待

--BruceZhou

--银河

4. Re:在 Ubuntu 9.10 操作系统中安装 MonoDevelop 2.2 @别爱上哥,哥只是个传说! @~目前 Mono 已经做得很好了,而且必将还会做得更好。 Mono 的 C#

必将还会做得更好。 Mono 的 C# 编译器已经完整支持 C# 4.0 的特性。 而且 Linux 和 Mono 都是免

费的。...

5. Re:在 Ubuntu 9.10 操作系统 中安装 MonoDevelop 2.2

中安装 MonoDevelop 2.2 觉得mono不行,完全可以部署到windows下嘛。

阅读排行榜

- 1. Microsoft .NET Framework 的版本(12845)
- 2. 计算机语言发展史(8912)
- 3. 数独解算器(ASP.NET 2.0)(88 13)
- 4. 使用 C # 开发智能手机软件: 推 箱子(一)(8683)
- 5. 在 Linux 下运行 ASP.NET 2.0 (8584)

评论排行榜

- 1. 使用 C # 开发智能手机软件: 推箱子(一)(55)
- 2. Microsoft .NET Framework 的版本(47)

```
070 cat > "mono-$VERSION" <<EOF
071 #!/bin/bash
072 MONO PREFIX=$MONO PREFIX
073 GNOME PREFIX=/opt/gnome
     export DYLD LIBRARY PATH=$MONO PREFIX/lib:$DYLD LIBRARY PATH
074
075
    export LD LIBRARY PATH=$MONO PREFIX/lib:$LD LIBRARY PATH
     export C INCLUDE PATH=$MONO PREFIX/include:$GNOME PREFIX/include
076
     export ACLOCAL PATH=$MONO PREFIX/share/aclocal
077
     export PKG CONFIG PATH=$MONO PREFIX/lib/pkgconfig:$GNOME PREFIX/lib/pkgconfig
078
     PATH=$MONO PREFIX/bin:$PATH
079
080
     exec "\$@"
081
082
    EOF
083
    # install environemnt
084
085
     chmod +x mono-$VERSION-environment mono-$VERSION
     sudo mv mono-$VERSION-environment /usr/local/bin/mono-$VERSION-environment
086
087
     sudo mv mono-$VERSION /usr/local/bin/mono-$VERSION
088
089 # using new environment
     . mono-$VERSION-environment
090
091
092 # configure, make, install
     for mod in $SVN MODULES; do
093
094
            if [ $mod = "mcs" ]; then
095
                    # Ignore mcs as built from mono
                    echo "MI: Skiping mcs module"
096
097
             elif [ $MODE = "server" ] && [ $mod = "mono-tools" ]; then
                    echo "MI: Skipping mono-tools (server install)"
098
            elif [ $MODE = "server" ] && [ $mod = "mod mono" ]; then
099
                    echo "MI: Skipping mono-tools (server install)"
100
101
             else
102
                    echo "MI: Installing $mod"
103
                    cd $mod
104
                     ./autogen.sh --prefix=$MONO PREFIX $DEBUG && \
                    make $DEBUG && \
105
                    sudo make install $DEBUG || { echo "MI ERROR: $mod failed"; exit 1; }
106
107
                    cd ..
108
            fi
109
     done
110
111 # Exit message
112
     echo "Your parallel environment is installed"
113 echo "To start a mono-$VERSION environment, run: source mono-$VERSION-environment"
114 echo "To use mono-$VERSION to run a cli app, run: mono-$VERSION <your app> (eg mono-$VERSION
    mono -V)"
```

(请您对文章做出评价)

0

3

« 上一篇: .NET Framework CLR 版本检测

3. 用 C# 写个人住房贷款计算器(4) » 下一篇:浅谈 MMIX

4. 使用 C # 开发智能手机软件: 推 箱子(39)

5. 浅谈 Linux 的 C# 开发环境(36

60天内阅读排行

- 1. 浅谈 Linux 的 C# 开发环 境(2323)
- 2. 数据库小工具整合版(1670)
- 3. 浅谈 MMIX(1337)
- 4. 在 Ubuntu 9.10 操作系统中安 装 mono 2.6(1330)
- 5. .NET Framework CLR 版本检 测(1295)

posted on 2009-12-18 15:37 银河 阅读(1331) 评论(6) 编辑 收藏 网摘 所属分类: Linux

评论

#1楼 2009-12-18 15:50 OOLi

这方面开发的工具怎样?

回复 引用 查看

#3楼「楼主」 2009-12-18 15:57 银河

@OOLi

有 Monodevelop 2.0 这个 IDE。

或者用 vim 编辑器和 gmcs 编译器也可以。

请参见:浅谈 Linux 的 C# 开发环境

回复 引用 查看

#4楼 2009-12-19 01:16 别爱上哥, 哥只是个传说!

回复 引用 查看

#5楼 2009-12-19 12:59 cnc[未注册用户]

Mono 2.6.1:

WCF client and server, the subset exposed by Silverlight 2.0

LLVM support, to improve performance on server/computational loads

Co-routine framework Mono. Tasklets

Preview of LINQ to SQL using DbLing

New Soft Debugger, integrated with MonoDevelop 2.2

Joint release with MonoDevelop 2.2

System.IO.Packaging

csharp shell now supports auto-completion

xbuild can now build most msbuild projects

Support for CoreCLR security:

Mono debuts a full metadata and IL verifier

Security system used by Silverlight applications, reusable for other cases.

回复 引用

#6楼 2009-12-19 13:04 cnc[未注册用户]

@cnc

MonoDevelop 2.2: Multi-platform Supports Linux, Windows and Mac OSX. Advanced Text Editing Code completion support for C# 3, code templates, code folding. Configurable workbench Fully customizable window layouts, user defined key bindings, external tools Multiple language support C#, Visual Basic.Net, C/C++, Vala Integrated Debugger For debugging Mono and native applications GTK# Visual Designer Easily build GTK# applications ASP.NET Create web projects with full code completion support and test on XSP, the Mono web server. Other tools Source control, makefile integration, unit testing, packaging and deployment, localization Retrieved from "http://monodevelop.com/"

回复 引用

#7楼[楼主] 2009-12-19 15:23 银河

就在我写我篇文章的当天, 2009-12-18, mono 2.6.1 版本发布了。

ben@ben-m4000t: ~\$ mono-2.6 mono --version

Mono JIT compiler version 2.6.1 (/branches/mono-2-6/mono r148738 2009年 12月 18日 星期五 09:50:50 CST)

回复 引用 查看

刷新评论列表 刷新页面 返回页首

发表评论 博客园首页 IT新闻 程序员微博 最新职位

昵称:		[登录] [注册
主页:		
邮箱:		(仅博主可见)
评论内	容:	

登录 注册

[使用Ctrl+Enter键快速提交评论]

网站导航: 博客园首页 | 个人主页 | 闪存 | IT新闻 | 程序员招聘 | 社区 | 博问 | 网摘



IT新闻:

- · 2009: 我们开始需要"傻互联网"
- · 门户视频: 一击而中
- · 雨林木风发布高仿 Win XP后续: 欲推上网本
- · PPLive 1月1日启用新域名 将转型网络电视台
- · 谷歌7.5亿美元收购AdMob: 双赢手机广告市场



China-pub 计算机图书网上专卖店! 6.5万品种2-8折!

China-Pub 计算机绝版图书按需印刷服务

历史上的今天:

2008-12-18 Timus 1080. Map Colouring 链接: 切换模板

相关搜索: Linux

在知识库中查看:

在 Ubuntu 9.10 操作系统中安装 mono 2.6

Powered by:

博客园

Copyright © 银河