枫之落叶 | 浅水喧哗,深水沉静,欲成大事,学会沉稳

在**Mac**下安装**Coreseek**全文搜

2013年8月1日 | 分类: Mac Lion, Mysql, PHP | (91 个脚步) |

看着全文搜索挺火的,所以就在Mac下安装了一下~

前提:有gcc基础编译环境,安装XCode就具备

1. 设置环境,升级/安装系统基础依赖包

sudo bash su -

设置路径和中文环境:

export PATH=/usr/local/bin:\$PATH export LC_ALL=zh_CN.UTF-8 export LANG=zh_CN.UTF-8

下载并安装系统基础依赖包

curl -0 -L http://ftp.gnu.org/gnu/m4/m4-1.4.16.tar.gz tar -xzvf m4-1.4.16.tar.qz cd m4-1.4.16 ./configure --prefix=/usr/local make && make install cd .. curl -0 -L http://ftp.gnu.org/gnu/autoconf/autoconf-2.69.tar.gz tar -xzvf autoconf-2.69.tar.gz cd autoconf-2.69 ./configure --prefix=/usr/local make && make install cd .. curl -0 -L http://ftp.gnu.org/gnu/automake/automake-1.14.tar.qz tar xzvf automake-1.14.tar.gz cd automake-1.14 ./configure --prefix=/usr/local make && make install cd ..



```
curl -0 -L
http://ftp.gnu.org/gnu/libtool/libtool-
2.4.2.tar.gz
tar xzvf libtool-2.4.2.tar.gz
cd libtool-2.4.2
./configure --prefix=/usr/local
make && make install
cd ..
```

- 2. 安装MySQL,提供MySQL数据源支持
- 1). 如果已经安装过mysql,直接跳过
- 2). 通过MySQL 二进制版本(binary,dmg安装包)安装
 - a. 从http://www.mysql.com/downloads/mysql/下载当前系

统对应的DMG Archive

- b. 挂载DMG,安装MySQL
- 3. 安装coreseek

```
curl -0 -L
http://www.coreseek.cn/uploads/csft/3.2/cores
3.2.14.tar.gz
tar xzvf coreseek-3.2.14.tar.gz
cd coreseek-3.2.14
```

安装mmseg

```
cd mmseg-3.2.14
./bootstrap
./configure --prefix=/usr/local/mmseg3
make && make install
cd ..
```

安装coreseek

```
cd csft-3.2.14
sh buildconf.sh
./configure --prefix=/usr/local/coreseek -
-without-unixodbc --with-mmseg --with-
mmseg-
includes=/usr/local/mmseg3/include/mmseg/ --
with-mmseg-libs=/usr/local/mmseg3/lib/ --
with-mysql-
includes=/usr/local/mysql/include/ --with-
mysql-libs=/usr/local/mysql/lib
make && make install
cd ..
```

测试mmseg分词,coreseek搜索(需要预先设置好字符集为zh_CN.UTF-8,确保正确显示中文)

```
cd testpack
cat var/test/test.xml #此时应该正确显示中文
/usr/local/mmseg3/bin/mmseg -d
/usr/local/mmseg3/etc var/test/test.xml
/usr/local/coreseek/bin/indexer -c
```

```
■ iWin8 ■ 小影志 ■ 心宽体胖

■ 淅沥沥 ■ 艾生活 ■ 远景在线

■ 远景论坛
```

```
etc/csft.conf --all
/usr/local/coreseek/bin/search -c
etc/csft.conf 网络搜索
```

如果提示 dyld: Library not loaded: libmysqlclient.18.dylib 则需要运行一下

```
sudo ln -s
/usr/local/mysql/lib/libmysqlclient.18.dylib
/usr/lib/libmysqlclient.18.dylib
```

至此,安装coreseek已经全部完成了。



【声明】本文 在Mac下安 装Coreseek全文搜索 为柠之漠然原 创文章,转载请注明出自 枫之落叶 并保留本文有效链

接:https://blog.shiniv.com/2013/08/mac-install-coreseek-full-text-search/, 转载请保留本声明!

标签



最新 最早 最热



hello

你好。

请问下博主,我按照文章中的过程在make mmseg的时候报错如下,能帮忙分析下错误原因和 解决方法吗?谢谢。

In file included from css/ThesaurusDict.cpp:6:
../src/css/ThesaurusDict.h:12:17: error:
expected namespace name
using namespace __gnu_cxx;
^
css/ThesaurusDict.cpp:79:15: warning: result
of comparison against a string
literal is unspecified (use strncmp instead) [Wstring-compare]
if (filename == "-") {
^ ~~~

css/ThesaurusDict.cpp:116:15: warning: result
of comparison against a string
literal is unspecified (use strncmp instead) [Wstring-compare]
if (filename != "-") {

` ~~~


2 warnings and 1 error generated.

make 🕡 : *** [ThesaurusDict.lo] Error 1 make: *** [install-recursive] Error 1

2月26日 4 回复 文持 参转发



shiniv



你试着在src/css/ThesaurusDict.h文件的 #include <string> 后面加入一句 #include <ext/hash_map> 应该就能编译完成了

2月26日 4 回复 文持 参转发



hello

sphinxexpr.cpp:1746:11: error: use of undeclared identifier 'ExprEval'

T val = ExprEval (this->m_pArg, tMatch); //
'this' fixes gcc brain damage

第一条error好像是这里

2月26日 回复 支持 参发



shiniv



因为新版本编译器的原因,都出现各种错误~~ 打开csft-3.2.14/src/sphinxexpr.cpp 查找 T val = ExprEval (this->m_pArg, tMatch); 替换成 T val = this->ExprEval (this->m_pArg, tMatch); all done

PS 我将你上面的那条回复删了点文字~~

2月26日 4 回复 支持 参转发



hello



🃒 你为何如此厉害。 非常感谢,纠结了几天 的问题终于解决了。 那条很长的回复也可以删掉 了嘛,后面写了error信息了。

2月26日 回复 支持 转发



shiniv



🤩 最讨厌找错误了

2月26日 回复 支持 转发



果子



🥮 神,我安装csft-4.1遇到如下问题:

root# sh buildconf.sh configure.ac:66: warning: AC_LANG_CONFTEST: no

AC_LANG_SOURCE call detected in body

../../lib/autoconf/lang.m4:193:

AC_LANG_CONFTEST is expanded from...

../../lib/autoconf/general.m4:2590:

_AC_COMPILE_IFELSE is expanded from...

../../lib/autoconf/general.m4:2606:

AC_COMPILE_IFELSE is expanded from...

configure.ac:66: the top level configure.ac:208: warning: AC_LANG_CONFTEST: no

AC_LANG_SOURCE call detected in body

../../lib/autoconf/lang.m4:193:

AC_LANG_CONFTEST is expanded from...

../../lib/autoconf/general.m4:2590:

_AC_COMPILE_IFELSE is expanded from...

../../lib/autoconf/general.m4:2606:

AC_COMPILE_IFELSE is expanded from...

configure.ac:178:

PTHREADS_TRY_RUNCOMPILE is expanded from...

../../lib/m4sugar/m4sh.m4:639: AS_IF is expanded from...

../../lib/autoconf/general.m4:2031:

AC_CACHE_VAL is expanded from...

../../lib/autoconf/general.m4:2052:

AC_CACHE_CHECK is expanded from...

configure.ac:208: the top level

configure.ac:230: warning:

AC_LANG_CONFTEST: no

AC_LANG_SOURCE call detected in body

../../lib/autoconf/lang.m4:193:

AC_LANG_CONFTEST is expanded from...

../../lib/autoconf/general.m4:2661:

_AC_LINK_IFELSE is expanded from...

../../lib/autoconf/general.m4:2678:

AC_LINK_IFELSE is expanded from...

configure.ac:193: PTHREADS_TRY_RUNLINK

is expanded from...

../../lib/m4sugar/m4sh.m4:639: AS_IF is expanded from...

../../lib/autoconf/general.m4:2031:

AC_CACHE_VAL is expanded from...

../../lib/autoconf/general.m4:2052:

AC_CACHE_CHECK is expanded from...

configure.ac:230: the top level

configure.ac:66: warning:

AC_LANG_CONFTEST: no

AC_LANG_SOURCE call detected in body

../../lib/autoconf/lang.m4:193:

AC_LANG_CONFTEST is expanded from...

../../lib/autoconf/general.m4:2590:

_AC_COMPILE_IFELSE is expanded from...

../../lib/autoconf/general.m4:2606:

AC_COMPILE_IFELSE is expanded from...

configure.ac:66: the top level

configure.ac:208: warning:

AC_LANG_CONFTEST: no

AC_LANG_SOURCE call detected in body

../../lib/autoconf/lang.m4:193:

AC_LANG_CONFTEST is expanded from...

../../lib/autoconf/general.m4:2590:

_AC_COMPILE_IFELSE is expanded from...

../../lib/autoconf/general.m4:2606:

AC_COMPILE_IFELSE is expanded from...

configure.ac:178:

PTHREADS_TRY_RUNCOMPILE is expanded

from...

../../lib/m4sugar/m4sh.m4:639: AS_IF is expanded from...

../../lib/autoconf/general.m4:2031:

AC_CACHE_VAL is expanded from...

../../lib/autoconf/general.m4:2052:

AC_CACHE_CHECK is expanded from...

configure.ac:208: the top level

configure.ac:230: warning:

AC_LANG_CONFTEST: no

AC_LANG_SOURCE call detected in body

../../lib/autoconf/lang.m4:193:

AC_LANG_CONFTEST is expanded from...

../../lib/autoconf/general.m4:2661:

_AC_LINK_IFELSE is expanded from...

../../lib/autoconf/general.m4:2678:

AC_LINK_IFELSE is expanded from...

configure.ac:193: PTHREADS_TRY_RUNLINK

is expanded from...

../../lib/m4sugar/m4sh.m4:639: AS_IF is

expanded from...

../../lib/autoconf/general.m4:2031:

AC_CACHE_VAL is expanded from...

../../lib/autoconf/general.m4:2052:

AC_CACHE_CHECK is expanded from...

configure.ac:230: the top level

configure.ac:66: warning:

AC_LANG_CONFTEST: no

AC_LANG_SOURCE call detected in body

../../lib/autoconf/lang.m4:193:

AC_LANG_CONFTEST is expanded from...

../../lib/autoconf/general.m4:2590:

_AC_COMPILE_IFELSE is expanded from...

../../lib/autoconf/general.m4:2606:

AC_COMPILE_IFELSE is expanded from...

configure.ac:66: the top level

configure.ac:208: warning:

AC_LANG_CONFTEST: no

AC_LANG_SOURCE call detected in body

../../lib/autoconf/lang.m4:193:

AC_LANG_CONFTEST is expanded from...

../../lib/autoconf/general.m4:2590:

_AC_COMPILE_IFELSE is expanded from...

../../lib/autoconf/general.m4:2606:

AC_COMPILE_IFELSE is expanded from...

configure.ac:178:

PTHREADS_TRY_RUNCOMPILE is expanded from

trom..

../../lib/m4sugar/m4sh.m4:639: AS_IF is

expanded from...

../../lib/autoconf/general.m4:2031:

AC_CACHE_VAL is expanded from...

../../lib/autoconf/general.m4:2052:

AC_CACHE_CHECK is expanded from...

configure.ac:208: the top level configure.ac:230: warning: AC_LANG_CONFTEST: no AC_LANG_SOURCE call detected in body ../../lib/autoconf/lang.m4:193: AC_LANG_CONFTEST is expanded from... ../../lib/autoconf/general.m4:2661: _AC_LINK_IFELSE is expanded from... ../../lib/autoconf/general.m4:2678: AC_LINK_IFELSE is expanded from... configure.ac:193: PTHREADS_TRY_RUNLINK is expanded from... ../../lib/m4sugar/m4sh.m4:639: AS_IF is expanded from... ../../lib/autoconf/general.m4:2031: AC_CACHE_VAL is expanded from... ../../lib/autoconf/general.m4:2052: AC_CACHE_CHECK is expanded from... configure.ac:230: the top level configure.ac:59: error: required file 'config/compile' not found configure.ac:59: 'automake --add-missing' can install 'compile' automake: warnings are treated as errors libstemmer_c/mkinc.mak:10: warning: source file 'src_c/stem_ISO_8859_1_danish.c' is in a subdirectory, libstemmer_c/mkinc.mak:10: but option 'subdir-objects' is disabled libstemmer_c/Makefile.am:3: 'libstemmer_c/mkinc.mak' included from here automake: warning: possible forwardincompatibility. automake: At least a source file is in a subdirectory, but the 'subdir-objects' automake: automake option hasn't been enabled. For now, the corresponding output automake: object file(s) will be placed in the top-level directory. However, automake: this behaviour will change in future Automake versions: they will automake: unconditionally cause object files to be placed in the same subdirectory automake: of the corresponding sources.

libstemmer_c/mkinc.mak:10: warning: source file 'src_c/stem_UTF_8_danish.c' is in a subdirectory,

automake: You are advised to start using 'subdir-objects' option throughout your automake: project, to avoid future

incompatibilities.

libstemmer_c/mkinc.mak:10: but option 'subdir-objects' is disabled libstemmer_c/Makefile.am:3: 'libstemmer_c/mkinc.mak' included from here libstemmer_c/mkinc.mak:10: warning: source file 'src_c/stem_ISO_8859_1_dutch.c' is in a subdirectory, libstemmer_c/mkinc.mak:10: but option 'subdir-objects' is disabled libstemmer_c/Makefile.am:3: 'libstemmer_c/mkinc.mak' included from here libstemmer_c/mkinc.mak:10: warning: source file 'src_c/stem_UTF_8_dutch.c' is in a subdirectory, libstemmer_c/mkinc.mak:10: but option 'subdir-objects' is disabled libstemmer_c/Makefile.am:3: 'libstemmer_c/mkinc.mak' included from here libstemmer_c/mkinc.mak:10: warning: source file 'src_c/stem_ISO_8859_1_english.c' is in a subdirectory, libstemmer_c/mkinc.mak:10: but option 'subdir-objects' is disabled libstemmer_c/Makefile.am:3: 'libstemmer_c/mkinc.mak' included from here libstemmer_c/mkinc.mak:10: warning: source file 'src_c/stem_UTF_8_english.c' is in a subdirectory, libstemmer_c/mkinc.mak:10: but option 'subdir-objects' is disabled libstemmer_c/Makefile.am:3: 'libstemmer_c/mkinc.mak' included from here libstemmer_c/mkinc.mak:10: warning: source file 'src_c/stem_ISO_8859_1_finnish.c' is in a subdirectory, libstemmer_c/mkinc.mak:10: but option 'subdir-objects' is disabled libstemmer_c/Makefile.am:3: 'libstemmer_c/mkinc.mak' included from here libstemmer_c/mkinc.mak:10: warning: source file 'src_c/stem_UTF_8_finnish.c' is in a subdirectory, libstemmer_c/mkinc.mak:10: but option 'subdir-objects' is disabled libstemmer_c/Makefile.am:3: 'libstemmer_c/mkinc.mak' included from here libstemmer_c/mkinc.mak:10: warning: source file 'src_c/stem_ISO_8859_1_french.c' is in

libstemmer_c/mkinc.mak:10: but option

'subdir-objects' is disabled

a subdirectory,

libstemmer_c/Makefile.am:3: 'libstemmer_c/mkinc.mak' included from here libstemmer_c/mkinc.mak:10: warning: source file 'src_c/stem_UTF_8_french.c' is in a subdirectory, libstemmer_c/mkinc.mak:10: but option 'subdir-objects' is disabled libstemmer_c/Makefile.am:3: 'libstemmer_c/mkinc.mak' included from here libstemmer_c/mkinc.mak:10: warning: source file 'src_c/stem_ISO_8859_1_german.c' is in a subdirectory, libstemmer_c/mkinc.mak:10: but option 'subdir-objects' is disabled libstemmer_c/Makefile.am:3: 'libstemmer_c/mkinc.mak' included from here libstemmer_c/mkinc.mak:10: warning: source file 'src_c/stem_UTF_8_german.c' is in a subdirectory, libstemmer_c/mkinc.mak:10: but option 'subdir-objects' is disabled libstemmer_c/Makefile.am:3: 'libstemmer_c/mkinc.mak' included from here libstemmer_c/mkinc.mak:10: warning: source file 'src_c/stem_ISO_8859_1_hungarian.c' is in a subdirectory, libstemmer_c/mkinc.mak:10: but option 'subdir-objects' is disabled libstemmer_c/Makefile.am:3: 'libstemmer_c/mkinc.mak' included from here libstemmer_c/mkinc.mak:10: warning: source file 'src_c/stem_UTF_8_hungarian.c' is in a subdirectory, libstemmer_c/mkinc.mak:10: but option 'subdir-objects' is disabled libstemmer_c/Makefile.am:3: 'libstemmer_c/mkinc.mak' included from here libstemmer_c/mkinc.mak:10: warning: source file 'src_c/stem_ISO_8859_1_italian.c' is in a subdirectory, libstemmer_c/mkinc.mak:10: but option 'subdir-objects' is disabled libstemmer_c/Makefile.am:3: 'libstemmer_c/mkinc.mak' included from here libstemmer_c/mkinc.mak:10: warning: source file 'src_c/stem_UTF_8_italian.c' is in a

'libstemmer_c/mkinc.mak' included from here

libstemmer_c/mkinc.mak:10: but option

'subdir-objects' is disabled libstemmer_c/Makefile.am:3:

subdirectory,

libstemmer_c/mkinc.mak:10: warning: source file 'src_c/stem_ISO_8859_1_norwegian.c' is in a subdirectory, libstemmer_c/mkinc.mak:10: but option 'subdir-objects' is disabled libstemmer_c/Makefile.am:3: 'libstemmer_c/mkinc.mak' included from here libstemmer_c/mkinc.mak:10: warning: source file 'src_c/stem_UTF_8_norwegian.c' is in a subdirectory, libstemmer_c/mkinc.mak:10: but option 'subdir-objects' is disabled libstemmer_c/Makefile.am:3: 'libstemmer_c/mkinc.mak' included from here libstemmer_c/mkinc.mak:10: warning: source file 'src_c/stem_ISO_8859_1_porter.c' is in a subdirectory, libstemmer_c/mkinc.mak:10: but option 'subdir-objects' is disabled libstemmer_c/Makefile.am:3: 'libstemmer_c/mkinc.mak' included from here libstemmer_c/mkinc.mak:10: warning: source file 'src_c/stem_UTF_8_porter.c' is in a subdirectory, libstemmer_c/mkinc.mak:10: but option 'subdir-objects' is disabled libstemmer_c/Makefile.am:3: 'libstemmer_c/mkinc.mak' included from here libstemmer_c/mkinc.mak:10: warning: source file 'src_c/stem_ISO_8859_1_portuguese.c' is in a subdirectory, libstemmer_c/mkinc.mak:10: but option 'subdir-objects' is disabled libstemmer_c/Makefile.am:3: 'libstemmer_c/mkinc.mak' included from here libstemmer_c/mkinc.mak:10: warning: source file 'src_c/stem_UTF_8_portuguese.c' is in a subdirectory, libstemmer_c/mkinc.mak:10: but option 'subdir-objects' is disabled libstemmer_c/Makefile.am:3: 'libstemmer_c/mkinc.mak' included from here libstemmer_c/mkinc.mak:10: warning: source file 'src_c/stem_ISO_8859_2_romanian.c' is in a subdirectory, libstemmer_c/mkinc.mak:10: but option 'subdir-objects' is disabled libstemmer_c/Makefile.am:3: 'libstemmer_c/mkinc.mak' included from here

libstemmer_c/mkinc.mak:10: warning: source file 'src_c/stem_UTF_8_romanian.c' is in a

subdirectory,

libstemmer_c/mkinc.mak:10: but option

'subdir-objects' is disabled

libstemmer_c/Makefile.am:3:

'libstemmer_c/mkinc.mak' included from here libstemmer_c/mkinc.mak:10: warning: source

file 'src_c/stem_KOI8_R_russian.c' is in a subdirectory,

libstemmer_c/mkinc.mak:10: but option

'subdir-objects' is disabled

libstemmer_c/Makefile.am:3:

'libstemmer_c/mkinc.mak' included from here libstemmer_c/mkinc.mak:10: warning: source file 'src_c/stem_UTF_8_russian.c' is in a

file src_c/stem_U1F_8_russian.c is in a subdirectory,

libstemmer_c/mkinc.mak:10: but option

'subdir-objects' is disabled

libstemmer_c/Makefile.am:3:

'libstemmer_c/mkinc.mak' included from here

libstemmer_c/mkinc.mak:10: warning: source

file 'src_c/stem_ISO_8859_1_spanish.c' is in a subdirectory,

libstemmer_c/mkinc.mak:10: but option

'subdir-objects' is disabled

libstemmer_c/Makefile.am:3:

'libstemmer_c/mkinc.mak' included from here

libstemmer_c/mkinc.mak:10: warning: source

file 'src_c/stem_UTF_8_spanish.c' is in a subdirectory,

libstemmer_c/mkinc.mak:10: but option

'subdir-objects' is disabled

libstemmer_c/Makefile.am:3:

'libstemmer_c/mkinc.mak' included from here

libstemmer_c/mkinc.mak:10: warning: source

file 'src_c/stem_ISO_8859_1_swedish.c' is

in a subdirectory,

libstemmer_c/mkinc.mak:10: but option

'subdir-objects' is disabled

libstemmer_c/Makefile.am:3:

'libstemmer_c/mkinc.mak' included from here

libstemmer_c/mkinc.mak:10: warning: source

file 'src_c/stem_UTF_8_swedish.c' is in a subdirectory,

libstemmer_c/mkinc.mak:10: but option

'subdir-objects' is disabled

libstemmer_c/Makefile.am:3:

'libstemmer_c/mkinc.mak' included from here

libstemmer_c/mkinc.mak:10: warning: source

file 'src_c/stem_UTF_8_turkish.c' is in a

subdirectory,

libstemmer_c/mkinc.mak:10: but option

'subdir-objects' is disabled libstemmer_c/Makefile.am:3: 'libstemmer_c/mkinc.mak' included from here libstemmer_c/mkinc.mak:10: warning: source file 'runtime/api.c' is in a subdirectory, libstemmer_c/mkinc.mak:10: but option 'subdir-objects' is disabled libstemmer_c/Makefile.am:3: 'libstemmer_c/mkinc.mak' included from here libstemmer_c/mkinc.mak:10: warning: source file 'runtime/utilities.c' is in a subdirectory, libstemmer_c/mkinc.mak:10: but option 'subdir-objects' is disabled libstemmer_c/Makefile.am:3: 'libstemmer_c/mkinc.mak' included from here libstemmer_c/mkinc.mak:10: warning: source file 'libstemmer/libstemmer.c' is in a subdirectory, libstemmer_c/mkinc.mak:10: but option 'subdir-objects' is disabled libstemmer_c/Makefile.am:3: 'libstemmer_c/mkinc.mak' included from here /usr/local/share/automake-1.14/am/library.am: warning: 'libstemmer.a': linking libraries using a non-POSIX /usr/local/share/automake-1.14/am/library.am: archiver requires 'AM_PROG_AR' in 'configure.ac' libstemmer_c/Makefile.am:2: while processing library 'libstemmer.a' /usr/local/share/automake-1.14/am/library.am: warning: 'libsphinx.a': linking libraries using a non-POSIX /usr/local/share/automake-1.14/am/library.am: archiver requires 'AM_PROG_AR' in 'configure.ac' src/Makefile.am:14: while processing library 'libsphinx.a'

大神求解决。。

3月1日 一回复 支持 转发



shiniv



```
你试试这样改看能不能编译
csft-4.1/buildconf.sh
查找
&& aclocal \
后加上
&& automake --add-missing \
csft-4.1/configure.ac
AM_INIT_AUTOMAKE([-Wall-Werror
foreign])
改为
AM_INIT_AUTOMAKE([-Wall foreign])
查找
AC_PROG_RANLIB
后面加上
AM_PROG_AR
csft-4.1/src/sphinxexpr.cpp
替换所有
T val = ExprEval ( this->m_pArg, tMatch );
为
T val = this->ExprEval (this->m_pArg, tMatch
3月1日 一回复 文持 参转发
```



果子

○ 这次修改后可以是可以了,但是make&make install的时候出现如下错误:

csft-4.1 root# make && make install Making all in src /bin/sh svnxrev.sh .. /Applications/Xcode.app/Contents/Developer/ usr/bin/make all-am g++ -DHAVE_CONFIG_H -I. -I../config -DSYSCONFDIR="\"/usr/local/coreseek/etc\" DDATADIR="\"/usr/local/coreseek/var/data\ "" -I/usr/local/include -I/usr/local/mysql/include -I/usr/local/mmseg3/include/mmseg/ -Wall -g -D_FILE_OFFSET_BITS=64 -O3 -DNDEBUG -MT sphinx.o -MD -MP -MF .deps/sphinx.Tpo -c -o sphinx.o sphinx.cpp In file included from sphinx.cpp:22: ./sphinxint.h:1144:22: warning: 'CSphDictStar::GetWordID' hides overloaded virtual function [-Woverloaded-virtual] virtual SphWordID_t GetWordID (BYTE * pWord); ./sphinxint.h:1123:22: note: hidden overloaded virtual function 'CSphDictTraits::GetWordID' declared here virtual SphWordID_t GetWordID (const BYTE * pWord, int iLen, bool bF... ./sphinxint.h:1168:22: warning: 'CSphDictExact::GetWordID' hides overloaded virtual function [-Woverloaded-virtual] virtual SphWordID_t GetWordID (BYTE * pWord); ./sphinxint.h:1123:22: note: hidden overloaded virtual function 'CSphDictTraits::GetWordID' declared here virtual SphWordID_t GetWordID (const BYTE * pWord, int iLen, bool bF... In file included from sphinx.cpp:2173:

In file included from ./tokenizer_zhcn.h:26:

In file included from

```
/usr/local/mmseg3/include/mmseg/Segmenter
Manager.h:32:
In file included from
/usr/local/mmseg3/include/mmseg/Thesaurus
Dict.h:6:
/Applications/Xcode.app/Contents/Developer/
Toolchains/XcodeDefault.xctoolchain/usr/bin/
../lib/c++/v1/ext/hash_map:209:2: warning:
Use of the header <ext/hash_map> is
deprecated. Migrate to <unordered_map>
[-W#warnings]
#warning Use of the header <ext/hash_map>
is deprecated. Migrate to <unordered_map>
sphinx.cpp:5409:36: warning: array subscript
is of type 'char' [-Wchar-subscripts]
unsigned char pu1 = p1.key.cstr() 🚣 ;
sphinx.cpp:5410:36: warning: array subscript is
of type 'char' [-Wchar-subscripts]
unsigned char pu2 = p2.key.cstr() 🚣 ;
sphinx.cpp:6346:3: warning: cannot delete
expression with pointer-to-'void' type 'void *'
SafeDeleteArray ( m dStorage2Free 🍱 );
./sphinxstd.h:297:41: note: expanded from
macro 'SafeDeleteArray'
#define SafeDeleteArray(\underline{x}) { if (\underline{x}) {
delete [] (\_x); (\_x) = NULL; \} 
^ ~~~~
sphinx.cpp:13427:20: warning: comparison of
unsigned expression < 0 is always false
[-Wtautological-compare]
if (iDocinfoSize<0)
~~~~~~~~~~
sphinx.cpp:15311:32: warning: format specifies
type 'long long' but the argument has type
'int' [-Wformat]
(int64_t)iDictPos, sWord, iDocs, iHits ));
~~~~~~
sphinx.cpp:15167:11: note: expanded from
macro 'LOC_FAIL'
fprintf _args; \
sphinx.cpp:15311:39: warning: format specifies
type 'long long' but the argument has type
```

```
'int' [-Wformat]
(int64_t)iDictPos, sWord, iDocs, iHits));
~^~~~~
sphinx.cpp:15167:11: note: expanded from
macro 'LOC_FAIL'
fprintf _args; \
sphinx.cpp:15333:47: warning: format
specifies type 'long long' but the argument
has type
'int' [-Wformat]
(int64_t)iDictPos, (uint64_t)uNewWordid,
iDocs, iHits ));
~~~~~~~~
sphinx.cpp:15167:11: note: expanded from
macro 'LOC_FAIL'
fprintf _args; \
sphinx.cpp:15333:54: warning: format
specifies type 'long long' but the argument
has type
'int' [-Wformat]
(int64_t)iDictPos, (uint64_t)uNewWordid,
iDocs, iHits ));
~~~~~~~~~~~~
sphinx.cpp:15167:11: note: expanded from
macro 'LOC_FAIL'
fprintf _args; \
sphinx.cpp:15832:77: warning: format
specifies type 'unsigned int' but the argument
type 'uint64_t' (aka 'unsigned long long') [-
Wformat1
...iItem, uLastID, uMvaID, (iItem>=iMva64?
uVal-2: uVal-1), uPrev, uVal, uCur));
sphinx.cpp:15167:11: note: expanded from
macro 'LOC_FAIL'
fprintf _args; \
sphinx.cpp:15832:90: warning: format
specifies type 'unsigned int' but the argument
type 'uint64_t' (aka 'unsigned long long') [-
```

```
Wformat]
...uLastID, uMvaID, (iItem>=iMva64?uVal-2:
uVal-1), uPrev, uVal, uCur));
sphinx.cpp:15167:11: note: expanded from
macro 'LOC_FAIL'
fprintf _args; \
sphinx.cpp:3446:10: warning: initialization of
pointer of type 'BYTE *'
(aka 'unsigned char *') to null from a constant
boolean expression
[-Wbool-conversion]
return false;
sphinx.cpp:4269:16: note: in instantiation of
member function
'CSphTokenizerTraits<false>::GetBlendedVaria
nt' requested here
BYTE * pVar = GetBlendedVariant ();
sphinx.cpp:3446:10: warning: initialization of
pointer of type 'BYTE *'
(aka 'unsigned char *') to null from a constant
boolean expression
[-Wbool-conversion]
return false:
sphinx.cpp:4515:16: note: in instantiation of
member function
'CSphTokenizerTraits<true>::GetBlendedVaria
nt' requested here
BYTE * pVar = GetBlendedVariant ();
In file included from sphinx.cpp:16:
./sphinx.h:2009:10: warning: private field
'm_eTag' is not used [-Wunused-private-
field1
Tag_e m_eTag; ///< what's our c...
In file included from sphinx.cpp:22:
./sphinxint.h:1158:10: warning: private field
'm_bPrefixes' is not used
[-Wunused-private-field]
bool m_bPrefixes;
17 warnings generated.
mv -f .deps/sphinx.Tpo .deps/sphinx.Po
q++ -DHAVE_CONFIG_H -I. -I../config -
DSYSCONFDIR="\"/usr/local/coreseek/etc\"
```

```
DDATADIR="\"/usr/local/coreseek/var/data\
"" -I/usr/local/include -
I/usr/local/mysql/include -
I/usr/local/mmseg3/include/mmseg/-Wall-g
-D_FILE_OFFSET_BITS=64 -O3 -DNDEBUG
-MT sphinxexcerpt.o -MD -MP -MF
.deps/sphinxexcerpt.Tpo -c -o sphinxexcerpt.o
sphinxexcerpt.cpp
In file included from sphinxexcerpt.cpp:21:
./sphinxint.h:1144:22: warning:
'CSphDictStar::GetWordID' hides overloaded
virtual
function [-Woverloaded-virtual]
virtual SphWordID_t GetWordID (BYTE *
pWord);
./sphinxint.h:1123:22: note: hidden overloaded
virtual function
'CSphDictTraits::GetWordID' declared here
virtual SphWordID_t GetWordID (const
BYTE * pWord, int iLen, bool bF...
./sphinxint.h:1168:22: warning:
'CSphDictExact::GetWordID' hides
overloaded virtual
function [-Woverloaded-virtual]
virtual SphWordID_t GetWordID (BYTE *
pWord);
./sphinxint.h:1123:22: note: hidden overloaded
virtual function
'CSphDictTraits::GetWordID' declared here
virtual SphWordID_t GetWordID (const
BYTE * pWord, int iLen, bool bF...
2 warnings generated.
mv -f .deps/sphinxexcerpt.Tpo
.deps/sphinxexcerpt.Po
g++ -DHAVE_CONFIG_H -I. -I../config -
DSYSCONFDIR="\"/usr/local/coreseek/etc\"
DDATADIR="\"/usr/local/coreseek/var/data\
"" -I/usr/local/include -
I/usr/local/mysql/include -
I/usr/local/mmseg3/include/mmseg/ -Wall -g
-D_FILE_OFFSET_BITS=64 -O3 -DNDEBUG
-MT sphinxquery.o -MD -MP -MF
.deps/sphinxquery.Tpo -c -o sphinxquery.o
sphinxquery.cpp
mv -f .deps/sphinxquery.Tpo
.deps/sphinxquery.Po
```

```
g++ -DHAVE_CONFIG_H -I. -I../config -
DSYSCONFDIR="\"/usr/local/coreseek/etc\"
DDATADIR="\"/usr/local/coreseek/var/data\
"" -I/usr/local/include -
I/usr/local/mysql/include -
I/usr/local/mmseg3/include/mmseg/ -Wall -g
-D_FILE_OFFSET_BITS=64 -O3 -DNDEBUG
-MT sphinxsoundex.o -MD -MP -MF
.deps/sphinxsoundex.Tpo -c -o
sphinxsoundex.o sphinxsoundex.cpp
mv -f .deps/sphinxsoundex.Tpo
.deps/sphinxsoundex.Po
g++ -DHAVE_CONFIG_H -I. -I../config -
DSYSCONFDIR="\"/usr/local/coreseek/etc\"
DDATADIR="\"/usr/local/coreseek/var/data\
"" -I/usr/local/include -
I/usr/local/mysql/include -
I/usr/local/mmseg3/include/mmseg/ -Wall -g
-D_FILE_OFFSET_BITS=64 -O3 -DNDEBUG
-MT sphinxmetaphone.o -MD -MP -MF
.deps/sphinxmetaphone.Tpo -c -o
sphinxmetaphone.o sphinxmetaphone.cpp
In file included from sphinxmetaphone.cpp:17:
./sphinxint.h:1144:22: warning:
'CSphDictStar::GetWordID' hides overloaded
virtual
function [-Woverloaded-virtual]
virtual SphWordID_t GetWordID (BYTE *
pWord);
./sphinxint.h:1123:22: note: hidden overloaded
virtual function
'CSphDictTraits::GetWordID' declared here
virtual SphWordID_t GetWordID (const
BYTE * pWord, int iLen, bool bF...
./sphinxint.h:1168:22: warning:
'CSphDictExact::GetWordID' hides
overloaded virtual
function [-Woverloaded-virtual]
virtual SphWordID_t GetWordID ( BYTE *
pWord);
./sphinxint.h:1123:22: note: hidden overloaded
virtual function
'CSphDictTraits::GetWordID' declared here
virtual SphWordID_t GetWordID (const
BYTE * pWord, int iLen, bool bF...
```

```
2 warnings generated.
mv -f .deps/sphinxmetaphone.Tpo
.deps/sphinxmetaphone.Po
g++ -DHAVE_CONFIG_H -I. -I../config -
DSYSCONFDIR="\"/usr/local/coreseek/etc\"
DDATADIR="\"/usr/local/coreseek/var/data\
"" -I/usr/local/include -
I/usr/local/mysql/include -
I/usr/local/mmseg3/include/mmseg/-Wall-g
-D_FILE_OFFSET_BITS=64 -O3 -DNDEBUG
-MT sphinxstemen.o -MD -MP -MF
.deps/sphinxstemen.Tpo -c -o sphinxstemen.o
sphinxstemen.cpp
mv -f .deps/sphinxstemen.Tpo
.deps/sphinxstemen.Po
g++ -DHAVE_CONFIG_H -I. -I../config -
DSYSCONFDIR="\"/usr/local/coreseek/etc\"
DDATADIR="\"/usr/local/coreseek/var/data\
"" -I/usr/local/include -
I/usr/local/mysgl/include -
I/usr/local/mmseg3/include/mmseg/ -Wall -g
-D_FILE_OFFSET_BITS=64 -O3 -DNDEBUG
-MT sphinxstemru.o -MD -MP -MF
.deps/sphinxstemru.Tpo -c -o sphinxstemru.o
sphinxstemru.cpp
mv -f .deps/sphinxstemru.Tpo
.deps/sphinxstemru.Po
g++ -DHAVE_CONFIG_H -I. -I../config -
DSYSCONFDIR="\"/usr/local/coreseek/etc\"
DDATADIR="\"/usr/local/coreseek/var/data\
"" -I/usr/local/include -
I/usr/local/mysql/include -
I/usr/local/mmseg3/include/mmseg/ -Wall -g
-D FILE OFFSET BITS=64 -O3 -DNDEBUG
-MT sphinxstemcz.o -MD -MP -MF
.deps/sphinxstemcz.Tpo -c -o sphinxstemcz.o
sphinxstemcz.cpp
mv -f .deps/sphinxstemcz.Tpo
.deps/sphinxstemcz.Po
g++ -DHAVE_CONFIG_H -I. -I../config -
DSYSCONFDIR="\"/usr/local/coreseek/etc\"
DDATADIR="\"/usr/local/coreseek/var/data\
"" -I/usr/local/include -
I/usr/local/mysql/include -
I/usr/local/mmseg3/include/mmseg/ -Wall -g
-D_FILE_OFFSET_BITS=64 -O3 -DNDEBUG
-MT sphinxutils.o -MD -MP -MF
```

```
.deps/sphinxutils.Tpo -c -o sphinxutils.o
sphinxutils.cpp
mv -f .deps/sphinxutils.Tpo
.deps/sphinxutils.Po
g++ -DHAVE_CONFIG_H -I. -I../config -
DSYSCONFDIR="\"/usr/local/coreseek/etc\"
DDATADIR="\"/usr/local/coreseek/var/data\
"" -I/usr/local/include -
I/usr/local/mysql/include -
I/usr/local/mmseg3/include/mmseg/ -Wall -g
-D_FILE_OFFSET_BITS=64 -O3 -DNDEBUG
-MT md5.o -MD -MP -MF .deps/md5.Tpo -c -o
md5.o md5.cpp
mv -f .deps/md5.Tpo .deps/md5.Po
g++ -DHAVE_CONFIG_H -I. -I../config -
DSYSCONFDIR="\"/usr/local/coreseek/etc\"
DDATADIR="\"/usr/local/coreseek/var/data\
"" -I/usr/local/include -
I/usr/local/mysql/include -
I/usr/local/mmseg3/include/mmseg/ -Wall -g
-D_FILE_OFFSET_BITS=64 -O3 -DNDEBUG
-MT sphinxstd.o -MD -MP -MF
.deps/sphinxstd.Tpo -c -o sphinxstd.o
sphinxstd.cpp
In file included from sphinxstd.cpp:17:
./sphinxint.h:1144:22: warning:
'CSphDictStar::GetWordID' hides overloaded
virtual
function [-Woverloaded-virtual]
virtual SphWordID_t GetWordID (BYTE *
pWord);
./sphinxint.h:1123:22: note: hidden overloaded
virtual function
'CSphDictTraits::GetWordID' declared here
virtual SphWordID_t GetWordID (const
BYTE * pWord, int iLen, bool bF...
./sphinxint.h:1168:22: warning:
'CSphDictExact::GetWordID' hides
overloaded virtual
function [-Woverloaded-virtual]
virtual SphWordID_t GetWordID (BYTE *
pWord );
./sphinxint.h:1123:22: note: hidden overloaded
virtual function
'CSphDictTraits::GetWordID' declared here
virtual SphWordID_t GetWordID (const
```

```
BYTE * pWord, int iLen, bool bF...
sphinxstd.cpp:591:8: warning: 'operator new'
is missing exception specification
'throw(std::bad_alloc)'
void * operator new ( size_t iSize )
throw(std::bad_alloc)
/Applications/Xcode.app/Contents/Developer/
Toolchains/XcodeDefault.xctoolchain/usr/bin/
../lib/c++/v1/new:93:24: note:
previous declaration is here
_LIBCPP_FUNC_VIS void* operator
new(std::size_t __sz)
sphinxstd.cpp:600:8: warning: 'operator new[]'
is missing exception specification
'throw(std::bad_alloc)'
void * operator new [] ( size_t iSize )
throw(std::bad_alloc)
/Applications/Xcode.app/Contents/Developer/
Toolchains/XcodeDefault.xctoolchain/usr/bin/
../lib/c++/v1/new:102:24: note:
previous declaration is here
_LIBCPP_FUNC_VIS void* operator
new[](std::size_t __sz)
4 warnings generated.
mv -f .deps/sphinxstd.Tpo .deps/sphinxstd.Po
g++ -DHAVE_CONFIG_H -I. -I../config -
DSYSCONFDIR="\"/usr/local/coreseek/etc\"
DDATADIR="\"/usr/local/coreseek/var/data\
"" -I/usr/local/include -
I/usr/local/mysql/include -
I/usr/local/mmseg3/include/mmseg/ -Wall -g
-D_FILE_OFFSET_BITS=64 -O3 -DNDEBUG
-MT sphinxsort.o -MD -MP -MF
.deps/sphinxsort.Tpo -c -o sphinxsort.o
sphinxsort.cpp
In file included from sphinxsort.cpp:17:
./sphinxint.h:1144:22: warning:
'CSphDictStar::GetWordID' hides overloaded
virtual
function [-Woverloaded-virtual]
virtual SphWordID_t GetWordID ( BYTE *
pWord);
./sphinxint.h:1123:22: note: hidden overloaded
virtual function
```

```
'CSphDictTraits::GetWordID' declared here
virtual SphWordID_t GetWordID (const
BYTE * pWord, int iLen, bool bF...
./sphinxint.h:1168:22: warning:
'CSphDictExact::GetWordID' hides
overloaded virtual
function [-Woverloaded-virtual]
virtual SphWordID_t GetWordID (BYTE *
pWord);
./sphinxint.h:1123:22: note: hidden overloaded
virtual function
'CSphDictTraits::GetWordID' declared here
virtual SphWordID_t GetWordID (const
BYTE * pWord, int iLen, bool bF...
sphinxsort.cpp:2833:3: warning: initialization
of pointer of type 'ISphMatchSorter *' to
null from a constant boolean expression [-
Wbool-conversion]
...LOC_CHECK (
tSettings.m_tLocGroupby.m_bDynamic,
"@groupby must be dynamic" );
sphinxsort.cpp:2826:88: note: expanded from
macro 'LOC_CHECK'
...if (!(_cond)) { sError = "invalid schema: "
_msg; return false; }
^~~~~
sphinxsort.cpp:2836:3: warning: initialization
of pointer of type 'ISphMatchSorter *' to
null from a constant boolean expression [-
Wbool-conversion]
LOC_CHECK ( iCount>=0, "missing @count" );
~~~~
sphinxsort.cpp:2826:88: note: expanded from
macro 'LOC_CHECK'
...if (!(_cond)) { sError = "invalid schema: "
_msg; return false; }
sphinxsort.cpp:2839:3: warning: initialization
of pointer of type 'ISphMatchSorter *' to
null from a constant boolean expression [-
Wbool-conversion]
LOC_CHECK (
tSettings.m_tLocCount.m_bDynamic, "@count
must be dynamic");
```

```
sphinxsort.cpp:2826:88: note: expanded from
macro 'LOC_CHECK'
...if (!(_cond)) { sError = "invalid schema: "
_msg; return false; }
sphinxsort.cpp:2844:4: warning: initialization
of pointer of type 'ISphMatchSorter *' to
null from a constant boolean expression [-
Wbool-conversion]
LOC_CHECK ( iDistinct>=0, "missing
@distinct");
sphinxsort.cpp:2826:88: note: expanded from
macro 'LOC CHECK'
...if (!(_cond)) { sError = "invalid schema: "
_msg; return false; }
^~~~~
sphinxsort.cpp:2846:4: warning: initialization
of pointer of type 'ISphMatchSorter *' to
null from a constant boolean expression [-
Wbool-conversion]
...LOC_CHECK (
tSettings.m_tLocDistinct.m_bDynamic,
"@distinct must be dynamic");
sphinxsort.cpp:2826:88: note: expanded from
macro 'LOC CHECK'
...if (!(_cond)) { sError = "invalid schema: "
_msg; return false; }
sphinxsort.cpp:2849:4: warning: initialization
of pointer of type 'ISphMatchSorter *' to
null from a constant boolean expression [-
Wbool-conversion]
LOC_CHECK ( iDistinct <= 0, "unexpected
@distinct" );
~~~~~~~~~~
sphinxsort.cpp:2826:88: note: expanded from
macro 'LOC_CHECK'
...if (!(_cond)) { sError = "invalid schema: "
_msg; return false; }
^~~~~
sphinxsort.cpp:2855:3: warning: initialization
of pointer of type 'ISphMatchSorter *' to
null from a constant boolean expression [-
```

```
Wbool-conversion]
...LOC_CHECK ( tSorterSchema.GetAttrIndex
( "@count" )>=0, "Count(*) or @count is
queried, but not available in the schema");
sphinxsort.cpp:2826:88: note: expanded from
macro 'LOC CHECK'
...if (!(_cond)) { sError = "invalid schema: "
_msg; return false; }
sphinxsort.cpp:1215:15: warning:
'CSphKBufferMVAGroupSorter<MatchGeneric
true>::IsGroupby' hides overloaded virtual
function [-Woverloaded-virtual]
virtual bool IsGroupby ()
sphinxsort.cpp:1829:15: note: in instantiation
of template class
'CSphKBufferMVAGroupSorter<MatchGeneric
2_fn, true>' requested here
return new CSphKBufferMVAGroupSorter <
COMPGROUP, true > ...
sphinxsort.cpp:1846:31: note: in instantiation
of function template specialization
'sphCreateSorter3rd<MatchGeneric2_fn>'
requested here
case FUNC_GENERIC2: return
sphCreateSorter3rd<MatchGe...
sphinxsort.cpp:940:15: note: hidden
overloaded virtual function
'CSphKBufferGroupSorter<MatchGeneric2_fn,
true>::IsGroupby' declared here
virtual bool IsGroupby () const
sphinxsort.cpp:1215:15: warning:
'CSphKBufferMVAGroupSorter<MatchGeneric
2 fn,
false>::IsGroupby' hides overloaded virtual
function [-Woverloaded-virtual]
virtual bool IsGroupby ()
sphinxsort.cpp:1831:15: note: in instantiation
of template class
'CSphKBufferMVAGroupSorter<MatchGeneric
2_fn, false>' requested here
```

```
return new CSphKBufferMVAGroupSorter <
COMPGROUP, false ...
sphinxsort.cpp:1846:31: note: in instantiation
of function template specialization
'sphCreateSorter3rd<MatchGeneric2_fn>'
requested here
case FUNC_GENERIC2: return
sphCreateSorter3rd<MatchGe...
sphinxsort.cpp:940:15: note: hidden
overloaded virtual function
'CSphKBufferGroupSorter<MatchGeneric2_fn,
false>::IsGroupby' declared here
virtual bool IsGroupby () const
sphinxsort.cpp:1215:15: warning:
'CSphKBufferMVAGroupSorter<MatchGeneric
3 fn,
true>::IsGroupby' hides overloaded virtual
function [-Woverloaded-virtual]
virtual bool IsGroupby ()
sphinxsort.cpp:1829:15: note: in instantiation
of template class
'CSphKBufferMVAGroupSorter<MatchGeneric
3_fn, true>' requested here
return new CSphKBufferMVAGroupSorter <
COMPGROUP, true > ...
sphinxsort.cpp:1847:31: note: in instantiation
of function template specialization
'sphCreateSorter3rd<MatchGeneric3_fn>'
requested here
case FUNC_GENERIC3: return
sphCreateSorter3rd<MatchGe...
sphinxsort.cpp:940:15: note: hidden
overloaded virtual function
'CSphKBufferGroupSorter<MatchGeneric3_fn,
true>::IsGroupby' declared here
virtual bool IsGroupby () const
sphinxsort.cpp:1215:15: warning:
'CSphKBufferMVAGroupSorter<MatchGeneric
3_fn,
false>::IsGroupby' hides overloaded virtual
function [-Woverloaded-virtual]
virtual bool IsGroupby ()
sphinxsort.cpp:1831:15: note: in instantiation
```

```
of template class
'CSphKBufferMVAGroupSorter<MatchGeneric
3_fn, false>' requested here
return new CSphKBufferMVAGroupSorter <
COMPGROUP, false ...
sphinxsort.cpp:1847:31: note: in instantiation
of function template specialization
'sphCreateSorter3rd<MatchGeneric3_fn>'
requested here
case FUNC_GENERIC3: return
sphCreateSorter3rd<MatchGe...
sphinxsort.cpp:940:15: note: hidden
overloaded virtual function
'CSphKBufferGroupSorter<MatchGeneric3_fn,
false>::IsGroupby' declared here
virtual bool IsGroupby () const
sphinxsort.cpp:1215:15: warning:
'CSphKBufferMVAGroupSorter<MatchGeneric
true>::IsGroupby' hides overloaded virtual
function [-Woverloaded-virtual]
virtual bool IsGroupby ()
sphinxsort.cpp:1829:15: note: in instantiation
of template class
'CSphKBufferMVAGroupSorter<MatchGeneric
4_fn, true>' requested here
return new CSphKBufferMVAGroupSorter <
COMPGROUP, true > ...
sphinxsort.cpp:1848:31: note: in instantiation
of function template specialization
'sphCreateSorter3rd<MatchGeneric4_fn>'
requested here
case FUNC_GENERIC4: return
sphCreateSorter3rd<MatchGe...
sphinxsort.cpp:940:15: note: hidden
overloaded virtual function
'CSphKBufferGroupSorter<MatchGeneric4_fn,
true>::IsGroupby' declared here
virtual bool IsGroupby () const
sphinxsort.cpp:1215:15: warning:
'CSphKBufferMVAGroupSorter<MatchGeneric
4_fn,
false>::IsGroupby' hides overloaded virtual
function [-Woverloaded-virtual]
```

```
virtual bool IsGroupby ()
sphinxsort.cpp:1831:15: note: in instantiation
of template class
'CSphKBufferMVAGroupSorter<MatchGeneric
4_fn, false>' requested here
return new CSphKBufferMVAGroupSorter <
COMPGROUP, false ...
sphinxsort.cpp:1848:31: note: in instantiation
of function template specialization
'sphCreateSorter3rd<MatchGeneric4_fn>'
requested here
case FUNC_GENERIC4: return
sphCreateSorter3rd<MatchGe...
sphinxsort.cpp:940:15: note: hidden
overloaded virtual function
'CSphKBufferGroupSorter<MatchGeneric4_fn,
false>::IsGroupby' declared here
virtual bool IsGroupby () const
sphinxsort.cpp:1215:15: warning:
'CSphKBufferMVAGroupSorter<MatchGeneric
true>::IsGroupby' hides overloaded virtual
function [-Woverloaded-virtual]
virtual bool IsGroupby ()
sphinxsort.cpp:1829:15: note: in instantiation
of template class
'CSphKBufferMVAGroupSorter<MatchGeneric
5_fn, true>' requested here
return new CSphKBufferMVAGroupSorter <
COMPGROUP, true > ...
sphinxsort.cpp:1849:31: note: in instantiation
of function template specialization
'sphCreateSorter3rd<MatchGeneric5_fn>'
requested here
case FUNC_GENERIC5: return
sphCreateSorter3rd<MatchGe...
sphinxsort.cpp:940:15: note: hidden
overloaded virtual function
'CSphKBufferGroupSorter<MatchGeneric5_fn,
true>::IsGroupby' declared here
virtual bool IsGroupby () const
sphinxsort.cpp:1215:15: warning:
'CSphKBufferMVAGroupSorter<MatchGeneric
```

```
5_fn,
false>::IsGroupby' hides overloaded virtual
function [-Woverloaded-virtual]
virtual bool IsGroupby ()
sphinxsort.cpp:1831:15: note: in instantiation
of template class
'CSphKBufferMVAGroupSorter<MatchGeneric
5_fn, false>' requested here
return new CSphKBufferMVAGroupSorter <
COMPGROUP, false ...
sphinxsort.cpp:1849:31: note: in instantiation
of function template specialization
'sphCreateSorter3rd<MatchGeneric5_fn>'
requested here
case FUNC_GENERIC5: return
sphCreateSorter3rd<MatchGe...
sphinxsort.cpp:940:15: note: hidden
overloaded virtual function
'CSphKBufferGroupSorter<MatchGeneric5_fn,
false>::IsGroupby' declared here
virtual bool IsGroupby () const
sphinxsort.cpp:1215:15: warning:
'CSphKBufferMVAGroupSorter<MatchCustom
_fn,
true>::IsGroupby' hides overloaded virtual
function [-Woverloaded-virtual]
virtual bool IsGroupby ()
sphinxsort.cpp:1829:15: note: in instantiation
of template class
'CSphKBufferMVAGroupSorter<MatchCustom
_fn, true>' requested here
return new CSphKBufferMVAGroupSorter <
COMPGROUP, true > ...
sphinxsort.cpp:1850:29: note: in instantiation
of function template specialization
'sphCreateSorter3rd<MatchCustom_fn>'
requested here
case FUNC_CUSTOM: return
sphCreateSorter3rd<MatchCu...
sphinxsort.cpp:940:15: note: hidden
overloaded virtual function
'CSphKBufferGroupSorter<MatchCustom_fn,
true>::IsGroupby' declared here
virtual bool IsGroupby () const
```

```
sphinxsort.cpp:1215:15: warning:
'CSphKBufferMVAGroupSorter<MatchCustom
false>::IsGroupby' hides overloaded virtual
function [-Woverloaded-virtual]
virtual bool IsGroupby ()
sphinxsort.cpp:1831:15: note: in instantiation
of template class
'CSphKBufferMVAGroupSorter<MatchCustom
_fn, false>' requested here
return new CSphKBufferMVAGroupSorter <
COMPGROUP, false ...
sphinxsort.cpp:1850:29: note: in instantiation
of function template specialization
'sphCreateSorter3rd<MatchCustom_fn>'
requested here
case FUNC_CUSTOM: return
sphCreateSorter3rd<MatchCu...
sphinxsort.cpp:940:15: note: hidden
overloaded virtual function
'CSphKBufferGroupSorter<MatchCustom_fn,
false>::IsGroupby' declared here
virtual bool IsGroupby () const
sphinxsort.cpp:1215:15: warning:
'CSphKBufferMVAGroupSorter<MatchExpr_f
true>::IsGroupby' hides overloaded virtual
function [-Woverloaded-virtual]
virtual bool IsGroupby ()
sphinxsort.cpp:1829:15: note: in instantiation
of template class
'CSphKBufferMVAGroupSorter<MatchExpr_f
n, true>' requested here
return new CSphKBufferMVAGroupSorter <
COMPGROUP, true > ...
sphinxsort.cpp:1851:28: note: in instantiation
of function template specialization
'sphCreateSorter3rd<MatchExpr_fn>'
requested here
case FUNC_EXPR: return
sphCreateSorter3rd<MatchEx...
sphinxsort.cpp:940:15: note: hidden
overloaded virtual function
```

```
'CSphKBufferGroupSorter<MatchExpr_fn,
true>::IsGroupby' declared here
virtual bool IsGroupby () const
sphinxsort.cpp:1215:15: warning:
'CSphKBufferMVAGroupSorter<MatchExpr_f
false>::IsGroupby' hides overloaded virtual
function [-Woverloaded-virtual]
virtual bool IsGroupby ()
sphinxsort.cpp:1831:15: note: in instantiation
of template class
'CSphKBufferMVAGroupSorter<MatchExpr_f
n, false>' requested here
return new CSphKBufferMVAGroupSorter <
COMPGROUP, false ...
sphinxsort.cpp:1851:28: note: in instantiation
of function template specialization
'sphCreateSorter3rd<MatchExpr_fn>'
requested here
case FUNC_EXPR: return
sphCreateSorter3rd<MatchEx...
sphinxsort.cpp:940:15: note: hidden
overloaded virtual function
'CSphKBufferGroupSorter<MatchExpr_fn,
false>::IsGroupby' declared here
virtual bool IsGroupby () const
21 warnings generated.
mv -f .deps/sphinxsort.Tpo
.deps/sphinxsort.Po
g++ -DHAVE_CONFIG_H -I. -I../config -
DSYSCONFDIR="\"/usr/local/coreseek/etc\"
DDATADIR="\"/usr/local/coreseek/var/data\
"" -I/usr/local/include -
I/usr/local/mysql/include -
I/usr/local/mmseg3/include/mmseg/ -Wall -g
-D_FILE_OFFSET_BITS=64 -O3 -DNDEBUG
-MT sphinxexpr.o -MD -MP -MF
.deps/sphinxexpr.Tpo -c -o sphinxexpr.o
sphinxexpr.cpp
In file included from sphinxexpr.cpp:20:
./sphinxint.h:1144:22: warning:
'CSphDictStar::GetWordID' hides overloaded
virtual
function [-Woverloaded-virtual]
virtual SphWordID_t GetWordID (BYTE *
```

```
pWord);
./sphinxint.h:1123:22: note: hidden overloaded
virtual function
'CSphDictTraits::GetWordID' declared here
virtual SphWordID_t GetWordID (const
BYTE * pWord, int iLen, bool bF...
./sphinxint.h:1168:22: warning:
'CSphDictExact::GetWordID' hides
overloaded virtual
function [-Woverloaded-virtual]
virtual SphWordID_t GetWordID (BYTE *
pWord );
./sphinxint.h:1123:22: note: hidden overloaded
virtual function
'CSphDictTraits::GetWordID' declared here
virtual SphWordID_t GetWordID (const
BYTE * pWord, int iLen, bool bF...
sphinxexpr.cpp:347:96: warning: variable
'pStr' is uninitialized when used here
[-Wuninitialized]
...& tMatch ) const { const BYTE * pStr;
return sphCRC32 (pStr, m_pFirst-
>StringEva...
sphinxexpr.cpp:347:76: note: initialize the
variable 'pStr' to silence this warning
...( const CSphMatch & tMatch ) const { const
BYTE * pStr; return sphCRC32 (pStr, m...
= NULL
sphinxexpr.cpp:699:5: warning: field
'm_pExtra' will be initialized after field
'm pHook'
[-Wreorder]
: m_pExtra ( pExtra )
sphinxexpr.cpp:1778:3: error: use of
undeclared identifier 's'
s->m_pArg, tMatchARRAY_FOREACH (i,
m_dTurnPoints )
sphinxexpr.cpp:1778:36: error: use of
undeclared identifier 'i'
s->m_pArg, tMatchARRAY_FOREACH (i,
m_dTurnPoints)
sphinxexpr.cpp:1848:6: warning:
```

```
'Expr_MVAIn_c<false>::MvaEval' hides
overloaded virtual
function [-Woverloaded-virtual]
int MvaEval (const DWORD * pMva ) const;
sphinxexpr.cpp:1878:5: note: in instantiation
of template class 'Expr_MVAIn_c<false>'
requested here
int Expr_MVAIn_c<false>::MvaEval ( const
DWORD * pMva ) const
./sphinxexpr.h:61:24: note: hidden overloaded
virtual function 'ISphExpr::MvaEval'
declared here
virtual const DWORD * MvaEval ( const
CSphMatch & ) const { assert (0)...
sphinxexpr.cpp:1848:6: warning:
'Expr_MVAIn_c<true>::MvaEval' hides
overloaded virtual
function [-Woverloaded-virtual]
int MvaEval (const DWORD * pMva ) const;
sphinxexpr.cpp:1909:5: note: in instantiation
of template class 'Expr_MVAIn_c<true>'
requested here
int Expr_MVAIn_c<true>::MvaEval ( const
DWORD * pMva ) const
./sphinxexpr.h:61:24: note: hidden overloaded
virtual function 'ISphExpr::MvaEval'
declared here
virtual const DWORD * MvaEval ( const
CSphMatch & ) const { assert (0)...
sphinxexpr.cpp:1777:5: warning: unused
variable 'val' [-Wunused-variable]
T val = this->ExprEval (this->m_pArg, tMatch
); // 'this' fixes ...
sphinxexpr.cpp:2217:38: note: in instantiation
of member function
'Expr_Interval_c<int>::IntEval' requested
case SPH_ATTR_INTEGER: return new
Expr_Interval_c<int> ...
sphinxexpr.cpp:1777:5: warning: unused
variable 'val' [-Wunused-variable]
T val = this->ExprEval (this->m_pArg, tMatch
); // 'this' fixes ...
```

sphinxexpr.cpp:2218:37: note: in instantiation of member function 'Expr_Interval_c<long long>::IntEval' requested here case SPH_ATTR_BIGINT: return new Expr_Interval_c<int64_... sphinxexpr.cpp:1777:5: warning: unused variable 'val' [-Wunused-variable] T val = this->ExprEval (this->m_pArg, tMatch); // 'this' fixes ... sphinxexpr.cpp:2219:27: note: in instantiation of member function 'Expr_Interval_c<float>::IntEval' requested default: return new Expr_I... 9 warnings and 2 errors generated. make 2: *** [sphinxexpr.o] Error 1make 💚 : *** [all] Error 2 make: *** [all-recursive] Error 1

csft-4.1 root#

3月1日 4 回复 **支持 ** 转发



shiniv



```
unsigned char pu1 = p1.key.cstr() 🎩
unsigned char pu2 = p2.key.cstr() 🎩
I);
```

```
case SPH_ATTR_BIGINT: return
new Expr_Interval_c<int64_...

sphinxexpr.cpp:1777:5: warning:
unused variable 'val' [-Wunused-
variable]

T val = this->ExprEval (this-
>m_pArg, tMatch); // 'this' fixes ...

sphinxexpr.cpp:2219:27: note: in
instantiation of member function
'Expr_Interval_c<float>::IntEval'
requested here
default: return new Expr_I...

9 warnings and 2 errors generated.
make 2: *** [sphinxexpr.o] Error 1
make 0: *** [all] Error 2
make: *** [all-recursive] Error 1
csft-4.1 root#
```

不好意思。。找不出具体原因。。 你试一下安装个新版的看能不能编译成功 http://www.coreseek.cn/uploads/csft/4.0/cor eseek-4.1-beta.tar.gz

3月2日 ◆ 回复 ◆ 支持 ◆ 转发




果子


我安装的就是最新**4.1bata**版本的。方便给个联系**QQ**吗?

3月2日 4 回复 支持 参转发



o0风依旧0o





把automake版本降低为1.11,就可以了。

\$ curl -O -L

http://mirrors.kernel.org/gnu/automake/automake-1.11.tar.gz

- \$ tar xzvf automake-1.11.tar.gz
- \$ cd automake-1.11
- \$./configure --prefix=/usr/local
- \$ make && make install

3月21日 一回复 支持 转发

社交帐号登录:



« Mac搭建服务器利器-MAMP

让discuz X2 支持@通知功能»

Copyright © 2013 枫之落叶 京ICP备13043551号-1 | Theme Modify by shiniv

Top of Page